

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-----------|-------------|--------------------------------|---------------------------------|----------------------|-------------|-------|---|---|
| WORD 2 | A.O. | Khalikova | PE35-6 | Poster Session (English) 35 | AF (Others) | March 14 (Sat), 2020 | 09:10-10:06 | 6 | New Hall, 1F ,Kyoto International Conference Center | RADIOFREQUENCY ABLATION OF THE GANGLION PLEXUS OF THE ATRIA IN VASOVAGAL SYNCOPE |
| 10024 | Kohei | Sawasaki | PE08-1 | Poster Session (English) 08 | AF Ablation Method 3 | March 12 (Thu) | 14:00-14:56 | 1 | New Hall, 1F ,Kyoto International Conference Center | Atrial defibrillation threshold of internal cardioversion prior to catheter ablation -A potential predictor of atrial fibrillation recurrence |
| 10035 | Toshiki | Kuno | OE126-1 | Oral Presentation(English) 126 | Thromboembolism 2 | March 15 (Sun) | 08:00-09:00 | 1 | Room J, 2F ,Kyoto International Conference Center | Oral Anticoagulant for Atrial Fibrillation in Patients on Dialysis: Insights from a Network Meta-Analysis |
| 10052 | Hideyuki | Hasebe | PE51-1 | Poster Session (English) 51 | Ventricular Arrhythmia | March 15 (Sun) | 11:10-12:06 | 1 | New Hall, 1F ,Kyoto International Conference Center | Oral Caffeine Intake Amplifies the Response to Isoproterenol in Patients with Frequent Premature Ventricular Complexes. |
| 10059 | Wataru | Shimizu | OE107-6 | Oral Presentation(English) 107 | Thromboembolism 3 | March 14 (Sat), 2020 | 09:05-10:05 | 6 | Room 501, 5F ,Kyoto International Conference Center | Association of renal function and clinical characteristics in elderly non-valvular atrial fibrillation (NVAf) patients from the ANAFIE registry |
| 10067 | Issei | Yoshimoto | OE106-9 | Oral Presentation(English) 106 | Arrhythmia | March 14 (Sat), 2020 | 11:15-12:45 | 9 | Room J, 2F ,Kyoto International Conference Center | Atrial Fibrillation Termination Caused by Electrogram Based Ablation; Compared with CFAE v.s. CFAE+Dispersion |
| 10073 | Kaoru | Okishige | OE068-1 | Oral Presentation(English) 068 | SVT 2 | March 12 (Thu) | 16:35-17:35 | 1 | Rose Room, B1F ,Grand Prince Hotel Kyoto | Transcatheter Cryo-ablation for Septal Accessory Pathways. |
| 10170 | Eiichi | Watanabe | PE58-1 | Poster Session (English) 58 | Thromboembolism 1 | March 15 (Sun) | 10:10-11:06 | 1 | New Hall, 1F ,Kyoto International Conference Center | Clinical phenotypes and outcome in patients with non-valvular atrial fibrillation defined by cluster Analysis: The J Rhythm Registry subanalysis |
| 10186 | Hiroshi | Yoshida | OE066-6 | Oral Presentation(English) 066 | Atrial arrhythmia | March 12 (Thu) | 14:25-15:25 | 6 | Rose Room, B1F ,Grand Prince Hotel Kyoto | Impact of additional superior vena cava isolation on increased resting heart rate after cryoballoon guided pulmonary vein isolation |
| 10210 | Hiroaki | Ohya | OE093-4 | Oral Presentation(English) 093 | CIED 3 | March 13 (Fri) | 15:05-16:05 | 4 | Room J, 2F ,Kyoto International Conference Center | Significance of Progression in Paroxysmal Advanced Atrioventricular Block in Determining Indications for Leadless Pacemaker Implantation |
| 10216 | Jin | Teranishi | PE09-1 | Poster Session (English) 09 | AF Ablation Method 4 | March 12 (Thu) | 15:00-15:56 | 1 | New Hall, 1F ,Kyoto International Conference Center | The Validity of Ablation Index-guided, High-Power Radiofrequency Ablation compared with Force Time Integral-guided Ablation in Patients with Paroxysmal Atrial Fibrillation |
| 10279 | Kunihiko | Kiuchi | OE076-2 | Oral Presentation(English) 076 | AF Mapping/Multipoint Mapping 1 | March 13 (Fri) | 11:15-12:45 | 2 | Room J, 2F ,Kyoto International Conference Center | The impact of the radiofrequency application on the patchy late-gadolinium enhancement sites in patients with atrial fibrillation: LGE-MRI analysis |
| 10287 | Yuichiro | Sagawa | OE103-1 | Oral Presentation(English) 103 | AF/Epidemiology | March 14 (Sat), 2020 | 08:00-09:00 | 1 | Room J, 2F ,Kyoto International Conference Center | Alcohol Consumption and Left Atrial Remodeling in Atrial Fibrillation Patients |
| 10360 | Osamu | Igawa | OE067-3 | Oral Presentation(English) 067 | SVT 1 | March 12 (Thu) | 15:30-16:30 | 3 | Rose Room, B1F ,Grand Prince Hotel Kyoto | Possible Mechanism of Atrioventricular Nodal Reentrant Tachycardia (Important role of pyramidal space as an anatomical obstacle) |
| 10388 | Minoru | Horie | OE108-1 | Oral Presentation(English) 108 | Thromboembolism 4 | March 14 (Sat), 2020 | 10:10-11:10 | 1 | Room 501, 5F ,Kyoto International Conference Center | Edoxaban Blood Concentrations Vary Considerably and Correlate with Anti-Factor Xa Activity in Atrial Fibrillation Patients |
| 10403 | Megumi | Fukuyama | FRS02-4 | Featured Research Session 02 | Arrhythmia 1 | March 13 (Fri) | 11:10-12:40 | 4 | Room E, B1F ,Kyoto International Conference Center | Severe Phenotype in RYR2 Variant Carriers with Idiopathic Primary Arrhythmia Syndromes |
| 10439 | Tomoki | Fujisawa | OE022-1 | Oral Presentation(English) 022 | AF Registry/Heart failure | March 12 (Thu) | 09:45-10:45 | 1 | Royal Room, 1F ,Grand Prince Hotel Kyoto | Different Impact of Atrial Fibrillation on Heart Failure Events by Age Groups: Shinken Database Analysis |
| 10459 | Osamu | Saitoh | OE064-1 | Oral Presentation(English) 064 | AF Ablation Method/Others 1 | March 12 (Thu) | 14:25-15:25 | 1 | Gold Room, B2F ,Grand Prince Hotel Kyoto | Lesion Characteristics Created by Short- and Nominal-time of RF Application: Requirement of Appropriate Application Time for Stable Lesions |
| 10462 | Naoaki | Onishi | PJ21-1 | ポスターセッション(日本語) 21 | AF (Imaging) | March 14 (Sat), 2020 | 08:10-09:06 | 1 | New Hall, 1F ,Kyoto International Conference Center | Improvement of Atrial Functional Mitral Regurgitation Due to Atrial Fibrillation after Catheter Ablation |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-----------|-------------|--------------------------------|---|----------------------|-------------|-------|---|---|
| 10494 | Takashi | Kanda | OE018-1 | Oral Presentation(English) 018 | AF Ablation Method/Low Voltage Ablation | March 12 (Thu) | 09:45-10:45 | 1 | Gold Room, B2F ,Grand Prince Hotel Kyoto | Extensive left atrial low-voltage areas during initial ablation procedures were associated with poor clinical outcomes in spite of multiple procedures. |
| 10509 | Atsushi | Hirayama | OE069-6 | Oral Presentation(English) 069 | AF Registry/Others | March 12 (Thu) | 13:20-14:20 | 6 | Royal Room, 1F ,Grand Prince Hotel Kyoto | Characteristics and Anti-Coagulant Treatment Status by the Hospital Scale in Elderly Non-Valvular Atrial Fibrillation Patients from the ANAFIE Registry |
| 10517 | Mamoru | Manita | PJ44-1 | ポスターセッション(日本語) 44 | AF/Heart Failure | March 15 (Sun) | 15:10-16:06 | 1 | New Hall, 1F ,Kyoto International Conference Center | Catheter Ablation of Atrial Fibrillation Reduces Adverse Outcomes in Elderly Patients Hospitalized for Acute Heart Failure |
| 10520 | Tomohiko | Imamura | OE106-4 | Oral Presentation(English) 106 | Arrhythmia | March 14 (Sat), 2020 | 11:15-12:45 | 4 | Room J, 2F ,Kyoto International Conference Center | Clinical and Genetic Characteristics of Pediatric Brugada Syndrome |
| 10526 | Osamu | Saitoh | OJ31-7 | 一般演題口述 (日本語) 31 | Arrhythmia (Basic) 2 | March 15 (Sun) | 15:05-16:35 | 7 | Room J, 2F ,Kyoto International Conference Center | Therapeutic Effects of Bepridil and Verapamil for Premature Ventricular Complexes Induced During the Enhancement of Cardio-sympathetic Nerve Activity |
| 10534 | Masahiro | Esato | OE069-1 | Oral Presentation(English) 069 | AF Registry/Others | March 12 (Thu) | 13:20-14:20 | 1 | Royal Room, 1F ,Grand Prince Hotel Kyoto | Clinical Characteristics and Determinants of Major Adverse Cardiac and Cerebrovascular Events after Atrial Fibrillation Catheter Ablation: The Fushimi AF Registry. |
| 10547 | Chisa | Asahina | PE58-2 | Poster Session (English) 58 | Thromboembolism 1 | March 15 (Sun) | 10:10-11:06 | 2 | New Hall, 1F ,Kyoto International Conference Center | Why does embolic stroke related to non-valvular atrial fibrillation not decrease? |
| 10602 | Hideko | Toyama | OE017-4 | Oral Presentation(English) 017 | AF Ablation Method/High Power Ablation | March 12 (Thu) | 08:40-09:40 | 4 | Gold Room, B2F ,Grand Prince Hotel Kyoto | Box Isolation Using High Power and Short Duration Ablations and Contact Force Sensing Catheter |
| 10604 | Hideko | Toyama | OJ17-3 | 一般演題口述 (日本語) 17 | AF Balloon ablation/Cryo 1 | March 13 (Fri) | 09:05-10:05 | 3 | Room 501, 5F ,Kyoto International Conference Center | Feasibility and efficacy of time-to-pulmonary vein isolation guided ablation using the fourth generation cryoballoon with a shorter tip |
| 10605 | Ryo | Watanabe | OE080-2 | Oral Presentation(English) 080 | CIED 4 | March 13 (Fri) | 10:10-11:10 | 2 | Room 510, 5F ,Kyoto International Conference Center | The Evaluation about Increase in His Bundle Capture Threshold after Permanent His Bundle Pacing |
| 10613 | Risako | Nakao | OE071-4 | Oral Presentation(English) 071 | AF/Imaging 2 | March 12 (Thu) | 16:35-17:35 | 4 | Royal Room, 1F ,Grand Prince Hotel Kyoto | Prediction of Atrial Fibrillation in Patients with Hypertrophic Cardiomyopathy Using Left Atrium Vortex Flow Mapping of Cine CMR Imaging |
| 10622 | Koichi | Nagashima | OE066-1 | Oral Presentation(English) 066 | Atrial arrhythmia | March 12 (Thu) | 14:25-15:25 | 1 | Rose Room, B1F ,Grand Prince Hotel Kyoto | Supraventricular Tachycardia Sustained Despite Occurrence of Sudden Ventriculoatrial Block: A Multicenter Study of NV/NF fiber-related SVT vs. AVNRT |
| 10649 | Gen | Matsuura | OJ18-3 | 一般演題口述 (日本語) 18 | AF Balloon Ablation/Cryo 2 | March 13 (Fri) | 11:15-12:45 | 3 | Room 501, 5F ,Kyoto International Conference Center | Optimized lesion size index (o-LSI): the novel predictor for sufficient ablation of pulmonary vein isolation. |
| 10656 | Ryo | Tateishi | PE32-1 | Poster Session (English) 32 | CIED 1 | March 13 (Fri) | 17:10-18:06 | 1 | New Hall, 1F ,Kyoto International Conference Center | Leadless pacemaker implantation for complete atrioventricular block and the effect of transcatheter aortic valve replacement |
| 10666 | Akiko | Ueda | OE127-1 | Oral Presentation(English) 127 | Ventricular Arrhythmia 1 | March 15 (Sun) | 09:05-10:05 | 1 | Room J, 2F ,Kyoto International Conference Center | Conduction Property during Sinus Rhythm as "Functional Substrate Map"; |
| 10713 | Shigetoshi | Sakabe | OE095-1 | Oral Presentation(English) 095 | AF/Others 1 | March 13 (Fri) | 16:10-17:10 | 1 | Room 501, 5F ,Kyoto International Conference Center | Can Cryoballoon Ablation Produce Alterations in Cardiac and Extra-cardiac Autonomic Nervous System in Patients with Paroxysmal Atrial Fibrillation? |
| 10719 | Shigetoshi | Sakabe | OE095-2 | Oral Presentation(English) 095 | AF/Others 1 | March 13 (Fri) | 16:10-17:10 | 2 | Room 501, 5F ,Kyoto International Conference Center | Alterations of Resting Heart Rate and Heart Rate Variability After Cryoballoon Ablation in Patients with Paroxysmal Atrial Fibrillation. |
| 10745 | Tetsuma | Kawaji | OJ13-1 | 一般演題口述 (日本語) 13 | AF Ablation Method/Others 2 | March 12 (Thu) | 15:30-16:30 | 1 | Gold Room, B2F ,Grand Prince Hotel Kyoto | Impact of radiation exposure-reduction strategy using intracardiac echocardiography on the safety and efficacy of catheter ablation procedure for atrial fibrillation |
| 10757 | Daisuke | Kawano | OE104-3 | Oral Presentation(English) 104 | AF Mapping/Multipoint Mapping 2 | March 14 (Sat), 2020 | 09:05-10:05 | 3 | Room J, 2F ,Kyoto International Conference Center | Examination of the Relationship between Fragment Potentials and Non-passively Activated Areas with an ExTRa Mapping System for Persistent Atrial Fibrillation |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|---------------|-------------|--------------------------------|--------------------------------|----------------------|-------------|-------|---|--|
| 10780 | Masayuki | Hattori | PE15-1 | Poster Session (English) 15 | AF Balloon ablation/Cryo 1 | March 13 (Fri) | 08:10-09:06 | 1 | New Hall, 1F ,Kyoto International Conference Center | What is the Optimal Balloon Based Ablation for Pulmonary Vein Isolation. Insights from the Post Voltage Map Analysis |
| 10799 | Tomoyuki | Kabutoya | OE020-6 | Oral Presentation(English) 020 | CIED 2 | March 12 (Thu) | 09:45-10:45 | 6 | Rose Room, B1F ,Grand Prince Hotel Kyoto | The Association between Mortality and Coronary Artery Lesions in Japanese Patients with Ischemic Heart Disease after CRTD Implantation -JID-CAD study- |
| 10805 | Yasuharu | Matsunaga-Lee | OE063-1 | Oral Presentation(English) 063 | AF Ablation Method/non PV foci | March 12 (Thu) | 13:20-14:20 | 1 | Gold Room, B2F ,Grand Prince Hotel Kyoto | Efficacy of Self-reference Mapping Technique to Eliminate Non-pulmonary Vein Triggers Originated from Outside of Primordial Pulmonary Vein |
| 10807 | Yasuharu | Matsunaga-Lee | OE126-2 | Oral Presentation(English) 126 | Thromboembolism 2 | March 15 (Sun) | 08:00-09:00 | 2 | Room J, 2F ,Kyoto International Conference Center | Safety and Efficacy of Uninterrupted Oral Anticoagulants during Atrial Fibrillation Ablation in Elderly Patients |
| 10832 | Hiroaki | Tabata | PE55-2 | Poster Session (English) 55 | CIED 3 | March 15 (Sun) | 09:10-10:06 | 2 | New Hall, 1F ,Kyoto International Conference Center | Usefulness of the controlled-rotation dilator sheath "Evolution" for extraction of old calcified leads. |
| 10906 | Aiko | Takami | OE103-3 | Oral Presentation(English) 103 | AF/Epidemiology | March 14 (Sat), 2020 | 08:00-09:00 | 3 | Room J, 2F ,Kyoto International Conference Center | Impacts of BMI and ablation procedures on AF recurrence in patients with persistent AF |
| 10910 | Tomoyuki | Shiozawa | OE106-7 | Oral Presentation(English) 106 | Arrhythmia | March 14 (Sat), 2020 | 11:15-12:45 | 7 | Room J, 2F ,Kyoto International Conference Center | The Association of Right Pulmonary Vein Carina Size and the Remaining of Carina Conduction after Pulmonary Vein Isolation |
| 10937 | Shunsuke | Miyauchi | OE106-6 | Oral Presentation(English) 106 | Arrhythmia | March 14 (Sat), 2020 | 11:15-12:45 | 6 | Room J, 2F ,Kyoto International Conference Center | Inconsistency Between Epinephrine Provocation Test and Genetic Test in Type 2 Long QT Syndrome |
| 10941 | Masato | Kawasaki | PE58-3 | Poster Session (English) 58 | Thromboembolism 1 | March 15 (Sun) | 10:10-11:06 | 3 | New Hall, 1F ,Kyoto International Conference Center | A Novel and Simple Risk Score for the Prediction of Bleeding in Atrial Fibrillation Patients With Direct Oral Anticoagulants |
| 10981 | Yasuhiro | Matsuda | PE32-5 | Poster Session (English) 32 | CIED 1 | March 13 (Fri) | 17:10-18:06 | 5 | New Hall, 1F ,Kyoto International Conference Center | Nutritional Predictors of Long-term Mortality and Hospitalization due to Heart Failure in Patients with Cardiac Implantable Electric Device Implantation. |
| 10988 | Takashi | Kaneshiro | OJ22-5 | 一般演題口述 (日本語) 22 | AF Complication 2 | March 13 (Fri) | 14:00-15:00 | 5 | Room 501, 5F ,Kyoto International Conference Center | The Incidence and Characteristics of Esophageal and Periesophageal Nerve Injury in Ablation of Atrial Fibrillation Using High Power-Short Duration Setting |
| 11003 | Atsuhito | Oda | PJ43-4 | ポスターセッション(日本語) 43 | AF Balloon Ablation/Others | March 15 (Sun) | 14:10-15:06 | 4 | New Hall, 1F ,Kyoto International Conference Center | Clinical Investigation Regarding Relationship Between Pulmonary Vein Isolation byVisually Guided Laserballoon Ablation Success and the Anatomical Characteristics. |
| 11008 | Atsuhito | Oda | OE081-2 | Oral Presentation(English) 081 | AF Balloon ablation/Others | March 13 (Fri) | 11:15-12:45 | 2 | Room 510, 5F ,Kyoto International Conference Center | Clinical Investigation Regarding Relationship Between Pulmonary Vein Reconnection and Dormant Conduction after Pulmonary Vein Isolation with Laserballoon. |
| 11035 | Daigo | Nagahara | PJ34-4 | ポスターセッション(日本語) 34 | Atrial arrhythmia | March 14 (Sat), 2020 | 14:10-15:06 | 4 | New Hall, 1F ,Kyoto International Conference Center | Mechanism of supraventricular tachyarrhythmia in patients with prior cardiac surgeries |
| 11078 | Kosuke | Miyahara | OJ15-5 | 一般演題口述 (日本語) 15 | AF/Biomarker | March 12 (Thu) | 14:25-15:25 | 5 | Royal Room, 1F ,Grand Prince Hotel Kyoto | Usefulness of measurement of skin advanced glycation end-products in patients with atrial fibrillation |
| 11100 | Daisuke | Ishigaki | PE04-2 | Poster Session (English) 04 | AF Ablation Method 2 | March 12 (Thu) | 09:40-10:36 | 2 | New Hall, 1F ,Kyoto International Conference Center | Ganglionated plexuses modification by conventional pulmonary vein isolation in the medium-term phase |
| 11124 | Daisuke | Ishigaki | PE58-4 | Poster Session (English) 58 | Thromboembolism 1 | March 15 (Sun) | 10:10-11:06 | 4 | New Hall, 1F ,Kyoto International Conference Center | Anti-factor Xa activity in patients with single interruption of oral direct factor Xa inhibitor |
| 11133 | Naoya | Hironobe | PE08-5 | Poster Session (English) 08 | AF Ablation Method 3 | March 12 (Thu) | 14:00-14:56 | 5 | New Hall, 1F ,Kyoto International Conference Center | Electrophysiological Characteristics of Silent Paroxysmal Atrial Fibrillation : is It a Target for Catheter Ablation? |
| 11140 | Ryota | Yamauchi | PJ44-5 | ポスターセッション(日本語) 44 | AF/Heart Failure | March 15 (Sun) | 15:10-16:06 | 5 | New Hall, 1F ,Kyoto International Conference Center | Incremental Benefit of Catheter Ablation over Rate Control Strategy in Patients with Persistent Atrial Fibrillation Coexisting Heart Failure |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|------------|-------------|--------------------------------|----------------------------|----------------------|-------------|-------|---|--|
| 11149 | Masaaki | Kurata | PE04-3 | Poster Session (English) 04 | AF Ablation Method 2 | March 12 (Thu) | 09:40-10:36 | 3 | New Hall, 1F ,Kyoto International Conference Center | Additional Procedures may not be Effective for the Initial Catheter Ablation of Paroxysmal Atrial Fibrillation |
| 11157 | Hiroshi | Miyama | OE126-4 | Oral Presentation(English) 126 | Thromboembolism 2 | March 15 (Sun) | 08:00-09:00 | 4 | Room J, 2F ,Kyoto International Conference Center | Value of BNP in prediction of major bleeding events among atrial fibrillation patients in the era of direct oral anticoagulants |
| 11160 | Masayasu | Izuhara | PJ43-1 | ポスターセッション(日本語)43 | AF Balloon Ablation/Others | March 15 (Sun) | 14:10-15:06 | 1 | New Hall, 1F ,Kyoto International Conference Center | Acute Success Rate of a Novel Hot Balloon Ablation Protocol Targeting Pulmonary Vein Antrum |
| 11168 | Naruhiko | Ito | OJ22-3 | 一般演題口述 (日本語) 22 | AF Complication 2 | March 13 (Fri) | 14:00-15:00 | 3 | Room 501, 5F ,Kyoto International Conference Center | Difference of the severity of cardiac tamponade during AF ablation; a comparison between the periprocedural anticoagulation using warfarin and dabigatran |
| 11185 | Toshifumi | Nakagomi | PE08-6 | Poster Session (English) 08 | AF Ablation Method 3 | March 12 (Thu) | 14:00-14:56 | 6 | New Hall, 1F ,Kyoto International Conference Center | Anti-Tachycardia Pacing (Reactive-ATP) is Effective in Patients with a History of Catheter Ablation for Atrial Fibrillation |
| 11203 | Takuro | Imaoka | OE095-5 | Oral Presentation(English) 095 | AF/Others 1 | March 13 (Fri) | 16:10-17:10 | 5 | Room 501, 5F ,Kyoto International Conference Center | The Relationship between Required Energy of Internal Cardioversion and Recurrence after Catheter Ablation for Non-Paroxysmal Atrial Fibrillation |
| 11204 | Masao | Yoshinaga | OE106-5 | Oral Presentation(English) 106 | Arrhythmia | March 14 (Sat), 2020 | 11:15-12:45 | 5 | Room J, 2F ,Kyoto International Conference Center | Effect of a school-based screening program on the outcome of patients with long QT syndrome |
| 11240 | Katsunori | Okajima | OE078-2 | Oral Presentation(English) 078 | AF/Others 2 | March 13 (Fri) | 08:00-09:00 | 2 | Room 510, 5F ,Kyoto International Conference Center | Atrial Electrophysiological Properties and Clinical Outcome after Catheter Ablation for Patients with Atrial Fibrillation and a History of Hyperthyroidism |
| 11269 | Hirofumi | Arai | PE32-2 | Poster Session (English) 32 | CIED 1 | March 13 (Fri) | 17:10-18:06 | 2 | New Hall, 1F ,Kyoto International Conference Center | Difference of Leadless Pacemaker Parameters between Septal Implantation and Non-Septal Implantation |
| 11285 | Kenji | Hashimoto | PJ44-3 | ポスターセッション(日本語)44 | AF/Heart Failure | March 15 (Sun) | 15:10-16:06 | 3 | New Hall, 1F ,Kyoto International Conference Center | Anemia is a significant risk of heart failure in patients with atrial fibrillation |
| 11295 | Yoshiaki | Inoue | OE066-3 | Oral Presentation(English) 066 | Atrial arrhythmia | March 12 (Thu) | 14:25-15:25 | 3 | Rose Room, B1F ,Grand Prince Hotel Kyoto | Electrophysiological Characteristics of Atrial Tachycardia Relating the Crista Terminalis after Open Heart Surgery |
| 11317 | Daisetsu | Aoyama | OE071-5 | Oral Presentation(English) 071 | AF/Imaging 2 | March 12 (Thu) | 16:35-17:35 | 5 | Royal Room, 1F ,Grand Prince Hotel Kyoto | Pre-procedural Troponin-T Levels Predict the Improvement in the Left Ventricular Ejection Fraction after Catheter Ablation of Atrial Fibrillation/Flutter |
| 11346 | Mitsuharu | Kawamura | OE127-3 | Oral Presentation(English) 127 | Ventricular Arrhythmia 1 | March 15 (Sun) | 09:05-10:05 | 3 | Room J, 2F ,Kyoto International Conference Center | Crux ventricular arrhythmia is likely to develop a lethal condition as compared with other septal ventricular arrhythmias |
| 11349 | Junichi | Ohno | OE126-5 | Oral Presentation(English) 126 | Thromboembolism 2 | March 15 (Sun) | 08:00-09:00 | 5 | Room J, 2F ,Kyoto International Conference Center | Dose of direct oral anticoagulants and clinical outcomes in the real-world clinical practice: Insights from the DIRECT registry |
| 11359 | Keiko | Sonoda | FRS02-2 | Featured Research Session 02 | Arrhythmia 1 | March 13 (Fri) | 11:10-12:40 | 2 | Room E, B1F ,Kyoto International Conference Center | Copy Number Variation of SCN5A in Sick Sinus Syndrome |
| 11398 | Satoshi | Yanagisawa | OE080-3 | Oral Presentation(English) 080 | CIED 4 | March 13 (Fri) | 10:10-11:10 | 3 | Room 510, 5F ,Kyoto International Conference Center | Comparison of the Intrinsicoid Deflection on the Electrocardiogram among the Different Pacing Morphologies in Patients with His Bundle Pacing |
| 11401 | Miki | Amemiya | PE09-3 | Poster Session (English) 09 | AF Ablation Method 4 | March 12 (Thu) | 15:00-15:56 | 3 | New Hall, 1F ,Kyoto International Conference Center | Efficacy and Safety of Ablation Index-Based High Power Ablation for Atrial Fibrillation |
| 11402 | Hiroshi | Mase | PE09-4 | Poster Session (English) 09 | AF Ablation Method 4 | March 12 (Thu) | 15:00-15:56 | 4 | New Hall, 1F ,Kyoto International Conference Center | Initial Experience of the Appropriate Radiofrequency Ablation using High Power for Short Duration for Atrial Fibrillation |
| 11440 | Takehiko | Keida | PE04-5 | Poster Session (English) 04 | AF Ablation Method 2 | March 12 (Thu) | 09:40-10:36 | 5 | New Hall, 1F ,Kyoto International Conference Center | Ethanol infusion of the vein of the Marshall associated with successful mitral isthmus ablation |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|--------------|-------------|--------------------------------|---------------------------------|----------------------|-------------|-------|---|--|
| 11474 | Takuo | Tsurugi | PE54-2 | Poster Session (English) 54 | CIED 2 | March 15 (Sun) | 08:10-09:06 | 2 | New Hall, 1F ,Kyoto International Conference Center | Mechanism of Sensing Delay Assessed during Intraoperative Defibrillation Test in Subcutaneous Implantable Cardioverter-defibrillator |
| 11486 | Yoshihiro | Nomura | OE092-5 | Oral Presentation(English) 092 | Ventricular Arrhythmia 3 | March 13 (Fri) | 14:00-15:00 | 5 | Room J, 2F ,Kyoto International Conference Center | Selvester QRS Scoring Has Potential to Stratify Risks of Ventricular Tachy-arrhythmia among Patients Showing Brugada-type Electrocardiogram |
| 11501 | Katsuhide | Hayashi | OE076-7 | Oral Presentation(English) 076 | AF Mapping/Multipoint Mapping 1 | March 13 (Fri) | 11:15-12:45 | 7 | Room J, 2F ,Kyoto International Conference Center | Left atrial posterior wall thickness by intracardiac echo and its relation to ablation-index guide radiofrequency ablation on the esophagus lesion |
| 11520 | Katsuhide | Hayashi | OE078-4 | Oral Presentation(English) 078 | AF/Others 2 | March 13 (Fri) | 08:00-09:00 | 4 | Room 510, 5F ,Kyoto International Conference Center | Outcomes after Catheter Ablation in Patients with Atrial Fibrillation Treated with Chronic Hemodialysis |
| 11530 | Yuji | Murakawa | OE021-3 | Oral Presentation(English) 021 | AF Registry/Epidemiology | March 12 (Thu) | 08:40-09:40 | 3 | Royal Room, 1F ,Grand Prince Hotel Kyoto | Use of mobile-devices to detect undiagnosed atrial fibrillation (AF) in Japanese people at moderate-to-high risk of stroke (SCAN-AF study) - |
| 11531 | Kanako | Ito-Hagiwara | PE04-7 | Poster Session (English) 04 | AF Ablation Method 2 | March 12 (Thu) | 09:40-10:36 | 7 | New Hall, 1F ,Kyoto International Conference Center | Long-term Outcomes of Atrial Fibrillation Radiofrequency Catheter Ablation for the Patients with Persistent Left Superior Vena Cava |
| 11547 | Shingo | Maeda | OE095-4 | Oral Presentation(English) 095 | AF/Others 1 | March 13 (Fri) | 16:10-17:10 | 4 | Room 501, 5F ,Kyoto International Conference Center | Optimal Sites for Measurement of Compound Motor Action Potential Amplitude |
| 11571 | Ryota | Isogai | OJ18-6 | 一般演題口述 (日本語) 18 | AF Balloon Ablation/Cryo 2 | March 13 (Fri) | 11:15-12:45 | 6 | Room 501, 5F ,Kyoto International Conference Center | The Impact of Lesion Size Index on Pulmonary Vein Reconnection in Patients with Recurrent Atrial Fibrillation after Catheter Ablation |
| 11579 | Toyonobu | Tsuda | OE107-4 | Oral Presentation(English) 107 | Thromboembolism 3 | March 14 (Sat), 2020 | 09:05-10:05 | 4 | Room 501, 5F ,Kyoto International Conference Center | Clinical Characteristics and the Risks of Thromboembolism in Elderly Japanese Patients with Nonvalvular Atrial Fibrillation: The Hokuriku-Plus AF Registry |
| 11612 | Shuro | Riku | OE104-5 | Oral Presentation(English) 104 | AF Mapping/Multipoint Mapping 2 | March 14 (Sat), 2020 | 09:05-10:05 | 5 | Room J, 2F ,Kyoto International Conference Center | Distributions and Number of AF Drivers on Real-time Phase Mapping Associate with Successful AF Termination during Catheter Ablation for AF |
| 11627 | Takuya | Kiyama | PJ02-5 | ポスターセッション(日本語)02 | AF Ablation Method 1 | March 12 (Thu) | 08:40-09:36 | 5 | New Hall, 1F ,Kyoto International Conference Center | Analysis of Driving Mechanism in Paroxysmal Atrial Fibrillation: Comparison of the Activation Sequence between the Left Atrium and Pulmonary Vein |
| 11646 | Takahiko | Kinjo | OE106-1 | Oral Presentation(English) 106 | Arrhythmia | March 14 (Sat), 2020 | 11:15-12:45 | 1 | Room J, 2F ,Kyoto International Conference Center | Manifestation of accessory pathway by inhibiting the conduction of atrioventricular node using ultra-short-acting intravenous beta-1 adrenergic blocker |
| 11696 | Wataru | Shoin | PE32-3 | Poster Session (English) 32 | CIED 1 | March 13 (Fri) | 17:10-18:06 | 3 | New Hall, 1F ,Kyoto International Conference Center | Patient Backgrounds and Clinical Outcomes of Leadless Pacemakers in Two Centers: Comparative Study with Conventional Pacemakers. |
| 11717 | Kentaro | Adachi | PE58-6 | Poster Session (English) 58 | Thromboembolism 1 | March 15 (Sun) | 10:10-11:06 | 6 | New Hall, 1F ,Kyoto International Conference Center | The safety of Dabigatran bridging therapy during hospitalization for atrial fibrillation ablation |
| 11804 | Yuuki | Arakawa | PE55-5 | Poster Session (English) 55 | CIED 3 | March 15 (Sun) | 09:10-10:06 | 5 | New Hall, 1F ,Kyoto International Conference Center | Frequency of Non-Sustained Ventricular Tachycardia is related to Lethal Arrhythmia in Patients with Cardiac Sarcoidosis implanted Cardiac Electronic Devices |
| 11839 | Koichi | Nagashima | OE021-6 | Oral Presentation(English) 021 | AF Registry/Epidemiology | March 12 (Thu) | 08:40-09:40 | 6 | Royal Room, 1F ,Grand Prince Hotel Kyoto | Age-related Difference in Features and Ablation Strategies in Atrial Fibrillation: Subanalysis of a Retrospective Multicenter Study (AF Frontier Ablation Registry). |
| 11862 | Masahiko | Mizobuchi | OE080-5 | Oral Presentation(English) 080 | CIED 4 | March 13 (Fri) | 10:10-11:10 | 5 | Room 510, 5F ,Kyoto International Conference Center | Predicting factor of left ventricular dysfunction after right ventricular pacing |
| 11889 | Aya | Yamane | PJ21-4 | ポスターセッション(日本語)21 | AF (Imaging) | March 14 (Sat), 2020 | 08:10-09:06 | 4 | New Hall, 1F ,Kyoto International Conference Center | Cryoballoon ablation induce transient LVEF reduction due to left atrial reservoir dysfunction. |
| 11915 | Yasuharu | Matsunaga | PJ34-2 | ポスターセッション(日本語)34 | Atrial arrhythmia | March 14 (Sat), 2020 | 14:10-15:06 | 2 | New Hall, 1F ,Kyoto International Conference Center | Longer Bed-rest Duration is Favorable after Cryoballoon Ablation Compared to Radiofrequency Ablation for Atrial Fibrillation with Uninterrupted Direct Oral Anticoagulants |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-----------|-------------|--------------------------------|--|----------------------|-------------|-------|---|--|
| 11929 | Subaru | Tanabe | PE32-6 | Poster Session (English) 32 | CIED 1 | March 13 (Fri) | 17:10-18:06 | 6 | New Hall, 1F ,Kyoto International Conference Center | Prevalence of Cardiac Dysfunction in Patients with Pacemaker Implantation |
| 11941 | Toshinori | Chiba | PE32-7 | Poster Session (English) 32 | CIED 1 | March 13 (Fri) | 17:10-18:06 | 7 | New Hall, 1F ,Kyoto International Conference Center | The Recovery of Sinus Node Dysfunction after Catheter Ablation in Patients with Persistent Atrial Fibrillation |
| 11945 | Keita | Miki | PE16-2 | Poster Session (English) 16 | AF Balloon Ablation/Cryo 2 | March 13 (Fri) | 09:10-10:06 | 2 | New Hall, 1F ,Kyoto International Conference Center | Extra Cryoablation on the Residual Pulmonary Vein Connections Detected by High-Resolution Mapping |
| 11974 | Michio | Nagashima | OE093-5 | Oral Presentation(English) 093 | CIED 3 | March 13 (Fri) | 15:05-16:05 | 5 | Room J, 2F ,Kyoto International Conference Center | Ten-Years Experience of Transvenous Lead Removals Using Excimer Laser Sheath |
| 12003 | Megumi | Fukuyama | PE44-4 | Poster Session (English) 44 | Arrhythmia (Basic) | March 14 (Sat), 2020 | 15:10-16:06 | 4 | New Hall, 1F ,Kyoto International Conference Center | Variable Severity in Long QT Syndrome Patients with Mutations in Genes Related with Calcium Handling |
| 12005 | Keisuke | Miyajima | OE066-5 | Oral Presentation(English) 066 | Atrial arrhythmia | March 12 (Thu) | 14:25-15:25 | 5 | Rose Room, B1F ,Grand Prince Hotel Kyoto | 4D-flow cardiac magnetic resonance analysis of left ventricular blood flow dynamics in Left Bundle Branch Block. |
| 12068 | Tomoaki | Kobayashi | OE107-1 | Oral Presentation(English) 107 | Thromboembolism 3 | March 14 (Sat), 2020 | 09:05-10:05 | 1 | Room 501, 5F ,Kyoto International Conference Center | Dose reduction of direct oral anticoagulants when used with antiplatelet agents: A Retrospective, propensity score matched study from direct registry. |
| 12082 | Takayuki | Kitai | OE105-4 | Oral Presentation(English) 105 | AF Mapping/Multipoint Mapping 3 | March 14 (Sat), 2020 | 10:10-11:10 | 4 | Room J, 2F ,Kyoto International Conference Center | Impact of Aging on Left Atrial Global Bipolar Voltage Reduction: An Analysis Using the Advisor HD Grid Mapping Catheter |
| 12090 | Ayako | Okada | OE093-6 | Oral Presentation(English) 093 | CIED 3 | March 13 (Fri) | 15:05-16:05 | 6 | Room J, 2F ,Kyoto International Conference Center | A simple and effective tactic to prevent intracardiac fragments during complex percutaneous lead extraction |
| 12105 | Hisaharu | Ohe | PE55-6 | Poster Session (English) 55 | CIED 3 | March 15 (Sun) | 09:10-10:06 | 6 | New Hall, 1F ,Kyoto International Conference Center | Utility of external loop recorders in patients with pre-syncopal symptoms |
| 12117 | Shunsuke | Inoue | OJ16-2 | 一般演題口述 (日本語) 16 | AF Ablation Method/Region | March 13 (Fri) | 08:00-09:00 | 2 | Room 501, 5F ,Kyoto International Conference Center | Heart Rate Elevation at 1 Month After Cryoablation Can Predict Better Clinical Outcome for Paroxysmal Atrial Fibrillation |
| 12126 | Tomomi | Ueda | PE16-4 | Poster Session (English) 16 | AF Balloon Ablation/Cryo 2 | March 13 (Fri) | 09:10-10:06 | 4 | New Hall, 1F ,Kyoto International Conference Center | Efficacy of Confirming Dormant Conduction by Adenosine Triphosphate Administration in Insufficient Cryoballoon Application for Atrial Fibrillation |
| 12131 | Minako | Kagimoto | PJ21-5 | ポスターセッション(日本語) 21 | AF (Imaging) | March 14 (Sat), 2020 | 08:10-09:06 | 5 | New Hall, 1F ,Kyoto International Conference Center | Hyperenhancement of Left Atrial Wall Detected by 3D-High Resolution Late Gadolinium Enhanced Magnetic Resonance Imaging in Patients with Atrial Fibrillation |
| 12156 | Kosuke | Takeda | PJ43-3 | ポスターセッション(日本語) 43 | AF Balloon Ablation/Others | March 15 (Sun) | 14:10-15:06 | 3 | New Hall, 1F ,Kyoto International Conference Center | Relationship between Time-to-effect and Pulmonary Vein Reconnection in Hot Balloon Ablation |
| 12158 | Masatsugu | Nakano | OE017-6 | Oral Presentation(English) 017 | AF Ablation Method/High Power Ablation | March 12 (Thu) | 08:40-09:40 | 6 | Gold Room, B2F ,Grand Prince Hotel Kyoto | Safety and efficacy of high-power short-duration radiofrequency ablation for pulmonary vein isolation |
| 12166 | Hiroshi | Furusho | OE106-8 | Oral Presentation(English) 106 | Arrhythmia | March 14 (Sat), 2020 | 11:15-12:45 | 8 | Room J, 2F ,Kyoto International Conference Center | Anatomical causality of para-subclavian lead disconnection: learn from lead extraction cases |
| 12207 | Yoshio | Furukawa | OE108-4 | Oral Presentation(English) 108 | Thromboembolism 4 | March 14 (Sat), 2020 | 10:10-11:10 | 4 | Room 501, 5F ,Kyoto International Conference Center | Predictor of Silent Cerebral Infarctions Associated With Catheter Ablation for Atrial Fibrillation |
| 12222 | Tsuyoshi | Isawa | PE55-3 | Poster Session (English) 55 | CIED 3 | March 15 (Sun) | 09:10-10:06 | 3 | New Hall, 1F ,Kyoto International Conference Center | Predictors of Requirement for a Bailout Femoral Approach in Transvenous Lead Extraction of Pacemaker and Defibrillator Leads. |
| 12303 | Hiroshi | Shimada | PJ44-6 | ポスターセッション(日本語) 44 | AF/Heart Failure | March 15 (Sun) | 15:10-16:06 | 6 | New Hall, 1F ,Kyoto International Conference Center | Predictor of Tachycardia Induced Cardiomyopathy in Patients with Persistent Atrial Fibrillation by Cardiopulmonary Exercise Testing |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-----------|-------------|--------------------------------|-------------------------------------|----------------------|-------------|-------|---|--|
| 12306 | Daisuke | Kawano | PE09-5 | Poster Session (English) 09 | AF Ablation Method 4 | March 12 (Thu) | 15:00-15:56 | 5 | New Hall, 1F ,Kyoto International Conference Center | The Utility of Ablation Index for the Superior Vena Cava Isolation |
| 12307 | Hiroki | Iju | OE106-2 | Oral Presentation(English) 106 | Arrhythmia | March 14 (Sat), 2020 | 11:15-12:45 | 2 | Room J, 2F ,Kyoto International Conference Center | Diagnosis of ATs with Centrifugal Activation Using the Ultra-High Resolution/Density Mapping System; Focal ATs vs. Passive ATs |
| 12345 | Junichi | Ozawa | PE51-6 | Poster Session (English) 51 | Ventricular Arrhythmia | March 15 (Sun) | 11:10-12:06 | 6 | New Hall, 1F ,Kyoto International Conference Center | Mexiletine suppressed the T wave alternance observed in babies with long QT syndrome type 8 |
| 12369 | Kenshi | Hayashi | FRS02-3 | Featured Research Session 02 | Arrhythmia 1 | March 13 (Fri) | 11:10-12:40 | 3 | Room E, B1F ,Kyoto International Conference Center | Impact of Functional Studies on Exome Sequence Variant Interpretation in Early-onset Cardiac Conduction System Diseases |
| 12381 | Ryo | Wada | OE064-5 | Oral Presentation(English) 064 | AF Ablation Method/Others 1 | March 12 (Thu) | 14:25-15:25 | 5 | Gold Room, B2F ,Grand Prince Hotel Kyoto | Significance of Mitral L Wave to Predict Late Recurrence of Atrial Fibrillation after Radiofrequency Catheter Ablation |
| 12387 | Takahito | Takagi | PJ21-7 | ポスターセッション(日本語)21 | AF (Imaging) | March 14 (Sat), 2020 | 08:10-09:06 | 7 | New Hall, 1F ,Kyoto International Conference Center | Impact of tricuspid regurgitation for bi-atrial remodeling in atrial fibrillation with preserved left ventricular function |
| 12423 | Kentaro | Hayashi | OE078-5 | Oral Presentation(English) 078 | AF/Others 2 | March 13 (Fri) | 08:00-09:00 | 5 | Room 510, 5F ,Kyoto International Conference Center | A Novel P-wave Guided Approach to Localize Conduction Gaps in Pulmonary Vein Isolation Procedure |
| 12433 | Keijiro | Nakamura | PJ21-8 | ポスターセッション(日本語)21 | AF (Imaging) | March 14 (Sat), 2020 | 08:10-09:06 | 8 | New Hall, 1F ,Kyoto International Conference Center | The Effect of Mitral Regurgitation and Tricuspid Regurgitation on Recurrence of Atrial Fibrillation after Ablation |
| 12454 | Terumasa | Yamashita | PE35-5 | Poster Session (English) 35 | AF (Others) | March 14 (Sat), 2020 | 09:10-10:06 | 5 | New Hall, 1F ,Kyoto International Conference Center | Characteristics of patients with atrial fibrillation detected via a health screening |
| 12550 | Noriyuki | Kobayashi | OE063-5 | Oral Presentation(English) 063 | AF Ablation Method/non PV foci | March 12 (Thu) | 13:20-14:20 | 5 | Gold Room, B2F ,Grand Prince Hotel Kyoto | Characteristics and Ablation Outcome of Non-Pulmonary Vein Ectopy Emerging after Successful Pulmonary Vein Isolation in Patients with Paroxysmal Atrial Fibrillation |
| 12551 | Junji | Morita | FRS04-5 | Featured Research Session 04 | Arrhythmia 2 | March 13 (Fri) | 15:35-17:05 | 5 | Room E, B1F ,Kyoto International Conference Center | Predictors of Lead Break in Transvenous Lead Extraction |
| 12567 | Takayoshi | Kato | PE55-7 | Poster Session (English) 55 | CIED 3 | March 15 (Sun) | 09:10-10:06 | 7 | New Hall, 1F ,Kyoto International Conference Center | Mobile Phone is an Import Tool for the Cardiac Implantable Electric Devices Implanted Patients |
| 12604 | Nobuaki | Ito | OJ14-6 | 一般演題口述 (日本語) 14 | AF Ablation Method/Postoperative AT | March 12 (Thu) | 16:35-17:35 | 6 | Gold Room, B2F ,Grand Prince Hotel Kyoto | Incidence and Clinical Significance of Inducible Perimitral Atrial Tachycardia in Patients with Atrial Fibrillation |
| 12613 | Satoshi | Hara | OJ14-2 | 一般演題口述 (日本語) 14 | AF Ablation Method/Postoperative AT | March 12 (Thu) | 16:35-17:35 | 2 | Gold Room, B2F ,Grand Prince Hotel Kyoto | Long-term Outcomes after Second-generation Cryoballoon Ablation for Atrial Fibrillation Using a Single Short Freeze Strategy without Bonus Freezes |
| 12623 | Yasuhiro | Ogura | PJ43-8 | ポスターセッション(日本語)43 | AF Balloon Ablation/Others | March 15 (Sun) | 14:10-15:06 | 8 | New Hall, 1F ,Kyoto International Conference Center | Relationship between AF recurrence and Phrenic Nerve Palsy during Cryoballoon Ablation for Atrial Fibrillation |
| 12639 | Jun | Hirokami | OE080-6 | Oral Presentation(English) 080 | CIED 4 | March 13 (Fri) | 10:10-11:10 | 6 | Room 510, 5F ,Kyoto International Conference Center | Leadless Pacemaker versus Transvenous Dual-chamber Pacemaker Therapy |
| 12642 | Motohide | Tanaka | OE066-4 | Oral Presentation(English) 066 | Atrial arrhythmia | March 12 (Thu) | 14:25-15:25 | 4 | Rose Room, B1F ,Grand Prince Hotel Kyoto | Measuring Hounsfield Unit Density on a Cardiac-CT Image is Useful for Identification of Thrombus Formation in the Left Atrial Appendage. |
| 12661 | Yoshinari | Enomoto | PE32-4 | Poster Session (English) 32 | CIED 1 | March 13 (Fri) | 17:10-18:06 | 4 | New Hall, 1F ,Kyoto International Conference Center | Safety and Feasibility of the Leadless Pacemaker Implantation in patients with octogenarian: Comparison to conventional trans-venous single chamber pacemaker |
| 12670 | Tomotaka | Yoshiyama | PJ02-8 | ポスターセッション(日本語)02 | AF Ablation Method 1 | March 12 (Thu) | 08:40-09:36 | 8 | New Hall, 1F ,Kyoto International Conference Center | Evaluation of Left Atrial Posterior Wall Isolation Using Indirect Lesion Depth Assessment. |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-----------|-------------|--------------------------------|----------------------------------|----------------|-------------|-------|---|---|
| 12710 | Yasuaki | Tanaka | OE076-6 | Oral Presentation(English) 076 | AF Mapping/Multipoint Mapping 1 | March 13 (Fri) | 11:15-12:45 | 6 | Room J, 2F ,Kyoto International Conference Center | The First Clinical Experiences of the Novel Local Impedance Monitoring (DIRECTSENSE™) during Pulmonary Vein Isolation |
| 12746 | Toshiki | Arai | OE070-6 | Oral Presentation(English) 070 | AF/Imaging 1 | March 12 (Thu) | 15:30-16:30 | 6 | Royal Room, 1F ,Grand Prince Hotel Kyoto | Clinical Parameters and Characteristics of Left Atrial Appendage evaluated by Multidetector Computed Tomography to Identify True Left Atrial Appendage Thrombus |
| 12754 | Daisuke | Yoshimoto | OE080-4 | Oral Presentation(English) 080 | CIED 4 | March 13 (Fri) | 10:10-11:10 | 4 | Room 510, 5F ,Kyoto International Conference Center | What should we do for safety follow-up of His-bundle pacing? |
| 12773 | Yuma | Hamanaka | FRS02-5 | Featured Research Session 02 | Arrhythmia 1 | March 13 (Fri) | 11:10-12:40 | 5 | Room E, B1F ,Kyoto International Conference Center | Minute but continuous systemic inflammation is associated with major bleeding risk in non-valvular atrial fibrillation treated with direct oral anticoagulants |
| 12821 | Tsuyoshi | Urushida | OE077-2 | Oral Presentation(English) 077 | AF Complication 1 | March 13 (Fri) | 10:10-11:10 | 2 | Room 501, 5F ,Kyoto International Conference Center | 'AirTray' can Prevent Air-Bubbles Intrusion in the Ablation Introducer |
| 12847 | Yusuke | Sonoda | PE55-4 | Poster Session (English) 55 | CIED 3 | March 15 (Sun) | 09:10-10:06 | 4 | New Hall, 1F ,Kyoto International Conference Center | Microbiological Characteristics and Selection of Antibiotics for Cardiac Implantable Electronic Device Infection in Our Hospital |
| 12882 | Yoichiro | Iwasaki | OJ16-5 | 一般演題口述 (日本語) 16 | AF Ablation Method/Region | March 13 (Fri) | 08:00-09:00 | 5 | Room 501, 5F ,Kyoto International Conference Center | Timing and Frequency of Early Recurrence were Important Factors Related to Late Recurrence after Cryo-Ablation of Atrial Fibrillation |
| 20027 | WEISYUN | HU | OE126-6 | Oral Presentation(English) 126 | Thromboembolism 2 | March 15 (Sun) | 08:00-09:00 | 6 | Room J, 2F ,Kyoto International Conference Center | Comparison of CHA2DS2-VASc, CHADS2 and HATCH scores for the prediction of new-onset atrial fibrillation in cancer patients |
| 20124 | JongEun | Park | PE06-8 | Poster Session (English) 06 | Heart failure (non-pharmacology) | March 12 (Thu) | 15:00-15:56 | 8 | New Hall, 1F ,Kyoto International Conference Center | Long-term Impact of Transient or Persistent Troponin Elevation in Patients without Definite Coronary Artery Disease |