

69.Preventive medicine/epidemiology/education

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-----------|-------------|--------------------------------|-----------------------------------|----------------------|-------------|-------|---|--|
| 10005 | Kengo | Maeda | PE26-3 | Poster Session (English) 26 | Prevention 1 | March 13 (Fri) | 14:10-15:06 | 3 | New Hall, 1F ,Kyoto International Conference Center | FIB-4 Index is Significantly Associated with Prevalent Cardiovascular Diseases in a Working Age Population with Fatty Liver |
| 10037 | Hitoko | Ogata | PE26-4 | Poster Session (English) 26 | Prevention 1 | March 13 (Fri) | 14:10-15:06 | 4 | New Hall, 1F ,Kyoto International Conference Center | Three Percent Weight Gain Increases Cardiovascular Disease Risk Factor Parameters in Young Adults |
| 10105 | Yume | Nohara | PJ16-6 | ポスターセッション(日本語)16 | Prevention 3 | March 13 (Fri) | 16:10-17:06 | 6 | New Hall, 1F ,Kyoto International Conference Center | Serum insulin-like growth factor (IGF)-1 level was significantly associated with handgrip strength and walk 5 meters in general population |
| 10116 | Takeshi | Fujiwara | OE102-3 | Oral Presentation(English) 102 | Prevention 1 | March 13 (Fri) | 16:10-17:10 | 3 | Room 554, 5F ,Kyoto International Conference Center | Cardiovascular Outcomes Associated with Left Ventricular Hypertrophy in a Japanese Nationwide General Practice Population: the J-HOP study |
| 10165 | Hitoshi | Hamamura | PJ16-7 | ポスターセッション(日本語)16 | Prevention 3 | March 13 (Fri) | 16:10-17:06 | 7 | New Hall, 1F ,Kyoto International Conference Center | PCSK9 is independently associated with insulin resistance and triglycerides levels but not LDL-C and lipoprotein(a) in a general population |
| 10172 | Kenta | Toyomasu | PJ16-3 | ポスターセッション(日本語)16 | Prevention 3 | March 13 (Fri) | 16:10-17:06 | 3 | New Hall, 1F ,Kyoto International Conference Center | Are elevations of asymmetric dimethylarginine or homocysteine levels associated with all-cause death? The longitudinal study from the Tanushimaru Survey |
| 10235 | Kenichiro | Sasaki | PE26-7 | Poster Session (English) 26 | Prevention 1 | March 13 (Fri) | 14:10-15:06 | 7 | New Hall, 1F ,Kyoto International Conference Center | Prevalence of Sarcopenia and Its Subtypes in General Population and Cardiovascular Disease Patients |
| 10268 | Kenji | Tamaki | OJ25-1 | 一般演題口述 (日本語) 25 | Prevention 5 | March 13 (Fri) | 17:15-18:45 | 1 | Room 554, 5F ,Kyoto International Conference Center | Patients with asymptomatic AF had a 2.7-times higher untreated rate than the rate in patients with symptomatic AF. |
| 10325 | Shozo | Sueda | PE26-8 | Poster Session (English) 26 | Prevention 1 | March 13 (Fri) | 14:10-15:06 | 8 | New Hall, 1F ,Kyoto International Conference Center | Prognosis in patients with 2500 patients with spasm provocation testing |
| 10412 | Satoko | Ojima | PE27-4 | Poster Session (English) 27 | Prevention 2 | March 13 (Fri) | 15:10-16:06 | 4 | New Hall, 1F ,Kyoto International Conference Center | The Atherosclerotic Risk Factors Associated with the Transformation of Carotid Plaque Over Time |
| 10467 | Takuya | Nagata | OE102-1 | Oral Presentation(English) 102 | Prevention 1 | March 13 (Fri) | 16:10-17:10 | 1 | Room 554, 5F ,Kyoto International Conference Center | N-terminal pro-B-type natriuretic peptide can predict new-onset atrial fibrillation in a general population: the Hisayama Study |
| 10486 | Hiroyuki | Takase | PE27-1 | Poster Session (English) 27 | Prevention 2 | March 13 (Fri) | 15:10-16:06 | 1 | New Hall, 1F ,Kyoto International Conference Center | Which Factor Predicts Major Adverse Cardiovascular Events in Health Check-up Participants? |
| 10515 | Atsuhiko | Kawabe | PJ16-1 | ポスターセッション(日本語)16 | Prevention 3 | March 13 (Fri) | 16:10-17:06 | 1 | New Hall, 1F ,Kyoto International Conference Center | White Blood Cell Count Predicts Cardiovascular Prognosis in Type 2 Diabetic Patients with Established Coronary Artery Disease |
| 10595 | Masako | Asada | FRS11-4 | Featured Research Session 11 | Heart Failure/Preventive Medicine | March 15 (Sun) | 09:35-11:05 | 4 | Room E, B1F ,Kyoto International Conference Center | Serum Lipopolysaccharide-binding Protein Levels and the Incidence of Cardiovascular Disease in a General Japanese Population: the Hisayama Study |
| 10616 | Tetsuo | Yamaguchi | OE111-4 | Oral Presentation(English) 111 | Prevention 3 | March 14 (Sat), 2020 | 09:05-10:05 | 4 | Room 555, 5F ,Kyoto International Conference Center | Current Status of the Management and Outcomes of Acute Aortic Dissection in Japan |
| 10722 | Mitsuru | Ishii | OE102-2 | Oral Presentation(English) 102 | Prevention 1 | March 13 (Fri) | 16:10-17:10 | 2 | Room 554, 5F ,Kyoto International Conference Center | Risk factors for major bleeding in Japanese atrial fibrillation patients under 75-years old in clinical practice: The Fushimi AF Registry |
| 10729 | Yuki | Takeuchi | OJ25-2 | 一般演題口述 (日本語) 25 | Prevention 5 | March 13 (Fri) | 17:15-18:45 | 2 | Room 554, 5F ,Kyoto International Conference Center | Effect of Advancing Age on Dietary Salt Intakes: A follow-up study |
| 10737 | Hiroyuki | Nakajima | OJ25-7 | 一般演題口述 (日本語) 25 | Prevention 5 | March 13 (Fri) | 17:15-18:45 | 7 | Room 554, 5F ,Kyoto International Conference Center | Clinical Effect of Comorbid Coronary Artery Disease Detected During Preoperative Cardiac Risk Assessment of Carotid Endarterectomy |
| 10835 | Yukio | Mizuguchi | OJ25-8 | 一般演題口述 (日本語) 25 | Prevention 5 | March 13 (Fri) | 17:15-18:45 | 8 | Room 554, 5F ,Kyoto International Conference Center | Impact of Skeletal Muscle Mass on Prognosis in Patients with Acute Coronary Syndrome |

69.Preventive medicine/epidemiology/education

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-----------|-------------|--------------------------------|---------------|----------------------|-------------|-------|---|--|
| 10978 | Otoya | Sekine | PE27-5 | Poster Session (English) 27 | Prevention 2 | March 13 (Fri) | 15:10-16:06 | 5 | New Hall, 1F ,Kyoto International Conference Center | Preferences for Participation in Shared Decision-Making among Hospitalized Heart Failure Patients: Ideality vs. Reality |
| 11068 | Takahiro | Sakai | OE112-4 | Oral Presentation(English) 112 | Prevention 4 | March 14 (Sat), 2020 | 10:10-11:10 | 4 | Room 555, 5F ,Kyoto International Conference Center | Association Between Statin Therapy and Body Mass Index After Undergoing Endovascular Treatment : Insight from I-PAD Study |
| 11218 | Tetsuya | Takahashi | OE112-3 | Oral Presentation(English) 112 | Prevention 4 | March 14 (Sat), 2020 | 10:10-11:10 | 3 | Room 555, 5F ,Kyoto International Conference Center | Single Nucleotide Polymorphisms of PAR2 gene are associated with subclinical myocardial damage in the general population |
| 11350 | Shigeto | Tsukamoto | OE110-3 | Oral Presentation(English) 110 | Prevention 2 | March 14 (Sat), 2020 | 08:00-09:00 | 3 | Room 555, 5F ,Kyoto International Conference Center | Clinical characteristics and outcome of super-elderly patients (over 90 years old) with acute decompensated heart failure (ADHF) |
| 11467 | Masaki | Ohsawa | OE111-2 | Oral Presentation(English) 111 | Prevention 3 | March 14 (Sat), 2020 | 09:05-10:05 | 2 | Room 555, 5F ,Kyoto International Conference Center | The Low Pulse Rate is Associated with a High Risk of Incident Cardiovascular Diseases in Elderly Community Dwellers |
| 11543 | Takahiro | Okano | OE102-4 | Oral Presentation(English) 102 | Prevention 1 | March 13 (Fri) | 16:10-17:10 | 4 | Room 554, 5F ,Kyoto International Conference Center | Predicting Cardiovascular Events after Hospitalization for Heart Failure Preserved Ejection Fraction: The CURE-HF Score |
| 11577 | Tagayasu | Anzai | OE111-5 | Oral Presentation(English) 111 | Prevention 3 | March 14 (Sat), 2020 | 09:05-10:05 | 5 | Room 555, 5F ,Kyoto International Conference Center | Paradoxical association between atrial fibrillation and high cholesterol over age 75 years |
| 11649 | Kenji | Kawauchi | OE111-6 | Oral Presentation(English) 111 | Prevention 3 | March 14 (Sat), 2020 | 09:05-10:05 | 6 | Room 555, 5F ,Kyoto International Conference Center | Association of Peripheral White Blood Cell Count with Daily Fish Intake: Implication for the Anti-atherosclerotic Effect of Fish Consumption |
| 11653 | Hiroko | Oshio | OE112-6 | Oral Presentation(English) 112 | Prevention 4 | March 14 (Sat), 2020 | 10:10-11:10 | 6 | Room 555, 5F ,Kyoto International Conference Center | Prediction of Risk of Cardiovascular Events in Elderly Patients with Hypoalbuminemia. |
| 11711 | Naomi | Hirota | OJ25-3 | 一般演題口述（日本語）25 | Prevention 5 | March 13 (Fri) | 17:15-18:45 | 3 | Room 554, 5F ,Kyoto International Conference Center | Which is more predictive for all-cause mortality, actual age or predicted age via 12-lead electrocardiogram? -Shinken Database analysis- |
| 11716 | Masaharu | Akao | OE110-5 | Oral Presentation(English) 110 | Prevention 2 | March 14 (Sat), 2020 | 08:00-09:00 | 5 | Room 555, 5F ,Kyoto International Conference Center | Baseline Analysis of Non-Valvular Atrial Fibrillation (NVAF) Comprehension and Anticoagulant Adherence in Elderly NVAF Patients from the ANAFIE Registry |
| 11750 | Aya | Hirata | OJ25-5 | 一般演題口述（日本語）25 | Prevention 5 | March 13 (Fri) | 17:15-18:45 | 5 | Room 554, 5F ,Kyoto International Conference Center | Serum levels of LOX-1 ligand containing ApoAI are associated with coronary artery calcification in middle-aged Japanese men |
| 11762 | Yosuke | Nishihata | OE110-6 | Oral Presentation(English) 110 | Prevention 2 | March 14 (Sat), 2020 | 08:00-09:00 | 6 | Room 555, 5F ,Kyoto International Conference Center | Safety and Feasibility of Early Hospital Discharge in Low-risk Acute Myocardial Infarction |
| 11856 | Hidetaka | Itoh | OE102-6 | Oral Presentation(English) 102 | Prevention 1 | March 13 (Fri) | 16:10-17:10 | 6 | Room 554, 5F ,Kyoto International Conference Center | Correlation of Modified Ideal Cardiovascular Health Metrics between 148,510 Couples |
| 11927 | Hiroko | Oshio | PE26-6 | Poster Session (English) 26 | Prevention 1 | March 13 (Fri) | 14:10-15:06 | 6 | New Hall, 1F ,Kyoto International Conference Center | Different Relationship between Serum Albumin and Coronary Revascularization in Patients with Age under or over 75 Years. |
| 12210 | Akihiro | Endo | OE110-2 | Oral Presentation(English) 110 | Prevention 2 | March 14 (Sat), 2020 | 08:00-09:00 | 2 | Room 555, 5F ,Kyoto International Conference Center | Is More Strict Managements after Achievement of Standard Target Value of Low-density Lipoprotein Cholesterol Effective? |
| 12214 | Shin | Kawasoe | OJ25-4 | 一般演題口述（日本語）25 | Prevention 5 | March 13 (Fri) | 17:15-18:45 | 4 | Room 554, 5F ,Kyoto International Conference Center | Gender Differences in Effectiveness of Weight Reduction on Future Blood Pressure Increase in Mildly Obese Middle-aged Population |
| 12247 | Kenichirou | Yasuda | OE111-3 | Oral Presentation(English) 111 | Prevention 3 | March 14 (Sat), 2020 | 09:05-10:05 | 3 | Room 555, 5F ,Kyoto International Conference Center | Combined Evaluation of Nutrition Screening Indexes on Long-term Mortality in Patients Hospitalized for Acute Heart Failure |
| 12401 | Shinya | Fujiki | PJ16-8 | ポスターセッション(日本語)16 | Prevention 3 | March 13 (Fri) | 16:10-17:06 | 8 | New Hall, 1F ,Kyoto International Conference Center | Complications and treatments in heart failure patients with long-term care insurance |

69.Preventive medicine/epidemiology/education

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|--------------|-----------|-------------|--------------------------------|---------------|----------------------|-------------|-------|---|---|
| 12407 | Mikio | Kishi | PE27-6 | Poster Session (English) 27 | Prevention 2 | March 13 (Fri) | 15:10-16:06 | 6 | New Hall, 1F ,Kyoto International Conference Center | Mortality would not differ among different ischemic heart disease subsets in chronic phase: Report from Shinken database |
| 12465 | Shu | Yanagida | OJ25-6 | 一般演題口述（日本語）25 | Prevention 5 | March 13 (Fri) | 17:15-18:45 | 6 | Room 554, 5F ,Kyoto International Conference Center | Dietary Salt Intake is Associated with Future Development of Metabolic Syndrome in the General Population |
| 12477 | Mamoru | Kondo | PE27-2 | Poster Session (English) 27 | Prevention 2 | March 13 (Fri) | 15:10-16:06 | 2 | New Hall, 1F ,Kyoto International Conference Center | Bleeding complications and survival after percutaneous coronary intervention |
| 12586 | Takuro | Kubozono | OJ25-9 | 一般演題口述（日本語）25 | Prevention 5 | March 13 (Fri) | 17:15-18:45 | 9 | Room 554, 5F ,Kyoto International Conference Center | The relationship between Home Blood Pressure and Temperature in the General Population |
| 12651 | Yukari | Okuma | OE102-5 | Oral Presentation(English) 102 | Prevention 1 | March 13 (Fri) | 16:10-17:10 | 5 | Room 554, 5F ,Kyoto International Conference Center | Contribution of Geriatric Nutritional Risk Index in the Prediction of Adverse Cardiovascular Events of Patients with Heart Failure |
| 12653 | Makoto | Koshiyama | PJ16-2 | ポスターセッション(日本語)16 | Prevention 3 | March 13 (Fri) | 16:10-17:06 | 2 | New Hall, 1F ,Kyoto International Conference Center | Considerably high proportions of untreated subjects with atrial fibrillation among community dwellers were observed especially in the high CHA2DS2-VASc-score group |
| 12819 | Hiroki | Teragawa | PE27-3 | Poster Session (English) 27 | Prevention 2 | March 13 (Fri) | 15:10-16:06 | 3 | New Hall, 1F ,Kyoto International Conference Center | Family History of Coronary Artery Disease in Patients with Vasospastic Angina: What Does it MeanClinically? |
| 12896 | Katsuki | Okada | PE27-7 | Poster Session (English) 27 | Prevention 2 | March 13 (Fri) | 15:10-16:06 | 7 | New Hall, 1F ,Kyoto International Conference Center | Effective Utilization of Publically-Accessible Diagnosis Procedure Combination (DPC) Database for Research on Cardiovascular Diseases |
| 20008 | Ming-Chieh | Tsai | OE111-1 | Oral Presentation(English) 111 | Prevention 3 | March 14 (Sat), 2020 | 09:05-10:05 | 1 | Room 555, 5F ,Kyoto International Conference Center | Combined healthy lifestyles and the reduction of cardiovascular risk in general healthy population: a systemic review and meta-analysis |
| 20015 | Hsin-Yin | Hsu | OE110-1 | Oral Presentation(English) 110 | Prevention 2 | March 14 (Sat), 2020 | 08:00-09:00 | 1 | Room 555, 5F ,Kyoto International Conference Center | Efficacy of Intensive Lipid Lowering Therapy on Cardiovascular Diseases: a Systematic Review and Meta-analysis of randomized trials |
| 20022 | Kwang K. | KOH | OE112-5 | Oral Presentation(English) 112 | Prevention 4 | March 14 (Sat), 2020 | 10:10-11:10 | 5 | Room 555, 5F ,Kyoto International Conference Center | Metabolic effects of dapagliflozine in patients with type 2 diabetes |
| 20037 | Jeonggeun | Moon | PE26-5 | Poster Session (English) 26 | Prevention 1 | March 13 (Fri) | 14:10-15:06 | 5 | New Hall, 1F ,Kyoto International Conference Center | Association between height and lipid profile among Korean men: Results from the 10-year Korea National Health and Nutrition Examination Survey |
| 20052 | Angela | Koh | PE26-1 | Poster Session (English) 26 | Prevention 1 | March 13 (Fri) | 14:10-15:06 | 1 | New Hall, 1F ,Kyoto International Conference Center | Influence of Ageing on Arterial Stiffness and Myocardial Strain |
| 20065 | Alexander D. | Reyes | PE27-8 | Poster Session (English) 27 | Prevention 2 | March 13 (Fri) | 15:10-16:06 | 8 | New Hall, 1F ,Kyoto International Conference Center | Prevalence and Associated Behavioral Risk Factors of Above Normal Blood Pressure among College Students |