

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-----------|-------------|---------------------------------------|---|----------------|-------------|-------|--|--|
| 10042 | Yoshiaki | Mizutani | PJ01-3 | Poster Session (Japanese)01 | Arrhythmia 1 (AF Ablation) | March 11 (Fri) | 09:45-10:35 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Earliest Pulmonary Vein Potential-guided Cryoballoon Ablation is Associated with Better Clinical Outcomes than Conventional Cryoballoon Ablation |
| 10083 | Junichi | Doi | PE08-1 | Poster Session (English)08 | Arrhythmia 5 (Ventricular Arrhythmia 1) | March 11 (Fri) | 15:05-15:55 | 1 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Can Epicardial Adipose Tissue Predict Challenging Catheter Ablation of Ventricular Arrhythmias Originating from the Right Ventricular Outflow Tract? |
| 10107 | Tetsuma | Kawaji | OE08-5 | Oral Presentation08 | Arrhythmia 4 (AF Registry) | March 11 (Fri) | 16:00-17:30 | 5 | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Catheter ablation versus conservative management in patients with atrial fibrillation: a single-center matched analysis |
| 10108 | Tetsuma | Kawaji | OE07-2 | Oral Presentation07 | Arrhythmia 3 (AF CHF) | March 11 (Fri) | 13:30-15:00 | 2 | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Fine fibrillatory wave as a risk factor for heart failure events in atrial fibrillation patients: The Fushimi AF Registry |
| 10121 | Tabito | Kino | MPE10-8 | Moderated Poster Session (English)10 | Arrhythmia 3 (AF Clinical/Risk factor) | March 12 (Sat) | 10:30-12:00 | 8 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | The Optimal Periprocedural Anticoagulant Management undergoing Atrial Fibrillation Ablation: A Systematic Review and Network Meta-analysis |
| 10140 | Masaomi | Chinushi | OE32-2 | Oral Presentation32 | Arrhythmia 11 (Ablation Technology) | March 13 (Sun) | 13:15-14:45 | 2 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Difference in the Myocardial Excitation Recovery Between Shorter and Nominal Time Radiofrequency (RF) Application |
| 10141 | Osamu | Saitoh | MPJ14-7 | Moderated Poster Session (Japanese)14 | Arrhythmia 5 (Basic/Pharmacology) | March 13 (Sun) | 10:30-12:00 | 7 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Impedance Decrement Represents Intramyocardial Temperature (IT) Rather Than Myocardial Degeneration in Bipolar Radiofrequency (RF) Ablation |
| 10175 | Shozo | Sueda | PE38-1 | Poster Session (English)38 | Arrhythmia 17 (Ventricular Arrhythmias 3) | March 13 (Sun) | 14:50-15:40 | 1 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Questionnaire in patients with aborted sudden cardiac death due to coronary spasm in Japan |
| 10179 | Shingo | Maeda | CRDO02-1 | 症例報告セッション (医師口述) 02 | Arrhythmia 1 | March 11 (Fri) | 08:00-09:00 | 1 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | High-density visualization of antegrade fast pathway activation during atypical fast/slow atrioventricular nodal reentrant tachycardia |
| 10206 | Yukihiro | Koretsune | FRS01-5 | Featured Research Session01 | Arrhythmia 1 (AF) | March 11 (Fri) | 08:00-09:30 | 5 | Room 20 (International Conference Room, 3F, Kobe International Conference Center) | The Relationships between Coagulation Biomarkers and Clinical Outcomes in Elderly Non-valvular Atrial Fibrillation Patients: Sub-cohort Study of ANAFIE Registry |
| 10218 | Takatsugu | Hiramatsu | CRDO17-1 | 症例報告セッション (医師口述) 17 | Pacemakers/ICD | March 12 (Sat) | 16:00-16:50 | 1 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Usefulness of the snare technique during leadless pacemaker implantation for a patient with a severely dilated right atrium |
| 10235 | Kai | Ishii | OE07-1 | Oral Presentation07 | Arrhythmia 3 (AF CHF) | March 11 (Fri) | 13:30-15:00 | 1 | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Development and Validation of Risk Model to Predict New-onset Heart Failure Admission in Patients with Atrial Fibrillation |
| 10259 | Takanori | Ikeda | OE08-9 | Oral Presentation08 | Arrhythmia 4 (AF Registry) | March 11 (Fri) | 16:00-17:30 | 9 | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Prognostic Impact of Heart Rate on Clinical Outcomes in Elderly Non-Valvular Atrial Fibrillation Patients: ANAFIE Registry Heart Rate Sub-cohort Study |
| 10264 | Reina | Hirano | MPE25-2 | Moderated Poster Session (English)25 | Arrhythmia 5 (AF Heart Failure) | March 13 (Sun) | 13:15-14:45 | 2 | Mini Oral Session Room 3 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Heart Failure with Preserved Ejection Fraction and Their Impact on Outcomes in Patients with Early Atrial Fibrillation |
| 10339 | Takuro | Imaoka | PE23-6 | Poster Session (English)23 | Arrhythmia 11 (Electrical Device 3: CRT/Monitoring) | March 12 (Sat) | 15:05-15:55 | 6 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Incidence of False Positive Transmissions in Remote Monitoring with Insertable cardiac monitoring |
| 10347 | Takahisa | Koi | PJ46-6 | Poster Session (Japanese)46 | Arrhythmia 8 (AF Biomarker) | March 13 (Sun) | 14:50-15:40 | 6 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Xanthine Oxidase Activity as Biomarkers of Atrial Tachyarrhythmias |
| 10369 | Masanari | Asai | CRDO02-2 | 症例報告セッション (医師口述) 02 | Arrhythmia 1 | March 11 (Fri) | 08:00-09:00 | 2 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | A Case of Successful Catheter Ablation for Paroxysmal Supra Ventricular Tachycardia with Two Alternate Cycle Length |
| 10378 | Yasuhiro | Shirai | PE08-3 | Poster Session (English)08 | Arrhythmia 5 (Ventricular Arrhythmia 1) | March 11 (Fri) | 15:05-15:55 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | An Anatomical Approach Guided by the Over-the-Wire Microelectrodes Catheter: Importance of Coronary Venous Branch Mapping |
| 10387 | Tadashi | Wada | PJ19-2 | Poster Session (Japanese)19 | Arrhythmia 4 (AF/AT Ablation) | March 12 (Sat) | 09:35-10:25 | 2 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Identification of Endocardial Breakthrough from Marshall Bundle Epicardial Connections Using High-resolution Mapping under Alternative Pacing Site. |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|---------------|-------------|---------------------------------------|--|----------------|-------------|-------|--|---|
| 10388 | Yuki | Hasegawa | PJ46-3 | Poster Session (Japanese)46 | Arrhythmia 8 (AF Biomarker) | March 13 (Sun) | 14:50-15:40 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Atrial natriuretic peptide to brain natriuretic peptide ratio predicts atrial reverse remodeling after rhythm control therapy for persistent atrial fibrillation |
| 10391 | Hibiki | Mima | CRDO02-3 | 症例報告セッション (医師口述) 02 | Arrhythmia 1 | March 11 (Fri) | 08:00-09:00 | 3 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Common Arrhythmogenic Substrates of the Both Atria in Two Adult Cases After the Senning Procedure |
| 10393 | Kyoko | Soejima | MPJ10-1 | Moderated Poster Session (Japanese)10 | Arrhythmia 3 (Ventricular Arrhythmia/Implantable Device) | March 12 (Sat) | 13:30-15:00 | 1 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Real-World Characteristics, Utilization, and Outcomes for Radiofrequency Catheter Ablation in Ventricular Tachycardia: A Retrospective Database Analysis in Japan |
| 10396 | Kenichi | Hashimoto | PE24-4 | Poster Session (English)24 | Electrocardiography | March 12 (Sat) | 15:05-15:55 | 4 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Effect of increasing average time of Holter-based late potential on the improvement of sensitivity in post-myocardial infarction patients |
| 10441 | Hideharu | Okamatsu | OE22-9 | Oral Presentation22 | Arrhythmia 7 (SVT) | March 12 (Sat) | 13:30-15:00 | 9 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Predictor of Atrial Tachyarrhythmia Recurrence among Ablation Strategies after Ablation Index-Guided Atrial Fibrillation Ablation |
| 10443 | Hideharu | Okamatsu | OE23-3 | Oral Presentation23 | Arrhythmia 8 (AF Ablation 1) | March 12 (Sat) | 16:00-17:30 | 3 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Is Left Atrium Posterior Wall Box Isolation Effective to the Outcome of Ablation Index-Guided Non-Paroxysmal Atrial Fibrillation Ablation? |
| 10448 | Shuntaro | Tamura | MPJ16-1 | Moderated Poster Session (Japanese)16 | Arrhythmia 6 (SVT/Ablation Technology) | March 13 (Sun) | 13:15-14:45 | 1 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Detection of Compact Atrioventricular Nodal Potentials by Using High Resolution Mapping System |
| 10450 | Yuichiro | Sagawa | OJ10-1 | 一般演題口述10 | Arrhythmia | March 13 (Sun) | 15:30-17:00 | 1 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Benefit of Additional Cryoballoon-based Ablation beyond Pulmonary Vein Isolation for Non-paroxysmal Atrial Fibrillation |
| 10470 | Masaomi | Kimura | OE26-6 | Oral Presentation26 | Arrhythmia 9 (AF Ablation 2) | March 13 (Sun) | 08:00-09:30 | 6 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | 2-Year Outcome of Cryoballoon Ablation for Paroxysmal Atrial Fibrillation from the Japan Cryo-AF Registry |
| 10472 | Toranosuke | Sekine | CRDO17-3 | 症例報告セッション (医師口述) 17 | Pacemakers/ICD | March 12 (Sat) | 16:00-16:50 | 3 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Repeated Pneumothorax Caused by a Pacemaker Screw-type Atrial Lead Perforation |
| 10482 | Sou | Takenaka | PJ19-1 | Poster Session (Japanese)19 | Arrhythmia 4 (AF/AT Ablation) | March 12 (Sat) | 09:35-10:25 | 1 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Atrial Tachyarrhythmias Associated with Atrial Fibrillation: the efficacy of high-density mapping. |
| 10489 | Megumi | Fukuyama | OJ10-9 | 一般演題口述10 | Arrhythmia | March 13 (Sun) | 15:30-17:00 | 9 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Caromodulinopathy is a Common Cause of Critical Cardiac Phenotypes in Fetus and Infancy |
| 10492 | Yuji | Doi | PJ36-3 | Poster Session (Japanese)36 | Arrhythmia 7 (Ablation Perioperative Period) | March 13 (Sun) | 09:35-10:25 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Modes of sedation for young patients undergoing catheter ablation |
| 10525 | Ryo | Watanabe | MPJ10-6 | Moderated Poster Session (Japanese)10 | Arrhythmia 3 (Ventricular Arrhythmia/Implantable Device) | March 12 (Sat) | 13:30-15:00 | 6 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Evaluation of the Stability of His-Bundle Capture Threshold during the Long-Term Follow-up after Permanent His-Bundle Pacing |
| 10539 | Tomotaka | Yoshiyama | MPJ10-4 | Moderated Poster Session (Japanese)10 | Arrhythmia 3 (Ventricular Arrhythmia/Implantable Device) | March 12 (Sat) | 13:30-15:00 | 4 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Risk Factors of Pacing-Induced Cardiomyopathy -Insights from Lead Position- |
| 10552 | Kazuo | Yamanaka | OE03-4 | Oral Presentation03 | Arrhythmia 2 (AF Thrombus, Anaticoaglant, Amyloid) | March 11 (Fri) | 08:00-09:30 | 4 | Room 15 (3A Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | The Long Outcome of the Left Atrial Appendage Preserving MAZE Procedure |
| 10597 | Kazumasa | Suga | OE17-8 | Oral Presentation17 | Arrhythmia 6 (Inherited Arrhythmia/Basic) | March 12 (Sat) | 10:30-12:00 | 8 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Relationship Between the Area of Right Ventricular Epicardial Abnormal Potentials and Electrocardiographic Changes in Brugada Syndrome |
| 10609 | Yasunori | Kanzaki | OE07-8 | Oral Presentation07 | Arrhythmia 3 (AF CHF) | March 11 (Fri) | 13:30-15:00 | 8 | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Clinical Significance of Left Ventricular Diastolic Dysfunction after Restoring Sinus rhythm by Catheter Ablation in Patients with Non-Paroxysmal Atrial Fibrillation |
| 10622 | Yasuharu | Matsunaga-lee | OE23-1 | Oral Presentation23 | Arrhythmia 8 (AF Ablation 1) | March 12 (Sat) | 16:00-17:30 | 1 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Electrophysiological Characteristics of Non-pulmonary Vein Triggers Excluding Origin from Superior Vena Cava and Left Atrial Posterior Wall |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-------------|-------------|---------------------------------------|--|----------------|-------------|-------|--|--|
| 10627 | Taro | Kohya | OE27-6 | Oral Presentation27 | Arrhythmia 10 (Ventricular Arrhythmias) | March 13 (Sun) | 10:30-12:00 | 6 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Prolonged QRS duration predicts Ventricular Tachycardia / Ventricular Fibrillation in patients with an Implantable Cardioverter Defibrillator |
| 10628 | Toshihiro | Nakamura | MPE13-8 | Moderated Poster Session (English)13 | Arrhythmia 4 (AF Imaging) | March 12 (Sat) | 16:00-17:30 | 8 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | The Impact of Atrial Wall Thickness in Mild Late-Gadolinium Enhancement Areas on Atrial Fibrillation Rotors |
| 10648 | Masao | Takahashi | MPJ03-1 | Moderated Poster Session (Japanese)03 | Arrhythmia 1 (AF clinical/Risk factor) | March 11 (Fri) | 13:30-15:00 | 1 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Effect of Catheter Ablation on Reduced Left Ventricular Systolic Function with Myocardial Ischemia Associated with Atrial Fibrillation |
| 10689 | Tomohiko | Imamura | OJ10-8 | 一般演題口述10 | Arrhythmia | March 13 (Sun) | 15:30-17:00 | 8 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Clinical Aspects of Brugada Syndrome in Children: The Impact of Gender and Age on the Prognosis |
| 10694 | Hiroaki | Sakagami | CRRP03-4 | 症例報告セッション (学生・初期研修医・メディカルスタッフ ポスター) | 学生・初期研修医・メディカルスタッフ | March 13 (Sun) | 14:50-15:40 | 4 | Poster Session Room 2 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | A case of refractory monomorphic ventricular tachycardia induced by anamorelin, a ghrelin receptor agonist |
| 10722 | Hirotsugu | Sato | PJ11-1 | Poster Session (Japanese)11 | Arrhythmia 3 (Complications of Ablation) | March 11 (Fri) | 15:05-15:55 | 1 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Is it Necessary to Create Entire Circumferential Lesions for Pulmonary Vein Isolation with Laser-balloon Ablation? -Association to Remote Pulmonary-Vein Stenosis- |
| 10751 | Takahide | Kadosaka | MPE25-8 | Moderated Poster Session (English)25 | Arrhythmia 5 (AF Heart Failure) | March 13 (Sun) | 13:15-14:45 | 8 | Mini Oral Session Room 3 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Difference in the Prognostic Impact of Atrial Fibrillation between Younger and Elder Patients with Implantable Cardioverter-Defibrillator |
| 10757 | Toshihiko | Gokan | CRDO02-4 | 症例報告セッション (医師口述) 02 | Arrhythmia 1 | March 11 (Fri) | 08:00-09:00 | 4 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | A case of focal atrial fibrillation treated by one-point radiofrequency ablation |
| 10767 | Masafumi | Shimojo | MPJ13-3 | Moderated Poster Session (Japanese)13 | Arrhythmia 4 (ECG/Autonomic Nervous System) | March 13 (Sun) | 08:00-09:30 | 3 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Does Chaos Degree of Fibrillation Wave during Atrial Fibrillation Predict the Maintenance of Sinus Rhythm after Catheter Ablation? |
| 10778 | Ryo | Tateishi | MPE13-1 | Moderated Poster Session (English)13 | Arrhythmia 4 (AF Imaging) | March 12 (Sat) | 16:00-17:30 | 1 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Deep Learning of Left Atrial Computed Tomography Image Could Predict Recurrence Following Cryoballoon Ablation in Patients with Atrial Fibrillation |
| 10802 | Akihiro | Yoshida | PE07-6 | Poster Session (English)07 | Arrhythmia 4 (AF ABL PVI/Rotor) | March 11 (Fri) | 15:05-15:55 | 6 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Medium-Power (40W) Radiofrequency Ablation Guided by Lesion Size Index for Pulmonary Vein Isolation Compared with Standard-Power (35W) |
| 10806 | Shun | Sasaki | PE02-3 | Poster Session (English)02 | Arrhythmia 2 (AF Clinical 1) | March 11 (Fri) | 09:45-10:35 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Prognostic impact of catheter ablation for atrial fibrillation or atrial flutter with diabetes mellitus |
| 10831 | Takumi | Tamura | PE32-1 | Poster Session (English)32 | Arrhythmia 14 (Electrical Device 4: CRT/PM/Monitoring) | March 13 (Sun) | 09:35-10:25 | 1 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Bilateral bundle branch area pacing may help in left bundle branch area pacing for patients with right bundle branch block |
| 10859 | Koji | Yasumoto | PE32-7 | Poster Session (English)32 | Arrhythmia 14 (Electrical Device 4: CRT/PM/Monitoring) | March 13 (Sun) | 09:35-10:25 | 7 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Clinical impact of preoperative malnutrition on patients with pacemaker implantation |
| 10868 | Ryo | Nishinarita | PE36-7 | Poster Session (English)36 | Arrhythmia 15 (AF CHF) | March 13 (Sun) | 14:50-15:40 | 7 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Prognosis of low-flow low-gradient aortic valve stenosis with atrial fibrillation |
| 10887 | Sho | Ogiso | OE27-4 | Oral Presentation27 | Arrhythmia 10 (Ventricular Arrhythmias) | March 13 (Sun) | 10:30-12:00 | 4 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Association between Non-Sustained Ventricular Tachycardia and Cardiovascular Events in Patients without Structural Heart Diseases |
| 10911 | Mari | Kitagawa | PE03-1 | Poster Session (English)03 | Arrhythmia 3 (Electrical Device 1: Defibrillator) | March 11 (Fri) | 09:45-10:35 | 1 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Prognosis in hypertrophic cardiomyopathy patient with and without an implantable cardioverter-defibrillator |
| 10949 | Katsunori | Okajima | MPJ10-2 | Moderated Poster Session (Japanese)10 | Arrhythmia 3 (Ventricular Arrhythmia/Implantable Device) | March 12 (Sat) | 13:30-15:00 | 2 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Safety and Efficacy of Catheter Ablation for Ventricular Tachycardia/Fibrillation Storm with Remote Magnetic Navigation System |
| 10961 | Yuki | Shibuya | CRDO02-5 | 症例報告セッション (医師口述) 02 | Arrhythmia 1 | March 11 (Fri) | 08:00-09:00 | 5 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Endoscopic view of the vertebra during laser balloon ablation -case report- |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-----------|-------------|---------------------------------------|--|----------------|-------------|-------|---|--|
| 11005 | Noboru | Ichihara | FRS03-3 | Featured Research Session03 | Arrhythmia 2 (AF以外) | March 12 (Sat) | 10:30-12:00 | 3 | Room 20 (International Conference Room, 3F, Kobe International Conference Center) | Novel strategy for slow-pathway ablation guided by high-resolution mapping of Koch's triangle during sinus rhythm in the patients with AVNRT |
| 11017 | Kento | Mori | PE37-4 | Poster Session (English)37 | Arrhythmia 16 (SVT) | March 13 (Sun) | 14:50-15:40 | 4 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Efficacy of Catheter Ablation for Atrial Tachycardia Emerging During Ablation for Atrial Fibrillation |
| 11054 | Keisuke | Miyajima | PE32-2 | Poster Session (English)32 | Arrhythmia 14 (Electrical Device 4: CRT/PM/Monitoring) | March 13 (Sun) | 09:35-10:25 | 2 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | The usefulness of standard stilet-driven lead and new delivery system in left bundle branch area pacing. |
| 11059 | Keisuke | Miyajima | OJ10-7 | 一般演題口述10 | Arrhythmia | March 13 (Sun) | 15:30-17:00 | 7 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Comparison of the effects of complete and incomplete left bundle branch pacing and deep septal pacing on cardiac mechanical dyssynchrony. |
| 11068 | Fumiharu | Miura | MPE05-5 | Moderated Poster Session (English)05 | Arrhythmia 2 (non PV, Box) | March 11 (Fri) | 16:00-17:30 | 5 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Is additional ablation to the Fragment potential necessary for persistent atrial fibrillation? |
| 11097 | Tomoya | Eguchi | MPJ06-8 | Moderated Poster Session (Japanese)06 | Arrhythmia 2 (AF Ablation) | March 12 (Sat) | 08:00-09:30 | 8 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | FAAM (Fractionated Signal Area of Atrial Muscle) area stratifies the electrical remodeling of the normal voltage left atrium |
| 11108 | Tomoki | Horie | MPJ16-9 | Moderated Poster Session (Japanese)16 | Arrhythmia 6 (SVT/Ablation Technology) | March 13 (Sun) | 13:15-14:45 | 9 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Lessons from initial experience with vascular closure device in 100 consecutive catheter ablation cases |
| 11110 | Kohei | Ukita | PE31-5 | Poster Session (English)31 | Arrhythmia 13 (AF Imaging) | March 13 (Sun) | 09:35-10:25 | 5 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Impact of Radiofrequency Catheter Ablation for Atrial Fibrillation in Patients with Very Large Left Atrium |
| 11113 | Kohei | Ukita | PE14-4 | Poster Session (English)14 | Arrhythmia 6 (AF ABL Prognosis) | March 12 (Sat) | 09:35-10:25 | 4 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Impact of Very Early Recurrence of Atrial Fibrillation after Cryoballoon Ablation |
| 11121 | Tadashi | Hoshiyama | PJ02-3 | Poster Session (Japanese)02 | Arrhythmia 2 (AF Imaging) | March 11 (Fri) | 09:45-10:35 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Efficacy of Zero Contrast Ablation Using Plain Three-dimensional CT in Added Multipolar Mapping Catheter for the Patients with Atrial Fibrillation |
| 11125 | Shunsuke | Tomomori | MPE13-3 | Moderated Poster Session (English)13 | Arrhythmia 4 (AF Imaging) | March 12 (Sat) | 16:00-17:30 | 3 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Association between epicardial adipose tissue and atrial fibrillation with sick sinus syndrome |
| 11168 | Ryota | Yamauchi | PE31-3 | Poster Session (English)31 | Arrhythmia 13 (AF Imaging) | March 13 (Sun) | 09:35-10:25 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Poor Contrast Enhancement in the Left Atrial Appendage predicts Recurrence of Atrial Fibrillation in Patients with Persistent Atrial Fibrillation |
| 11173 | Misun | Pak | MPE02-1 | Moderated Poster Session (English)02 | Arrhythmia 1 (PVI/Balloon) | March 11 (Fri) | 08:00-09:30 | 1 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | The Initial Experience of the New Visually Guided Laser Balloon Ablation System for Patients with Atrial Fibrillation in Japan |
| 11194 | Motoki | Kubo | MPE02-7 | Moderated Poster Session (English)02 | Arrhythmia 1 (PVI/Balloon) | March 11 (Fri) | 08:00-09:30 | 7 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Safety and Efficacy of PV wedge pressure guided Cryoballoon ablation on Atrial Fibrillation without Contrast Agent |
| 11205 | Miwa | Ito | PJ11-7 | Poster Session (Japanese)11 | Arrhythmia 3 (Complications of Ablation) | March 11 (Fri) | 15:05-15:55 | 7 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Primary Predictor of Esophageal Injury after Radio Frequency Catheter Ablation of Atrial Fibrillation |
| 11226 | Yousaku | Okubo | MPJ10-5 | Moderated Poster Session (Japanese)10 | Arrhythmia 3 (Ventricular Arrhythmia/Implantable Device) | March 12 (Sat) | 13:30-15:00 | 5 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Efficacy and safety of deep septal pacing compared to right ventricular mid-septal pacing |
| 11286 | Yasuteru | Yamauchi | PJ19-3 | Poster Session (Japanese)19 | Arrhythmia 4 (AF/AT Ablation) | March 12 (Sat) | 09:35-10:25 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Efficacy of Cryoballoon-guided Left Atrial Roofline Ablation for Radiofrequency-failed Linear Ablation in Patients with Atrial Fibrillation |
| 11301 | Seiya | Abe | MPJ06-1 | Moderated Poster Session (Japanese)06 | Arrhythmia 2 (AF Ablation) | March 12 (Sat) | 08:00-09:30 | 1 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Effect of Pulmonary Vein Isolation Alone for Paroxysmal Atrial Fibrillation with Enlarged Atrium |
| 11310 | Atsuya | Shimizu | PJ11-6 | Poster Session (Japanese)11 | Arrhythmia 3 (Complications of Ablation) | March 11 (Fri) | 15:05-15:55 | 6 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Phrenic Nerve Injury During Cryoballoon-Based Ablation for Non-paroxysmal Atrial Fibrillation Patients |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-----------|-------------|---------------------------------------|--|----------------|-------------|-------|--|--|
| 11314 | Michio | Nagashima | OE16-1 | Oral Presentation16 | Arrhythmia 5 (Electrical Device) | March 12 (Sat) | 08:00-09:30 | 1 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Transvenous Lead Extraction: Efficacy and Safety of the Procedure in Octogenarian Patients |
| 11318 | Osamu | Igawa | OE27-3 | Oral Presentation27 | Arrhythmia 10 (Ventricular Arrhythmias) | March 13 (Sun) | 10:30-12:00 | 3 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Risk of Catheter Ablation Performed in GCV of LV Summit〜Unexpected positional relationship between GCV and 3 main arteries〜 |
| 11324 | Hideshi | Aoyagi | PE14-1 | Poster Session (English)14 | Arrhythmia 6 (AF ABL Prognosis) | March 12 (Sat) | 09:35-10:25 | 1 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Additional Left Atrial Carina and Antral Ablation Using Cryoballoon is Feasible for Paroxysmal Atrial Fibrillation for the Following Two Years. |
| 11385 | Hideshi | Aoyagi | PE30-7 | Poster Session (English)30 | Arrhythmia 12 (Low Voltage/CFAE) | March 13 (Sun) | 09:35-10:25 | 7 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | CFAE-guided Catheter Ablation with the Only Cryoballoon is an Effective and Feasible Option for Persistent Atrial Fibrillation. |
| 11401 | Hiroshi | Mase | MPJ16-8 | Moderated Poster Session (Japanese)16 | Arrhythmia 6 (SVT/Ablation Technology) | March 13 (Sun) | 13:15-14:45 | 8 | Mini Oral Session Room 4 (Exhibitor Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Is High Power Short Duration Radiofrequency Ablation Method the right method? |
| 11403 | Takashi | Kimura | PE21-1 | Poster Session (English)21 | Arrhythmia 9 (Line/Box/Marshall) | March 12 (Sat) | 15:05-15:55 | 1 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Relationship between achieving posterior wall isolation with only initial linear lesion and the durability in patients with persistent atrial fibrillation |
| 11430 | Tsuyoshi | Takada | PE21-4 | Poster Session (English)21 | Arrhythmia 9 (Line/Box/Marshall) | March 12 (Sat) | 15:05-15:55 | 4 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | The results of Box Isolation for Atrial Fibrillation in a Real World Clinical Practice |
| 11444 | Motohide | Tanaka | OE03-3 | Oral Presentation03 | Arrhythmia 2 (AF Thrombus, Anaticoaglant, Amyloid) | March 11 (Fri) | 08:00-09:30 | 3 | Room 15 (3A Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Can features in the intensity distribution of Hounsfield unit identify a risk of thrombus formation in the left atrial appendage? |
| 11461 | Daisuke | Terashita | CRDO11-3 | 症例報告セッション（医師口述）11 | Arrhythmia 2 | March 12 (Sat) | 08:00-09:00 | 3 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | How should We Treat Electrical Conduction Disturbance in Younger Patient? |
| 11463 | Masato | Hachisuka | PE15-3 | Poster Session (English)15 | Arrhythmia 7 (AF Clinical 2) | March 12 (Sat) | 09:35-10:25 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Improvement of the Quality of Life by Catheter Ablation for Atrial Fibrillation in Patients undergoing Hemodialysis |
| 11523 | Satoshi | Kawada | PE37-7 | Poster Session (English)37 | Arrhythmia 16 (SVT) | March 13 (Sun) | 14:50-15:40 | 7 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Role of Catheter Ablation in the Management of Atrial Arrhythmias in Patients with Complex Adult Congenital Heart Disease |
| 11530 | Masateru | Takigawa | MPJ16-6 | Moderated Poster Session (Japanese)16 | Arrhythmia 6 (SVT/Ablation Technology) | March 13 (Sun) | 13:15-14:45 | 6 | Mini Oral Session Room 4 (Exhibitor Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | A Novel Index: Peak-Frequency Divided by Omnipolar-Voltage Can Better Describe Tissue Characteristics |
| 11538 | Sohei | Takagi | CRDO11-4 | 症例報告セッション（医師口述）11 | Arrhythmia 2 | March 12 (Sat) | 08:00-09:00 | 4 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Left Atrial thrombus After PVI |
| 11545 | Masanaru | Sawada | MPJ16-5 | Moderated Poster Session (Japanese)16 | Arrhythmia 6 (SVT/Ablation Technology) | March 13 (Sun) | 13:15-14:45 | 5 | Mini Oral Session Room 4 (Exhibitor Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | New Normal Definition of Left-Ventricular Bipolar-Voltage Recorded by QDOT Micro catheter |
| 11580 | Masateru | Takigawa | OE32-1 | Oral Presentation32 | Arrhythmia 11 (Ablaton Technology) | March 13 (Sun) | 13:15-14:45 | 1 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Impact of Electrode Size and Spacing on Electrograms and Capability in Gap-Detection and Far-Field Reduction |
| 11590 | Naohiko | Kawaguchi | PE21-5 | Poster Session (English)21 | Arrhythmia 9 (Line/Box/Marshall) | March 12 (Sat) | 15:05-15:55 | 5 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Impact of radiofrequency and ethanol ablation on the conduction through the vein of Marshall |
| 11593 | Takahiro | Furuya | PE01-6 | Poster Session (English)01 | Arrhythmia 1 (AF ABL Balloon) | March 11 (Fri) | 09:45-10:35 | 6 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Efficacy of Extensive Pulmonary Vein Isolation Using Cryoballoon Ablation |
| 11598 | Takuo | Tsurugi | OE16-3 | Oral Presentation16 | Arrhythmia 5 (Electrical Device) | March 12 (Sat) | 08:00-09:30 | 3 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Relation of Intraseptal Lead Depth Assessed by Intraoperative Echocardiogram with Successful Left Bundle Branch Pacing |
| 11619 | Toyonobu | Tsuda | OE07-9 | Oral Presentation07 | Arrhythmia 3 (AF CHF) | March 11 (Fri) | 13:30-15:00 | 9 | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Effect of Catheter Ablation for Atrial Fibrillation in Patients with Heart Failure with Preserved Systolic Function on Clinical Outcomes |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|---------------|-------------|---------------------------------------|--|----------------|-------------|-------|--|--|
| 11640 | Shingo | Maeda | OE32-9 | Oral Presentation32 | Arrhythmia 11 (Ablation Technology) | March 13 (Sun) | 13:15-14:45 | 9 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Utility of A Perclose ProGlide Suture Mediated Closure Device for Femoral Vein Closure Undergoing Catheter Ablation for Atrial Fibrillation |
| 11677 | Reina | Tonegawa-Kuji | MPE27-9 | Moderated Poster Session (English)27 | Arrhythmia 6 (Ventricular Arrhythmia/Implantable Device) | March 13 (Sun) | 15:30-17:00 | 9 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Annual trends of subcutaneous implantable cardioverter-defibrillator: A report from the JROAD-DPC |
| 11685 | Takuto | Zaizen | MPJ14-6 | Moderated Poster Session (Japanese)14 | Arrhythmia 5 (Basic/Pharmacology) | March 13 (Sun) | 10:30-12:00 | 6 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Low body mass index as an independent risk factor for developing amiodarone induced pulmonary toxicity |
| 11699 | Sho | Ogiso | PE22-3 | Poster Session (English)22 | Arrhythmia 10 (Ventricular Arrhythmia 2) | March 12 (Sat) | 15:05-15:55 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Association between premature ventricular contractions burden and cardiovascular events in outpatients without structural heart diseases |
| 11701 | Tetsuya | Uemura | PE02-2 | Poster Session (English)02 | Arrhythmia 2 (AF Clinical 1) | March 11 (Fri) | 09:45-10:35 | 2 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Predictor of Outcome after Catheter Ablation for Atrial Fibrillation: Group Analysis Categorized by Age and Type of Atrial Fibrillation |
| 11702 | Toyokazu | Otsubo | PE30-4 | Poster Session (English)30 | Arrhythmia 12 (Low Voltage/CFAE) | March 13 (Sun) | 09:35-10:25 | 4 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Do We Need Ablation Targeting Low-voltage Area as a Substrate Modification in Patients with Atrial Fibrillation? |
| 11706 | Masahiro | Sogo | PJ36-4 | Poster Session (Japanese)36 | Arrhythmia 7 (Ablation Perioperative Period) | March 13 (Sun) | 09:35-10:25 | 4 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Clinical Usefulness of External Loop Recorder after Atrial Fibrillation Ablation |
| 11712 | Hirota | Kida | CRRP03-3 | 症例報告セッション (学生・初期研修医・メディカルスタッフ ポスター) | 学生・初期研修医・メディカルスタッフ | March 13 (Sun) | 14:50-15:40 | 3 | Poster Session Room 2 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Considerations for under-sensing of implantable cardiac monitor |
| 11722 | Tatsuhiko | Hirao | MPE05-2 | Moderated Poster Session (English)05 | Arrhythmia 2 (non PV, Box) | March 11 (Fri) | 16:00-17:30 | 2 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Radiofrequency versus Cryoballoon linear-ablation at left atrial roof in patients with persistent Atrial Fibrillation (REVOLUTION) trial: A Prospective Randomized Study |
| 11768 | Issei | Yoshimoto | MPJ03-4 | Moderated Poster Session (Japanese)03 | Arrhythmia 1 (AF clinical/Risk factor) | March 11 (Fri) | 13:30-15:00 | 4 | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Cardio-ankle Vascular Index is an Independent Predictor of Left Atrial Reverse Remodeling After Catheter Ablation for Non-paroxysmal Atrial Fibrillation |
| 11776 | Kosuke | Onodera | CRDO11-5 | 症例報告セッション (医師 口述) 11 | Arrhythmia 2 | March 12 (Sat) | 08:00-09:00 | 5 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Detection of an Epicardial Connection across the Cavo-Tricuspid Isthmus using Ultra-High-Density Mapping |
| 11784 | Kenji | Hashimoto | PJ46-1 | Poster Session (Japanese)46 | Arrhythmia 8 (AF Biomarker) | March 13 (Sun) | 14:50-15:40 | 1 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Impact of blood hemoglobin levels on radiofrequency ablation among atrial fibrillation patients |
| 11786 | Hiroyuki | Kono | OE16-2 | Oral Presentation16 | Arrhythmia 5 (Electrical Device) | March 12 (Sat) | 08:00-09:30 | 2 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Clinical Impact of Physiological Pacing on Patients with Pacing Dependence |
| 11805 | Yuichirou | Sagawa | PE14-2 | Poster Session (English)14 | Arrhythmia 6 (AF ABL Prognosis) | March 12 (Sat) | 09:35-10:25 | 2 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Efficacy and Safety of Cryoballoon-based Ablation for Non-paroxysmal Atrial Fibrillation in Elderly Patients |
| 11831 | Daiki | Saito | PJ36-1 | Poster Session (Japanese)36 | Arrhythmia 7 (Ablation Perioperative Period) | March 13 (Sun) | 09:35-10:25 | 1 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Impact for Dabigatran Intake Strategies on the Incidence of Dabigatran-induced Esophagitis During Peri-procedural Period of Catheter Ablation for Atrial Fibrillation |
| 11834 | Koichiro | Inokuchi | CRDO03-3 | 症例報告セッション (医師 口述) 03 | Cardiomyopathy/Myocarditis 1 | March 11 (Fri) | 13:30-14:30 | 3 | Mini Oral Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | A case of anti-mitochondrial antibody-positive myositis with progressive right atrial myopathy characterized by multiple cardiac electrophysiological |
| 11840 | Kengo | Ayabe | CRDO11-6 | 症例報告セッション (医師 口述) 11 | Arrhythmia 2 | March 12 (Sat) | 08:00-09:00 | 6 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | What is the best option in treating atrial fibrillation due to hyperthyroidism? |
| 11851 | Nobusada | Funabashi | PE24-5 | Poster Session (English)24 | Electrocardiography | March 12 (Sat) | 15:05-15:55 | 5 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | J-Waves Reaching to of 3 LV Inferior-Wall Leads Predict Presence of Organized-Myocardial Fibrotic±Fat-Change on Cardiac-CT in Survivors of Ventricular-Fibrillation |
| 11857 | Atsushi | Kuraishi | PE32-6 | Poster Session (English)32 | Arrhythmia 14 (Electrical Device 4: CRT/PM/Monitoring) | March 13 (Sun) | 09:35-10:25 | 6 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | The study of the indications for Micra AV; in patients with pacemakers in the past five years at our hospital |

07.Arrhythmia, others (clinical/diagnosis/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|------------|-------------|---------------------------------------|--|----------------|-------------|-------|--|--|
| 11873 | Masayuki | Koshikawa | PJ46-7 | Poster Session (Japanese)46 | Arrhythmia 8 (AF Biomarker) | March 13 (Sun) | 14:50-15:40 | 7 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Different Energy Sources of Balloon-based Ablations Have Different Effects on Serum Coagulation/Fibrinolysis Biomarkers in Paroxysmal Atrial Fibrillation |
| 11903 | Yutaro | Okidono | CRDO12-5 | 症例報告セッション (医師口述) 12 | Arrhythmia 3 | March 12 (Sat) | 10:30-11:30 | 5 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Two Cases of Remarkable Wide QRS Complex Tachycardia Caused by Anamorelin Prescribed for Cancer Cachexia |
| 11915 | Gyo | Susukida | CRRP03-2 | 症例報告セッション (学生・初期研修医・メディカルスタッフポスター) | 学生・初期研修医・メディカルスタッフ | March 13 (Sun) | 14:50-15:40 | 2 | Poster Session Room 2 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | A Case of Right Ventricular Perforation Early after Pacemaker Implantation: Treated without Removing the Lead |
| 11930 | Mikiko | Matsumura | PE32-5 | Poster Session (English)32 | Arrhythmia 14 (Electrical Device 4: CRT/PM/Monitoring) | March 13 (Sun) | 09:35-10:25 | 5 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Clinical impact of history of atrial fibrillation on heart failure hospitalization in patients with leadless pacemaker |
| 11978 | Masafumi | Sugawara | OE16-8 | Oral Presentation16 | Arrhythmia 5 (Electrical Device) | March 12 (Sat) | 08:00-09:30 | 8 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Predictors of Major Adverse Cardiac Events of HFrEF after Prophylactic Defibrillator Implantation. |
| 11985 | Taro | Miyamoto | CRDO16-6 | 症例報告セッション (医師口述) 16 | Arrhythmia 4 | March 12 (Sat) | 13:30-14:30 | 6 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Accessory Pathway Ablation during Atrial fibrillation in Ebstein Anomaly |
| 12019 | Daisuke | Kawano | OE32-3 | Oral Presentation32 | Arrhythmia 11 (Ablation Technology) | March 13 (Sun) | 13:15-14:45 | 3 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | The relationship between local impedance and other parameters in lesion formation for radiofrequency catheter ablation in local impedance-monitoring catheters |
| 12022 | Jiro | Hiroki | MPJ16-4 | Moderated Poster Session (Japanese)16 | Arrhythmia 6 (SVT/Ablation Technology) | March 13 (Sun) | 13:15-14:45 | 4 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Conduction Delay in Mitral Annulus Predicts the Inducibility of Peri-mitral Atrial Flutter |
| 12028 | Kimihito | Minami | PE02-7 | Poster Session (English)02 | Arrhythmia 2 (AF Clinical 1) | March 11 (Fri) | 09:45-10:35 | 7 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Changes in Digitalis Drug Usage in Patients with Atrial Fibrillation: Fushimi AF Registry |
| 12056 | Takahiko | Nagase | PE01-2 | Poster Session (English)01 | Arrhythmia 1 (AF ABL Balloon) | March 11 (Fri) | 09:45-10:35 | 2 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Linear Lesion Formation by Dragging Ablation with the Third-Generation Laser Balloon: Lessons from Infrared Thermographic Observation |
| 12057 | Kenji | Yodogawa | CRDO12-6 | 症例報告セッション (医師口述) 12 | Arrhythmia 3 | March 12 (Sat) | 10:30-11:30 | 6 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Recovery from 2:1 Atrioventricular Block following Steroid Therapy without Permanent Pacemaker Implantation in a Patient with Cardiac Sarcoidosis. |
| 12082 | Takahiko | Kinjo | OE26-2 | Oral Presentation26 | Arrhythmia 9 (AF Ablation 2) | March 13 (Sun) | 08:00-09:30 | 2 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Efficacy of circumferential pulmonary vein isolation using cryoballoon ablation for paroxysmal atrial fibrillation in patients with hypertrophic cardiomyopathy |
| 12101 | Mikiko | Matsumura | PE32-4 | Poster Session (English)32 | Arrhythmia 14 (Electrical Device 4: CRT/PM/Monitoring) | March 13 (Sun) | 09:35-10:25 | 4 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | A comparative study of incidence of heart failure hospitalization between dual-chamber and leadless pacemakers. |
| 12201 | Ryoya | Takizawa | OE22-3 | Oral Presentation22 | Arrhythmia 7 (SVT) | March 12 (Sat) | 13:30-15:00 | 3 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | The optimal ablation site in cases with an inferior deviation of His bundle |
| 20003 | Takeshi | Yamashita | OE08-7 | Oral Presentation08 | Arrhythmia 4 (AF Registry) | March 11 (Fri) | 16:00-17:30 | 7 | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Treatment Strategy of Dabigatran Etexilate in Japanese Patients With Nonvalvular Atrial Fibrillation Following the Availability of Idarucizumab: J-Dabigatran Surveillance 2 |
| 20024 | Mega | Febrianora | OE03-7 | Oral Presentation03 | Arrhythmia 2 (AF Thrombus, An anticoagulant, Amyloid) | March 11 (Fri) | 08:00-09:30 | 7 | Room 15 (3A Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Warfarin Usage in Patients with Atrial Fibrillation Undergoing Hemodialysis |
| 20102 | Young Keun | ON | PE14-5 | Poster Session (English)14 | Arrhythmia 6 (AF ABL Prognosis) | March 12 (Sat) | 09:35-10:25 | 5 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | One Year Outcome of Cryoballoon Ablation for Patients with Atrial Fibrillation in Korea: Results from the Cryo AF Registry |