

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-----------|-------------|---------------------------------------|--|----------------|-------------|-------|--|---|
| 10425 | Yuya | Suzuki | PE23-3 | Poster Session (English)23 | Arrhythmia 11 (Electrical Device 3: CRT/Monitoring) | March 12 (Sat) | 15:05-15:55 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Impact of Corticosteroid on the Clinical Response and Prognosis in Patients with Cardiac Sarcoidosis who Underwent Cardiac Resynchronization Therapy Upgrade |
| 10471 | Toshinori | Chiba | FRS03-4 | Featured Research Session03 | Arrhythmia 2 (AF以外) | March 12 (Sat) | 10:30-12:00 | 4 | Room 20 (International Conference Room, 3F, Kobe International Conference Center) | Right Ventricular Systolic Function as a Predictor of Appropriate ICD Therapy |
| 10546 | Kenichi | Sasaki | MPJ10-9 | Moderated Poster Session (Japanese)10 | Arrhythmia 3 (Ventricular Arrhythmia/Implantable Device) | March 12 (Sat) | 13:30-15:00 | 9 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Clinical Outcomes of Non-Atrial Fibrillation Bradyarrhythmias Treated with Leadless Pacemaker as Compared with Conventional Transvenous Pacemaker: A Propensity Score-Matched Study |
| 10579 | Takashi | Okajima | PE16-7 | Poster Session (English)16 | Arrhythmia 8 (Electrical Device 2: CRT) | March 12 (Sat) | 09:35-10:25 | 7 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Non-apical RV lead position without Adequate Separated Angle from Non-apical LV Lead Worsens Outcomes in CRT-patients even with QRS Shortening |
| 10584 | Takashi | Okajima | PE23-2 | Poster Session (English)23 | Arrhythmia 11 (Electrical Device 3: CRT/Monitoring) | March 12 (Sat) | 15:05-15:55 | 2 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Impact of Synchronized Left Ventricular Pacing for Cardiac Resynchronization Therapy on the Reduction of Ventricular Tachyarrhythmias |
| 10586 | Kenichi | Iijima | PE03-7 | Poster Session (English)03 | Arrhythmia 3 (Electrical Device 1: Defibrillator) | March 11 (Fri) | 09:45-10:35 | 7 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Clinical Features And Management of Premature Battery Depletion of Current Models of Implantable Cardioverter Defibrillators (ICD) |
| 10607 | Yuta | Sakaguchi | PE23-1 | Poster Session (English)23 | Arrhythmia 11 (Electrical Device 3: CRT/Monitoring) | March 12 (Sat) | 15:05-15:55 | 1 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Predictors of Long-Term Survival in Japanese Patients Treated with Cardiac Resynchronization Therapy-Defibrillators (CRT-D). |
| 10619 | Akinori | Wakamiya | MPE27-6 | Moderated Poster Session (English)27 | Arrhythmia 6 (Ventricular Arrhythmia/Implantable Device) | March 13 (Sun) | 15:30-17:00 | 6 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Usefulness of the Novel Active Fixation Quadripolar Left Ventricular Lead Compared with Passive Fixation Quadripolar Lead in Cardiac Resynchronization Therapy |
| 10665 | Kohei | Tashiro | CRDP01-1 | 症例報告セッション (医師ポスター) 01 | Heart Failure | March 11 (Fri) | 09:45-10:35 | 1 | Poster Session Room 2 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Malfunction by T-wave Oversensing Associated with COVID-19 Infection in a Patient with Brugada Syndrome with Subcutaneous ICD |
| 10685 | Takayuki | Shimizu | PJ20-3 | Poster Session (Japanese)20 | Arrhythmia 5 (Implantable Device) | March 12 (Sat) | 09:35-10:25 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Impact of paced QRS duration with upgrade to cardiac resynchronization; From consideration in 2018 JCS/JHRS New Guideline |
| 10750 | Akira | Kasagawa | PE03-5 | Poster Session (English)03 | Arrhythmia 3 (Electrical Device 1: Defibrillator) | March 11 (Fri) | 09:45-10:35 | 5 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Investigation of Correlation between Defibrillation Threshold of Subcutaneous Implantable Cardiovascular Defibrillator and Anatomical Factors using by Chest Computed Tomography. |
| 10790 | Atsushi | Kuraishi | PE16-3 | Poster Session (English)16 | Arrhythmia 8 (Electrical Device 2: CRT) | March 12 (Sat) | 09:35-10:25 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Repeated Episodes of Heart Failure are Associated with a Poor Echocardiographic Response and Clinical Outcome to Cardiac Resynchronization Therapy |
| 10827 | Tomonori | Katsuki | MPE25-9 | Moderated Poster Session (English)25 | Arrhythmia 5 (AF Heart Failure) | March 13 (Sun) | 13:15-14:45 | 9 | Mini Oral Session Room 3 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Clinical Outcome of Heart Failure Hospitalizations in Patients with Leadless Pacemaker |
| 10992 | Ami | Isshiki | MPJ10-7 | Moderated Poster Session (Japanese)10 | Arrhythmia 3 (Ventricular Arrhythmia/Implantable Device) | March 12 (Sat) | 13:30-15:00 | 7 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Predictive Value of Automated Microvolt-level Measurement of 12-leads Electrocardiography for Appropriate Shock in Patients with Implantable Cardioverter Defibrillator |
| 11022 | Shinya | Minami | CRDO17-4 | 症例報告セッション (医師口述) 17 | Pacemakers/ICD | March 12 (Sat) | 16:00-16:50 | 4 | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | A Case of Sustained Ventricular Tachycardia Not Terminated by Intrinsic Anti-Tachycardia Pacing |
| 11048 | Daishi | Nakagawa | OE16-4 | Oral Presentation16 | Arrhythmia 5 (Electrical Device) | March 12 (Sat) | 08:00-09:30 | 4 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Virtual Cardiac Resynchronization Therapy on Each Patient by Computer Simulation Can Predict the Clinical Response Effectively |
| 11179 | Masafumi | Sugawara | PE03-4 | Poster Session (English)03 | Arrhythmia 3 (Electrical Device 1: Defibrillator) | March 11 (Fri) | 09:45-10:35 | 4 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Prognosis in Patients with HFrEF: ClassI versus IIa Indication for a Defibrillator Implant as Primary Prophylaxis against Sudden Cardiac Death |
| 11183 | Naoki | Tsurumi | PE16-4 | Poster Session (English)16 | Arrhythmia 8 (Electrical Device 2: CRT) | March 12 (Sat) | 09:35-10:25 | 4 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Clinical Outcomes of Patients with Delayed Echocardiographic Response to Cardiac Resynchronization Therapy |
| 11188 | Junichi | Kamoshida | PE16-1 | Poster Session (English)16 | Arrhythmia 8 (Electrical Device 2: CRT) | March 12 (Sat) | 09:35-10:25 | 1 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Elevated Brain Natriuretic Peptide Level predicts Ventricular Arrhythmias among Cardiac Resynchronization Therapy patients with Improvement in Left Ventricular Ejection Fraction |

| Abstract No. | First Name | Last Name | Program No. | Session | Session Title | Date | Time | Order | Room | Abstract Title |
|--------------|------------|-----------|-------------|---------------------------------------|--|----------------|-------------|-------|--|---|
| 11239 | Makoto | Takano | MPE27-7 | Moderated Poster Session (English)27 | Arrhythmia 6 (Ventricular Arrhythmia/Implantable Device) | March 13 (Sun) | 15:30-17:00 | 7 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | The Performance of the New Active Fixation Left Ventricular Lead for Cardiac Resynchronization Therapy – Comparison with Conventional Lead – |
| 11380 | Takahiro | Hakamata | OE27-7 | Oral Presentation27 | Arrhythmia 10 (Ventricular Arrhythmias) | March 13 (Sun) | 10:30-12:00 | 7 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Clinical Impact of ECG Change on Oversensing of Subcutaneous Implantable Cardioverter-defibrillators |
| 11595 | Nobuhiro | Nishii | FRS03-5 | Featured Research Session03 | Arrhythmia 2 (AF以外) | March 12 (Sat) | 10:30-12:00 | 5 | Room 20 (International Conference Room, 3F, Kobe International Conference Center) | Artificial intelligence to detect noise event in remote monitoring data |
| 11597 | Hirokazu | Shiraishi | PE16-5 | Poster Session (English)16 | Arrhythmia 8 (Electrical Device 2: CRT) | March 12 (Sat) | 09:35-10:25 | 5 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Efficacy of heart sound changes for the prediction of Cardiac resynchronization therapy responder |
| 11694 | Yoshifumi | Ikeda | OE16-5 | Oral Presentation16 | Arrhythmia 5 (Electrical Device) | March 12 (Sat) | 08:00-09:30 | 5 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Impact of continuously optimized atrioventricular delay using automated device-based algorithms for cardiac resynchronization therapy |
| 11731 | Akino | Yoshimura | PJ20-5 | Poster Session (Japanese)20 | Arrhythmia 5 (Implantable Device) | March 12 (Sat) | 09:35-10:25 | 5 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | PRAETORIAN Score in the Japanese Patients Undergoing Subcutaneous Implantable Cardioverter-Defibrillator Implantation and its Relationships with Defibrillation Threshold and Shock Impedance |
| 11764 | Shingo | Sasaki | OE27-8 | Oral Presentation27 | Arrhythmia 10 (Ventricular Arrhythmias) | March 13 (Sun) | 10:30-12:00 | 8 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Is defibrillation testing really necessary for S-ICD Implantation? : Single center mid-term experience |
| 11781 | Shingo | Sasaki | OE27-9 | Oral Presentation27 | Arrhythmia 10 (Ventricular Arrhythmias) | March 13 (Sun) | 10:30-12:00 | 9 | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall) | Comparison of clinical outcomes between subcutaneous implantable cardioverter-defibrillator with Smart Pass technology and transvenous implantable cardioverter-defibrillator therapy |
| 11879 | Takumi | Oki | OE16-6 | Oral Presentation16 | Arrhythmia 5 (Electrical Device) | March 12 (Sat) | 08:00-09:30 | 6 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Clinical Predictors for Favorable Outcome after Upgrading to Cardiac Resynchronization Therapy in Patient with Pacing-induced Cardiomyopathy |
| 11910 | Satoshi | Oka | PE16-6 | Poster Session (English)16 | Arrhythmia 8 (Electrical Device 2: CRT) | March 12 (Sat) | 09:35-10:25 | 6 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Significance of Effective Cardiac Resynchronization Therapy Pacing for Clinical Responses: Analysis Based on Effective CRT Algorithm |
| 11949 | Yohei | Sugawara | MPE27-8 | Moderated Poster Session (English)27 | Arrhythmia 6 (Ventricular Arrhythmia/Implantable Device) | March 13 (Sun) | 15:30-17:00 | 8 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Outcomes during and after the Wearable Cardioverter Defibrillator Use in Patients with Heart Failure |
| 12024 | Masakazu | Fukuda | PJ20-6 | Poster Session (Japanese)20 | Arrhythmia 5 (Implantable Device) | March 12 (Sat) | 09:35-10:25 | 6 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Wearable Cardioverter Defibrillator and Remote Monitoring for Primary Prevention in Patients with Heart Failure with reduced Ejection Fraction |
| 12052 | Yuji | Ishida | PE03-6 | Poster Session (English)03 | Arrhythmia 3 (Electrical Device 1: Defibrillator) | March 11 (Fri) | 09:45-10:35 | 6 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Inappropriate Shocks of Subcutaneous Implantable Cardioverter-defibrillator in the Era of the SMART Pass Technology |
| 12125 | Eiichiro | Oka | PE03-2 | Poster Session (English)03 | Arrhythmia 3 (Electrical Device 1: Defibrillator) | March 11 (Fri) | 09:45-10:35 | 2 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Underuse of Defibrillator for the Primary Prevention of Sudden Cardiac Death in Patients with ST-elevation Myocardial Infarction |
| 12133 | Yoshifumi | Ikeda | OE16-7 | Oral Presentation16 | Arrhythmia 5 (Electrical Device) | March 12 (Sat) | 08:00-09:30 | 7 | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall) | Temporal trends in survival after CRT for HF patients every 5 years since 2006 in a single center. |
| 12144 | Yukio | Hosaka | MPJ10-3 | Moderated Poster Session (Japanese)10 | Arrhythmia 3 (Ventricular Arrhythmia/Implantable Device) | March 12 (Sat) | 13:30-15:00 | 3 | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Which is better, TV-ICD or S-ICD, for Secondary Prevention in Patients Surviving Out-of-Hospital Cardiac Arrest with Ventricular Fibrillation? |
| 12174 | Takatsugu | Kajiyama | PE03-3 | Poster Session (English)03 | Arrhythmia 3 (Electrical Device 1: Defibrillator) | March 11 (Fri) | 09:45-10:35 | 3 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Impact of First Degree AV Block on Outcome of Patients with Reduced Ejection Fraction Receiving Implantable Cardioverter Defibrillator |
| 12180 | Masamitsu | Nitta | PE16-2 | Poster Session (English)16 | Arrhythmia 8 (Electrical Device 2: CRT) | March 12 (Sat) | 09:35-10:25 | 2 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | 7 years follow-up clinical data of Quadra CRT-D versus a bipolar lead type in a total of 288 cases |
| 12216 | Wataru | Sasaki | PJ20-4 | Poster Session (Japanese)20 | Arrhythmia 5 (Implantable Device) | March 12 (Sat) | 09:35-10:25 | 4 | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | The impact of underlying structural heart disease on the morphology of lateral vein in patients undergoing cardiac resynchronization therapy |