

- WS5-3 **Neoadjuvant and adjuvant chemotherapy for patients with borderline resectable pancreatic cancer**
Yoshiaki Murakami (Department of Surgery, Institute of Biomedical and Health Sciences, Hiroshima University, Hiroshima, Japan)
- WS5-4 **Clinical efficacy of neoadjuvant therapy for patients with borderline resectable pancreatic cancer**
Sohei Satoi (Department of Surgery, Kansai Medical University, Japan)
- WS5-5 **Optimal Indication of Neoadjuvant Treatment against Borderline Resectable Pancreatic Cancer**
Takahiro Akahori (Department of Surgery, Nara Medical University, Nara, Japan)
- WS5-6 **Preoperative gemcitabine-based chemoradiation therapy for borderline resectable pancreatic cancer**
Hidenori Takahashi (Department of Surgery, Osaka Medical Center for Cancer and Cardiovascular Diseases)
- WS5-7 **Neoadjuvant gemcitabine, S-1, and intensity-modulated radiotherapy (IMRT) in patients with borderline pancreatic adenocarcinoma**
Yuichi Nagakawa (Department of Gastrointestinal and Pediatric Surgery, Tokyo Medical University, Tokyo, Japan)
- WS5-8 **Neoadjuvant chemo-radiation therapy using intensity-modulated radiotherapy for patients with borderline resectable pancreatic cancer**
Masaki Mizumoto (Department of Hepatobiliary Pancreatic Surgery and Transplantation, Kyoto University, Kyoto, Japan)
- WS5-9 **Chemoradiotherapy followed by surgery for borderline resectable PDAC according to vessel factor**
Masashi Kishiwada (Department of Hepatobiliary Pancreatic & Transplant Surgery, Mie University, Tsu, Japan)
- WS5-10 **Surgical Strategy for Patients with R1 high risk pancreatic carcinoma**
Ken-ichi Okada (Second Department of Surgery, Wakayama Medical University, Japan)
- WS5-11 **Is splenic vein reconstruction necessary after resection of spleno-portal junction for borderline pancreatic head cancer ?**
Akio Saiura (Department of Gastroenterological Surgery, Cancer Institute Hospital, Tokyo, Japan)

■ Mini Symposium

Mini Symposium 1

June 12 (Fri.) 15:20 ~ 16:35 [Room 5]

Front line in open and endoscopic liver surgery

Chairpersons: Zenichi Morise (Department of Surgery, Fujita Health University School of Medicine Banbuntane Houtokukai Hospital)

: Toshiya Kamiyama (Gastroenterological Surgery I, Hokkaido University)

MSY1-1 Glissonian pedicle-oriented anatomic liver resection

Yutaro Kato (Department of Hepatobiliary and Transplant Surgery, Fujita Health University)

MSY1-2 Front line in open and endoscopic liver surgery-perspective strategy and technique

Toru Mizuguchi (Department of Surgical Oncology and Science)

- MSY1-3 Indications and procedures of laparoscopic liver resection in our facility**
Shigeyuki Kawachi (Department of Digestive and Transplantation Surgery, Tokyo Medical University Hachioji Medical Center)
- MSY1-4 Laparoscopic liver resection: to safely overcome surgical complexity**
Yoshikuni Kawaguchi (Hepato-Biliary-Pancreatic Surgery Division, Department of Surgery, Graduate School of Medicine, The University of Tokyo, Tokyo, Japan)
- MSY1-5 Front line in Laparoscopic Liver Resection in Japan**
Yutaka Takeda (Department of Surgery, Kansai Rosai Hospital, Hyogo, Japan)
- MSY1-6 Long-term favorable surgical results of laparoscopic hepatic resection for hepatocellular carcinoma: a single center experience over a 10-year period**
Yo-ichi Yamashita (Department of Surgery and Science, Graduate School of Medical Sciences, Kyushu University)
- MSY1-7 Apprehensive laparoscopic liver resection for HCC with Child-Pugh B liver cirrhosis**
Akishige Kanazawa (Department of Hepato-Biliary-Pancreatic Surgery, Osaka, Japan)
- MSY1-8 Laparoscopic Two-stage Hepatectomy for Colorectal Liver Metastases**
Takeo Nomi (Department of Digestive Disease, Institut Mutualiste Montsouris, Paris, France)

Mini Symposium 2

June 12 (Fri.) 15:30 ~ 16:40 [Room 4]

Treatment strategy for multiple liver metastases from colorectal cancer

Chairpersons: Masato Sakon (Osaka Medical Center for Cancer and Cardiovascular Diseases)
: Yoshikazu Yasuda (Department of Surgery, Jichi Medical University)

- MSY2-1 Outcome of patients with colorectal liver metastasis: prognostic factors analysis and efficacy of conversion chemotherapy**
Naokazu Chiba (Department of Digestive and Transplantation Surgery, Tokyo Medical University)
- MSY2-2 Usefulness of Conversion Therapy for Unresectable Liver Metastasis of Colorectal Cancer**
Hiroya Iida (Osaka Hepatic Surgery Study Group, Department of Surgery, Kansai Medical University, Osaka, Japan)
- MSY2-3 Benefit and limitation of liver resection for multiple colorectal metastases**
Ryusuke Amemiya (Department of Surgery, Keio University School of Medicine)
- MSY2-4 The Impact of Neo-adjuvant and Adjuvant Chemotherapy on Tumor Recurrence after Resection of Colorectal Liver Metastasis**
Satoshi Kaihara (Department of Surgery, Kobe City General Hospital)
- MSY2-5 Behavior and usage of indocyanine green retention test after preoperative chemotherapy for colorectal liver metastases**
Takeshi Takamoto (Division of Hepatobiliary-pancreatic and Transplantation Surgery, Japanese Red Cross Medical Center, Tokyo, Japan)
- MSY2-6 Rationality of liver first approach in patients with synchronous colorectal liver metastases**
Tomojiro Ono (Department of Surgery, Meiwa Hospital)
- MSY2-7 Results of surgery first approach with full use of vascular reconstruction for borderline resectable colorectal liver metastases**
Saiho Ko (Department of Surgery, Nara Prefecture General Medical Center)

■ Mini Video Symposium

Mini Video Symposium 1

June 12 (Fri.) 13:00 ~ 14:00 [Room 11]

What is the best technique for pancreato-jejunostomy 1

Chairpersons: Sohei Satoi (Department of Surgery, Kansai Medical University)

: Masaru Tsuchiya (Department of Surgery, Toho University Medical Center, Omori Hospital)

- MVS1-1** pancreaticojejunostomy in our institution: technique and outcomes
Ito Yasuhiro (Department of Surgery, Saiseikai Yokohamashi Tobu Hospital)
- MVS1-2** Technique and postoperative outcomes of pancreaticojejunostomy in pancreaticoduodenectomy
Hiroshi Noda (Department of Surgery, Saitama Medical Center, Jichi Medical University)
- MVS1-3** Toward zero morbidity: new inserting versus conventional pancreatico-jejunostomy
Daisuke Hashimoto (Department of Gastroenterological Surgery, Kumamoto University Graduate School of Medical Sciences, Kumamoto, Japan)
- MVS1-4** Procedure of duct-to-mucosa pancreatojejunostomy by which simple and secure anastomosis can be accomplished regardless of pancreatic condition and operative field
Satoshi Mizutani (Institute of Gastroenterology, Nippon Medical School Musashikosugi Hospital, Kawasaki, Japan)
- MVS1-5** Transition and invention in pancreaticojejunostomy
Toru Sano (Department of Digestive and Transplant Surgery, Tokyo Medical University Hachioji Medical Center)
- MVS1-6** Our efforts for steady duct-to-mucosa pancreaticojejunostomy
Kei Nakagawa (Division of Integrated Surgery and Oncology, Department of Surgery, Tohoku University, Graduate School of Medicine)
- MVS1-7** A standardized technique of modified Blumgart anastomosis for pancreaticojejunostomy
Masaomi Ichinokawa (Department of Gastroenterological Surgery II, Hokkaido University Graduate School of Medicine, Sapporo, Japan)

Mini Video Symposium 2

June 12 (Fri.) 14:00 ~ 15:00 [Room 11]

What is the best technique for pancreato-jejunostomy 2

Chairpersons: Masaji Tani (Department of Surgery, Shiga University of Medical Science)

: Ryo Hosotani (Kobe City General Hospital)

- MVS2-1** Reliable technique for pancreatoduodenectomy
Tadahiro Goto (Department of Surgery, Division of Hepato-Biliary-Pancreatic Surgery, Kobe University, Kobe, Japan)
- MVS2-2** Pull-through adhesive pancreatojejunostomy with all-layer jejunal suture
Yuichi Hosokawa (Department of Gastrointestinal and Pediatric Surgery, Tokyo Medical University, Tokyo, Japan)
- MVS2-3** Our surgical procedure of pancreatico-jejunostomy during Imanaga reconstruction
Moriaki Tomikawa (Department of Surgery, Tochigi Cancer Center, Tochigi, Japan)
- MVS2-4** Selection of procedure of pancreatojejunostomy based on diameter of main pancreatic duct
Hideto Ochiai (Department of Gastroenterological Surgery, Iwata City Hospital, Shizuoka, Japan)

- MVS2-5 Technical advantages and results of invaginated pancreaticogastrostomy using an elastic suture after pancreaticoduodenectomy for soft pancreas
Yuji Soejima (Department of Surgery, Matsuyama Red Cross Hospital)
- MVS2-6 pancreatic anastomosis in our hospital
Minoru Kitago (Department of Surgery, School of Medicine, Keio University)
- MVS2-7 Surgical education model using a reusable silicone replica pancreas for pancreatic-duodenostomy
Takahito Yagi (Hepato-Biliary and Pancreatic Surgery, Okayama University Hospital)

■ Mini Panel Discussion

Mini Panel Discussion

June 11 (Thu.) 17:05 ~ 18:10 [Room 11]

Treatment strategy for cystic neoplasms of pancreas

Chairpersons: Naohiro Sata (Department of Surgery, Jichi Medical University)
: Yoshitsugu Tajima (Department of Digestive and General Surgery, Shimane University Faculty of Medicine)

- MPD-1 The appropriate and controversial points of new IPMN guideline
Hiromitsu Ito (Department of Hepato-Biliary-Pancreatic Surgery, Tokyo Medical and Dental University, Tokyo, Japan)
- MPD-2 Examination of IPMN based on international guidelines 2012
Fumiyoshi Saitou (Department of General Surgical Science, Gunma University Graduate School of Medicine)
- MPD-3 Treatment strategy of main duct type IPMN
-proper extent of pancreatectomy and necessity of total pancreatectomy-
Yoshiki Senda (Department of Gastroenterological Surgery Aichi Cancer Center Hospital)
- MPD-4 Validation of indication of surgery for branched type IPMN
Kohei Mishima (The Department of Surgery, Keio University School of Medicine, Tokyo, Japan)
- MPD-5 The Difference between pathologic mixed-type main duct dominant and branch duct dominant Intraductal papillary mucinous neoplasm
Ryo Morimura (Department of Digestive Surgery, Kyoto Prefectural University of Medicine, Kyoto, Japan)
- MPD-6 Analysis of pancreatectomy for IPMN in our department
Yuta Enami (Department of Gastroenterological and General Surgery, Showa University)
- MPD-7 The feasibility of intraoperative cytology to detect intraductal cancer existence in the residual pancreas for intraductal papillary mucinous neoplasm
Hirofumi Akita (Osaka Medical Center for Cancer and Cardiovascular Diseases)

■ Mini Workshop

Mini Workshop 1

June 11 (Thu.) 16:00 ~ 18:00 [Room 9]

Treatment strategy for intrahepatic cholangiocarcinoma

Chairpersons: Isamu Koyama (Saitama Medical University, International Medical Center)
: Yu Katayose (Department of Surgery, Tohoku Rosai Hospital)

- MWS1-1 Surgical indication based on prognostic factors in patients with non-perihilar cholangiocarcinoma**
Naoto Gotohda (Department of Hepatobiliary and Pancreatic Surgical Oncology, National Cancer Center Hospital East, Chiba, Japan)
- MWS1-2 Is there a laterality in the intrahepatic cholangiocarcinoma?**
Keisuke Okamura (Department of Gastroenterological Surgery II, Hokkaido University Graduate School)
- MWS1-3 Surgical treatment strategy for lymph nodes metastasis positive intrahepatic cholangiocarcinoma**
Hiroyuki Takamura (Gastroenterologic Surgery, Kanazawa University, Kanazawa, Japan)
- MWS1-4 Clinical features of the patients with early recurrence after radical operation for intrahepatic cholangiocarcinoma**
Hiroshi Uchinami (Department of Gastroenterological Surgery, Akita University Graduate School of Medicine)
- MWS1-5 Study of perioperative adjuvant therapy for improving the prognosis of intrahepatic Cholangiocarcinoma**
Akira Kenjo (Department of Regenerative Surgery, Fukushima Medical University)
- MWS1-6 Treatment strategy for intrahepatic cholangiocarcinoma**
Yuji Morine (Department of Surgery, the University of Tokushima, Japan)
- MWS1-7 Therapeutic strategy for intrahepatic cholangiocarcinoma**
Daisuke Satoh (Department of Surgery, Hiroshima City Hospital)
- MWS1-8 Surgical strategy for intrahepatic cholangiocarcinoma in terms of recurrence pattern**
Akira Chikamoto (Department of Gastroenterological Surgery, Kumamoto, Japan)
- MWS1-9 Surgical strategy of Intrahepatic cholangiocarcinoma According to Vasculature of tumor**
Yusuke Yamamoto (Division of Hepato-Biliary-Pancreatic Surgery, Shizuoka Cancer Center, Shizuoka, Japan)
- MWS1-10 The impact of lymph node dissection for intrahepatic cholangiocarcinoma**
Satoshi Yasuda (Department of Surgery, Nara Medical University, Nara, Japan)
- MWS1-11 Prognostic factors of intrahepatic bile duct cancer and usefulness of lymph node dissection**
Hisashi Nakayama (Department of Digestive Surgery, Nihon University School of Medicine, Tokyo, Japan)
- MWS1-12 Future aspect of surgical treatment for Intrahepatic cholangiocarcinoma: limited efficacy of lymph-node dissection**
Yuzo Umeda (Department of Gastroenterological Surgery, Okayama University, Okayama, Japan)

Mini Workshop 2

June 11 (Thu.) 16:00～17:05 [Room 11]

Treatment strategy for border line resectable pancreatic cancer

Chairpersons: Toshiki Rikiyama (Department of Surgery, Saitama Medical Center, Jichi Medical University)
: Fuyuhiko Motoi (Department of Surgery, Tohoku University)

MWS2-1 The impact of neoadjuvant chemotherapy/chemoradiation for borderline resectable pancreatic cancer

Hiroki Hayashi (Department of Surgery, Tohoku University, Graduate School of Medicine, Sendai, Japan)

MWS2-2 Treatment strategy for pancreatic cancer

Yuki Homma (Department of Gastroenterological Surgery, Yokohama City University, Kanagawa, Japan)

MWS2-3 Long-term survival rates of borderline resectable (NCCN 2015) pancreatic cancer after preoperative chemoradiotherapy

Hidetoshi Eguchi (Department of Surgery, Graduate School of Medicine, Osaka University, Osaka, Japan)

MWS2-4 Therapeutic effect of neoadjuvant chemoradiotherapy for borderline resectable pancreatic cancer

Masanao Kurata (Department of Surgery, Tokyo Metropolitan Komagome Hospital)

MWS2-5 Treatment for borderline resectable pancreatic cancer in our department

Yuko Matakai (Department of Digestive, Breast and Thyroid Surgery, Kagoshima University, Kagoshima, Japan)

MWS2-6 The outcome and significance of upfront surgery for borderline resectable pancreatic head cancer according to NCCN guidelines

Naoki Yazawa (Department of Surgery, Tokai University School of Medicine, Kanagawa, Japan)

MWS2-7 Outcome of surgical strategy including DP-CAR for the treatment of borderline resectable pancreatic body cancer with comparison to that of pancreatic head cancer

Toru Nakamura (Department of Gastroenterological Surgery II Hokkaido University Graduate School of Medicine)

MWS2-8 Discrepancy between Preoperative Imaging and Postoperative Histopathological Findings after Preoperative treatment for Borderline resectable & Unresectable Pancreatic Cancers

Hiroshi Tajima (Department of Surgery, Kitasato University School of Medicine, Sagami, Japan)

Mini Workshop 3

June 12 (Fri.) 13:00～13:56 [Room 9]

Management of abdominal drainage in liver surgery 1

Chairpersons: Hiroyuki Yoshidome (Department of Surgery, Japan Red Cross Saitama Hospital)
: Yuji Iimuro (Department of Surgery, Hyogo College of Medicine)

MWS3-1 Current status and significance of abdominal drainage at hepatic resection for hepatocellular carcinoma

Masanori Matsuda (First Department of Surgery, Yamanashi University, Yamanashi, Japan)

MWS3-2 Is aggressive C-tube insertion affect postoperative course of hepatectomy patients? -Retrospective analysis-

Hironori Hayashi (Department of Gastroenterologic Surgery, Kanazawa University, Kanazawa, Ishikawa, Japan)

MWS3-3 The effectiveness and appropriate management of abdominal drains in patients undergoing elective liver resection: a retrospective analysis and prospective case series

Daisuke Kawaguchi (Department of Surgery, Teikyo University Chiba Medical Center, Chiba, Japan)

- MWS3-4 **Significance of abdominal drainage after hepatectomy and management of drainage tube**
Daisuke Hokuto (Department of Surgery, Nara Medical University, Nara, Japan)
- MWS3-5 **Our management of drainage after hepatectomy**
Hiroyuki Sugimoto (Department of Gastroenterological Surgery, Nagoya University, Nagoya, Japan)
- MWS3-6 **Pros and cons of drain placement in elective liver resection**
Kazuhiko Sakamoto (Department of Digestive Surgery and Surgical Oncology, Yamaguchi University Graduate School of Medicine, Ube, Japan)
- MWS3-7 **Benefit of abdominal drainage after hepatectomy and evaluation of post-surgical bile leakage**
Takuya Minagawa (Department of Surgery, Keio University School of Medicine, Tokyo, Japan)

Mini Workshop 4

June 12 (Fri.) 13:56 ~ 14:52 [Room 9]

Management of abdominal drainage in liver surgery 2

Chairpersons: Yo Sasaki (Yao Municipal Hospital)

: Yoshihisa Kubota (Department of Surgery, Toho University Medical Center, Omori Hospital)

- MWS4-1 **The management of drainage catheter after hepatobiliary resection with cholangiojejunostomy**
Gen Sugawara (Department of Surgery, Nagoya University, Nagoya, Japan)
- MWS4-2 **An evaluation of abdominal drain management and surgical site infection before and after the introduction of ERAS protocol in hepatectomy**
Morihiro Ishizaki (Department of Surgery, Kansai Medical University, Osaka, Japan)
- MWS4-3 **The relationship between short-term outcome and postoperative drainage after hepatic resection**
Yoshihiro Edamoto (Department of Surgery, National Center for Global Health and Medicine)
- MWS4-4 **The strategy of prophylactic drainage after hepatectomy for primary or metastatic liver tumors in our department**
Akihiko Oshita (Department of Surgery, JA Hiroshima General Hospital, Japan)
- MWS4-5 **The drain management, in case of living donor of liver transplantation**
Ayaka Kinoshita (Department of Surgery, Nagasaki University Graduate School of Sciences, Nagasaki, Japan)
- MWS4-6 **Percutaneous Transhepatic Biliary Endoprosthesis with Distal Tube Implantation in the Subcutaneous Space for Management of Patients with Postoperative Biliary Stricture**
Tatsuya Orimo (Department of Gastroenterological Surgery I, Hokkaido University Graduate School of Medicine)
- MWS4-7 **Clinical validity of the 3x3 rule as an optimal drain management after liver resection**
Shintaro Yamazaki (Department of Digestive Surgery, Nihon University School of Medicine)

Mini Workshop 5

June 12 (Fri.) 14:52 ~ 15:48 [Room 9]

Management of abdominal drainage in pancreatic surgery 1

Chairpersons: Yukio Oshiro (Department of Surgery, University of Tsukuba)

: Manabu Watanabe (Department of Surgery, Toho University Ohashi Medical Center)

- MWS5-1 **The art of safe drain management after pancreas head resection based on our prediction method for postoperative pancreatic fistula**
Hisashi Kosaka (Department of Surgery, Hyogo College of Medicine)

- MWS5-2 Management of abdominal drainage after pancreaticoduodenectomy: late drain removal and latent pancreatic fistula**
Akihito Kozuki (Department of Gastroenterological Surgery, Kochi Health Sciences Center)
- MWS5-3 Management of drainage tubes after pancreatico-jejunostomy at our institute**
Naoto Koike (Department of Surgery, Seirei Sakura Citizen Hospital, Sakura, Japan)
- MWS5-4 Practical drain management after pancreatoduodenectomy (PD) with the aim of ideal early removal**
Takashi Aono (Department of Surgery, Niigata Prefectural Central Hospital)
- MWS5-5 Evaluation of the criteria for early drain removal after pancreaticoduodenectomy**
Toshimitsu Iwasaki (Hepatobiliary and Pancreatic Surgery Division, National Cancer Center Hospital, Tokyo, Japan)
- MWS5-6 Post-operative abdominal drainage following pancreatoduodenectomy: Single drain versus two drains**
Yu Takahashi (Department of Gastroenterological Surger, Cancer Institute Hospital, Japan)
- MWS5-7 Appropriate drain management of pancreaticoduodenectomy
-Considerations for re-drainage-**
Motoki Miyazawa (2nd Department of Surgery, Wakayama Medical University, School of Medicine, Wakayama, Japan)

Mini Workshop 6

June 12 (Fri.) 15:00 ~ 15:50 [Room 11]

Procedures and outcome of distal pancreatectomy 1

Chairpersons: Kazuhiro Hanazaki (Department of Surgery, Kochi Medical School)
: Norihisa Takakura (Fukuyama City Hospital)

- MWS6-1 Clinical study for prevention of Pancreatic Fistula in stapled distal pancreatectomy with mesh reinforcement**
Akira Hayashibe (Department of Surgery, Osakafu Saiseikai Tondabayashi Hospital, Osaka, Japan)
- MWS6-2 Surgical procedure and outcome for pancreatic body and tail cancer**
Hidehiro Tajima (Department of Gastroenterologic Surgery, Kanazawa University, Kanazawa, Japan)
- MWS6-3 Clinical Effect of Distal Pancreatectomy with Celiac Axis Resection for Advanced Pancreatic Body/Tail Cancer**
Yasuyuki Fukami (Department of Surgery, Ogaki Municipal Hospital, Gifu, Japan)
- MWS6-4 Surgical indication of distal pancreatectomy with celiac axis resection**
Teiichi Sugiura (Division of HBP Surgery, Shizuoka Cancer Center)
- MWS6-5 Consideration of safety of the laparoscopic distal pancreatectomy according to the comparison of open distal pancreatectomy**
Masanobu Usui (Department of Hepatobiliary Pancreatic and Transplant Surgery, Mie University Graduate School of Medicine)
- MWS6-6 Operative outcome of distal pancreatectomy in our hospital**
Yoshiteru Katsura (Department of Surgery, Kansai Rosai Hospital)

Mini Workshop 7

June 12 (Fri.) 15:50 ~ 16:50 [Room 11]

Procedures and outcome of distal pancreatectomy 2

Chairpersons: Hirohisa Kitagawa (Gastroenterologic Surgery, Kanazawa University)

: Jun Ishii (Department of Surgery, Toho University Medical Center, Omori Hospital)

MWS7-1 The prognosis after distal pancreatectomy by hand-sewn vs. stapler

Yasuro Futagawa (Department of Hepato-biliary-pancreatic Surgery, Jikei University School of Medicine, Tokyo, Japan)

MWS7-2 Distal pancreatectomy using linear stapler

Yasushi Hasegawa (Department of Surgery, Iwate Medical University School of Medicine)

MWS7-3 Postoperative Ischemic Complications of Distal Pancreatectomy with en bloc Celiac Axis Resection for Locally Advanced Pancreatic Cancer

Hitoe Nishino (Department of General Surgery, Chiba University, Chiba, Japan)

MWS7-4 Treatment Results of Distal Pancreatectomy in Pancreatic Cancer

Shunichi Imai (Department of Surgery, Keio University, Tokyo, Japan)

MWS7-5 Distal pancreatectomy with splenic artery first approaches

Masaaki Murakawa (Department of Hepato-Biliary and Pancreatic Surgery, Kanagawa Cancer Center)

MWS7-6 Distal pancreatectomy with en bloc celiac axis resection for pancreatic body-tail cancer in our experience

Masahiro Ito (Department of Surgery, Fujita-health University, Toyoake, Japan)

MWS7-7 The strategy to reduce pancreatic fistula after laparoscopic distal pancreatectomy

Akira Fujimori (Department of Surgery, Division of General and Gastroenterological Surgery, School of Medicine, Showa University, Tokyo, Japan)

Mini Workshop 8

June 12 (Fri.) 15:48 ~ 16:44 [Room 9]

Management of abdominal drainage in pancreatic surgery 2

Chairpersons: Kanji Katayama (Cancer Care Promotion Center, University of Fukui)

: Yoshiharu Nakamura (Department of Gastrointestinal and Hepato-Biliary-Pancreatic Surgery, Nippon Medical School)

MWS8-1 The care bundle drainage management of pancreaticoduodenectomy reduces postoperative pancreatic fistula

Takamitsu Sasaki (Department of Gastroenterological Surgery, Fukuoka University School of Medicine, Fukuoka, Japan)

MWS8-2 Postoperative outcomes after pancreaticoduodenectomy under the early drain removal policy

Hiroshi Noda (Department of Surgery, Saitama Medical Center, Jichi Medical University)

MWS8-3 The generation of internal drainage route into jejunum is the key process of pancreatic fistula (POPF) resolution after pancreaticoduodenectomy (PD); result of fistulographies in 58 PF patients

Tatsuya Oda (Department of Surgery, University of Tsukuba, Tsukuba, Japan)

MWS8-4 Management of abdominal drainage after Hepatobiliary pancreatic surgery

Tomotake Koizumi (Department of Gastroenterological and General Surgery, Showa University)

- MWS8-5 Ideal drain management after distal pancreatectomy; Efficacy of the early drain removal, and the evaluation of the subsequent clinical course of the intraperitoneal fluid collection
Tomohiko Adachi (Department of Surgery, Nagasaki University, Nagasaki, Japan)
- MWS8-6 Secure placement of a peripancreatic drain after distal pancreatectomy
Masaharu Kogure (Department of Surgery, Kyorin University School of Medicine, Tokyo, Japan)
- MWS8-7 Clinical impact of pancreatic juice infection after pancreaticoduodenectomy
Seiji Natsume (Department of Gastroenterological Surgery, Aichi Cancer Center Hospital)

■ Oral Request Session

Oral Request Session 1

June 11 (Thu.) 16:00 ~ 17:05 [Room 7]

Indication and outcome of hepatopancreatoduodenectomy

Chairpersons: Yoshihiro Sakamoto (Hepato-Biliary-Pancreatic Surgery Division, Department of Surgery, The Tokyo University Hospital)

: Hiroaki Shimizu (Department of General Surgery, Graduate School of Medicine, Chiba University)

- ORS1-1 Indications and outcomes of hepatopancreatoduodenectomy for advanced biliary tract cancer
Kenta Inomata (Department of Surgery, Keio University, Tokyo, Japan)
- ORS1-2 Retrospective analysis of short- and long-term outcomes of hepatopancreatoduodenectomy for bile duct cancer in our institute
Yoichiro Uchida (Department of Gastroenterological Surgery and Oncology, Tazuke Kofukai Medical Research Institute, Kitano Hospital)
- ORS1-3 Evaluation of the patients underwent hepatopancreatoduodenectomy (HPD) for biliary tract malignancies
Hisashi Kametaka (Department of Surgery, Odawara Municipal Hospital, Odawara, Japan)
- ORS1-4 Examination of hepatopancreatoduodenectomy for bile duct cancer
Masayuki Tanaka (Hepato-Biliary-Pancreatic Surgery, Cancer Institute Hospital, Tokyo, Japan)
- ORS1-5 Examination of hepatopancreatoduodenectomy for patients with laterally advanced cholangiocarcinoma
Koki Goto (Yokohama City University Hospital Digestive and Oncologic Surgery)
- ORS1-6 Indication and surgical outcome of Hepatectomy with Pancreatico-duodenectomy for advanced gallbladder cancer
Takehisa Yazawa (Department of Surgery, Institute of Gastroenterology, Tokyo Women's Medical University)
- ORS1-7 The study of major hepatopancreatoduodenectomy for wide spread bile duct cancer
Keinosuke Ishido (Department of Gastroenterology, Hirosaki University, Aomori, Japan)
- ORS1-8 Indication and results of Hepato-pancreato-duodenectomy in our department
Takayuki Shiraki (Dokkyo Medical University The Second Surgery, Tochigi, Japan)