

The Second Day—April 15 (Friday)

Room 1

Symposium 2

9 : 00~10 : 30

Moderators : M. Yoshida
Y. Shimada

Innovations in the last 10 years in spine surgery

- 2-1-S2-1 Validity of anterior decompression and arthrodesis with a hybrid method for cervical OPLL in elderly patients 435
M. Mochizuki, et al., Dept. of Orthop. Surg., Numazu City Hospital
- 2-1-S2-2 Safety and Accuracy of the Direct Pedicle Insertion Technique for Anterior Pedicle Screw Placement in the Subaxial Cervical Spine 435
M. Aramomi, et al., Dept. of Orthop. Surg., Teikyo Univ. Chiba Medical Center
- 2-1-S2-3 Drastic changes in cervical laminoplasty over these ten years. Axial pain and C5 palsy can be prevented by easy and feasible measures 436
N. Hosono, et al., Dept. of Orthopedic Surgery, JCHO Osaka Hospital
- 2-1-S2-4 10 years innovation of less invasive spinal fusion surgery -From Mini-open TLIF to XLIF indirect decompression- 436
H. Gen, et al., Dept. of Spine Center, Chiba Central Medical Center
- 2-1-S2-5 Eliminating preventable paralysis : A review of 10 years experiences 437
S. Kobayashi, et al., Spinal Cord Monitoring Working Group of the Japanese Society for Spinal Surgery and Related Research
- 2-1-S2-6 Alarmpoint of Br-MEP for thoracic OPLL 437
Z. Ito, et al., Dept. of Orthop. Surg., Nagoya Univ. School of Medicine
- 2-1-S2-7 Long term outcomes of intrathecal baclofen therapy in patients with severe spasticity of spinal origin 438
O. Kawano, et al., Dept. of Orthop. Surg., Spinal Injuries Center

Break

Debate 2

10 : 40~12 : 00

Moderators : H. Taneichi
Y. Shimada

Correction for adult spine deformity

-Posterior osteotomy versus Anterior correction-

- 2-1-DB2-1 Predominance and technical devices of the posterior only correction operation for severe spinal deformity in the elderly -Combination of vertebral body osteotomy, Corrective TLIF and RCT (Radical Corrective TLIF) 438
S. Sano, et al., Spine Center, Sanraku Hospital
- 2-1-DB2-2 PSO and asymmetrical PSO for adult spinal deformity 439
T. Toyone, et al., Dept. of Orthop. Surg., Showa Univ. School of Medicine
- 2-1-DB2-3 Dorsal-Ventral-Dorsal Three Ways Correction & Fusion for Lumbar Degenerative Kyphoscoliosis 439
O. Nakai, et al., Dept. of Orthop. Surg., Kudanzaka Hospital
- 2-1-DB2-4 Staged reconstruction for degenerative adult deformity with multilevel lateral inter body fusion -Comparison with one-stage reconstruction with posterior osteotomies 440
T. Kanemura, et al., Spine Center, Konan Kosei Hospital

Break

Special Report 2

12 : 05~12 : 20

Moderator : M. Iwasaki

- 2-1-SR2 A complication survey of Lateral Lumbar Interbody Fusion (LLIF) 440
N. Kawakami, et al., Department of Orthopedics & Spine Surgery, Meijo Hospital

Break

Luncheon Seminar 8

12 : 30~13 : 30

Moderator : Y. Matsuyama

- 2-1-LS8 Should fusion be extent to the Sacrum for correction of adult spinal deformity? 441
O. Nakai, Dept. of Orthop. Surg., Kudanzaka Hospital

Break

Plenary Lecture 2

13 : 40~14 : 40

Moderator : **Y. Tokuhashi**

- 2-1-PL2 Creativity in spine and spinal cord surgery : Awareness, persistence and systematization441
S. Kokubun, Research Center for Spine and Spinal Cord Disorders, NHO Sendai Nishitaga Hospital, Sendai, Japan

Break

Panel Discussion

15 : 00~16 : 20

Moderators : **M. Yoshida**

Y. Matsuyama

Health economic assessment of treatment in chronic low back pain

- 2-1-PD-1 Cost-effectiveness evaluation of clinical pharmacology to chronic low back pain442
T. Takura, et al., Department of Health Economics and Industrial Policy, Osaka University Graduate School of Medicine, Osaka, Japan
- 2-1-PD-2 Policy Overview of Cost-Effectiveness Analysis in Health Care442
Y. Suzuki, Assistant Minister for Technical Affairs, Ministry of Health, Labour & Welfare, Government of Japan
- 2-1-PD-3 Effects of psycho-social factors on the drug therapy for chronic low back pain443
T. Yamashita, et al., Project Committee, The Japanese Society for Spine Surgery and Related Research
- 2-1-PD-4 Clinical assessment of pharmacological treatment for chronic low back pain443
T. Kaito, et al., Project Committee, The Japanese Society for Spine and Related Research

Break

Video Session

16 : 30~18 : 20

Moderators : **T. Shiraishi**

J. Hanakita

Operations which I would like to see

- 2-1-VS-1 Magerl screw fixation using an aiming device444
M. Neo, Dept. of Orthop. Surg., Osaka Medical College
- 2-1-VS-2 State of the art for the percutaneous endoscopic surgery under local anesthesia : Foraminoplastic Ventral Epiduroscopic Observation444
K. Saiyo, Dept. of Orthop., Tokushima Univ.
- 2-1-VS-3 Innovation of percutaneous endoscopic spine surgery445
A Dezawa, Dept. of Orthop. Surg., Teikyo Univ. Mizonokuchi Hospital

- 2-1-VS-4 Surgical treatment of high-grade spondylolisthesis : How to improve sagittal imbalance 445
N. Kawakami, Department of Orthopedics&Spine Surgery, Meijo Hospital
- 2-1-VS-5 Pedicle-hinged Unilateral Posterior Arch Recapping Technique (P-UPART) for Total Excision of Dumbbell-shaped Cervical Spinal Cord Tumors 446
T. Shiraishi, Department of Orthopedic Surgery, Tokyo Dental College Ichikawa General Hospital

Break

SV Evening Seminar

18 : 30~19 : 30

Moderator : **M. Doita**

- 2-1-SEV A countermeasure against the medical problems 446
H. Komori, Dept. of Orthop. Surg., Yokohama City Minato Red Cross Hospital

Room 2

Main Theme 6

9 : 00~10 : 00

Moderator : **H. Haro**

Basic and clinical research on impairment of sacroiliac joint

- 2-2-M6-1 Articular cartilage degeneration of human sacroiliac joint : Cadaver study 447
A. Ono, et al., Dept. of Orthop. Surg., Hirosaki Memorial Hospital
- 2-2-M6-2 Patients with sacroiliac joint dysfunction have some different clinical findings from patients with lumbar disorders 447
D. Kurosawa, et al., Dept. of Orthop. Surg., JCHO Sendai Hospital
- 2-2-M6-3 Changes of sacroiliac joint in diffuse idiopathic skeletal hyperostosis with lumbar degenerative disease 448
Y. Yahara, et al., Dept. of Orthop. Surg., Faculty of Medicine, University of Toyama
- 2-2-M6-4 Pathological analysis for severe sacroiliac joint dysfunction by using SPECT/CT 448
H. Koga, et al., Dept. of Orthop. Surg., Kikuno Hospital
- 2-2-M6-5 Prospective study of superior and middle cluneal nerve disorder as a possible cause of low back pain 449
T. Konno, et al., Department of Orthopaedic Surgery, Yokohama City University Graduate School of Medicine
- 2-2-M6-6 Arthrodesis of sacroiliac joint for severe sacroiliac joint pain : Minimum 5-year follow-up study 449
E. Murakami, et al., Dept. of Orthop. Surg., JCHO Sendai Hospital
- 2-2-M6-7 Sacroiliac joint pain after lumbar/lumbosacral fusion 450
E. Unoki, et al., Dept. of Orthop. Surg., Kotou Kousei Hospital

Main Theme 7

10 : 00~11 : 00

Moderator : K. Chiba

Basic and clinical research on intervertebral discs

- 2-2-M7-1 Endogenous TGF- β activity limits TSLP expression in the intervertebral disc tissue by suppressing NF- κ B activation 450
T. Ohba, et al., Department of Orthopaedic Surgery, University of Yamanashi, Japan
- 2-2-M7-2 Anti-inflammatory effect of Adiponectin and the alterations of Adiponectin receptor expression with disc degeneration on the intervertebral disc cells 451
Y. Terashima, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- 2-2-M7-3 New finding on intervertebral disc regeneration using cell surface markers 451
D. Sakai, et al., Dept. of Orthop. Surg., Tokai Univ. School of Medicine
- 2-2-M7-4 Effect of a selective inhibitor of c-Fos/activator protein-1 on intervertebral disc degeneration 452
H. Makino, et al., Dept. of Orthop. Surg., University of Toyama
- 2-2-M7-5 Hepatocyte growth factor suppresses apoptosis and improves matrix metabolism in rabbit nucleus pulposus cells in vitro 452
H. Ishibashi, et al., Department of Orthopaedics, Graduate School of Medical Science, Kyoto Prefectural University of Medicine
- 2-2-M7-6 Intervertebral disc nucleus pulposus is a major autophagy-involved musculoskeletal organ and its degeneration is linked with decreased autophagy 453
T. Yurube, et al., Dept. of Orthop. Surg., Kobe Graduate Univ. School of Medicine
- 2-2-M7-7 Effect of treatment of the Dedifferentiated fat cell : DFAT transplant for the rat degenerated intervertebral disc model 453
E. Nakayama, et al., Dept. of Orthop. Surg., Nihon Univ. School of Medicine

Free Papers 19

11 : 00~11 : 40

Moderator : M. Miyamoto

Lumbar spine -Conservative treatment-

- 2-2-F19-1 Effect of Buprenorphine Transdermal Patch System on Postoperative Pain after lumbar surgery 454
Y. Abe, et al., Dept. of Orthop. Surg., Eniwa Hospital
- 2-2-F19-2 Medication for post-operative symptoms of lumbar spinal stenosis 454
Y. Kasukawa, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 2-2-F19-3 Caudal Block for Lumbar Disease 455
Y. Hagihara, et al., Dept. of Orthop. Surg., Japan Community Health Care Organization (JCHO) Tokyo Joto Hospital
- 2-2-F19-4 The treatment of nocturnal leg cramps by medial branch blockade of the deep peroneal nerve following lumbar surgery 455
T. Imura, et al., Dept. of Orthop. Surg., Kitasato Univ. School of Medicine

- 2-2-F19-5 Efficacy of the intraoperative analgesic injection including conduction block of dorsal rami with ropivacaine in postoperative pain management after lumbar decompression surgery 456
K. Hayashi, et al., Dept. of Orthop. Surg., Osaka City Univ. School of Medicine

Free Papers 20

11 : 40~12 : 20

Moderator : **J. Mizutani**

Atlantoaxial

- 2-2-F20-1 The normal craniocervical junction craniometry using cervical CT 456
H. Inoue, et al., Dept. of Orthop. Surg., Jichi Medical Univ.
- 2-2-F20-2 A study of anatomical shape of odontoid process 457
T. Morimoto, et al., Dept. of Orthop. Surg., Saga Univ. School of Medicine
- 2-2-F20-3 Surgical treatment of dens fractures : Perspective from discrepancy in degeneration between the median and lateral atlantoaxial joints 457
D. Sakai, et al., Dept. of Orthop. Surg., Tokai Univ. School of Medicine
- 2-2-F20-4 The atlantoaxial instability after C1 laminectomy without C1/2 fusion 458
M. Riew, et al., Dept. of Orthop. Surg., Kobe Rosai Hospital
- 2-2-F20-5 A new technique of C1 lateral mass screw insertion via posterolateral approach - Development of minimally invasive upper cervical spinal stabilization 458
T. Tokioka, et al., Dept. of Orthop. Surg., Kochi Health Sciences Center

Break

Luncheon Seminar 9

12 : 30~13 : 30

Moderator : **Y. Shimada**

- 2-2-LS9 Current treatment strategy for adolescent idiopathic scoliosis and related problems 459
M. Matsumoto, Dept. of Orthop. Surg., Keio Univ.

Break

Main Theme 8

15 : 00~16 : 00

Moderator : **H. Nakamura**

Treatment for delayed union secondary to osteoporotic vertebral fracture

- 2-2-M8-1 Relationship between clinical symptoms of osteoporotic vertebral fracture with intravertebral cleft and radiographic findings 459
T. Nakamae, et al., Dept. of Orthop. Surg., JA Hiroshima General Hospital, Hiroshima, Japan
- 2-2-M8-2 Middle column injury in acute osteoporotic vertebral fracture base on a cohort study using MRI 460
S. Takahashi, et al., Dept. of Orthop. Surg., Osaka City Univ.

2-2-M8-3	Manual development of conservative initial treatment for osteoporotic vertebral fracture -The progress report-..... 460
	<i>T. Kato, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical and Dental Univ. Graduate School
2-2-M8-4	The examination of surgical strategy for the pseudarthrosis after osteoporotic vertebral burst fracture 461
	<i>K. Maeno, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
2-2-M8-5	Surgical Procedures for Osteoporotic Delayed Vertebral Collapse..... 461
	<i>H. Nakashima, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. School of Medicine
2-2-M8-6	Evaluation of risk factors of poor radiological outcome after instrumentation surgery for osteoporotic vertebral fracture nonunion..... 462
	<i>N. Hosogane, et al.</i> , Dept. of Orthop. Surg., National Defense Medical College
2-2-M8-7	Surgical results of BKP and posterior spinal fusion for osteoporotic vertebral fracture -The spinal alignment overcorrection occur new vertebral fracture-..... 462
	<i>H. Sano, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ. School of Medicine

Break

Main Theme 9

16 : 10~17 : 10

Moderator : **H. Konishi**

Prevention and treatment for surgical site infection (SSI)

2-2-M9-1	Risk factor for surgical site infections following spinal instrumentation surgery..... 463
	<i>H. Shoji, et al.</i> , Division of Orthopedic Surgery, Department of Regenerative and Transplant Medicine, Niigata University Graduate School of Medical and Dental Science
2-2-M9-2	Prospective Multicenter Surveillance and Risk Factor Analysis of Surgical Site Infections after Lumbar Laminectomy and/or Herniotomy in Adults..... 463
	<i>S. Ogihara, et al.</i> , Dept. of Orthop. Surg., Spine Center, National Sagamihara Hospital
2-2-M9-3	A prospective study for deep surgical site infection following spinal without instrumentation surgery 464
	<i>E. Takahashi, et al.</i> , Dept. of Orthop. Surg., Sendai Orthopedic Hospital
2-2-M9-4	Dose A Vancomycin Powder into Operative Field Decrease Severe Surgical Site Infection. Double blind prospective RCT..... 464
	<i>M. Takeuchi, et al.</i> , Dept. of Spine Center, Aichi Medical University
2-2-M9-5	Does intrawound application of vancomycin reduce the rate of MRSA infection? -Multicenter cohort study- 465
	<i>C. Horii, et al.</i> , Dept. of Orthop., Saitama Red Cross Hospital
2-2-M9-6	Prevention of spinal surgical site infection using dilute povidone-iodine irrigation..... 465
	<i>K. Jimbo, et al.</i> , Department of Orthopaedic Surgery, St. Mary's Hospital
2-2-M9-7	What is new in SSI prevention guideline from Japanese Society of Chemotherapy..... 466
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Kanto-Rosai Hospital, Kanagawa

Break

Free Papers 21

17 : 20~18 : 16

Moderator : T. Fuji

Innovation 2

- 2-2-F21-1 Advances of spinal navigation surgery in the recent decade 466
T. Kotani, et al., Dept. of Orthop. Surg., Seirei Sakura Citizen Hosp.
- 2-2-F21-2 Screw perforation rates in 359 patients performed computer-guided pedicle screw insertion 467
M. Uehara, et al., Dept. of Orthop. Surg., Shinshu Univ. School of Medicine
- 2-2-F21-3 Accuracy of Pedicle Screw Placement with Robotic Guidance System : A Cadaveric Study 467
T. Fujishiro, et al., Dept. of Orthop. Surg., Osaka Medical College
- 2-2-F21-4 Study of the bone resection reproducibility on virtual microendoscopic-spine-surgery-navigation 468
S. Nakao, et al., Dept. of Orthop. Surg., Wakayama Medical University
- 2-2-F21-5 The effectiveness of Triggered Electromyography on intraoperative spinal cord monitoring due to avoid spinal nerve injury by pedicle screw 468
Y. Nakamura, et al., Saitama Spine Center Higashisaitama General Hospital
- 2-2-F21-6 A study of the reproducibility of intraoperative image in microendoscopic-spine-surgery simulator 469
S. Nakao, et al., Dept. of Orthop. Surg., Wakayama Medical University
- 2-2-F21-7 Efficacy of the electronic conductivity probing device for pedicle screw insertion in patients with severe syndromic scoliosis 469
T. Yurube, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine

Break

Evening Seminar 5

18 : 30~19 : 30

Moderator : M. Nakamura

- 2-2-ES5 Treatment of severe osteoporosis with teriparatide 470
T. Kodama, Dept. of Orthop. Surg., JCHO Saitama Medical Center

Room 3

Morning Seminar 1

7 : 50~8 : 50

Moderator : Y. Ajiro

- 2-3-MS1 Treatment for Multiply operated back 470
H. Konishi, Dept. of Low Back Pain and Spine Center, Nagasaki Rosai Hospital

Break

Free Papers 22

9 : 00~10 : 04

Moderator : K. Miyamoto

Spinal alignment 1

- 2-3-F22-1 Global spine sagittal alignment in the standing and sitting position..... 471
I. Torigoe, et al., Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hospital
- 2-3-F22-2 Impacts of lumbar retrolisthesis against spinopelvic alignment -It differs between the upper vertebral generation and the lower one-(2012 TOEI study) 471
Y. Mihara, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 2-3-F22-3 Impacts of lumbar retrolisthesis against spinopelvic alignment -It differs between the sexes-(2012 TOEI study) 472
Y. Mihara, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 2-3-F22-4 Analysis of the correlation with ratio of multifidus/psoas major muscles and low back pain/spinopelvic alignment 472
I. Ogon, et al., Department of Orthopaedic Surgery, Sapporo Medical University School of Medicine
- 2-3-F22-5 The alignment of sagittal spinal curve will be large kyphosis in high age female with low pelvic incidence 473
Y. Sato, et al., Dept. of Orthop. Surg., Jyuzen Memorial Hospital
- 2-3-F22-6 The prevalence and characteristics of osteoporotic vertebral fracture in elderly spinal kyphosis .. 473
A. Yabu, et al., Dept. of Orthopaedic Surgery, Shiraniwa Hospital
- 2-3-F22-7 Cranial Center of Gravity (CCG) is excellent parameter for prediction of global spine balance without X ray 474
K. Kurosu, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 2-3-F22-8 Hip Spine Syndrome : Cross-sectional-study of spinal alignment in patients with coxalgia 474
M. Miyagi, et al., Department of Orthopedic Surgery, Kitasato University, School of Medicine

Break

Free Papers 23

10 : 05~11 : 09

Moderator : H. Hosoe

Osteoporotic vertebral fracture 2

- 2-3-F23-1 Is STIR useful for determining the time of onset in osteoporotic vertebral fracture? 475
S. Takahashi, et al., Dept. of Orthop. Surg., Osaka City Univ. School of Medicine
- 2-3-F23-2 Bone volume change of osteoporotic vertebral body after vertebral fracture by CT color mapping image 475
T. Hamasaki, et al., Dept. of Orthop. Surg., NHO Kure Medical Center Chugoku Cancer Center

2-3-F23-3	Spinal Instrumentation sing Dynamic Stabilization for Osteoporotic Vertebral Fracture –Stress Analysis based on Finite Element Model··········	476
	<i>M. Fujii, et al.</i> , Department of Orthopaedic Surgery Graduate School of Medical Science Kanazawa University	
2-3-F23-4	Long term clinical outcomes of vertebroplasty with calcium phosphate cement··········	476
	<i>K. Kiyasu, et al.</i> , Dept. of Orthop. Surg., Kochi Medical School	
2-3-F23-5	Retrospective analysis of patients underwent balloon kyphoplasty and instrumentation surgery for osteoporotic vertebral compression fractures ·········	477
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Spine Center, JA Hirhoshima General Hospital, Hiroshima, Japan	
2-3-F23-6	Upper vertebral slope is new parameter as Risk factors for early adjacent vertebral fractures after BKP ·········	477
	<i>M. Paku, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ. Takii Hospital	
2-3-F23-7	Biomechanical analysis of VCR for osteoporotic vertebral collapse : Importance of load sharing on the anterolateral vertebral column ·········	478
	<i>H. Takaishi, et al.</i> , Institute of Med. Sci., Tokyo Medical University	
2-3-F23-8	Outcome of the posterior corrective long fusion surgery for multiple vertebral-body fracture due to severe osteoporosis : A minimum one-year followup study ·········	478
	<i>K. Nishida, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	

Break

Invited Lecture 5

11 : 20~12 : 20

Moderator : **K. Hasegawa**

2-3-IL5	From Isthmus Lysis to High Grade Spondylolisthesis. Rationale and Surgical Treatment Options ·········	479
	<i>C. Mazel</i> , University Paris 13 Sorbonne- Paris- Cité, Institut Mutualiste Montsouris, Paris, France	

Break

Luncheon Seminar 10

12 : 30~13 : 30

Moderator : **S. Ichimura**

2-3-LS10	What a spine surgeon should do to prevent second fracture ·········	479
	<i>K. Kanaya</i> , Dept. of Orthop. Surg., Funabashi General Hospital	

Break

Invited Lecture 6

15 : 00~16 : 00

Moderator : **K. Takeshita**

- 2-3-IL6 Major Spinal Reconstructions : Can We Help Our Patients?..... 480
S. Lewis, Toronto Western Hospital and Hospital for Sick Children, University of Toronto, Canada

Break

Invited Lecture 7

16 : 10~17 : 10

Moderator : **T. Hasegawa**

- 2-3-IL7 Overcoming Challenges in Adult Spinal Deformity Surgery 480
K. Kebaish, Department of Orthopaedic Surgery, Johns Hopkins University, USA

Break

Invited Lecture 8

17 : 20~18 : 20

Moderator : **H. Taneichi**

- 2-3-IL8 Adolescent Idiopathic Scoliosis - Development and Implications for Treatment 481
M. Ruf, SRH-Klinikum Karlsbad-Langensteinbach, Karlsbad, Germany

Break

Evening Seminar 6

18 : 30~19 : 30

Moderator : **K. Matsudaira**

- 2-3-ES6 The control of pain by descending pain modulatory system : stress-induced plasticity 481
H. Imbe, Department of Physiology, Wakayama Medical University, Wakayama, Japan

Room 4

Free Papers 24

9 : 00~9 : 48

Moderator : **Y. Kotani**

LIF 3

- 2-4-F24-1 Short segment fusion using LIF for adult spinal deformity 482
H. Moridaira, et al., Dept. of Orthop. Surg., Dokkyo Medical University School of Medicine
- 2-4-F24-2 Study of post-operative bone union in Extreme lateral inter-body fusion 482
S. Ebata, et al., Dept. of Orthop. Surg., Yamanashi Univ. School of Medicine

2-4-F24-3	The bone union rate at 1 year after Oblique lumbar interbody fusion 483 <i>S. Tanida, et al.</i> , The Department of Orthopaedic Surgery, Graduate School of Medicine, Kyoto University, Kyoto, Japan
2-4-F24-4	Cage subsidence of intervertebral cage in LLIF 483 <i>M. Ishihara, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ. Takii Hosp.
2-4-F24-5	Complication rate of intraoperative endplate damage in Oblique lateral interbody fusion 484 <i>J. Sato, et al.</i> , Dept. of Orthopaedic Surgery, Graduate School of Medicine, Chiba University
2-4-F24-6	Intraoperative endplate fracture of vertebral body in lateral lumbar interbody fusion 484 <i>I. Torigoe, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hospital

Break

Free Papers 25

9 : 50~10 : 38

Moderator : H. Hase

Epidemiology/Natural course

2-4-F25-1	Natural history of cervical degenerative changes on cervical MRI in 1,200 healthy subjects 485 <i>H. Nakashima, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. School of Medicine
2-4-F25-2	Study of prognosis and prognostic factors of patients with conservative treatment that has been successful against the lumbar spinal canal stenosis 485 <i>M. Tsubosaka, et al.</i> , Dept. of Orthop. Surg., Kobe Rosai Hospital
2-4-F25-3	Morphological changes in lumbar disc and facet joint degeneration : A longitudinal in vivo study 486 <i>H. Nojiri, et al.</i> , Dept. of Orthop. Surg., Juntendo Tokyo Koto Geriatric Medical Center
2-4-F25-4	Clinical significance of trapezoidal vertebra in the developmental cervical spondylosis according to kyphotic change 486 <i>H. Tanaka, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.
2-4-F25-5	Study for progression of slipping in lumbar spondylolysis and spondylolytic spondylolisthesis 487 <i>T. Tanno, et al.</i> , Spine Center, Matsudo Orthopaedic Hospital, Matsudo, Japan
2-4-F25-6	Clinical course of spontaneous spinal epidural hematoma in cervical spine 487 <i>K. Nagata, et al.</i> , Dept. of Orthop., Tokyo Metropolitan Bokutoh Hospital

Break

Free Papers 26

10 : 40~11 : 28

Moderator : T. Maruyama

Pyogenic spondylitis

2-4-F26-1	Pyogenic Lumbar Facet Joint Arthritis 488 <i>T. Sasaki, et al.</i> , Department of Orthopaedic Surgery, Saitama Sekishinkai Hospital
-----------	---

2-4-F26-2	Clinical Outcomes of Percutaneous Curttage for lumbar pyogenic spondylitis 488 <i>S. Komatsubara, et al.</i> , Dept. of Orthop. Surg., Kagawa Univ. School of Medicine
2-4-F26-3	Clinical outcome of percutaneous suction aspiration and drainage in pyogenic spondylitis 489 <i>T. Matsubara, et al.</i> , Dept. of Orthop. Surg., Kurume Univ. School of Medicine
2-4-F26-4	Factors leading to fatal pyogenic spondylitis 489 <i>H. Tanaka, et al.</i> , Dept. of Orthop. Surg., Ishikiriseiki Hospital
2-4-F26-5	The predictive factors for outcome of pyogenic spondylitis treated by conservative therapy 490 <i>F. Kugimiya, et al.</i> , Dept. of Orthop. Surg., Saitama Medical University
2-4-F26-6	Hospital mortality of spinal infection : Results from Japanese nationwide diagnosis procedure combination database 490 <i>M. Kono, et al.</i> , Dept. of Orthop. Surg., Shimane Univ. School of Medicine

Break

Free Papers 27

11 : 30~12 : 18

Moderator : Y. Ito

Innovation 3

2-4-F27-1	Efficacy of Threshold-Level Multi-Train Stimulation for Recording Transcranial Motor Evoked Potentials in Intraoperative Neurophysiologic Monitoring 491 <i>S. Tsutsui, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.
2-4-F27-2	Which stimulation is better to detect CMAP wave, current or voltage on MEP monitoring? 491 <i>H. Shigematsu, et al.</i> , Dept. of Orthop. Surg., Nara Medical University
2-4-F27-3	Usefulness of Free run EMG in spinal deformity surgery 492 <i>T. Koike, et al.</i> , Niigata Spine Surgery Center
2-4-F27-4	Intraoperative Electromyographic Monitoring of Percutaneous Pedicle Screw Placement 492 <i>S. Nogami, et al.</i> , Dept. of Orthop. Surg., Takaoka Municipal Hospital
2-4-F27-5	The Safety and Accuracy of Fluoroscopic Guided Percutaneous Pedicle Screws amongst Asians 493 <i>C. Y. W. Chan, et al.</i> , University of Malaya
2-4-F27-6	Survey of radiation exposure from C-arm imaging apparatus during spinal surgery 493 <i>H. Horiuchi, et al.</i> , Spine Center, Ehime Univ. Hosp.

Break

Luncheon Seminar 11

12 : 30~13 : 30

Moderator : H. Konishi

The challenges of performing high-risk spine surgery

2-4-LS11-1	What should we learn from multiply operated neck and/or back? 494 <i>T. Shimizu</i> , Dept. of Orthop. Surg., Gunma Spine Center (Harunaso Hospital)
------------	---

2-4-LS11-2	Surgical site infection prevention for high risk spinal surgery 494
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Kanto Rosai Hospital

Break

Free Papers 28

15 : 00~15 : 48

Moderator : **K. Endo**

Spinal alignment 2

2-4-F28-1	Normative values for the spinopelvic parameters and their statistical correlations from a database of 268 asymptomatic Caucasian and Japanese subjects 495
	<i>K. Hasegawa, et al.</i> , Niigata Spine Surgery Center
2-4-F28-2	Verification of formulas to determine target lumbar lordosis angle in adult spinal deformity 495
	<i>Y. Yamato, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
2-4-F28-3	Association between postoperative leg pain and spinal sagittal alignment after surgical treatment of adult spinal deformity 496
	<i>M. Takemoto, et al.</i> , Dept. of Orthop. Surg., Kyoto City Hosp.
2-4-F28-4	Are sagittal spinopelvic radiographic parameters really associated with quality of life of adult spinal deformity patients? 496
	<i>M. Takemoto, et al.</i> , Dept. of Orthop. Surg., Kyoto City Hosp.
2-4-F28-5	Does the corrective spine surgery improve the standing balance in patient with ASD? 497
	<i>M. Yagi, et al.</i> , Dept. of Orthop. Surg., NHO Murayama Medical Center
2-4-F28-6	Early outcomes and safety of posterior corrective surgery with LIF in adult sagittal deformity -Comparison with conventional method- 497
	<i>H. Moridaira, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical University School of Medicine

Break

Free Papers 29

15 : 50~16 : 38

Moderator : **T. Shimizu**

Spinal alignment 3

2-4-F29-1	Pelvic incidence can change even during adult phase 498
	<i>K. Hasegawa, et al.</i> , Niigata Spine Surgery Center
2-4-F29-2	Changes of spinal sagittal alignment and kyphosis angles with aging or gender 498
	<i>Y. Kasukawa, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
2-4-F29-3	The influence of postural change for T1 pelvic angle in patients with spinal disorder, comparison with pelvic tilt and sagittal vertical axis 499
	<i>K. Hayashi, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. School of Medicine

- 2-4-F29-4 Sarcopenia is one of the cause for spinal imbalance : Is it true? 499
S. Ohyama, et al., Dept. of Orthopedic Surgery, Osaka City University Graduate School of Medicine
- 2-4-F29-5 Gait analysis in poor sagittal alignment using a three dimensional motion analysis 500
T. Shimokawa, et al., Dept. of Regional Medicine and Musculoskeletal Science, Gifu University
- 2-4-F29-6 The changes of total spinal sagittal alignment from upright standing to stepped position in patients with spinal kyphosis 500
T. Kusakabe, et al., Dept. of Orthop. Surg., Tokyo Medical Univ.

Break

Free Papers 30

16 : 40~17 : 28

Moderator : **S. Asano**

Spinal alignment 4

- 2-4-F30-1 The study of treatment for traumatic thoracolumbar kyphotic spinal deformity : To gain good sagittal global balance in local operation 501
K. Matsumoto, et al., Dept. of Orthopaedics, Nihon University Itabashi Hospital
- 2-4-F30-2 Correlation between postoperative PI-LL value and clinical outcomes after adult spinal deformity surgery 501
M. Ohashi, et al., Dept. of Orthop. Surg., Niigata Univ. School of Medical and Dental Sciences
- 2-4-F30-3 Analysis of surgical outcomes and postoperative complications in three-column spinal osteotomy techniques for spinal sagittal malalignment 502
I. Yonezawa, et al., Dept. of Orthop. Surg., Juntendo Univ. School of Medicine
- 2-4-F30-4 Radiographic evaluation of sagittal alignment after total hip arthroplasty with anatomical hip placement 502
Y. Shimizu, et al., Dept. of Orthop. Surg., Kyoto City Hosp.
- 2-4-F30-5 Risk factors affecting sagittal spinopelvic alignment in patients after total hip arthroplasty 503
T. Katsuhata, et al., Dept. of Orthop. Surg., Yokohama City Univ.
- 2-4-F30-6 Analysis of compensation mechanism of spinal sagittal deformity using mathematical model 503
M. Takemoto, et al., Dept. of Orthop. Surg., Kyoto City Hosp.

Break

Free Papers 31

17 : 30~18 : 18

Moderator : **M. Ito**

Spinal alignment 5

- 2-4-F31-1 The changes of total spinal sagittal alignment from upright standing to stepped position and gait analysis 504
K. Endo, et al., Dept. of Orthop. Surg., Tokyo Medical Univ.

2-4-F31-2	Risk factors of sagittal balance deterioration after posterior lumbar spinal fusion 504 <i>S. Shimizu, et al.</i> , Dept. of Orthop. Surg., Narita Memorial Hospital
2-4-F31-3	Does spinopelvic alignment affect residual low back pain after lumbar spinal fusion? 505 <i>K. Tashiro, et al.</i> , Spine Center, Hakodate Central General Hospital
2-4-F31-4	The relationship between spinal sagittal alignment and surgical results after posterior decompression in patients with lumbar spinal canal stenosis 505 <i>K. Kawaguchi, et al.</i> , Dept. of Orthop. Surg., Kyushu Univ.
2-4-F31-5	Optimal lumbar lordosis matched with pelvic incidence is strongly affected by a shape of the vertebral body (second report) 506 <i>T. Jimura, et al.</i> , Department of Orthopaedic Surgery, Dokkyo Medical University
2-4-F31-6	Surgical strategy for sagittal imbalanced adult spinal deformity with scoliosis of 30 degrees or more and lordosis of 10 degrees or less using XLIF and PPS 506 <i>T. Ogura, et al.</i> , Spine Surgery and Related Research Center, Nantan General Hospital

Break

Evening Seminar 7

18 : 30~19 : 30

Moderator : **H. Takahashi**

2-4-ES7	Poor bone material property is a risk factor of severe and multiple vertebral fracture 507 <i>M. Saito, et al.</i> , Dept. of Orthop. Surg. Jikei Univ. School of Medicine
---------	---

Room 5

Morning Seminar 2

7 : 50~8 : 50

Moderator : **J. Kunogi**

2-5-MS2	Total management for osteoporosis as a musculoskeletal disease 507 <i>N. Miyakoshi</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
---------	---

Break

Free Papers 32

9 : 00~9 : 48

Moderator : **Y. Kawaguchi**

Cervical OPLL

2-5-F32-1	Bone density of vertebral bones in patients with cervical OPLL : Implication of heterogeneous stress distribution 508 <i>T. Kokabu, et al.</i> , Dept. of Orthop. Surg., Hokkaido Univ. Graduate School of Medicine
-----------	--

- 2-5-F32-2 Incidence of OALL in Patients with Cervical OPLL Detected by Whole-Spine Computed Tomography : Multicenter Cross-Sectional Study 508
A. Iwanami, et al., Dept. of Orthop. Surg., Keio Univ., School of Medicine
- 2-5-F32-3 MRI classification of patients with cervical ossification of posterior longitudinal ligament 509
K. Ito, et al., Department of Orthopaedic Surgery, Nagoya University Hospital, Graduate School of Medicine
- 2-5-F32-4 Quality of Life and Functional Outcomes after Surgical Decompression in Patients with Cervical Ossification of the Posterior Longitudinal Ligament : Results from the Prospective, Multicenter International Study on 479 Patients 509
H. Nakashima, et al., Dept. of Orthop. Surg., Nagoya Univ. School of Medicine
- 2-5-F32-5 Sequential changes of CT and MRI findings of ossification of posterior longitudinal ligaments of cervical spine fixed with pedicle screw systems 510
T. Tokioka, et al., Dept. of Orthop. Surg., Kochi Health Sciences Center
- 2-5-F32-6 Surgical outcome of anterior cervical decompression with fusion in patients with ossification of the posterior longitudinal ligament 510
H. Nakajima, et al., Dept. of Orthop. and Rehabil. Med., Faculty of Medical Sci., Univ. of Fukui

Break

Free Papers 33

9 : 50~10 : 38

Moderator : T. Shiraishi

Pathology of Cervical myelopathy

- 2-5-F33-1 Frequency of Progression of Cervical Myelopathy in Neck Extension in Dental and Barber Treatment and Active Neck Motion 511
Y. Abe, et al., Dept. of Orthop. Surg., Eniwa Hospital
- 2-5-F33-2 A comparative study of quantifiable parameter between 454 patients with cervical spondylotic myelopathy and 818 asymptomatic subjects : Age-related changes in 10sec G&R test and 10sec step test 511
M. Machino, et al., Dept. of Orthop. Surg., Nagoya University Graduate School of Medicine
- 2-5-F33-3 Dynamic changes of spinal cord compression according to cervical alignment in cervical spondylotic myelopathy 512
T. Funayama, et al., Dept. of Orthop. Surg., Kenpoku Medical Center Takahagi Kyodo Hospital
- 2-5-F33-4 Correlation between novel classification of cervical myelopathy and three-dimensionally cord compression form 512
H. Mihara, et al., Spine Center, Yokohama Minami Kyosai Hospital
- 2-5-F33-5 C3-4 cervical spondylotic myelopathy characteristics of elderly patients 513
K. Tamai, et al., Dept. of Orthopaedic Surgery, Osaka City University Graduate School of Medicine, Osaka, Japan

- 2-5-F33-6 Cervical myelopathy without exaggerated patellar tendon reflex depends on peripheral neuropathy?-second report.....513
K. Nishida, et al., Dept. of Orthop. Surg., Hiroshima Prefectural Hospital

Break

Free Papers 34

10 : 40~11 : 28

Moderator : **Y. Murata**

Cervical myelopathy operation 1

- 2-5-F34-1 Do racial difference have different outcomes following surgical treatment of degenerative cervical myelopathy?514
N. Nagoshi, et al., Department of Orthopaedic Surgery, Keio University School of Medicine
- 2-5-F34-2 Post-operative walking ability of cases with cervical myelopathy with severe gait disturbance ...514
Y. Takeoka, et al., Dept. of Orthop. Surg., Kobe Rosai Hospital
- 2-5-F34-3 MR T2 increased signal intensity in patients with cervical spondylotic myelopathy : A comparison between preoperative and postoperative images515
M. Machino, et al., Dept. of Orthop. Surg., Nagoya University Graduate School of Medicine
- 2-5-F34-4 Impact of apex angle of anterior compressing factor and thoracic inlet angle on postoperative spinal cord alignment.....515
S. Kato, et al., Dept. of Orthop. Surg., Kanto Rosai Hospital
- 2-5-F34-5 Outcomes of cervical surgery for super aged patients more than 85 years old : Multicenter, retrospective study.....516
K. Tamai, et al., Department of Orthopaedic Surgery, Osaka City University Graduate School of Medicine
- 2-5-F34-6 Does Age Affect Surgical Outcomes in Patients with Degenerative Cervical Myelopathy? : Results from the Prospective, Multicenter International Study on 479 Patients516
H. Nakashima, et al., Dept. of Orthop. Surg., Nagoya Univ. School of Medicine

Break

Free Papers 35

11 : 30~12 : 18

Moderator : **H. Iizuka**

Cervical myelopathy operation 2

- 2-5-F35-1 Outcome of posterior procedure for cervical compressive myelopathy : Could BS-POP detect postoperative outcome of posterior decompression for cervical compressive myelopathy?517
K. Otani, et al., Dept. of Orthop. Surg., Fukushima Medical Univ. School of Medicine
- 2-5-F35-2 The actual surgery to cervical disease patients with elderly rheumatoid arthritis517
H. Tawaratsumida, et al., Japanese Red Cross Society Kagoshima Hospital

- 2-5-F35-3 Prognostic factors for a patient-based outcome of cervical spondylotic myelopathy - A clinical study of JOACMEQ 518
E. Takasawa, et al., Dept. of Orthop. Surg., Japanese Red Cross Maebashi Hosp.
- 2-5-F35-4 The relationship between JOACMEQ and international prostate symptom score in patients with cervical myelopathy 518
Y. Kamba, et al., Dept. of Spine Surg., Japan Community Health Care Organization Tamatsukuri Hospital
- 2-5-F35-5 Clinical results of multilevel cervical spinal fusion using anterior pedicle screw and mesh cage 519
M. Sato, et al., Dept. of Orthop. Surg., Atago Hospital
- 2-5-F35-6 Does cervical sagittal alignment correlate with axial neck pain after laminoplasty for cervical myelopathy? - A prospective comparative study between cervical OPLL and CSM- 519
H. Fujiwara, et al., Dept. of Orthop. Surg., National Hospital Organization, Osaka Minami Medical Center

Break

Luncheon Seminar 12

12 : 30~13 : 30

Moderator : **M. Oshima**

- 2-5-LS12 Does low back pain disorder divided into nociceptive pain and neuropathic pain? 520
S. Ohtori, et al., Dept. of Orthop. Surg., Chiba Univ. School of Medicine

Break

Free Papers 36

15 : 00~15 : 48

Moderator : **A. Dezawa**

Minimally invasive surgery 2

- 2-5-F36-1 Clinical outcomes of minimally invasive decompression surgery for lumbar spinal stenosis with degenerative scoliosis 520
A. Minamide, et al., Dept. of Orthop. Surg., Wakayama Medical University
- 2-5-F36-2 Radiological evaluation of bone regrowth and segmental stability after muscle-preserving interlaminar decompression for lumbar spinal canal stenosis 521
H. Tonomura, et al., Dept. of Orthopaedics, Graduate School of Medical Science, Kyoto Prefectural University of Medicine
- 2-5-F36-3 The microendoscopic decompression surgery for lumbar spinal canal stenosis -Mid-term clinical results and radiological assessments- 521
M. Nagae, et al., Dept. of Orthopaedics, Graduate School of Medical Science, Kyoto Prefectural University of Medicine

2-5-F36-4	Dural puncture during microendoscopic discectomy or microendoscopic laminectomy 522 <i>H. Inoue, et al.</i> , Orthopedic Department, Inanami Spine and Joint Hospital
2-5-F36-5	Treatment result of the microendoscopic discectomy for lumbar disc herniation (the MED method) 522 <i>K. Okuyama, et al.</i> , Dept. of Orthop. Surg., Shizuoka City Shimizu Hospital
2-5-F36-6	Re-operation rate for recurrent far lateral lumbar herniation at same site in 109 microendoscopic discectomy cases 523 <i>S. Yamaya, et al.</i> , Dept. of Orthop. Surg., Sumiya Orthopaedic Hospital

Break

Free Papers 37

15 : 50~16 : 38

Moderator : **M. Natsuyama**

Minimally invasive surgery 3

2-5-F37-1	The study of radiofrequency bipolar coagulator following Percutaneous Endoscopic lumbar Discectomy using human cadaveric lumbar spine 523 <i>K. Higashino, et al.</i> , Dept. of Orthop. Surg., Institute of Biomedical Sciences, Tokushima Univ.
2-5-F37-2	A comparison of the surgical invasiveness on facet joint between microendoscopic laminectomy with a unilateral approach and microendoscopic muscle preserving interlaminar decompression 524 <i>T. Mizouchi, et al.</i> , Spine Center, Dept. of Orthop. Surg., Niigata Central Hospital
2-5-F37-3	Mid-term results in the patients treated by MED and MEL 524 <i>H. Shimoda, et al.</i> , Niigata Spine Surgery Center
2-5-F37-4	Benefit of epidural block before Percutaneous Endoscopic Lumbar Discectomy (PELD) 525 <i>K. Chiba, et al.</i> , Yamagata Saisei Hospital
2-5-F37-5	Does microendoscopic technique reduce mortality and major complications in patients undergoing lumbar discectomy? A propensity score-matched analysis using a nationwide administrative database 525 <i>J. Ohya, et al.</i> , Dept. of Orthop. Surg., The University of Tokyo
2-5-F37-6	Development of a novel PPS insertion technique for thoracic spine : Its accuracy and safety 526 <i>Y. Shiono, et al.</i> , Nerima General Hospital, Tokyo, Japan

Break

Free Papers 38

16 : 40~17 : 28

Moderator : N. Hosono

Cervical laminoplasty

- 2-5-F38-1 The surgical results of bilateral open door laminoplasty with or without interpositional bone graft
-Prospective 2 years follow-up- 526
H. Shigematsu, et al., Dept. of Orthop. Surg., Nara Medical University
- 2-5-F38-2 The impact of cervical sagittal imbalance on laminoplasty indicated to patients with cervical
myelopathy 527
M. Kato, et al., Department of Orthopaedic Surgery, Osaka City General Hospital
- 2-5-F38-3 Effect of preoperative cervical alignment on the clinical results and postoperative complications
(axial pain and progression of kyphosis) after cervical laminoplasty 527
Y. Suzuki, et al., Spine Center of Hakodate Central General Hospital
- 2-5-F38-4 Surgical outcome of posterior decompression with instrumented fusion for cervical myelopathy with
sagittal imbalance 528
H. Nishimura, et al., Dept. of Orthop. Surg., Tokyo Medical Univ.
- 2-5-F38-5 Risk factor analysis of selective laminectomy for cervical myelopathy 528
K. Ninomiya, et al., Dept. of Orthop. Surg., Dental College Ichikawa General Hospital
- 2-5-F38-6 The influence of sarcopenia and spinal alignment on postoperative outcome after cervical
laminoplasty 529
S. Ito, et al., Dept. of Orthop. Surg., National Center for Geriatrics and Gerontology

Break

Free Papers 39

17 : 30~18 : 18

Moderator : H. Miyamoto

Cervical spinal surgery 2

- 2-5-F39-1 C1 Lateral Mass Screw Insertion Caudally from C2 Nerve Root-An Alternate Method for Insertion
of C1 Screws 529
K. Wada, et al., Dept. of Orthop. Surg., Tokyo Women's Medical University
- 2-5-F39-2 Horizontal insertion technique of Minimally Invasive Cervical Pedicle Screw fixation (MICePS) to
prevent lateral deviation of pedicle screws 530
T. Tokioka, et al., Dept. of Orthop. Surg., Kochi Health Sciences Center
- 2-5-F39-3 Grafting bone blocks after facetectomy to prevent iatrogenic foraminal stenosis after cervical
pedicle screw fixation facilitates bony fusion 530
A. Yamazaki, et al., Spine Center, Dept. of Orthop. Surg., Niigata Central Hospital, Niigata, Japan
- 2-5-F39-4 Impact of Age on Patient Outcomes after Cervical Disc Arthroplasty or Anterior Cervical
Discectomy and Fusion : Comparison at 5-Year Follow-up 531
W. D. Bradley, et al., Texas Back Institute, Denton, TX, USA

2-5-F39-5	Subsequent Surgery Rates after Treatment with TDR or ACDF at One or Two Levels : Results from a Prospective, Randomized Clinical Trial 531
	<i>W. D. Bradley, et al.</i> , Texas Back Institute, Denton, TX, USA
2-5-F39-6	Total Disc Replacement compared with Anterior Cervical Discectomy and Fusion at Two-levels through 60 Months 532
	<i>W. D. Bradley, et al.</i> , Texas Back Institute, Denton, TX, USA

Room 6

Morning Seminar 3

7 : 50~8 : 50

Moderator : **M. Yamazaki**

2-6-MS3	Approach for the severe pain with spinal disorder -Drug selection and our mind- 532
	<i>Y. Matsuyama</i> , Dept. of Orthop. Surg., Hamamatsu University School of Medicine

Break

Free Papers 40

9 : 00~9 : 48

Moderator : **M. Morishita**

Spondylolysis etc

2-6-F40-1	Morphological features of the lumbo-sacral spine in the development of spondylolysis 533
	<i>N. Iesato, et al.</i> , Obihiro Kyokai Hosp.
2-6-F40-2	Disc degeneration in adolescent patients with acute lumbar spondylolysis 533
	<i>Y. Aoki, et al.</i> , Dept. of Orthop. Surg., Eastern Chiba Medical Center
2-6-F40-3	The study of Multi-level spondylolysis 534
	<i>N. Iesato, et al.</i> , Obihiro Kyokai Hosp.
2-6-F40-4	Risk factor of low back pain among young baseball players-A prospective study 534
	<i>T. Mieda, et al.</i> , Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine
2-6-F40-5	Clinical comparison of two MIST surgeries for isthmic lumbar spondylolysis and spondylolisthesis 535
	<i>R. Fujita, et al.</i> , Steel Memorial Muroran Hospital Orthopaedic Surgery Spine and Spinal Cord Center
2-6-F40-6	The effects of lumbar spondylolysis and disc degeneration on the career and performance outcomes in professional baseball players 535
	<i>K. Kato, et al.</i> , Dept. of Orthop. Surg., Fukushima Medical Univ. School of Medicine

Break

Free Papers 41

9 : 50~10 : 38

Moderator : T. Asazuma

CBT

- 2-6-F41-1 Experience of 160 Consecutive Spine Reconstructions using Modified Cortical Bone Trajectory (mCBT) screws vs Traditional Pedicle Screws 536
I. Gonchar, et al., Dept. of Orthopaedics Surgery, Steel Memorial Muroran Hospital
- 2-6-F41-2 Anterior column reconstruction with large intervertebral cages can inhibit cyst formation around cages in PLIF with CBT pedicle screws 536
T. Kaito, et al., Dept. of Orthop. Surg., Osaka University Graduate School of Medicine
- 2-6-F41-3 Intraoperative risk factors for fractures of screw hole of cortical bone trajectory screws 537
T. Ishida, et al., Spine Center, Orthopaedic Hokushin Hospital
- 2-6-F41-4 The bone union evaluation of middle term after CBT-PLIF -A comparison with conventional PLIF- 537
M. Inoue, et al., Dept. of Orthop. Surg., National Defense Medical College
- 2-6-F41-5 Clinical outcomes after posterior lumbar interbody fusion : Comparison of cortical bone trajectory and conventional pedicle screw insertion 538
S. Takenaka, et al., Dept. of Orthop. Surg., National Hospital Organization, Osaka Medical Center
- 2-6-F41-6 Evaluation of endplate cyst formation after posterior lumbar interbody fusion with cortical bone trajectory method 538
K. Taniguchi, et al., Dept. of Orthop. Surg., National Defense Medical College

Break

Free Papers 42

10 : 40~11 : 28

Moderator : S. Satoh

Adjacent segment degeneration

- 2-6-F42-1 Long-term outcomes of posterior lumbar interbody fusion for degenerative lumbar disease : Radiographic and clinical evaluations between elderly patients and non-elderly patients 539
F. Suetsuna, et al., Dept. of Orthop. Surg., Hachinohe City Hospital
- 2-6-F42-2 Risk factors and prevention strategy for proximal junctional kyphosis after adult spinal deformity surgery 539
M. Ohashi, et al., Dept. of Orthop. Surg., Niigata Univ. Graduate School of Medical and Dental Sciences
- 2-6-F42-3 Incidence and risk factors of adjacent cranial facet joint violation following pedicle screw insertion using cortical bone trajectory technique 540
K. Matsukawa, et al., Department of Orthopaedic Surgery, National Defense Medical College
- 2-6-F42-4 Consideration of adjacent segment disease after lumbar floating fusion 540
T. Ainoya, et al., Dept. of Orthop. Surg., Tsukuba Memorial Hospital

- 2-6-F42-5 PLIF with minimum disc space distraction significantly lessens incidence of adjacent segment disease 541
H. Honda, et al., Department of Orthopaedic Surgery, National Hospital Organization Osaka Minami Medical Center
- 2-6-F42-6 Rheumatoid arthritis is a risk factor for adjacent segment disease after PLIF irrespective of disease activity 541
H. Fujiwara, et al., Dept. of Orthop. Surg., National Hospital Organization, Osaka Minami Medical Center

Break

Free Papers 43

11 : 30~12 : 18

Moderator : **H. Ataka**

Long term outcome on surgery

- 2-6-F43-1 Long-term clinical outcome of surgery for cervical myelopathy : More than 20 years follow-up 542
M. Koda, et al., Dept. of Orthop. Surg., Chiba Univ. School of Medicine, Chiba, Japan
- 2-6-F43-2 Life expectancy after cervical en bloc laminoplasty -Analysis of the data following more than 20 years- 542
Y. Kawaguchi, et al., Dept. of Orthop. Surg., Toyama Univ. School of Medicine
- 2-6-F43-3 Over 10 years follow up of Down syndrome with posterior fixation for atlantoaxial instability 543
K. Kawakita, et al., Dept. of Orthop. Surg., Kobe Medical Center
- 2-6-F43-4 Surgical outcome of dystrophic spinal deformities in type 1 neurofibromatosis patients : A case series 543
T. Kurakawa, et al., Dept. of Orthop. Surg., National Hospital Organization Kobe Medical Center
- 2-6-F43-5 Long-term surgical outcome of congenital scoliosis and kyphoscoliosis -Over 10 years of follow-up after surgery- 544
M. Ito, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- 2-6-F43-6 Long term outcome of the posterior lateral fusion for lumbar degenerative spondylolisthesis 544
M. Oshima, et al., Dept. of Orthop. Surg., Nihon Univ. School of Medicine

Break

Luncheon Seminar 13

12 : 30~13 : 30

Moderator : **H. Uei**

- 2-6-LS13 Total Cervical Disc Replacement, 5 Years Results after Single and Multilevel Mobi-C* Use. International Experience 545
J. Beaurain, et al., University Hospital, Neuro-Surgery Department, Dijon, France

Break

Free Papers 44

15 : 00~15 : 48

Moderator : Y. Arai

Lumbosacral spine –Diagnosis & Evaluation– 1

- 2-6-F44-1 Abdominal trunk muscle weakness in the elderly is correlated with chronic low back pain and risk of falling 545
S. Kato, et al., Dept. of Orthop. Surg., Kanazawa Univ. School of Medicine
- 2-6-F44-2 Risk factors of lumbar degenerative spondylolisthesis in patients with osteoarthritis of the hip 546
T. Sasagawa, et al., Dept. of Orthop. Surg., Toyama Prefectural Central Hospital, Toyama City
- 2-6-F44-3 In vivo 3-D morphological analyses for the contribution of disc height to the facet joint space width and sagittal alignment in lumbar spine degeneration 546
H. Nojiri, et al., Dept. of Orthop. Surg., Juntendo Tokyo Koto Geriatric Medical Center
- 2-6-F44-4 The impact of diffuse idiopathic skeletal hyperostosis on the mid-term clinical outcome of the lumbar canal stenosis 547
H. Toyoda, et al., Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine
- 2-6-F44-5 Morphological analysis of thoracolumbar and lumbosacral junction for common patients 547
K. Sugiura, et al., Orthopaedic Surgery, Tokushima Red Cross Hospital
- 2-6-F44-6 The association between elderly spino-pelvic sagittal parameters and grip strengths 548
T. Yamada, et al., Dept. of Orthop. Surg., Kikugawa General Hospital

Break

Free Papers 45

15 : 50~16 : 38

Moderator : F. Kato

Lumbosacral spine –Diagnosis & Evaluation– 2

- 2-6-F45-1 The relationship of lumbar vertebral osteophytes, vertebral endplate changes and spinal instability 548
M. Tsukamoto, et al., Dept. of Orthop. Surg., Saga Univ. School of Medicine
- 2-6-F45-2 Assessments of activity of daily living after thoracolumbosacral instrumentation surgery with sacroiliac fixation 549
Y. Ishikawa, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 2-6-F45-3 Finite element analysis of nerve root disorders with dynamic factors in lumbosacral foramen 549
Y. Shinozaki, et al., Spine Center, Japanese Red Cross Shizuoka Hospital
- 2-6-F45-4 Relationship between the nerve root sedimentation sign and clinical symptoms in patients with lumbar spinal canal stenosis 550
H. Kanno, et al., Dept. of Orthop. Surg., Tohoku Univ. School of Medicine

2-6-F45-5	Three-dimensional analysis of lumbar spine550 <i>A. Iguchi, et al.</i> , Department of Rehabilitation Center, Showa University Northern Yokohama Hospital
2-6-F45-6	Preoperative psychological factors affect surgical satisfaction in elderly patients with lumbar spinal stenosis551 <i>M. Kawakami, et al.</i> , Spine Care Center, Wakayama Medical University Kihoku Hospital

Break

Free Papers 46

16 : 40~17 : 28

Moderator : **K. Takahashi**

Lumbar spine –Radiological diagnosis– 1

2-6-F46-1	Reliability of PLIF bony fusion evaluation with computer tomography551 <i>T. Hasegawa, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
2-6-F46-2	Parasagittal and oblique MRI diagnosis of symptomatic lumbar foraminal stenosis552 <i>S. Matsushita, et al.</i> , Dept. of Orthop. Surg., Narita Memorial Hospital
2-6-F46-3	A novel preoperative assessment for lumbar foraminal stenosis and far lateral disc herniation using three-dimensional fusion imaging552 <i>S. Yamaya, et al.</i> , Dept. of Orthop. Surg., Sumiya Orthopaedic Hospital
2-6-F46-4	Anatomical characteristics of lumbo-sacral nerve root using MR Neurography553 <i>H. Kobayashi, et al.</i> , Dept. of Orthop. Surg., Fukushima Medical Univ. School of Medicine
2-6-F46-5	Effects of the dynamic factor in lumbosacral foraminal stenosis with the osteophyte at the disc level553 <i>Y. Shinozaki, et al.</i> , Spine Center, Japanese Red Cross Shizuoka Hospital
2-6-F46-6	The diagnosis of double-crush lesion in the L5 lumbar nerve using Diffusion tensor imaging554 <i>H. Kanamoto, et al.</i> , Department of Orthopaedic Surgery, Graduate School of Medicine

Break

Free Papers 47

17 : 30~18 : 18

Moderator : **Y. Mikami**

Lumbar spine –Radiological diagnosis– 2

2-6-F47-1	Preoperative assessment of ureter using double-phase contrast enhanced CT554 <i>S. Fujibayashi, et al.</i> , Dept. of Orthopaedic Surgery, Graduate School of Medicine, Kyoto University
2-6-F47-2	Pathology of the radiculopathy and the localization of the osteophyte in lumbosacral foraminal or extra-foraminal stenosis555 <i>Y. Shinozaki, et al.</i> , Spine Center, Japanese Red Cross Shizuoka Hospital

- 2-6-F47-3 The impact of Stenotic Ratio using 3D-MRI on diagnosis between patients requiring surgery and those succeeded conservative treatment for lumbar foraminal stenosis 555
K. Yamada, et al., Dept. of Orthop. Surg., Wajokai Eniwa Hospital
- 2-6-F47-4 Bone Fusion Assessment for Lateral Lumbar Interbody Fusion using Reconstructed Computed Tomographic Scans 556
T. Tsuji, et al., Dept. of Orthopaedic & Spine Surgery, Meijo Hospital
- 2-6-F47-5 MRI Diffusion Tensor Tractography provides comprehension of the form of the lumbar nerve plexus and can improve safety of lateral approach lumbar surgery 556
N. Segi, et al., Spine Center, Konan Kosei Hospital
- 2-6-F47-6 The influence of the L5 spinal nerve angle on the reconstruction images of 3D MRI for foraminal stenosis 557
Y. Murata, et al., Dept. of Orthop. Surg., Tokyo Women's Medical Univ. School of Medicine

Room 7

Free Papers 48

9 : 00~9 : 48

Moderator : **S. Kobayashi**

Intervertebral disc -Basic research-

- 2-7-F48-1 Expression of glial cell line-derived neurotrophic factor (GDNF) in human intervertebral disc 557
J. Yamada, et al., Dept. of Orthop. Surg., Mie Univ. School of Medicine
- 2-7-F48-2 Functional analysis of caspase 3 gene regarding intervertebral disc degeneration using genetically modified mouse 558
T. Ohnishi, et al., Department of Orthopaedic Surgery, Hokkaido University Graduate School of Medicine, Sapporo, Japan
- 2-7-F48-3 Effect of intravenous DFAT on the intervertebral disc degeneration in the smoking rat model 558
H. Miyakata, et al., Nihon University School of Medicine
- 2-7-F48-4 CCAAT/enhancer binding protein beta-dependent induction of TNF α expression through MAPK pathways in nucleus pulposus cells 559
A. Hiyama, et al., Dept. of Orthop. Surg., Tokai Univ. School of Medicine
- 2-7-F48-5 A novel mechanism of the action of prostaglandins on matrix metalloproteinases regulation in human intervertebral disc 559
Y. Sawaji, et al., Dept. of Orthop. Surg., Tokyo Med. Univ.
- 2-7-F48-6 The effect of ASIC3 selective inhibitor in a rat nucleus pulposus model 560
Y. Kobayashi, et al., Department of Orthopaedic Surgery, Fukushima Medical University

Break

Free Papers 49

9 : 50~10 : 38

Moderator : **K. Mori**

Ossification of spinal ligament

- 2-7-F49-1 Incidence of OPLL in the Whole Spine based on computed tomography in Patients with Cervical OPLL : Multicenter cross-sectional study 560
T. Hirai, et al., Dept. of Orthopaedic and Spine Surgery, Tokyo Medical and Dental University
- 2-7-F49-2 Coexistence of ossification of the nuchal ligament in patients with cervical ossification of the posterior longitudinal ligament. A multicenter CT study 561
T. Yoshii, et al., Dept. of Orthop. Surg., Tokyo Medical and Dental Univ.
- 2-7-F49-3 Prevalence of ossification of the spinal ligament using whole spine computed tomography 561
T. Fujimori, et al., Dept. of Orthop. Surg., Sumitomo Hospital
- 2-7-F49-4 Ossification of supra-/interspinous ligament in patients with cervical OPLL : Multicenter whole spine CT-based study 562
K. Mori, et al., Dept. of Orthop. Surg., Shiga University of Medical Science
- 2-7-F49-5 Spinal injury in patient with diffuse idiopathic skeletal hyperostosis. Multi-center study 562
E. Okada, et al., Dept. of Orthop. Surg. Saiseikai Central Hospital
- 2-7-F49-6 Spinal fracture in diffuse idiopathic skeletal hyperostosis 563
T. Kikuchi, et al., Japanese Red Cross Kobe Hospital, Kobe, Japan

Break

Free Papers 50

10 : 40~11 : 28

Moderator : **T. Ueta**

Cervical spinal trauma

- 2-7-F50-1 Analysis of cervical spine injury from data of trauma registry in Japan 563
K. Nakayama, et al., Dept. of Orthop. Surg., Tsukuba Univ. School of Medicine
- 2-7-F50-2 Characteristics and treatment of distractive extension injury of the cervical spine 564
M. Tanaka, et al., Dept. of Orthop. Surg., Tokai Univ. School of Medicine
- 2-7-F50-3 MRI characteristics of occult flexion-distract injury of the cervical spine 564
T. Maeda, et al., Dept. of Orthop. Surg., Spinal Injuries Center
- 2-7-F50-4 Surgical treatment of spinal cord injury without radiographic abnormality 565
A. Takahashi, et al., Department of Orthopaedics and Rehabilitation Medicine, University of Fukui Faculty
- 2-7-F50-5 The relationship between traumatic cervical cord injury and neurogenic shock 565
K. Takeda, et al., Dept. of Orthop. Surg., Kobe Red Cross Hospital
- 2-7-F50-6 What prevents the rehabilitation of the patients with cervical spinal cord injury to home? Comparison analysis between the aged over 65 years and the young 566
M. Ishii, Dept. of Orthop. Surg., Hoshigaoka Medical Center

Break

Free Papers 51

11 : 30~12 : 18

Moderator : **K. Ijiri**

Dropped head syndrome etc

- 2-7-F51-1 Pathology of dropped head syndrome with torticollis.....566
K. Murata, et al., Dept. of Orthop. Surg., Tokyo Medical University
- 2-7-F51-2 The total spinal saggital alignment and the classification of dropped head syndrome567
K. Endo, et al., Dept. of Orthop. Surg., Tokyo Medical Univ.
- 2-7-F51-3 Cervical spinal sagittal alignment at neck flexion in patients with dropped head syndrome567
K. Endo, et al., Dept. of Orthop. Surg., Tokyo Medical Univ.
- 2-7-F51-4 Clinical results of conservative therapy of dropped head syndrome comparison between improved case and not improved case568
H. Tanaka, et al., Dept. of Orthop. Surg., Tokyo Medical Univ.
- 2-7-F51-5 Anterior Floating Method for Cervical Flex. Myelopathy568
K. Kanzaki, et al., Dept. of Orthop. Surg., Showa Univ. Fujigaoka Hospital
- 2-7-F51-6 Idiopathic spinal cord herniation : A series of 24 cases.....569
Y. Hirose, et al., Dept. of Orthop. Surg., Keio Univ. School of Medicine

Break

Luncheon Seminar 14

12 : 30~13 : 30

Moderator : **Y. Hachiya**

- 2-7-LS14 Balloon Kyphoplasty - Current Issues of The Treatment of Osteoporotic Vertebral Compression Fractures569
D. Togawa, Department of Orthopaedic Surgery, Hamamatsu University School of Medicine

Break

Free Papers 52

15 : 00~15 : 48

Moderator : **N. Tanaka**

Cervical spine -Basic research-

- 2-7-F52-1 Three-Dimensional Anatomical Study of Ligamentum Flavum in Cervical Spine570
M. S. Rahmani, et al., Dept. of Orthopaedic Surgery, Osaka City University Graduate School of Medicine
- 2-7-F52-2 A cadaveric study of the cervical nerve roots and spinal segments570
R. Kobayashi, et al., Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine

- 2-7-F52-3 Epidemiology of vertebral artery which ends as posterior inferior cerebellar artery 571
T. Aoyama, et al., Spine Center, Dept. of Orthop. Surg., Teine Keijinkai Hospital, Sapporo, Japan
- 2-7-F52-4 Assessment of severity for compressive cervical myelopathy using central motor conduction time in upper limbs and thoracic level 571
K. Fujimoto, et al., Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine
- 2-7-F52-5 Electrophysiological assessments of the motor pathway in patients with ossification of the posterior longitudinal ligaments in the cervical spine 572
K. Nakanishi, et al., Dept. of Orthop. Surg., Hiroshima Univ.
- 2-7-F52-6 Paravertebral foramen screw vs. lateral mass screw : Biomechanical analysis of a novel technique for cervical spine fusion surgery 572
M. Aramomi, et al., Dept. of Orthop. Surg., Teikyo Univ. Chiba Medical Center

Break

Free Papers 53

15 : 50~16 : 38

Moderator : **M. Nakamura**

Spinal cord injury -Basic research-

- 2-7-F53-1 Interleukin-6 may trigger the induction of Nerve growth factor following spinal cord injury 573
T. Kimura, et al., Dept. of Orthop. Surg., Shikoku Medical Center for Children and Adults
- 2-7-F53-2 Development of cocultured cell sheet using bone marrow stromal cells and neural stem cells and the effect of transplantation of the cocultured cell sheet in transected spinal cord of rat 573
A. Okuda, et al., Dept. of Orthop. Surg., Nara Medical University
- 2-7-F53-3 Intravenous Infusion of Autologous Mesenchymal Stem Cells from Bone Marrow for Spinal Cord Injury Patients 574
T. Oshigiri, et al., Dept. of Orthop. Surg., Sapporo Medical University
- 2-7-F53-4 Comparison of adipose-derived stem cell and bone marrow-derived stem cell and treatment of spinal cord injury model 574
A. Takahashi, et al., Department of Orthopaedics and Rehabilitation Medicine, Faculty of Medical
- 2-7-F53-5 Validity of Donor-Recipient Matching at HLA 3 Loci in Human iPS Cell-Derived Neural Stem/Progenitor Cells Transplantation Therapy for Spinal Cord Injury 575
M. Ozaki, et al., Department of Orthopaedic Surgery, Keio University School of Medicine
- 2-7-F53-6 Drug repositioning for spinal cord injury model mice by the anti-apoptotic effects 575
M. Tsushima, et al., Dept. of Orthop. Surg., Nagoya Univ. Graduate School of Medicine

Break

Free Papers 54

16 : 40~17 : 28

Moderator : H. Murakami

Ossification of thoracic ligament

- 2-7-F54-1 The prevalence and radiographic features of diffuse idiopathic skeletal hyperostosis (DISH) in our hospital 576
T. Etoh, et al., Dept. of Orthop. Surg., Sendai Nishitaga Hospital
- 2-7-F54-2 OPLL and OLF are DISH? : Chest CT-based study 576
K. Mori, et al., Dept. of Orthop. Surg., Shiga Univ. of Medical Science
- 2-7-F54-3 Factors of postoperative poor outcomes of posterior indirect decompression with fusion for OPLL in the thoracic spine 577
T. Fujita, et al., Enshu Hospital, Hamamatsu City, Japan
- 2-7-F54-4 Comparative study between posterior decompression and fusion surgery with and without OPLL resection for beak type thoracic OPLL 577
S. Imagama, et al., Dept. of Orthop. Surg., Nagoya Univ. Graduate School of Medicine
- 2-7-F54-5 Indication and effectiveness of anterior decompression by a posterolateral approach for thoracic OPLL 578
S. Kato, et al., Dept. of Orthop. Surg., Kanazawa Univ. School of Medicine
- 2-7-F54-6 Clinical assessment of multiple revision surgery for patients with spinal ligament ossification 578
A. Wada, et al., Dept. of Orthop. Surg., Toho Univ. School of Medicine

Break

Free Papers 55

17 : 30~18 : 18

Moderator : Y. Aota

Surgical complications

- 2-7-F55-1 A study on perioperative complication and survival rate after spinal surgery in hemodialysis patients 579
K. Sawamura, et al., Department of Orthopaedics, Takeda Hospital, Kyoto, Japan
- 2-7-F55-2 Survey of result of spine surgery in elderly patients in Japan 579
M. Yamashita, Dept. of Orthop. Surg., JCHO Funabashi Central Hospital
- 2-7-F55-3 Clinical experience of Postoperative Spinal Epidural Hematoma 580
H. Tomita, et al., Dept. of Spine Surg., Toyohashi Municipal Hospital
- 2-7-F55-4 Neurological complications in posterior lumbar interbody fusion as revision surgery 580
T. Yamashita, et al., Dept. of Orthop. Surg., Osaka Rosai Hospital
- 2-7-F55-5 Remote cerebellar hemorrhage following spinal surgery : Retrospective and prospective studies 581
T. Aizawa, et al., Dept. of Orthop. Surg., Tohoku Univ. School of Medicine
- 2-7-F55-6 Surgical complication reports of spine surgery in Osaka Univ. Spine Group 2016 581
Y. Sakai, et al., Dept. of Orthop. Surg., Osaka Univ. Graduate School of Medicine

Poster Room

Poster 50

15 : 00~15 : 30

Moderator : **K. Sato**

Minimally invasive spinal stabilization and fusion

- 2-P50-1 Good clinical results of minimally invasive posterior fusion without decompression for radicular symptoms caused by unstable degenerative lumbar spondylolisthesis 582
H. Ataka, et al., Spine Center, Matsudo Orthopaedic Hospital
- 2-P50-2 The accuracy of percutaneous pedicle screw insertion for lumbar spine under image guidance 582
H. Ikuma, et al., Dept. of Orthopaedic Surgery, Kagawa Rosai Hospital
- 2-P50-3 Risk factors for adjacent segment disease after mini-open PLIF 583
T. Arizono, et al., Dept. of Orthop. Surg., Kyushu Central Hosp. of the Mutual Aid Association of Public School Teachers
- 2-P50-4 Mid-term outcomes with minimum 5-year follow-up of mini-open TLIF - The influence on non-fused segments 583
T. Sorimachi, et al., Dept. of Orthop. Surg., Dokkyo Medical Univ.
- 2-P50-5 The clinical results of MIS-TLIF for the treatment of recurrent lumbar degenerative diseases ... 584
X. Liu, et al., Qilu Hospital of Shandong University
- 2-P50-6 Examination of the radiation exposure dose that a patient receives for lumbar fixation in minimally invasive surgery 584
Y. Suga, et al., Dept. of Orthop. Surg., Shinkawabashi General Hospital

Poster 51

15 : 30~16 : 00

Moderator : **H. Nohara**

Cervical anterior decompression and fusion

- 2-P51-1 Comparison of evaluation with intraoperative sonography between ACDF and ACCF 585
Y. Ito, et al., Dept. of Orthop. Surg., Yokohama Minami Kyosai Hospital
- 2-P51-2 The preventive effect of prevertebral soft tissue edema with intravenous administration of Methylprednisolone at first postoperative day 585
K. Fukushima, et al., Saku Central Hospital Advanced Care Center
- 2-P51-3 A study of cage subsidence in patients following stand-alone anterior cervical discectomy and fusion 586
H. Igarashi, et al., Sonoda Medical Institute, Tokyo Spine Center
- 2-P51-4 Clinical results of the hybrid method of multilevel cervical decompression and arthrodesis using fibula strut graft 586
A. Aiba, et al., Dept. of Orthop. Surg., Numazu City Hospital
- 2-P51-5 The change of thoracic inlet angle brought by multilevel anterior cervical fusion 587
R. Kadota, et al., Dept. of Orthop. Surg., Numazu City Hospital, Shizuoka, Japan

- 2-P51-6 Anterior Cervical Discectomy and Fusion using a Rectangular Titanium Stand-Alone Cage
-Analysis for Factors associated with Nonunion at 2 years after Surgery-587
T. Yamagata, et al., Department of Neurosurgery, Osaka City General Hospital, Osaka, Japan

Poster 52

16 : 00~16 : 30

Moderator : **A. Yamazaki**

Pedicle Screw

- 2-P52-1 Evaluation of the Fixation Strength of Pedicle Screws Using Dual-energy X-ray Absorptiometry, Quantitative Computed Tomography and Bone Turnover Markers588
K. Ishikawa, et al., Department of Orthopaedic Surgery, Showa University School of Medicine, Tokyo, Japan
- 2-P52-2 Accuracy of navigated pedicle screw insertion of thoracolumbar spine surgery588
H. Ohne, et al., Dept. of Orthop. Surg., Kyorin Univ.
- 2-P52-3 Accuracy of Thoracic Pedicle Screw for Posterior Thoracic Spinal Fusion among vertebral fractures and degenerative diseases589
K. Miura, et al., Dept. of Orthop. Surg., Tsukuba Univ. School of Medicine
- 2-P52-4 The accuracy of pedicle screw insertion in the thoracolumbar spinal fixation-Require attention to the L5 pedicle screw insertion-589
T. Shirahata, et al., Dept. of Orthop. Surg., Showa Univ. School of Medicine
- 2-P52-5 A study of intraoperative nerve root monitoring during percutaneous pedicle screw fixations in lumbosacral fusion590
Y. Tani, et al., Department of Orthopaedic Surgery, Kansai Medical University
- 2-P52-6 The Accuracy of Pedicle Screw Placement Using Intraoperative CT Imaging590
A. Matsuoka, et al., Department of Orthopaedic Surgery, Showa University School of Medicine

Poster 53

16 : 30~17 : 00

Moderator : **S. Ichimura**

Osteoporosis 1

- 2-P53-1 Differential diagnosis of osteoporotic vertebral compression fracture and metastatic spinal tumor with T1- weighted MR imaging591
Y. Yamamoto, et al., Dept. of Orthop. Surg., Nara Medical University
- 2-P53-2 Clinical outcomes of conservative treatment including initial hospitalization for osteoporotic vertebral fracture591
Y. Shibao, et al., Dept. of Orthop. Surg., Tsukuba Univ.
- 2-P53-3 Strict conservative therapy by hospitalization get high bone union rate in atraumatic osteoporotic vertebral fractures592
M. Sugita, et al., Miyuki Hospital, Yamagata Spine Center

- 2-P53-4 Therapeutic effects of teriparatide on vertebral microarchitecture and bone strength as assessed by 4D-MDCT in osteoporosis 592
M. Machida, et al., Dept. of Spine and Spinal Surg., Yokohama Brain and Spine Center
- 2-P53-5 Prediction of delayed union of vertebral fractures by bone metabolic markers in patients with osteoporosis receiving bisphosphonate therapy 593
A. Iwata, et al., Dept. of Orthop. Surg., Hokkaido Univ. School of Medicine
- 2-P53-6 Effect of an intensive conservative treatment for patients with osteoporotic delayed vertebral collapse and paralysis 593
N. Wakao, et al., Spine Center, Aichi Medical Univ. School of Medicine

Poster 54

17 : 00~17 : 30

Moderator : **Y. Morio**

Osteoporosis 2

- 2-P54-1 Association of chronic back pain with spinal deformity and back extensor strength in patients with osteoporosis 594
M. Hongo, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 2-P54-2 A serum 25-hydroxyvitamin D level is associated with increased body sway 594
H. Sasaki, et al., Akita Rosai Hospital
- 2-P54-3 Reduction of the cross-sectional area of the iliopsoas is involved with osteoporotic vertebral fracture as a risk of fall 595
K. Igarashi, et al., Department of Orthopedic Surgery, Chofu Hospital
- 2-P54-4 Comparison of spinal alignment, muscular strength, and QOL between osteoporitic patients and agriculturists 595
N. Miyakoshi, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 2-P54-5 Mechanical analysis of vertebra compression fracture using finite element method 596
H. Takano, et al., Department of Orthopedic Surgery, Juntendo University School of Medicine
- 2-P54-6 Degenerative spondylolisthesis and lower lumbar vertebral fracture were risk factors for concurrence of lumbar spinal stenosis and osteoporotic vertebral fracture 596
Y. Oishi, et al., Dept. of Orthop. Surg., Hamawaki Orthopaedic Hospital

Poster 55

15 : 00~15 : 25

Moderator : **K. Omori**

LIF 4

- 2-P55-1 Result of posterior correction and fusion surgeries combined with oblique lateral interbody fusion procedures for adult spinal deformities 597
T. Iida, et al., Dept. of Orthop. Surg., Dokkyo Medical Univ. Koshigaya Hosp.
- 2-P55-2 The collection of intervertebral angle depending on the position of OLIF cage 597
Y. Shiga, et al., Department of Orthopedic Surgery, Graduate School of Medicine, Chiba University

- 2-P55-3 Usefulness of LIF(XLIF) with posterior instrumentation for degenerative lumbar kyphoscoliosis 598
H. Ohta, et al., Dept. of Orthopedic Surgery, Oita Orthopedic Hospital
- 2-P55-4 Risk factor of the end plate fracture by LLIF in the spinal correction surgery 598
K. Nakai, et al., Department of Orthopaedic Surgery, Fujieda Municipal General Hospital
- 2-P55-5 1-year after results of Adult spinal deformity surgery with anterior posterior spinal fusion using LLIF 599
T. Sakura, et al., Department of Orthopedic Surgery, Seirei Sakura Citizen Hospital

Break

Poster 56

15 : 30~16 : 00

Moderator : **T. Hasegawa**

LIF 5

- 2-P56-1 CT evaluation for bony fusion of XLIF : Minimum 1 year follow up 599
K. Satake, et al., Konan Kosei Spine Center
- 2-P56-2 Surgical results of minimally invasive spinal fusion for lumbar degenerative spondylolisthesis, mini-open TLIF vs XLIF + PPS 600
Y. Kono, et al., Chiba Central Medical Center, Spine Center
- 2-P56-3 Radiological study for the management of ideal position of LLIF cage 600
Y. Sasao, et al., Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine
- 2-P56-4 What is the proper selection of the installation position and the size of the cage by Extreme lateral inter-body fusion? 601
S. Ebata, et al., Dept. of Orthop. Surg., Yamanashi Univ. School of Medicine
- 2-P56-5 Nerve injuries in lateral lumbar interbody fusion : Evaluation from quantitative muscle strength test and sensory examination 601
H. Nojiri, et al., Dept. of Orthop. Surg., Juntendo Tokyo Koto Geriatric Medical Center
- 2-P56-6 Invasiveness and correction of 2-stage operation using lateral lumbar interbody fusion in patients with adult spinal deformity 602
Y. Yamato, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine

Poster 57

16 : 00~16 : 25

Moderator : **Y. Sasao**

LIF 6

- 2-P57-1 How to Strategically Predict Lumbar Lordosis Correction with Oblique Lateral Interbody Fusion (OLIF) Surgery for Degenerative Lumbar Kyphoscoliosis 602
I. Gonchar, et al., Dept. of Orthopaedics Surgery, Steel Memorial Muroran Hospital

- 2-P57-2 Surgical results and indirect decompression effect of the XLIF for degenerative lumbar disorders 603
N. Ogihara, et al., Spine Center, Ina Central Hospital
- 2-P57-3 Surgical outcome in patients with adult scoliosis treated by XLIF procedure 603
H. Yamada, et al., Dept. of Orthop. Surg., Wakayama Medical University
- 2-P57-4 OLIF can lead to preferable indirect decompression on lumbar spinal stenosis patients 604
S. Orita, et al., Dept. of Orthop. Surg., Chiba Univ. Graduate School of Medicine
- 2-P57-5 Effect of indirect decompression in lumbar spinal canal through Extreme Lateral Interbody Fusion (XLIF) procedure is gradually increasing over time 604
S. Otsuka, et al., Dept. of Orthop. Surg., Nagoya City Univ. Graduate School of Medical Sciences

Break

Poster 58

16 : 30~16 : 55

Moderator : **H. Takahashi**

LIF 7

- 2-P58-1 Surgical outcome of Oblique Lateral Interbody Fusion for spondylolisthesis -Comparison with direct decompression though posterior lumbar interbody fusion- 605
H. Endo, et al., Dept. of Orthop. Surg., Iwate Medical Univ. School of Medicine
- 2-P58-2 Evaluation of optimal position of XLIF/OLIF cages in adult spinal deformity surgery 605
N. Hosogane, et al., Dept. of Orthop. Surg., National Defense Medical College
- 2-P58-3 Usefulness and problems for degenerative lumbar spondylolisthesis using XLIF and PPS (MIS-XLIF) 606
T. Ogura, et al., Spine Surgery and Related Research Center, Nantan General Hospital
- 2-P58-4 OLIF versus XLIF for Lumbar Spinal Stenosis 606
M. Hoshino, et al., Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine
- 2-P58-5 A radiographic evaluation of lumbar interbody fusion with XLIF : Comparison with PLIF 607
A. Muramoto, et al., Dept. of Spine Surg., Kariya TOYOTA General Hospital

Break

Poster 59

17 : 00~17 : 25

Moderator : **Y. Tachikawa**

LIF 8

- 2-P59-1 Surgical results of eXtreme lateral interbody fusion 607
A. Yoshioka, et al., Hachiya Orthopaedic Hospital

- 2-P59-2 Clinical outcome of mini-open anterior interbody fusion using OLIF devices for pseudoarthrosis and infectious spondylitis of lumbar spine 608
T. Konomi, et al., Dept. of Orthopaedic Surgery, NHO Murayama Medical Center
- 2-P59-3 Availability of intercostal approach for oblique lumbar interbody fusion in upper lumbar segment ... 608
K. Ishii, et al., Seirei Hamamatsu General Hospital Spine Center
- 2-P59-4 Oblique lateral interbody fusion (OLIF) brings about better postoperative outcome than traditional posterior spinal fusion 609
S. Orita, et al., Dept. of Orthop. Surg., Chiba Univ. Graduate School of Medicine
- 2-P59-5 Rapid spontaneous resolution of lumbar intraspinal facet cyst after oblique lateral interbody fusion 609
K. Nakamura, et al., Dept. of Orthop. Surg., Kijunkai Yoshikawa Hospital

Poster 60

15 : 00~15 : 35

Moderator : **M. Kanayama**

Adult spinal deformity 5

- 2-P60-1 Impacts of lumbar retrolisthesis against spinopelvic alignment and HRQOL (2012 TOEI study) ... 610
Y. Mihara, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 2-P60-2 Examination about reliability of measurement value of spino-pelvic parameter 610
Y. Koshika, et al., Chiba Central Medical Center, Chiba, Japan
- 2-P60-3 Hip diseases impact to measurement of pelvic tilt 611
S. Shoji, et al., Dept. of Orthop. Surg., Kitasato University School of Medicine
- 2-P60-4 Severe degenerative lumbar kyphoscoliosis (Cobb angle more than 30 degrees)- consideration of the flexibility 611
K. Nakayama, et al., Dept. of Orthop. Surg., Dokkyo Medical University
- 2-P60-5 Analysis of the main factors to undergo surgery among QOL, visceral disorders, and trunk muscle strength of the patients with adult spinal deformities 612
T. Iida, et al., Dept. of Orthop. Surg., Dokkyo Medical Univ. Koshigaya Hosp.
- 2-P60-6 Spinopelvic radiographic parameters of antalgic posture influenced by lumbar spinal stenosis 612
R. Yamasaki, et al., Dept. of Orthop. Surg., Osaka Police Hospital
- 2-P60-7 Comparison of accuracy between computed radiography and slot scanning 3D X-ray imager (EOS) 613
S. Hatsushikano, et al., Niigata Spine Surgery Center

Poster 61

15 : 35~16 : 00

Moderator : M. Kawakami

Based on patient-reported outcomes 1

- 2-P61-1 Respiratory function is decreased one year after posterior fusion for lumbar spinal stenosis
-In comparison with decompression surgery 613
M. Hashimoto, et al., Dept. of Orthop. Surg., Seikeikai Chiba Medical Center
- 2-P61-2 Orthotic treatment after PLIF less than two segments can be simplified 614
H. Fujiwara, et al., Dept. of Orthop. Surg., National Hospital Organization, Osaka Minami Medical Center
- 2-P61-3 Ramification of low bone mineral density on HRQOL outcomes after lumbar fusion surgery (PLIF)
..... 614
H. Honda, et al., Department of Orthopaedic Surgery, National Hospital Organization Osaka Minami Medical Center
- 2-P61-4 Time-dependent changes of the JOA score, JOABPEQ and VAS after single level PLIF and lumbar decompression surgery. An analysis of prospective study 615
H. Honda, et al., Department of Orthopedic Surgery, National Hospital Organization Osaka Minami Medical Center
- 2-P61-5 Risk factors of poor outcome after PLIF in each QOL subdomain of JOABPEQ : The analysis of two-year follow-up 615
T. Makino, et al., Dept. of Orthop. Surg., Osaka University Graduate School of Medicine

Poster 62

16 : 00~16 : 30

Moderator : O. Shirado

Based on patient-reported outcomes 2

- 2-P62-1 Characteristics of disease specific deteriorated QOL by Lumbar spinal stenosis -Multi center cross sectional study DISTO project 616
H. Kobayashi, et al., Dept. of Orthop. Surg., Fukushima Medical Univ. School of Medicine
- 2-P62-2 Time-dependent evaluation of JOABPEQ after selective decompression surgery for degenerative spondylolisthesis : A prospective study 616
T. Nikaïdo, et al., Dept. of Orthop. Surg., Fukushima Medical Univ. School of Medicine
- 2-P62-3 Similar clinical results of each outcome measure in JOABPEQ after the operation of all degenerative lumbar diseases 617
Y. Oishi, et al., Dept. of Orthop. Surg., Hamawaki Orthopaedic Hospital
- 2-P62-4 Postoperative trunk function of lumbar canal stenosis and JOABPEQ Recovery of postoperative trunk extension strength is related to the lumbar dysfunction improvement 617
M. Kamiya, et al., Dept. of Orthop. Surg., Aichi Medical Univ. School of Medicine

- 2-P62-5 Relationship between the surgical outcomes of spinous process-splitting laminectomy for lumbar spinal canal stenosis and spinal sagittal alignment -A comparison of the elderly group and the non-elderly group- 618
T. Takeuchi, et al., Orthop. Surg., Kugayma Hospital
- 2-P62-6 The Evaluation of the factors of the Marmot Operation for Lumbar degenerative disease using the JOABPEC 618
M. Noboru, et al., Dept. of Orthop. Surg., Kashiba Asahigaoka Hospital

Poster 63

16 : 30~16 : 55

Moderator : **K. Higashino**

Vertebroplasty 1

- 2-P63-1 Balloon Kyphoplasty improves clinical outcome at the time of hospital discharge for patients with osteoporotic vertebral fractures 619
M. Aoki, et al., Dept. of Orthop. Surg., Sainou Hospital
- 2-P63-2 Global malalignment deteriorates clinical results of BKP to the patients with delayed union of osteoporotic vertebral fracture 619
Y. Oishi, et al., Dept. of Orthop. Surg., Hamawaki Orthopaedic Hospital
- 2-P63-3 Feature of specific adjacent vertebral fracture after vertebroplasty and correlation with intervertebral instability 620
Y. Hijikata, et al., Dept. of Spine and Spinal Surgery, Shinkomonji Hospital, Kitakyushu, Fukuoka, Japan
- 2-P63-4 Early magnetic resonance images for predicting post BKP outcomes 620
T. Katayama, et al., Dept. of Spine Surg., Hand Surg., and Orthop. Surg., Kansai Electric Power Hospital, Osaka, Japan
- 2-P63-5 Recollapse with cement extrusion after vertebroplasty : Retrospective analysis of risk factors ... 621
H. Toyoda, et al., Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine

Break

Poster 64

17 : 00~17 : 20

Moderator : **Y. Ajiro**

Vertebroplasty 2

- 2-P64-1 Mechanical analysis of balloon kyphoplasty using finite element method 621
H. Takano, et al., Department of Orthopedic Surgery, Juntendo University School of Medicine
- 2-P64-2 The examination post operative vertebral body height loss after vertebroplasty using hydroxyapatite blocks 622
K. Nishioka, et al., Dept. of Neurol. Surg., Wakayama Medical Univ., Wakayama, Japan

- 2-P64-3 Analysis of local kyphosis after vertebroplasty for osteoporotic vertebral fracture 622
T. Tsujio, et al., Dept. of Orthop. Surg. and Spinal Center, Shiraniwa Hospital
- 2-P64-4 Risk factor of postoperative complication of Balloon-Kyphoplasty for osteoporotic vertebral fracture 623
Y. Shimamura, et al., Dept. of Orthop. Surg., Toubu Chiiki Hosp., Tokyo, Japan

Poster 65

15 : 00~15 : 20

Moderator : **S. Demura**

RA 1

- 2-P65-1 Alternation of drug treatment and surgical management of cervical instability in rheumatoid arthritis in Akita 623
Y. Ishikawa, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 2-P65-2 Risk factors for vertebral fractures in patients with rheumatoid arthritis over 60 year old female 624
K. Ishida, et al., Dept. of Orthop. Surg., Yokohama City University Medical Center
- 2-P65-3 Clinical outcomes of posterior reconstruction surgery for severe cervical myelopathy caused by RA 624
S. Oshima, et al., Dept. of Orthop. Surg., Hokkaido Orthopaedic Memorial Hospital
- 2-P65-4 The clinical outcomes of atlanto-axial arthrodesis in patients with rheumatoid arthritis : Assessment according to the Japanese Orthopaedic Association Cervical Myelopathy Evaluation Questionnaire (JOACMEQ) 625
H. Iizuka, et al., Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine

Break

Poster 66

15 : 30~16 : 00

Moderator : **M. Yoshimoto**

RA 2

- 2-P66-1 Relationship between cervical position during occipito-cervical fixation for rheumatoid arthritis and airway diameter after surgery 625
H. Murakami, et al., Dept. of Orthop. Surg., Iwate Medical Univ. School of Medicine
- 2-P66-2 Study of characteristics and prevalence in the lumbar spine X-ray in rheumatoid arthritis patients 626
T. Kuniya, et al., Orthopaedic Department, Yokohama City University Medical Center, Yokohama, Kanagawa
- 2-P66-3 Risk factors for vertebral fracture in patients with rheumatoid arthritis 626
K. Ishida, et al., Dept. of Orthop. Surg., Yokohama City University Medical Center

- 2-P66-4 Radiographic evaluation of wedging segment in degenerative lumbar scoliosis with rheumatoid arthritis patients- Matched cohort study 627
H. Yasuda, et al., Dept. of Orthop. Surg., Osaka General Hospital of Japan Railway Company
- 2-P66-5 Difference between rheumatoid arthritis patients with degenerative lumbar scoliosis and non-rheumatoid arthritis patients with degenerative lumbar scoliosis in wedging segment and non-wedging segment- Matched cohort study 627
H. Yasuda, et al., Dept. of Orthop. Surg., Osaka General Hospital of Japan Railway Company
- 2-P66-6 An analysis of adjacent segment diseases of posterior spinal fusion in RA patients 628
S. Seki, et al., Dept. of Orthop. Surg., Faculty of Medicine, University of Toyama

Poster 67

16 : 00~16 : 20

Moderator : **Y. Musha**

DSA

- 2-P67-1 Clinical Outcomes of Spinal Surgery for Hemodialysis Patients 628
M. Mori, et al., Dept. of Orthop. Surg., Matsushita Memorial Hospital, Osaka, Japan
- 2-P67-2 Over two-year follow up outcomes of double-door laminoplasty in patients with long-term hemodialysis 629
Y. Yamato, et al., Dept. of Spine and Orthopedic Surgery, Japanese Red Cross Medical Center, Tokyo, Japan
- 2-P67-3 Investigation of destructive Spondyloarthritis of the thoracic spine 629
K. Tsuda, et al., Dept. of Orthop. Surg., Nagasaki Univ. Graduate School of Medicine
- 2-P67-4 Revision surgery for dialysis-associated cervical spondylosis : Minimum 2 year follow-up 630
T. Hirano, et al., Division of Orthopedic Surgery, Niigata University Graduate School of Medical and Dental Sciences

Break

Poster 68

16 : 25~17 : 00

Moderator : **M. Takahata**

Atlantoaxial

- 2-P68-1 Anterior retropharyngeal approach to the upper cervical spine 630
N. Okamoto, et al., Department of Orthopedic Surgery, Saitama Red Cross Hospital
- 2-P68-2 Radiographic assessment of the relationship between retroodontoid pseudotumor and cervical spine alignment 631
J. Yamakawa, et al., Dept. of Orthop. Surg., Yamagata University Faculty of Medicine
- 2-P68-3 A new pathomechanism of retro-odontoid pseudotumor, mechanical stress of atlanto-occipital joint 631
T. Ishizaka, et al., Department of Orthopaedic Surgery, National Defense Medical College

- 2-P68-4 Spino-laminar line test as a screening of C1 stenosis 632
Y. Oshima, et al., Dept. of Orthopedic Surgery, The University of Tokyo
- 2-P68-5 Mid-to-long term outcome of cervical alignment after atlantoaxial arthrodesis with Magerl technique 632
S. Tanida, et al., The Department of Orthopaedic Surgery, Kyoto University Graduate School of Medicine, Kyoto, Japan
- 2-P68-6 Retrospective review of surgically treated adults with congenital anomalies of the upper cervical spine : A clinical and radiological review 633
H. Iizuka, et al., Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine
- 2-P68-7 Clinical findings of conservative cases with a coronally-oriented vertical fracture of the posterior region of the C2 vertebral body 633
Y. Tomomatsu, et al., Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine

Poster 69

17 : 00~17 : 30

Moderator : **M. Hoshino**

Osteoporotic vertebral fracture -Pseudarthrosis-

- 2-P69-1 Strategy for surgical treatment for paraparesis due to osteoporotic vertebral fracture considering fracture level 634
K. Saita, et al., Dept. of Orthop. Surg., Saitama Medical Center, Saitama Medical Univ.
- 2-P69-2 Factors affecting the loosening of PMMA bone cement after percutaneous vertebroplasty for osteoporotic vertebral fracture 634
T. Nakamae, et al., Dept. of Orthop. Surg., JA Hiroshima General Hospital, Hiroshima, Japan
- 2-P69-3 Issues regarding posterior fusion combined with vertebroplasty for nonunion of osteoporotic vertebral fractures 635
K. Tanimoto, et al., Dept. of Orthop. Surg., Takikawa Municipal Hospital
- 2-P69-4 Investigation of surgical area of PLF with vertebral plasty for osteoporotic vertebral fractures ... 635
M. Furukawa, et al., Dept. of Orthop. Surg., Shizuoka City Shimizu Hospital
- 2-P69-5 What factors do affect the clinical results of correction surgery for severe kyphosis due to osteoporotic vertebral fracture? 636
T. Hasegawa, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 2-P69-6 Posterior instrumented fusion without neural decompression for incomplete neurological deficits following osteoporotic vertebral collapse -Remodeling of the retropulsed bone fragment- 636
A. Nakano, et al., Dept. of Orthop. Surg., Osaka Medical College

Poster 70

15 : 00~15 : 30

Moderator : K. Watanabe

Idiopathic scoliosis 2

- 2-P70-1 Cervical Sagittal Alignment in Chinese Adolescent Patients with Idiopathic Scoliosis 637
X. Liu, et al., Qiliu Hospital of Shandong University
- 2-P70-2 Postoperative sports activities in the junior and senior high school students with adolescent idiopathic scoliosis 637
I. Kawamura, et al., Dept. of Orthop. Surg., Kagoshima Univ.
- 2-P70-3 Physical activities and life style factors associated in etiology of adolescent idiopathic scoliosis 638
K. Watanabe, et al., Dept. of Orthop. Surg., Keio University
- 2-P70-4 Assessing the Flexibility of the Proximal Thoracic Segments above the 'Potential Upper Instrumented Vertebra' using the Cervical Supine Side Bending Radiographs in Lenke 1 and 2 Curves for AIS Patients 638
C. Y. W. Chan, et al., University of Malaya
- 2-P70-5 Breast asymmetry and self-image in adolescent idiopathic scoliosis..... 639
T. Takigawa, et al., Department of Orthopaedic Surgery, Okayama University Hospital
- 2-P70-6 Respiratory function in surgically-treated early-onset scoliosis patients ; Predictive formula with radiographic parameters..... 639
T. Hirano, et al., Division of Orthopedic Surgery, Niigata University Graduate School of Medical and Dental Sciences

Poster 71

15 : 30~16 : 00

Moderator : Y. Imajo

Idiopathic scoliosis 3

- 2-P71-1 Classification of cervical morphology in adolescent idiopathic scoliosis patients 640
K. Ito, et al., Department of Orthopedic Surgery, Nagoya University Graduate School of Medicine
- 2-P71-2 A 3D morphometric analysis in the difference of vertebral morphology around apical vertebrae between muscular scoliosis and idiopathic scoliosis 640
T. Makino, et al., Dept. of Orthop. Surg., Osaka University Graduate School of Medicine
- 2-P71-3 Cervical Kyphosis of the Patients with Adolescent Idiopathic Scoliosis 641
Y. Sugimoto, et al., Dept. of Orthop. Surg., Okayama University Hospital
- 2-P71-4 Limb length discrepancy and spinopelvic alignment in adolescent idiopathic scoliosis patients measured with EOS imaging system..... 641
T. Sekiya, et al., Dept. of Orthop. Surg., Yokohama City Univ.
- 2-P71-5 Prognostic factor for curve progression in patients with progressive female idiopathic scoliosis ... 642
M. Chazono, et al., Department of Orthopaedic Surgery, Utsunomiya National Hospital
- 2-P71-6 Detailed examination of pelvic parameter during childhood 642
K. Takimura, et al., Dept. of Orthop. Surg., Sapporo Medical Univ. School of Medicine

Poster 72

16 : 00~16 : 30

Moderator : E. Toh

Idiopathic scoliosis 4

- 2-P72-1 New computed radiography processing combined with heavy metal filters condition for whole spine radiography 643
S. Demura, et al., Dept. of Orthop. Surg., Kanazawa Univ. School of Medicine
- 2-P72-2 A comparative study of spinopelvic alignment between adult lumbar scoliosis and adolescent idiopathic lumbar scoliosis 643
Y. Hori, et al., Dept. of Orthop. Surg., Osaka City General Hospital
- 2-P72-3 Measurement of wearing time of brace for adolescent idiopathic scoliosis using small type temperature logger..... 644
T. Morino, et al., Spine Center, Ehime University Hospital
- 2-P72-4 Evaluation of brace treatment for adolescent idiopathic scoliosis by EOS system 644
T. Kawai, et al., Yokohama Brain and Spine Center
- 2-P72-5 Relevance of spina bifida occulta for curve progression in adolescent idiopathic scoliosis 645
A. Misawa, et al., Dept. of Orthop. Surg., Akita Prefectural Center on Development and Disability
- 2-P72-6 Are pedicle screw perforation rates influenced by flexibility in multilevel registration using a CT-based navigation system in the setting of adolescent idiopathic scoliosis? 645
M. Shimizu, et al., Dept. of Orthop. Surg., Shinshu Univ.

Poster 73

16 : 30~17 : 00

Moderator : K. Harimaya

Idiopathic scoliosis 5

- 2-P73-1 Influences of the posterior correction and fusion surgery for trunk kinematics in adolescent idiopathic scoliosis with major thoracic curve 646
M. Nishida, et al., Dept. of Orthopedic Surgery, Keio University
- 2-P73-2 Radiographic evaluation of spontaneous correction in compensatory lumbar curve following selective thoracic fusion in the AIS patients with Lenke 1C or 2C 646
T. Ozaki, et al., Dept. of Orthop. Surg., Osaka City General Hospital
- 2-P73-3 Postoperative shoulder imbalance in Lenke type 5C adolescent idiopathic scoliosis 647
S. Arataki, et al., Dept. of Orthop. Surg., Okayama Univ. Hospital
- 2-P73-4 Clinical results of correction surgery for adult idiopathic scoliosis (Lenke Type 2) with segmental monoaxial pedicle screw fixation 647
M. Hayashida, et al., Department of Orthopaedic Surgery, Kyushu University
- 2-P73-5 Postoperative coronal balance remodeling after posterior thoracic fusion for Lenke 1C and 2C adolescent idiopathic scoliosis..... 648
M. Ishikawa, et al., Spine and Spinal Cord Center, Mita Hospital, International University of Health and Welfare

- 2-P73-6 Pleural effusion after posterior spinal fusion in patients with adolescent idiopathic scoliosis –The amount of effusion is associated with side of thoraxes or other factors?– 648
K. Hayashi, et al., Dept. of Orthop. Surg., Osaka City Univ. School of Medicine

Poster 74

17 : 00~17 : 25

Moderator : **M. Tanaka**

Idiopathic scoliosis 6

- 2-P74-1 Mid-term results of skip pedicle screw fixation for adolescent idiopathic scoliosis Lenke type 1 curves 649
J. Takahashi, et al., Dept. of Orthop. Surg., Shinshu Univ. School of Medicine
- 2-P74-2 Determination of the optimal number of screws based on the correction angle for adolescent idiopathic scoliosis Lenke type 1 curves 649
J. Takahashi, et al., Dept. of Orthop. Surg., Shinshu Univ. School of Medicine
- 2-P74-3 Correlation analysis between rod deformation and multilevel facetectomy in adolescent idiopathic scoliosis surgery 650
T. Kokabu, et al., Dept. of Orthop. Surg., Hokkaido Univ. Hosp.
- 2-P74-4 Long-term maintenance of spontaneous lumbar curve correction following thoracic fusion of Lenke 1 curves in adolescent idiopathic scoliosis 650
H. Sudo, et al., Dept. of Orthop. Surg., Hokkaido Univ. Hosp.
- 2-P74-5 Accuracy of thoracic pedicle screw insertion and its effect for the correction of scoliosis in adolescent idiopathic scoliosis : Evaluation of apex pedicles 651
M. Hongo, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine

Poster 75

15 : 00~15 : 30

Moderator : **M. Sakane**

Laminoplasty 1

- 2-P75-1 Long follow up after cervical laminoplasty for cervical spondylotic myelopathy focused on a sagittal balance 651
R. Ugawa, et al., Dept. of Orthop. Surg., Okayama Univ. School of Medicine
- 2-P75-2 Sagittal alignment and biomechanical stability after minimal cervical laminectomy 652
H. Kono, et al., Keiyu Spine Center, Keiyu Orthopedic Hospital
- 2-P75-3 Postoperative cervical kyphosis and global spinal alignment after laminoplasty 652
Y. Matsuoka, et al., Dept. of Orthop. Surg., Tokyo Medical University Hospital
- 2-P75-4 Prognostic factors for postoperative axial neck pain following cervical laminoplasty 653
Y. Oshima, et al., Dept. of Orthop. Surg., The Univ. of Tokyo
- 2-P75-5 Compensatory mechanism correlate with postlaminoplasty kyphosis 653
Y. Suzuki, et al., Dept. of Orthop. and Spine Surg., Meijo Hospital

- 2-P75-6 C5 palsy after cervical laminoplasty 654
Y. Takahashi, et al., Spine Center, Japanese Red Cross Shizuoka Hospital

Poster 76

15 : 30~16 : 00

Moderator : **K. Ueyama**

Laminoplasty 2

- 2-P76-1 Early stability for open door laminoplasty by using the cervical plates 654
H. Tashi, et al., Spine Center, Orthopedic Department of Niigata Central Hospital
- 2-P76-2 Bony healing and lamina closure after double-door cervical laminoplasty using suture anchors ... 655
T. Fujishiro, et al., Dept. of Orthop. Surg., Osaka Medical College
- 2-P76-3 Iatrogenic cervical radiculalgia caused by postoperative rootlets compression at cervical laminoplasty hinge 655
K. Hasegawa, et al., Sapporo Orthopaedics and Cardiovascular Hospital, Sapporo, Japan
- 2-P76-4 The relation between bone bonding, postoperative displacement and resorption of unidirectional porous hydroxyapatite spacer for double-door cervical laminoplasty 656
H. Noguchi, et al., Dept. of Orthop. Surg., Tsukuba Central Hospital
- 2-P76-5 The sizes of the spinous process spacer have an impact on the spinal cord posterior shifting after cervical laminoplasty 656
H. Kudo, et al., Dept. of Orthop. Surg., Towada City Hospital
- 2-P76-6 Lamina closure after open-door laminoplasty for cervical spine 657
S. Komatsubara, et al., Dept. of Orthop. Surg., Kagawa Univ. School of Medicine

Poster 77

16 : 00~16 : 30

Moderator : **K. Kanzaki**

Laminoplasty etc

- 2-P77-1 Analysis of the relationship between surgical outcomes after double-door laminoplasty for cervical spondylotic myelopathy and clinical characteristics on very old patients (more than 80 years old) 657
N. Notani, et al., Department of Orthopaedic Surgery, Oita University
- 2-P77-2 Surgical outcomes of expansive laminoplasty for cervical spondylotic myelopathy in late elderly patients 658
T. Fujii, et al., Spine and Spinal Cord Center, Mita Hospital, International University of Health and Welfare, Tokyo, Japan
- 2-P77-3 Over 10 year follow-up after open door laminoplasty for cervical ossification of posterior longitudinal ligament (OPLL) 658
H. Manabe, et al., Dept. of Orthop. Surg., Hiroshima City Asa Citizens Hospital

- 2-P77-4 Can lifestyle-related diseases affect surgical outcome after laminoplasty for cervical spondylotic myelopathy? 659
H. Sakaura, et al., Dept. of Orthop. Surg., Kansai Rosai Hospital
- 2-P77-5 Clinical results for cervical spinal myelopathy with degenerative spondylolisthesis 659
T. Hikata, et al., Dept. of Orthop. Surg., Keio University School of Medicine
- 2-P77-6 The availability and limitation of the Screw Guide Template system for revision cervical surgery ... 660
S. Kaneyama, et al., Dept. of Orthop. Surg., Kobe Rosai Hospital

Poster 78

16 : 30~17 : 00

Moderator : **H. Ikegami**

CBT

- 2-P78-1 Evaluation of the relationship between the pedicle screw trajectory of cortical bone trajectory (CBT) method and bony fusion in one year after the operation for PLIF 660
H. Imabayashi, et al., Dept. of Orthop. Surg., National Defense Medical College
- 2-P78-2 Frequency of endplate cysts following posterior lumbar interbody fusion using cortical bone trajectory methods -Polyetheretherketon (PEEK) cage vs. titanium-coated PEEK cage- 661
K. Nishizawa, et al., Dept. of Orthop. Surg., Shiga University of Medical Science
- 2-P78-3 Clinical results of L5/S1 one-level TLIF using CBT method -Comparison with the conventional method- 661
T. Hayakawa, et al., Dept. of Orthop. Surg., Nagoya City West Medical Center
- 2-P78-4 Clinical comparison of modified cortical bone trajectory screws and pedicle screws for revision lumbar spine surgery 662
M. Hamasaki, et al., Dept. of Orthop. Surg., Steel Memorial Muroran Hospital
- 2-P78-5 The comparison study in surgical results of PLIF using cortical bone trajectory (CBT) method vs conventional PLIF for L4/5 one level cases 662
H. Ikegami, et al., Dept. of Orthop. Surg., Kugawa Hosp. for Orthop. Surg.
- 2-P78-6 The comparison for surgical outcomes of pedicle screw with cortical bone trajectory compared with conventional trajectory for fusion surgeries with lumbar spinal stenosis 663
Y. Ishimoto, et al., Spine Care Center, Wakayama Medical University Kihoku Hospital

Poster 79

17 : 00~17 : 30

Moderator : **Y. Fujimoto**

Vertebroplasty 3

- 2-P79-1 A ten years progress report of Balloon kyphoplasty after clinical trial for osteoporotic vertebral fracture in Japan 663
S. Nakahara, et al., Ryokusenkaï Yonemori Hospital

- 2-P79-2 How to achieve stabilization of the osteoporotic vertebral body fractures treated by balloon kyphoplasty 664
K. Tarukado, et al., Department of Orthopaedic Surgery, Kyushu University Beppu Hospital, Oita, Japan
- 2-P79-3 The effect of the balloon kyphoplasty (BKP) for sagittal spinopelvic alignment 664
H. Nagahari, et al., Dept. of Orthop. Surg., Keiyuu Hospital
- 2-P79-4 Quantification of viscosity for optimal timing of cement injection in balloon kyphoplasty 665
M. Chazono, et al., Department of Orthopaedic Surgery, Utsunomiya National Hospital
- 2-P79-5 The characteristics of the new vertebroplasty method "Vesselplasty" compared with Balloon Kypho-Plasty 665
F. Ito, et al., Aichi Spine Institute, Aichi, Japan
- 2-P79-6 Clinical results of percutaneous vertebroplasty using HA block 666
T. Nakamura, et al., Aino Memorial Hospital

Poster 80

15 : 00~15 : 20

Moderator : **S. Kaneko**

Perioperative care

- 2-P80-1 A study about the effectiveness of the measurement of soluble fibrin as a screening of DVT after spine surgery 666
K. Hara, et al., Shiga Spine Center, Hino Memorial Hospital
- 2-P80-2 Risk assessment of vascular injuries by sacrum screwing using the abdominal contrast-enhanced CT scans 667
F. Tezuka, et al., Dept. of Orthop. Surg., Tokushima Univ.
- 2-P80-3 Examination of the validity of the tranexamic acid intravenous drip in a Lumbar spinous process-splitting laminoplasty 667
Y. Hoshino, et al., Dept. of Orthop. Surg., Showa University Koto Toyosu Hospital
- 2-P80-4 A comparison of the analgesic and anti-inflammatory effect of acetaminophen 4000mg/day to loxoprofen sodium hydrate and acetaminophen 2400mg/day in the treatment of the pain after spinal surgery 668
Y. Nagamoto, et al., Dept. of Orthop. Surg., Osaka National Hospital

Break

Poster 81

15 : 30~16 : 00

Moderator : **K. Nakanishi**

Adjacent segment degeneration 1

- 2-P81-1 Evaluation of L3/4 segment in L4 degenerative spondylolisthesis 668
Y. Ishihara, et al., Asao General Hospital Spine Center

2-P81-2	Surgical results on PIIF with adjacent segment decompression..... 669 <i>A. Yabu, et al.</i> , Dept. of Orthopaedic Surgery, Shiraniwa Hospital
2-P81-3	Proximal junctional kyphosis following spino-pelvic fixation for adult spinal deformity 669 <i>T. Kurakawa, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization Kobe Medical Center
2-P81-4	Incidence of distal junctional kyphosis in vertebral body osteotomy surgery 670 <i>Y. Sato, et al.</i> , Dept. of Orthop. Surg., Sanraku Hospital
2-P81-5	Adjacent segmental diseases after spinal fusion 670 <i>K. Yokota, et al.</i> , Nagasaki Rosai Hospital, Sasebo, Japan
2-P81-6	Combined with TLIF and motion preservation using pedicle screw with mobility -Enhancement of bony union and prevention of adjacent segmental disorder- 671 <i>H. Ohta, et al.</i> , Dept. of Orthop. Surg., Oita Orthopedic Hospital

Poster 82

16 : 00~16 : 30

Moderator : T. Toyone

Adjacent segment degeneration 2

2-P82-1	Sagittal spinal alignment and adjacent segment disease after posterior monosegmental lumbar interbody fusion 671 <i>Y. Matsuoka, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical University Hospital
2-P82-2	Effect of spinopelvic alignment on adjacent segment disease after multisegmental lumbar fusion : Risk factor analysis 672 <i>Y. Hisada, et al.</i> , Spine Center, Hakodate Central General Hospital
2-P82-3	Effect of preoperative adjacent segment status and spinopelvic alignment on the adjacent segment disease after single-level lumbar fusion 672 <i>Y. Shimamura, et al.</i> , Spine Center, Hakodate Central General Hospital, Hakodate, Hokkaido, Japan
2-P82-4	The prognostic factors of adjacent segment disease on L5/S1 segment after L4/5 lumbar interbody fusion 673 <i>N. Nakata, et al.</i> , Dept. of Spine Surg., JCHO Tokyo Yamate Medical Center
2-P82-5	Correlation between sagittal balance after TLIF and adjacent segment disease 673 <i>A. Inada, et al.</i> , Spine Center, Nagoya City West Medical Center
2-P82-6	The treatment results of one level corrected PLIF in L4 spondylolisthesis 674 <i>K. Ota, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. School of Medicine

Poster 83

16 : 30~17 : 00

Moderator : S. Yabuki

Sarcopenia

- 2-P83-1 Low back pain in childhood and adolescence : A birth cohort study with a 6-year follow up in Niigata City, Japan, the 2nd report concerning reinforcement effect between obesity and sport activity to low back pain 674
A. Sano, et al., Dept. of Orthop. Surg., Niigata Prefectural Shibata Hospital
- 2-P83-2 Muscle enhancement effect of meclozine on paraspinal muscle 675
T. Hida, et al., Dept. of Orthop. Surg., Nagoya University Graduate School of Medicine
- 2-P83-3 Effect of back strengthening exercise on the sagittal spino-pelvic alignment : A retrospective analysis with a minimum 2-year follow up 675
M. Hongo, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 2-P83-4 Usefulness of Bioelectrical impedance analysis for diagnosis of sarcopenia 676
K. Fujimoto, et al., Dept. of Orthop. Surg., Chiba Univ. Graduate School of Medicine
- 2-P83-5 The impact of Sarcopenia on the Results of Lumbar Spinal Surgery 676
H. Inose, et al., Dept. of Orthop. Surg., Tokyo Medical and Dental Univ.
- 2-P83-6 The prevalence of patient with sarcopenia among spinal surgery outpatient 677
S. Ohyama, et al., Dept. of Orthopedic Surgery, Osaka City University Graduate School of Medicine

Poster 84

17 : 00~17 : 30

Moderator : S. Katoh

Sacroiliac joint

- 2-P84-1 Sacroiliac joint related pain and abnormal findings in image 677
D. Kurosawa, et al., Dept. of Orthop. Surg., JCHO Sendai Hospital/Low Back Pain and Sacroiliac Joint Center
- 2-P84-2 Clinical analysis about coagulation point of radiofrequency neurotomy for sacroiliac joint pain 678
K. Ito, et al., Dept. of Spinal Surg., Toho Univ. Ohashi Medical Center
- 2-P84-3 Evaluation of the impact of the spine alignment in the sacroiliac joint disorder patients 678
H. Soma, et al., Dept. of Orthop. Surg., Nihon Univ.
- 2-P84-4 Osteoarthritis of sacroiliac joint can be an inhibitory factor for loosening of S2 alar iliac screw after surgery for adult spinal deformity 679
Y. Sakai, et al., Dept. of Orthop. Surg., Osaka Univ. Graduate School of Medicine
- 2-P84-5 Radiographic evaluation for trajectory of S2 alar iliac screw : Spinous process of S1 is useful indicator for inserting S2AI screw 679
M. Oyama, et al., Dept. of Orthop. Surg., Morioka National Hospital
- 2-P84-6 An Assessment of New Insertion Method of S2 Alar-Iliac Screw Using Virtual Fluoroscopy Made by CT Reconstruction 680
S. Egawa, et al., Dept. of Orthop. Surg., Tokyo Medical and Dental Univ.

Poster 85

15 : 00~15 : 30

Moderator : H. Nagashima

Thoraco-lumbar spinal surgery

- 2-P85-1 Cyst formation at vertebral endplates around titanium-coated PEEK cages in patients treated by posterior lumbar interbody fusion 680
T. Makino, et al., Dept. of Orthop. Surg., Osaka University Graduate School of Medicine
- 2-P85-2 The risk factors for early recurrence of lumbar disc herniation after the initial operations 681
M. Masuda, et al., Dept. of Orthop. Surg., Japan Labour Health and Welfare Organization Spinal Injuries Center
- 2-P85-3 Surgical results of unilateral removal of pars interarticularis for patients with L5/S foraminal stenosis 681
K. Takahashi, et al., Dept. of Orthop. Surg., Tohoku Central Hospital
- 2-P85-4 Two year results of physical therapy for patients with lumbar spinal stenosis : Comparison of surgical and non-surgical treatment 682
M. Minetama, et al., Spine Care Center, Wakayama Medical University Kihoku Hospital
- 2-P85-5 The comparative study of lumbar sagittal alignment for lumbar surgical frame 682
M. Nobukiyo, et al., Sainou Hospital
- 2-P85-6 Utility of Sugegasa laminoplasty in surgery for thoracic spine 683
K. Kobayashi, et al., Department of Orthopaedic Surgery, Nagoya University Graduate School of Medicine

Poster 86

15 : 30~16 : 00

Moderator : A. Matsumura

Lumber Spinal fusion 1

- 2-P86-1 Tips of fusion surgery for aged patients with lumber degenerative lesions 683
M. Kubota, et al., Dept. of Spinal Surgery, Kameda Medical Center, Kamogawa, Japan
- 2-P86-2 Preventive effect of decompression surgery for degenerated adjacent segment following transforaminal lumbar interbody fusion (TLIF) 684
K. Fushimi, et al., Dept. of Orthopaedic Surgery, Gifu Univ. School of Medicine
- 2-P86-3 Effect of boomerang-shaped cage versus box-shaped cage on the local lumbar lordosis after posterior lumbar interbody fusion 684
K. Kuroki, et al., Hakodate Central Hospital, Spine Center
- 2-P86-4 The effect of obesity and being overweight on disability and pain after lumbar fusion : An analysis of 805 patients 685
Y. Sorimachi, et al., Dept. of Orthop. Surg., Japanese Red Cross Maebashi Hosp.
- 2-P86-5 Short-term clinical outcome of Wiltse approach and conventional midline approach in single-level posterior lumbar interbody fusion 685
S. Sasaki, et al., Department of Orthopaedic Surgery, Hakodate City Hospital

- 2-P86-6 Does the material of the spinal cage influence the bone union in posterior lumbar interbody fusion? 686
S. Nishimura, et al., Dept. of Orthop. Surg., Keiyu Hospital

Poster 87

16 : 00~16 : 30

Moderator : **M. Fukuoka**

Lumber Spinal fusion 2

- 2-P87-1 Evaluation of factors affecting sinking of intervertebral cage in patient with lumbar degenerative diseases underwent 2-level posterior lumbar interbody fusion 686
N. Isogai, et al., Department of Orthopedic Surgery, Keio University School of Medicine
- 2-P87-2 What is important for the enhancement of lumbar lordosis after PLIF procedure? 687
H. Tsukazaki, et al., Kansai Rousai Hospital
- 2-P87-3 Evaluation of the temporal change of the X-ray and reconstruction CT image after L5/S1 TLIF : A retrospective study 687
Y. Kobayashi, et al., Japanese Red Cross Shizuoka Hospital, Spine Center
- 2-P87-4 Bone formation using Hydroxyapatite/ Collagen (HAp/Col) as a scaffold in posterior lumbar interbody fusion 688
M. Yuasa, et al., Dept. of Orthop., Saiseikai Kawaguchi General Hospital
- 2-P87-5 Effects of lumbar stiffness after lumbar fusion surgery on activities of daily living 688
H. Kimura, et al., Dept. of Orthop. Surg., Hyogo Prefectural Amagasaki General Medical Center
- 2-P87-6 Long percutaneous pedicle screws improved union rate of facet fusion surgery in degenerative spondylolisthesis 689
A. Nagamachi, et al., Dept. of Orthop. Surg., Mitoyo General Hospital, Kanonji, Kagawa, Japan

Poster 88

16 : 30~16 : 55

Moderator : **T. Tsuji**

Aging spine surgery

- 2-P88-1 Postoperative complications of cervical surgery for aged patients more than 80 years old 689
K. Tamai, et al., Department of Orthopedic Surgery, Osaka City University Graduate School of Medicine
- 2-P88-2 Outcomes of cervical surgery for aged patients more than 80 years old : Multicenter, retrospective study 690
K. Tamai, et al., Department of Orthopedic Surgery, Osaka City University Graduate School of Medicine
- 2-P88-3 Study of perioperative complications of spinal surgery that performed more than 90 years 690
K. Kobayashi, et al., Department of Orthopaedic Surgery, Nagoya University Graduate School of Medicine

- 2-P88-4 Comparative study of preoperative comorbidities in the elderly patients for spinal surgery 691
Y. Torii, et al., St. Marianna University School of Medicine Yokohama City Seibu Hospital
- 2-P88-5 The consideration of perioperative complications in elderly spine surgery 691
N. Tanaka, et al., Department of Orthopaedic Surgery, University of Yamanashi

Break

Poster 89

17 : 00~17 : 30

Moderator : **T. Takebayashi**

Long term outcome on surgery

- 2-P89-1 Long term follow-up result (more than 10 years) after cervical laminoplasty 692
N. Miyake, et al., Dept. of Orthop. Surg., Kudanzaka Hospital
- 2-P89-2 Analyses of long-term results and the ossification form after the expansive laminoplasty for the cervical ossification of posterior longitudinal ligament 692
M. Nishida, et al., Dept. of Orthopedic Surgery, Keio University
- 2-P89-3 Surgical treatment of the middle and lower cervical myelopathy complicated with the atlantoaxial subluxation 693
A. Ono, et al., Dept. of Orthop. Surg., Hirosaki Memorial Hospital
- 2-P89-4 A long term follow-up of anterior lumbar interbody fusion for lumbar disc herniation 693
K. Otani, et al., Dept. of Orthop. Surg., Kudanzaka Hospital
- 2-P89-5 A 20-year-follow-up study of ALIF 694
T. Toyone, et al., Dept. of Orthop. Surg., Showa Univ. School of Medicine
- 2-P89-6 Posterolateral fusion for degenerative lumbar spondylosis : Long term follow up study 694
T. Katayama, et al., Kudanzaka Hospital, Tokyo, Japan

Poster 90

15 : 00~15 : 30

Moderator : **T. Maeda**

Cervical spinal trauma

- 2-P90-1 Percutaneous screw fixation for hangman's fractures 695
S. Osaki, et al., Dept. of Orthop. Surg., Japanese Red Cross Kobe Hospital
- 2-P90-2 Clinical outcome of C2 odontoid fracture with posterior fixation without fusion 695
I. Yamamoto, et al., Dept. of Orthop. Surg., Teikyo Univ. School of Medicine
- 2-P90-3 A study on cases of post-operative neurological complication after anterior fusion for cervical trauma 696
I. Okano, et al., Dept. of Orthop. Surg., Ohtanishinouchi Hosp.
- 2-P90-4 The Relationship between Acute MRI Features and Neurological Prognosis in Patients with Cervical Spinal Cord Injury 696
A. Matsushita, et al., Dept. of Orthop. Surg., Spinal Injuries Center

- 2-P90-5 A study of risk factors for tracheostomy in patients with a cervical spinal cord injury 697
J. Tanaka, et al., Dept. of Orthop. Surg., Fukuoka Univ.
- 2-P90-6 Recovery Mechanism of the Respiratory Dysfunction in the Cervical Spinal Cord Injury without Bony Injury –Participation of the corticospinal tract- 697
C. Ushiku, et al., Spinal Cord Injury Center, Hokkaido Chuo Rosai Hospital

Poster 91

15 : 30~16 : 00

Moderator : **F. Suetsuna**

Spinal trauma etc

- 2-P91-1 Risk factors for dysphagia in acute cervical spinal cord injury 698
T. Hayashi, et al., Dept. of Orthop. Surg., Spinal Injuries Center
- 2-P91-2 Clinical Outcomes and Social Activities of Surgical Treatments for Traumatic Spinal Injuries due to Snowboarding 698
T. Masuda, et al., Dept. of Orthopaedic Surgery, Spine Centre, Kizawa Memorial Hospital
- 2-P91-3 Surgical treatment of thoracolumbar burst fracture using percutaneous pedicle screw fixation ... 699
T. Muramoto, et al., Dept. of Orthop. Surg., University of Occupational and Environmental Health
- 2-P91-4 The efficacy of low dose steroid administration combined with hyperbaric oxygen therapy in patients with spinal cord trauma : Comparison with NASCIS II protocol 699
T. Ebihara, et al., Dept. of Orthop. Surg., Nihon Univ. School of Medicine
- 2-P91-5 Impact of percutaneous posterior fixation surgery on general condition and activities of daily living of patients with spinal metastasis 700
T. Yurube, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- 2-P91-6 Outcome of metastatic spinal tumor with pathological vertebral fracture after Balloon kyphoplasty 700
T. Ogawa, et al., Dept. of Orthop. Surg., National Disaster Medical Center

Poster 92

16 : 00~16 : 30

Moderator : **S. Kawaguchi**

Pyogenic spondylitis

- 2-P92-1 Factor of neurological deficit cause with the epidural abscess 701
A. Fujii, et al., Kawasaki Municipal Tama Hospital
- 2-P92-2 Clinical and radiological features affecting the clinical results of conservative therapy for pyogenic spondylitis 701
T. Haku, et al., Dept. of Orthop. Surg., Osaka Saiseikai Hospital
- 2-P92-3 Treatment outcome of percutaneous nucleotomy for pyogenic spondylodiscitis 702
O. Tsuji, et al., Dept. of Orthop. Surg., JCHO Saitama Medical Center
- 2-P92-4 Clinical results of percutaneous endoscopic discectomy (PED) for pyogenic spondylitis 702
M. Kono, et al., Dept. of Orthop. Surg., University of Tsukuba Hospital

2-P92-5	Six cases of spinal infection in atlanto-axial joints.....	703
	<i>T. Matsuoka, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Society Himeji Hospital	
2-P92-6	A cases of lumbar disc pseudogout which diagnosed by needle biopsy	703
	<i>A. Yabu, et al.</i> , Dept. of Orthopaedic Surgery, Shiraniwa Hospital	

Poster 93

16 : 30~17 : 00

Moderator : K. Otani

Chronic low back pain

2-P93-1	Analysis of relevance between quantitative values of lumbar discs degeneration with MRI T2mapping and neuropathic pain in chronic low back pain patients	704
	<i>I. Ogon, et al.</i> , Department of Orthopaedic Surgery, Sapporo Medical University School of Medicine	
2-P93-2	Correlation with disc degeneration and fatty degeneration of psoas muscles in chronic low back pain using MRI T2 mapping and MR spectroscopy	704
	<i>I. Ogon, et al.</i> , Department of Orthopaedic Surgery, Sapporo Medical University School of Medicine	
2-P93-3	Analysis of Modic change/disc degeneration and pain mechanism in chronic low back pain	705
	<i>I. Ogon, et al.</i> , Department of Orthopaedic Surgery, Sapporo Medical University School of Medicine	
2-P93-4	Quantitative analysis concerning amyotrophy and fatty degeneration of multifidus muscle.....	705
	<i>I. Ogon, et al.</i> , Department of Orthopaedic Surgery, Sapporo Medical University School of Medicine	
2-P93-5	Analysis of pain mechanism for fatty degeneration of multifidus muscle in chronic low back pain	706
	<i>I. Ogon, et al.</i> , Department of Orthopaedic Surgery, Sapporo Medical University School of Medicine	
2-P93-6	How fat content in paraspinal muscle can be a predictive factor of therapeutic effect with chronic low back pain patients?	706
	<i>H. Takashima, et al.</i> , Dept. of Orthop. Surg., Sapporo Medical Univ. School of Medicine	

Poster 94

17 : 00~17 : 25

Moderator : K. Sato

Conservative treatment

2-P94-1	Intrathecal Baclofen Therapy for Severe Spasticity	707
	<i>Y. Takagi, et al.</i> , Dept. of Orthop. Surg., Tonami General Hospital	
2-P94-2	The osteoporotic drug medication for the spondylitis with Modic change -The possibility of the efficacy of Eldecalcitol for the spinal inflammation, and for the chronic low back pain-	707
	<i>R. Murotani, et al.</i> , Dept. of Orthopaedic Surg., Juntendo Univ. Urayasu Hosp.	
2-P94-3	The effect of the ear-hook magnetic therapy device, EARHOOK, for VDT syndrome	708
	<i>H. Oda</i> , Oda Orthop. Surg. Clinic	
2-P94-4	Effect of Pregabalin for Spinal Disorders.....	708
	<i>K. Maenosono, et al.</i> , Dept. of Orthop. Surg., Nanpuh Hospital	

- 2-P94-5 Body weight support lift POPO for patients with severe walk disturbance due to cervical diseases 709
K. Kitaoka, et al., Dept. of Orthop. Surg., Kochi Hata Prefectural Hospital

Poster 95

15 : 00~15 : 30

Moderator : **N. Wakao**

Spinal cord tumor 1

- 2-P95-1 Clinical outcomes and problems of the intradural-extramedullary tumors at the conus medullaris level 709
K. Nishida, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- 2-P95-2 Time-spatial labeling inversion pulse magnetic resonance imaging of cystic lesions of the spinal cord 710
T. Ishibe, et al., Center for Spine Surgery, Japan Community Healthcare Organization Tamatsukuri Hospital
- 2-P95-3 Clinical findings in patients with spinal cord tumor, myelitis, and intramedullary hemorrhage using ¹⁸F-FDG PET 710
T. Furuya, et al., Dept. of Orthopaedic Surgery, Chiba University Graduate School of Medicine
- 2-P95-4 Two cases report of meningioma without dural attachment 711
I. Takahashi, et al., Dept. of Orthop. Surg., Niigata City General Hospital
- 2-P95-5 Safety en bloc resection of ossified meningioma including dura mata by excision of hemilateral facet and pedicle 711
T. Kimura, et al., Dept. of Orthop. Surg., Shikoku Medical Center for Children and Adults
- 2-P95-6 Surgical outcome in treating spinal meningioma in 27 years 712
M. Abematsu, et al., Department of Orthopaedic Surgery, Kagoshima Univ. Graduate School of Medical and Dental Science, Kagoshima, Japan

Poster 96

15 : 30~16 : 00

Moderator : **M. Oshima**

Spinal cord tumor 2

- 2-P96-1 Valve-like mechanism by nerve root fiber and mechanical instability causing spinal extradural arachnoid cysts : A multicenter study of 12 cases 712
K. Morizane, et al., Dept. of Orthop. Surg., Kyoto Univ. Graduate School of Medicine
- 2-P96-2 Surgical outcome in patients with myxopapillary ependymoma 713
T. Furuya, et al., Dept. of Orthopaedic Surgery, Chiba University Graduate School of Medicine
- 2-P96-3 Recapping laminoplasty for excision of intradural tumors in the thoracic and lumbar spine 713
M. Fukuoka, et al., Dept. of Orthop. Surg., Nagoya City Univ. Graduate School of Medical Sciences

- 2-P96-4 Usefulness of lumbar cerebrospinal fluid drainage for prevention of intraoperative cerebrospinal fluid leak..... 714
K. Kobayashi, et al., Department of Orthopaedic Surgery, Nagoya University Graduate School of Medicine
- 2-P96-5 The dural repair using the combination of polyglycolic acid mesh and fibrin glue and postoperative management in spine surgery 714
S. Masuda, et al., Dept. of Orthop. Surg., Kobe City Medical Center West Hospital
- 2-P96-6 Delayed postoperative fever after spinal surgery with dural incision and intradural procedure -Is it Chemical meningitis?..... 715
Y. Takeshita, et al., Dept. of Orthop. and Spine Surg., Yokohama Rosai Hosp.

Poster 97

16 : 00~16 : 30

Moderator : **T. Hozumi**

Metastatic spinal tumor 1

- 2-P97-1 Useful Tumor markers for diagnosis of Spinal Metastases of Unknown Primary Origin..... 715
C. Maeda, et al., Department of Orthopaedic Surgery and Musculoskeletal Oncology, Tokyo Metropolitan Cancer and Infectious Diseases Center Komagome Hospital, Tokyo, Japan
- 2-P97-2 The problem of prognostic scoring systems for patients with metastatic spine tumor 716
S. Yamada, et al., Dept. of Orthop. Surg., Nagasaki Rosai Hospital
- 2-P97-3 The influence of surgical treatment for the spinal metastasis to overall survival 716
K. Suzuki, et al., Dept. of Orthop. Surg., Toyama Univ. School of Medicine
- 2-P97-4 Treatment for spinal metastasis using denosumab 717
T. Furuya, et al., Dept. of Orthopaedic Surgery, Chiba University Graduate School of Medicine
- 2-P97-5 Treatment of metastatic spinal tumor of breast cancer 717
I. Baba, et al., Dept. of Orthop. Surg., Osaka Medical College
- 2-P97-6 Separation surgery with stereotactic body radiation therapy for spinal tumor..... 718
S. Sugita, et al., Dept. of Orthop. and Musculoskel. Surg., Tokyo Metro Hosp. Komagome

Poster 98

16 : 30~17 : 05

Moderator : **T. Ogata**

Metastatic spinal tumor 2

- 2-P98-1 Histological study of bone formation with spinal reconstruction using liquid nitrogen frozen bone 718
K. Shinmura, et al., Dept. of Orthopaedic Surgery, Kanazawa University Graduate School of Medical Sciences
- 2-P98-2 Does Denosumab increase bone strength of metastatic vertebral body from a visceral cancer? -Assessment of strength changes with time based on Finite Element Analysis 719
N. Wakao, et al., Spine Center, Aichi Medical University

2-P98-3	Surgical strategy for metastatic spinal tumor using posterior piecemeal total excision with en bloc corpectomy.....	719
	<i>K. Yoshioka, et al.</i> , Dept. of Orthop. Surg., Kanazawa Univ., Japan	
2-P98-4	Factors of postoperative ambulatory status after posterior decompression surgery with intraoperative radiation therapy for metastatic spinal tumors	720
	<i>T. Hozumi, et al.</i> , Dept. of Orthop. Surg., Tokyo Metropolitan Komagome Hosp.	
2-P98-5	Advance and transition of surgical treatment for metastatic spinal tumor	720
	<i>K. Ishii, et al.</i> , Seirei Hamamatsu General Hospital Spine Center	
2-P98-6	Instability of local metastatic vertebra and global spine in patients with metastatic spinal tumor ..	721
	<i>M. Kawasaki, et al.</i> , Dept. of Orthop. Surg., Kochi Medical School	
2-P98-7	Minimally Invasive spine Stabilization (MIS _t) for metastatic spinal tumor –Retrospective multi-center study–	721
	<i>T. Hikata, et al.</i> , Dept. of Orthop., Keio University School of Medicine	