

Program of the 46th Annual Meeting of the Japanese Society for Spine Surgery and Related Research

The First Day—April 13 (Thursday)

Room 1

Symposium 1

8 : 30～10 : 00

Moderators : Y. Matsuyama

H. Taneichi

Current status and future view of Lateral Lumbar Interbody Fusion

1-1-S1-1	XLIF—Indication and surgical techniques-	181
	<i>H. Yamada</i> , Dept. of Orthop. Surg., Wakayama Medical University	
1-1-S1-2	Indication and technique of oblique lateral interbody fusion	181
	<i>S. Ohtori, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. School of Medicine	
1-1-S1-3	Theory and practice of deformity correction with LIF in adult spinal deformity	182
	<i>N. Hosogane, et al.</i> , Dept. of Orthop. Surg., National Defense Medical College	
1-1-S1-4	Minimally invasive approach to adult spine deformity using minimally invasive stabilization (MIS) technique	182
	<i>T. Saito, et al.</i> , Dept. of Orthop. Surg., Kansai Medical University Medical Center	
1-1-S1-5	Comparison of the Hybrid method and minimally invasive spine stabilization with PPS	183
	<i>S. Ebata, et al.</i> , Dept. of Orthopaedic, Yamanashi Univ.	
1-1-S1-6	Nationwide complication survey related to lateral interbody fusion	183
	<i>S. Fujibayashi</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto University	

Break

Video Session

10 : 20～11 : 50

Moderators : H. Nakamura

M. Matsumoto

Know the tips of expert

1-1-VS-1	Know the tips of expert “spinal cord tumor”	
	Surgical treatment of refractory spinal cord tumors	184
	<i>M. Nakamura</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	

1-1-VS-2	Know the tips of expert “endoscopic surgery” A noble procedure of the posterior spinal endoscopic surgery	184
	<i>M. Yoshida</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	
1-1-VS-3	Know the tips of expert “corrective surgery for cervical deformity” Correction surgery for various cervical deformity	185
	<i>T. Shimizu</i> , Dept. of Orthop. Surg., Gunma Spine Center (Harunaso Hospital)	
1-1-VS-4	Know the tips of expert “pediatric spinal deformity” Surgical technique for spinal deformity in children	185
	<i>M. Takaso</i> , Dept. of Orthop. Surg., Kitasato Univ. School of Medicine	
1-1-VS-5	Know the tips of expert “adult spinal deformity” A fail-safe surgery, the segmental (decompression), release, correction, and fusion for adult to elderly spinal deformities	186
	<i>K. Hasegawa, et al.</i> , Niigata Spine Surgery Center	

Break**Luncheon Seminar 1**

12 : 05~13 : 05

Moderator : **K. Uno**

1-1-LS1	Prevention and revision surgery of instrumentation-related complications–Surgical management of the adjacent segment diseases, PJF, DJF and osteoporotic vertebral fracture–	186
	<i>J. Kunogi</i> , Dept. of Spine and Orthopedic Surgery center, Japanese Red Cross Medical Center, Tokyo, Japan	

Break**Presidential Address**

14 : 20~14 : 50

Moderator : **Y. Tokuhashi**

1-1-PA	Steps and challenges for the management of spinal deformity	187
	<i>Y. Shimada</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine	

Break**Plenary Lecture 1**

15 : 00~16 : 00

Moderator : **Y. Shimada**

1-1-PL1	Development of Cervical Instrumentation and Correction Surgery for Cervical Deformities	187
	<i>K. Abumi</i> , Sapporo Orthopaedic Hospital–Center for Spinal Disorders	

Break**Debate 1**

16 : 10~17 : 10

Moderators : **Y. Nohara****N. Kawakami****Correction surgery for adult spinal deformity : LLIF vs Osteotomy**

1-1-DB1-1	Usefulness of three column osteotomy in adult spinal deformity	188
	<i>S. Sano</i> , Spine Center, Sanraku Hospital	
1-1-DB1-2	Coronal and Sagittal Spinal Realignment with Lateral Approach Surgery in Adult Spinal Deformity	188
	<i>T. Kanemura, et al.</i> , Spine Center, Konan Kosei Hospital	

Debate 2

17 : 10~18 : 10

Moderators : **S. Sato****H. Nagashima****Spondylodiscitis : Fusion vs Endoscopic surgery**

1-1-DB2-1	Percutaneous endoscopic surgery is the first-line treatment for pyogenic spinal infection in the thoracic and lumbar spine	189
	<i>M. Ito, et al.</i> , Hokkaido Medical Center	
1-1-DB2-2	Efficacy of percutaneous pedicle screw fixation for intractable spinal infection	189
	<i>K. Ishii</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	

Break**Evening Seminar 1**

18 : 20~19 : 20

Moderator : **T. Saito**

1-1-ES1	Diagnosis and treatment strategy for spinal disorders associated with osteoporosis	190
	<i>H. Haro, et al.</i> , Dept. of Orthop. Surg., Univ. of Yamanashi School of Medicine	

Room 2

Main Theme 1

8 : 30～9 : 20

Moderator : H. Iizuka

Verification of the assessment tools for spinal disorders (JOACMEQ, JOABPEQ)

1-2-M1-1	Evaluation with JOA Back Pain Evaluation Questionnaire (JOABPEQ) of tubular surgery with the assistance of endoscopic surgery via a paramedian or midline approach for lumbar spinal canal stenosis	190
	<i>J. Komatsu, et al.</i> , Departments of Orthopaedic and Spinal Surgery, Aizu Medical Center, Fukushima Medical University	
1-2-M1-2	Validity and limitation of JOABPEQ in evaluation of surgical outcomes for lumbar spinal stenosis	191
	<i>T. Nikaido, et al.</i> , Dept. of Orthop. Surg., Fukushima Medical Univ. School of Medicine	
1-2-M1-3	A prospective study of clinical outcomes evaluated with JOABPEQ and patients satisfaction after lumbar spine surgery	191
	<i>H. Yasuda, et al.</i> , Dept. of Orthop. Surg., Osaka General Hospital of Japan Railway Campany	
1-2-M1-4	Relation between radiologic parameters in the whole spine from osteoporotic vertebral fracture patients and JOABPEQ	192
	<i>T. Ikeda, et al.</i> , Dept. of Orthop. Surg., Kindai University Hospital	
1-2-M1-5	Do the spino-pelvic parameters affect low back pain and lumbar dysfunction after lumbar surgery?	192
	<i>H. Tsukazaki, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization, Osaka Minami Medical Center	
1-2-M1-6	Multi-center Cross-sectional Study to Determine the Key Parameters Which Worsen the QOL of Adult Spinal Deformity Patients	193
	<i>D. Takeuchi, et al.</i> , The Standard for Diagnosis and Evaluation Committee, The Japanese Society for Spinal Surgery and Related Research	

Break

Main Theme 2

9 : 40～10 : 30

Moderator : K. Suda

Current status and future of spinal cord regeneration

1-2-M2-1	The examination of effectiveness and safety on the transplantation of human iPS cell-derived neuron precursor cells for subacute and chronic spinal cord injury	193
	<i>T. Okubo, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
1-2-M2-2	The effectiveness and mechanism of bone marrow stromal cells transplantation for spinal cord injury.....	194
	<i>H. Nakajima, et al.</i> , Dept. of Orthop. and Rehabil. Med., Univ. of Fukui Faculty of Medical Sciences	

1-2-M2-3	Administration of microRNA-145 for spinal cord regeneration	194
	<i>N. Kamei, et al.</i> , Dept. of Orthop. Surg., Hiroshima Univ.	
1-2-M2-4	Reversibility of astrogliosis after spinal cord injury	195
	<i>S. Okada, et al.</i> , Dept. of Orthop. Surg., Kyushu Univ. School of Medical Sciences	
1-2-M2-5	Intrathecal administration of recombinant human hepatocyte growth factor for acute spinal cord injury : Road from bench to clinical trial and future perspective	195
	<i>K. Kitamura, et al.</i> , Department of Orthopedic Surgery, Saiseikai Yokohamashi Tobu Hospital	
1-2-M2-6	Prospective, randomized, controlled, double-blinded clinical trial of granulocyte colony-stimulating factor for spinal cord injury.....	196
	<i>M. Koda, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. Graduate School of Medicine	

Break

Main Theme 3

10 : 50~11 : 40

Moderator : M. Kawakami

Advances of imaging in the diagnosis of spinal diseases

1-2-M3-1	Diffusion tensor imaging can predict surgical outcomes of the motor function of lower limbs	196
	<i>M. Kitamura, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. Graduate School of Medicine	
1-2-M3-2	Development of prediction software for spinal alignment utilizing artificial intelligence.....	197
	<i>K. Watanabe, et al.</i> , Dept. of Orthop. Surg., Keio University	
1-2-M3-3	Visualization of cervical nerve root and novel preoperative assessment for cervical radiculopathy using three-dimensional MRI.....	198
	<i>S. Yamaya, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. School of Medicine	
1-2-M3-4	Cervical Foraminal Stenosis Assessment using Ultrasonography : Cross-sectional Area Measurements of Cervical Nerve Roots in 100 Patients and 200 Healthy Volunteers. A Prospective Pilot Study.....	198
	<i>M. Takeuchi, et al.</i> , Dept. of Spine Center, Aichi Medical Univ.	
1-2-M3-5	Analysis of Cortical Plasticity after Spinal Cord Injury in Mice Using Resting State-fMRI	198
	<i>K. Matsubayashi, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
1-2-M3-6	The evaluation of bone strength of osteoporotic vertebrae using micro finite element method with micro architecture.....	199
	<i>M. Machida, et al.</i> , Dept. of Spine & Spinal Cord Surgery, Yokohama Brain and Spine Center	

Luncheon Seminar 2

12 : 05~13 : 05

Moderator : S. Ichimura

1-2-LS2	Pain control of musculoskeletal diseases : Coxib reconsideration as NSAIDs	199
	<i>S. Soen</i> , Dept. of Orthop. Surg. and Rheumatol., Kindai Univ. Nara Hospital	

Room 3

Invited Lecture 1

8 : 30~9 : 30

Moderator : **M. Nakamura**

- 1-3-IL1 Surgical treatment for acute vertebral osteomyelitis of the thoracic and lumbar spines 200
S.T. Wang, Dept. of Orthop. Surg., School of Medicine, National Yang Ming Univ. /Division of Spine Surg., Dept. of Orthop. and Traumatology, Taipei Veterans General Hosp., Taipei, Taiwan

Break

Invited Lecture 2

9 : 40~10 : 40

Moderator : **Y. Yukawa**

- 1-3-IL2 Management of tuberculosis of the spine-Are we on the right track?- 201
R. Chaddha, K. J. Somaiya Medical College, Sion, Mumbai, India

Break

Invited Lecture 3

10 : 50~11 : 50

Moderator : **S. Kato**

- 1-3-IL3 Surgical treatment for Degenerative sagittal imbalance 202
W.J. Kim, Dept. of Orthop. Surg., Eulji Univ. Hosp., Korea

Break

Luncheon Seminar 3

12 : 05~13 : 05

Moderator : **M. Yamagata**

- 1-3-LS3 Development on correction surgery for adult spine deformity 202
E. Abe, Dept. of Orthop. Surg., Akita Kousei Medical Center

Room 4**Free Papers 1**

8 : 30～9 : 18

Moderator : **M. Iwasaki****Ossification of spinal ligaments 1**

1-4-F1-1	Low dose whole spine CT for the evaluation of the ossification of the spinal ligaments.....	203
	<i>K. Mori, et al.</i> , Dept. of Orthop. Surg., Shiga Univ. of Medical Science	
1-4-F1-2	Clinical features of the patients under 50 years old with thoracic myelopathy caused by ossification of posterior longitudinal ligament	203
	<i>M. Takahata, et al.</i> , Dept. of Orthop. Surg., Hokkaido Univ. School of Medicine	
1-4-F1-3	Surgical treatment for thoracic myelopathy due to simultaneous ossification of the posterior longitudinal ligament and ligamentum flavum at the same level	204
	<i>E. Onishi, et al.</i> , Kobe City Medical Center General Hospital	
1-4-F1-4	Complications of anterior decompression and fusion for thoracic ossification of posterior longitudinal ligament	204
	<i>S. Shindo, et al.</i> , Dept. of Orthop. Surg., Kudanzaka Hospital	
1-4-F1-5	Influence of ossification of yellow ligament on surgical results of posterior indirect decompression with fusion for ossification of the posterior longitudinal ligament of the thoracic spine	205
	<i>T. Fujita, et al.</i> , Enshu Hospital, Hamamatsu-city, Japan	
1-4-F1-6	Posterior decompression with instrumented fusion plus robot therapy for severe myelopathy due to thoracic OPLL	205
	<i>S. Kubota, et al.</i> , Division of Regenerative Medicine for Musculoskeletal System, Faculty of Medicine, University of Tsukuba	

Break**English Presentation Session 1**

9 : 20～10 : 00

Moderator : **M. Ito****Infection**

1-4-EPS1-1	Discovery of new biomarkers for early phase of surgical site infection using metabolome analysis in mouse osteomyelitis model	206
	<i>N. Isogai, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	
1-4-EPS1-2	Impact of preoperative serum rapid turnover proteins on early-stage surgical site infection after spine surgery	206
	<i>D. Kudo, et al.</i> , Department of Orthopedic Surgery, Akita University Graduate School of Medicine	

1-4-EPS1-3	Spinal instrumentation surgery is the highest SSI risk procedure among all clean orthopaedic surgeries	207
	<i>K. Yamada, et al.</i> , Kanto Rosai Hospital	
1-4-EPS1-4	A novel care bundle to prevent surgical site infection in spinal instrumentation surgery.....	207
	<i>K. Yamada, et al.</i> , Kanto Rosai Hospital	
1-4-EPS1-5	Management of surgical site infection (SSI) following spine surgery -Current trend and therapeutic strategies-	208
	<i>K. Fushimi, et al.</i> , Dept. of Orthopaedic Surgery, Gifu Univ. School of Medicine	

Break

English Presentation Session 2

10 : 10～10 : 50

Moderator : D. Togawa

Infection & Trauma

1-4-EPS2-1	Is Charlson comorbidity index predictive for ambulatory ability after anterior column reconstruction of pyogenic spondylitis in thoracolumbar spine?	208
	<i>K. Nagata, et al.</i> , Dept. of Orthop., Hitachi General Hospital	
1-4-EPS2-2	Infectious spondylitis in an aging society.....	209
	<i>K. Sugiura, et al.</i> , Department of Orthopedics, Tokushima University	
1-4-EPS2-3	The fixation surgery using posterior instrumentation without anterior debridement as a primary surgery for the treatment of thoracolumbar pyogenic spondylodiscitis.....	209
	<i>T. Ishikawa, et al.</i> , Department of Orthopedic Surgery, Sanmu Medical Center, Chiba, Japan	
1-4-EPS2-4	Surgical treatment for pyogenic vertebral osteomyelitis using antimicrobial implants	210
	<i>S. Demura, et al.</i> , Department of Orthopedic Surgery, Kanazawa University	
1-4-EPS2-5	Usefulness of oriented collagen tubes combined with basic fibroblast growth factor for the treatment of large peripheral nerve defect	210
	<i>H. Fujimaki, et al.</i> , Department of Orthopedic Surgery, Kitasato University School of Medicine	

Break

English Presentation Session 3

11 : 00～11 : 40

Moderator : Y. Kotani

Trauma

1-4-EPS3-1	Risk factors of paralysis due to the spinal fractures in patients with DISH	211
	<i>M. Tsushima, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. School of Medicine	

1-4-EPS3-2	Risk factors for kyphotic recurrence after short-segment temporary fixation for thoracolumbar burst fractures.....	211
	<i>H. Aono, et al.</i> , Osaka National Hospital	
1-4-EPS3-3	A more than 5-year follow-up of temporary short-segment fixation without augmentation for thoracolumbar burst fractures	212
	<i>M. Furuya, et al.</i> , Osaka National Hospital	
1-4-EPS3-4	Dysphagia after posterior cervical fixation for traumatic lower cervical spine injury	212
	<i>E. Takasawa, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Maebashi Hospital	
1-4-EPS3-5	Fall-related deterioration of subjective symptoms in patients with cervical myelopathy	213
	<i>A. Kimura, et al.</i> , Department of Orthopaedics, Jichi Medical University	

Break

Luncheon Seminar 4

12 : 05~13 : 05

Moderator : **T. Aizawa**

1-4-LS4	Surgical treatment of the upper cervical spine : Pitfalls and complications	213
	<i>H. Chikuda</i> , Dept. of Orthopaedic Surgery, Graduate School of Medicine, Gunma University	

Break

English Presentation Award

16 : 15~17 : 27

Moderators : **K. Chiba****S. Kato**

Infection & Trauma

1-4-EPA-1	A novel hydroxyapatite film coated with ionic silver via inositol hexaphosphate chelation prevents implant-associated infection	214
	<i>H. Funao, et al.</i> , Department of Orthopaedic Surgery, Kawasaki Municipal Kawasaki Hospital	
1-4-EPA-2	A double blind randomized trial of vancomycin powder into operative field for thoracolumbar fusions	214
	<i>M. Takeuchi, et al.</i> , Department of Spine Center, Aichi Medical University	
1-4-EPA-3	Thoracic and cervical instrumentation spinal surgery as a risk for SSI in posterior spinal surgery	215
	<i>K. Nakajima, et al.</i> , Kanto Rosai Hospital	
1-4-EPA-4	Directly reprogrammed human neural precursor cells : A novel and translationally relevant source for cell replacement therapy in spinal cord injury.....	215
	<i>N. Nagoshi, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	
1-4-EPA-5	Epidemiological survey of spinal cord injuries (SCI) in Fukuoka Prefecture, Japan.....	216
	<i>H. Sakai, et al.</i> , Spinal Injuries Center	

1-4-EPA-6	Selection of surgical procedures for cervical spinal injuries under consideration of vertebral artery injuries.....	216
	<i>K. Tada, et al.</i> , Department of Orthopedic Surgery, Kochi Health Sciences Center	
1-4-EPA-7	Surgical treatment for cervical spine trauma in ankylosing spine with diffuse idiopathic skeletal hyperostosis : Surgery within 8-hours after injury affects prognosis	217
	<i>O. Tsuji, et al.</i> , Department of Orthopaedic Surgery, Hokkaido Spinal Cord Injury Center	
1-4-EPA-8	Minimally invasive stabilization of spines via a new posterolateral approach for upper cervical spinal injuries.....	217
	<i>T. Tokioka</i> , Kochi Health Sciences Center	
1-4-EPA-9	Noncontiguous double-level unstable spinal injuries.....	218
	<i>M. Takami, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical University	

Break

Evening Seminar 2

18 : 20～19 : 20

Moderator : **M. Takasou**

1-4-ES2	Sagittal Spinal Realignment with Lateral Approach Surgery : Assessment for Intraoperative Spinal Parameters and Anatomical Understanding for Retroperitoneal Space.....	218
	<i>T. Kanemura, et al.</i> , Spine Center, Konan Kosei Hospital	

Room 5

Free Papers 2

8 : 30～9 : 18

Moderator : **M. Sumi**

Cervical spine

1-5-F2-1	Prevalence rate and risk factors of cervicogenic headache in patients with cervical spine disorders who need surgeries.....	219
	<i>K. Shimohata, et al.</i> , Department of Anesthseiology, Kameda Daiichi Hospital, Niigata, Japan	
1-5-F2-2	Predictive factors for acute exacerbation of cervical compression myelopathy	219
	<i>T. Tachibana, et al.</i> , Dept. of Orthop. Surg., Hyogo College of Medicine	
1-5-F2-3	Rapidly Progressive Neurological Deterioration in Cervical Spondylotic Myelopathy with Cervical Intramedullary High Intensity Area and Past History of Cardio-vascular Event.....	220
	<i>E. Takasawa, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Maebashi Hospital	
1-5-F2-4	Risk factors for deterioration in motor function with follow-up survey in patients with cervical spondylotic myelopathy	220
	<i>T. Yokoyama, et al.</i> , Dept. of Orthop. Surg., Odate Municipal General Hospital	

1-5-F2-5	Diagnostic characteristics of 10-second test on diagnosis for cervical myelopathy—An investigation of sensitivity and specificity by age group with ROC curve—	221
	<i>H. Kobayashi, et al.</i> , Dept. of Orthop. Surg., Fukushima Medical Univ. School of Medicine	
1-5-F2-6	A study for clinical significance of laterality on 10-second test	221
	<i>H. Kobayashi, et al.</i> , Dept. of Orthop. Surg., Fukushima Medical Univ. School of Medicine	

Break

Free Papers 3

9 : 20～10 : 08

Moderator : H. Hosoe

Cervical spine : Radiological diagnosis

1-5-F3-1	Developmental cervical canal stenosis in 1211 asymptomatic healthy subjects	222
	<i>H. Nakashima, et al.</i> , Dept. of Orthop. Surg., Konan Kosei Hospital	
1-5-F3-2	A 20-year longitudinal study evaluating degeneration of cervical spine using MRI in healthy volunteers	222
	<i>K. Daimon, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
1-5-F3-3	Withdrawn	
1-5-F3-4	Comparison of MRI and Dynamic CT Myelography for cervical spondylotic myelopathy	223
	<i>A. Tagami, et al.</i> , Department of Orthopaedic Surgery, Nagasaki University	
1-5-F3-5	Percutaneous ultrasonographic observation of the spinal cord after cervical laminoplasty at the postoperative early periods	224
	<i>Y. Nakaya, et al.</i> , Department of Orthopedic Surgery, Osaka Medical College, Osaka, Japan	
1-5-F3-6	A risk factor for progression of volume in cervical ossification of posterior longitudinal ligament by three-dimensional analysis	224
	<i>K. Katsumi, et al.</i> , Dept. of Orthopedic Surgery, Uonuma Institute of Community Medicine, Niigata University Medical and Dental Hospital	

Break

Free Papers 4

10 : 10～10 : 58

Moderator : N. Hosono

Cervical spinal alignment

1-5-F4-1	Analysis of factors to keep lordotic cervical spine	225
	<i>K. Ito, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. Graduate School of Medicine	
1-5-F4-2	Correlation between cervical alignment and spinal cord compression form in cervical myelopathy patients	225
	<i>T. Niimura, et al.</i> , Dept. of Orthop. Surg., Yokohama Minami Kyosai Hospital	

1-5-F4-3	A long term follow-up of cervical laminoplasty for cervical myelopathy	226
	<i>T. Taniyama, et al.</i> , Kudanzaka Hospital	
1-5-F4-4	Outcome of Surgical correction for severe cervical kyphosis (over 50 degree)	226
	<i>S. Onda, et al.</i> , Department of Orthopedics Surgery, Juntendo Medical University	
1-5-F4-5	Risk factors causing horizontal gaze disorder in the cervical kyphosis	227
	<i>K. Hashimoto, et al.</i> , Dept. of Orthop. Surg., Kindai Univ. Faculty of Medicine	
1-5-F4-6	Dropped head syndrome accompanied with torticollis	227
	<i>K. Endo, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	

Break

Free Papers 5

11 : 00～11 : 48

Moderator : **S. Asano**

Cervical myelopathy

1-5-F5-1	Clinical Outcomes of Cervical Spinal Surgery for Myelopathy Patients Coexisting cervical and lumbar stenosis (tandem spinal stenosis) : Retrospective analysis of 297 cases	228
	<i>T. Yamada, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical and Dental University	
1-5-F5-2	Comparison between spinous-process splitting laminoplasty and skip laminectomy for multilevel cervical myelopathy using JOACMEQ	228
	<i>H. Takayama, et al.</i> , Dept. of Orthop. Surg., Hyogo Prefectural Kakogawa Medical Center	
1-5-F5-3	Will sensory disturbance due to cervical myelopathy be improved by surgical intervention?	229
	<i>T. Inoue, et al.</i> , Dept. of Orthop. Surg., The Jikei Univ. School of Medicine	
1-5-F5-4	What factors affect the improvement of gait disturbance caused by cervical myelopathy?	229
	<i>T. Mimura, et al.</i> , Iida Municipal Hospital	
1-5-F5-5	Impact of obesity on surgical outcomes in patients with cervical spondylotic myelopathy after posterior decompression	230
	<i>S. Ishihara, et al.</i> , Dept. of Orthopaedic Surgery, International University of Health and Welfare, Mita Hospital, Tokyo, Japan	
1-5-F5-6	Study of the factors involved in the post-operative home reversion rate of cervical spondylotic myelopathy	230
	<i>Y. Takeuchi, et al.</i> , Dept. of Orthop. Surg., University of Occupational and Environmental Health, Japan	

Break**Luncheon Seminar 5**

12 : 05~13 : 05

Moderator : **Y. Matsuyama**

1-5-LS5-1	Lateral interbody fusion for adult spinal deformity "Approach for the decrease of surgical site infection"	231
	<i>S. Fujibayashi</i> , Department of Orthopedic Surgery, Graduate School of Medicine, Kyoto University	
1-5-LS5-2	Pitfall and troubleshooting in anterior approach of thoracolumbar spine	231
	<i>T. Kotani</i> , Dept. of Orthop. Surg., Seirei Sakura Citizen Hosp.	

Break**Main Theme 4**

16 : 15~17 : 05

Moderator : **T. Hasegawa****Treatment of chronic pain derived from spine**

1-5-M4-1	Clinical outcome of conservative treatment by cymbalta in chronic low back pain.....	232
	<i>M. Kamata, et al.</i> , Dept. of Orthop. Surg., Keiyu Hospital	
1-5-M4-2	Study of analgesic effect of duloxetine hydrochloride in the treatment of spinal disease-related pain	232
	<i>Y. Yanagisawa, et al.</i> , Dept. of Orthop. Surg., Hiroshima Red Cross Hospital & Atomic-bomb Survivors Hospital	
1-5-M4-3	Chronic nonspecific low back pain is associated with locomotive syndrome	233
	<i>Y. Iizuka, et al.</i> , Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine	
1-5-M4-4	Psychosocial factors to participate in Failed Back Surgery Syndrome (FBSS) : Importance of the objective evaluation	233
	<i>T. Nikaido, et al.</i> , Dept. of Orthop. Surg., Fukushima Medical Univ. School of Medicine	
1-5-M4-5	Efficacy of drug for low back pain with kyphosis.....	234
	<i>S. Ohtori, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. School of Medicine	
1-5-M4-6	The effect of vertebral deformity after fractured vertebra and global spinal sagittal malalignment for the residual low back pain after osteoporotic vertebral fracture	234
	<i>A. Iwata, et al.</i> , Spine Center, Hakodate Central General Hospital	

Break

Free Papers 6

17 : 13~17 : 53

Moderator : N. Arima

Dialysis associated spondylosis

1-5-F6-1	Surgical therapy for dialysis-related spondyloarthropathy	235
	<i>T. Ozawa, et al.</i> , Chiba Rousai Hospital	
1-5-F6-2	Perioperative complications of the spinal operations for the dialysis-dependent patients	235
	<i>T. Inoue, et al.</i> , Kumamoto Chuo Hospital	
1-5-F6-3	The impact of hemodialysis on the surgical outcome and mortality rate after lumbar surgery : A matched cohort study.....	236
	<i>Y. Hori, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ.	
1-5-F6-4	Clinical evaluation of Spinal Surgery and its complications for patients with Hemodialysis condition	236
	<i>Y. Inoue, et al.</i> , JCHO Tokyo Kamata Medical Center	
1-5-F6-5	Lumbar Fixation for the Hemodialysis-associated Spondylosis	237
	<i>T. Ando, et al.</i> , Dept. of Orthop. Surg., Nagoya Daini Red Cross Hospital	

Break

Evening Seminar 3

18 : 20~19 : 20

Moderator : T. Ueta

1-5-ES3	A Management for successful results of the surgery in the osteoporotic vertebral fracture.....	237
	<i>H. Konishi</i> , Dept. of Orthop. Surg., Nagasaki Rosai Hospital, Sasebo, Japan	

Room 6

Free Papers 7

8 : 30~9 : 18

Moderator : K. Sato

Lumbar spine : Epidemiology

1-6-F7-1	Analysis of risk factors for low back pain worsened in the region residents : The GAINA study	238
	<i>S. Tanishima, et al.</i> , Department of Orthopedic Surgery, Tottori University Faculty of Medicine	
1-6-F7-2	Assessment of the prevalence and risk factors of low back pain in Japanese workers	238
	<i>H. Sasaki, et al.</i> , Dept. of Orthop. Surg., Akita Rosai Hospital	
1-6-F7-3	Correlation lumbosacral transitional vertebrae with lumbar disc herniation	239
	<i>M. Wakasugi, et al.</i> , Department of Orthopaedic Surgery, Niigata Central Hospital	
1-6-F7-4	Analysis of the factors involved in the epidural fat accumulation	239
	<i>S. Ishihara, et al.</i> , Dept. of Orthopaedic Surgery, Keio University School of Medicine, Tokyo, Japan	

1-6-F7-5	Lumbar epidural lipomatosis is related to lipid metabolism abnormality <i>S. Ishihara, et al.</i> , Dept. of Orthopaedic Surgery, International University of Health and Welfare, Mita Hospital, Tokyo, Japan	240
1-6-F7-6	Low back pain and muscle tightness in high school baseball players <i>K. Kato, et al.</i> , Dept. of Orthop. Surg., Fukushima Medical Univ. School of Medicine	240

Break

Free Papers 8

9 : 20~10 : 08

Moderator : **H. Komori**

Lumbar spine : Diagnosis, evaluation

1-6-F8-1	Assesment physical disability due to low back pain among locomotive syndrome and cognitive dysfunction in a Japanese community <i>T. Fukutoku, et al.</i> , Department of Orthopedic Surgery, Hirosaki University Graduate School of Medicine, Hirosaki, Aomori, Japan	241
1-6-F8-2	Relationships between patient-reported outcomes and psychological factors in preoperative patients with lumbar spinal canal stenosis <i>T. Kitagawa, et al.</i> , Wakayama Medical University Kihoku Hospital Spine Care Center	241
1-6-F8-3	The evaluation of sleep disorder of acute low back pain using the wearable device <i>M. Inoue, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. School of Medicine	242
1-6-F8-4	Bayesian network model predicts postoperative clinical recovery of drop foot due to lumbar degenerative diseases <i>S. Takenaka, et al.</i> , Dept. of Orthop. Surg., Osaka Univ. School of Medicine	242
1-6-F8-5	The relationship of spinal disease and superior clunial nerve syndrome <i>T. Kawai, et al.</i> , Dept. of Spine and Spinal Cord Surg., Yokohama Brain and Spine Center	243
1-6-F8-6	Incidences of entrapment neuropathies in the patients of low back pain or leg discomfort <i>K. Owashi, et al.</i> , Dept. of Orthop. Surg., Nihonkai General Hospital	243

Break

Free Papers 9

10 : 10~10 : 58

Moderator : **T. Tsuji**

LIF : Anatomy

1-6-F9-1	The anatomical feature of spinal segmental artery and vein to prevent vascular injury in application of LIF (lateral interbody fusion) <i>N. Suzuki, et al.</i> , Department of Orthopaedic Surgery, Graduate School of Medical Sciences, Nagoya City University	244
----------	---	-----

1-6-F9-2	Trial for the visualization of paravertebral anatomy in lateral lumbar spine surgery using transvaginal ultrasound probe in retroperitoneal space	244
	<i>H. Nojiri, et al.</i> , Dept. of Orthop. Surg., Juntendo Tokyo Koto Geriatric Medical Center, Juntendo Univ. School of Medicine, Tokyo, Japan	
1-6-F9-3	Potential Apprehensions of Retroperitoneal Organs Injury in Lateral Lumbar Interbody Fusion Approach. Prospective Imaging Study Using Computed Tomography in Lateral Decubitus Position	245
	<i>J. Ouchida, et al.</i> , Dept. of Orthop. Surg., Konan Kosei Hospital	
1-6-F9-4	Positional relations of colon and kidney on magnetic resonance imaging for lateral interbody fusion	245
	<i>H. Iwasaki, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical University	
1-6-F9-5	The anatomical variation of psoas major muscle (Rising psoas sign) in the OLIF cases	246
	<i>S. Tanida, et al.</i> , Department of Orthopaedic Surgery, Graduate School of Medicine, Kyoto University, Kyoto, Japan	
1-6-F9-6	Critical Anomaly of Inferior Vena Cava : Intraoperative Risks for IVC Injury in LLIF	246
	<i>Y. Abe, et al.</i> , Dept. of Orthop. Surg., Eniwa Hospital	

Break

Free Papers 10

11 : 00～11 : 48

Moderator : H. Takei

LIF : Complication

1-6-F10-1	Evaluation of indirect decompression effect by LLIF for severe lumbar spinal canal stenosis	247
	<i>H. Murakami, et al.</i> , Dept. of Orthop. Surg., Iwate Medical Univ. School of Medicine	
1-6-F10-2	Evaluation of cage positions using posoperative axial CT images	247
	<i>M. Yoshida, et al.</i> , Dept. of Orthop. Surg., Kansai Electric Power Hospital	
1-6-F10-3	The examination of radiation exposure level for LLIF and lateral corpectomy	248
	<i>Y. Nakajima, et al.</i> , Dept. of Orthop. Surg., Jikei Univ. School of Medicine	
1-6-F10-4	Impact of intraoperative endplate injury in OLIF surgery in midterm follow up	248
	<i>K. Abe, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
1-6-F10-5	Assessment of relationship between intraoperative endplate fracture, cage subsidence and clinical results in LIF	249
	<i>K. Yanagisawa</i> , Aiseikai Yamashina Hospital	
1-6-F10-6	Quantitative Assessment of Leg Strength after XLIF vs OLIF	249
	<i>T. Kotani, et al.</i> , Dept. of Orthop. Surg., Seirei Sakura Citizen Hospital	

Break

Luncheon Seminar 6

12 : 05～13 : 05

Moderator : Y. Tanaka

1-6-LS6	Treatment strategy for lumbar kyphosis and dropped head	250
	<i>T. Toyone</i> , Showa Univ. School of Medicine	

Break

Free Papers 11

16 : 15～17 : 03

Moderator : Y. Morio

Osteoporotic vertebral fracture : Evaluation

1-6-F11-1	Evaluation of fragility fractures and bone mineral density in middle-aged and the elderly patients	250
	<i>T. Kushida, et al.</i> , Department of Orthopaedic Surgery, Kansai Medical University Hospital	
1-6-F11-2	Roll back radiography for osteoporotic vertebral collapse	251
	<i>H. Baba, et al.</i> , Dept. of Orthopaedic Surgery, Nagasaki Rosai Hospital	
1-6-F11-3	Finding out the osteoporotic vertebral fracture using thoracic and abdominal CT scan from inpatients-Secondary fracture prevention-	251
	<i>S. Takao, et al.</i> , Department of Orthopedic Surgery, Kagawa Prefectural Central Hospital, Kagawa	
1-6-F11-4	Recent trends in gender-and age-specific rate of prevalent vertebral fractures : A study using computed tomography	252
	<i>G. Kubota, et al.</i> , Dept. of Orthop. Surg., Eastern Chiba Medical Center	
1-6-F11-5	Compression fracture of Thoracolumbar Junction : Biomechanical study of finite element model of spine	252
	<i>N. Nishida, et al.</i> , Dept. of Orthop. Surg., Yamaguchi Univ. School of Medicine	
1-6-F11-6	Frequency of the burst fractures in fresh osteoporotic vertebral body fractures that needed hospitalization	253
	<i>M. Tokunaga, et al.</i> , Sendai Orthopaedic Hospital	

Break

Free Papers 12

17 : 05～17 : 53

Moderator : I. Yonezawa

Scoliosis : Surgery 1

1-6-F12-1	Assessment of postoperative correction rate in scoliosis surgery	253
	<i>M. Ishikawa, et al.</i> , Spine and Spinal Cord Center, Mita Hospital, International University of Health and Welfare	

1-6-F12-2	Evaluation of the factors influencing post-operative lung volume of patients with adolescent idiopathic scoliosis	254
	<i>N. Fujita, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
1-6-F12-3	Postoperative coronal decompensation inhibits the self-image improvement for adolescent idiopathic scoliosis patients	254
	<i>S. Higuchi, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ.	
1-6-F12-4	Does improvement of sagittal alignment due to evolution of surgical technique for posterior spinal fusion surgery affect QOL in AIS patients?.....	255
	<i>D. Sakai, et al.</i> , Dept. of Orthop. Surg., Tokai Univ. School of Medicine	
1-6-F12-5	Outcome of Physical Fitness Tests 35 Years After Surgery for Adolescent Idiopathic Scoliosis	255
	<i>T. Katogi, et al.</i> , Department of Physical Therapy, Seirei Sakura Citizen Hospital	
1-6-F12-6	Postoperative upper instrumented vertebra translation in thoracic adolescent idiopathic scoliosis after anterior spinal fusion.....	256
	<i>K. Yamada, et al.</i> , Department of Orthopaedic Surgery, Hokkaido University Hospital	

Break**Evening Seminar 4**

18 : 20～19 : 20

Moderator : **K. Takeshita**

1-6-ES4	Surgical planning for spine surgeryReview from our complication	256
	<i>S. Ohtori, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. School of Medicine	

Room 7**Free Papers 13**

8 : 30～9 : 18

Moderator : **Y. Aoki****Diagnostic imaging 1**

1-7-F13-1	Q-space imaging is a novel technique to evaluate intervertebral disc degeneration	257
	<i>D. Nakashima, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
1-7-F13-2	Analysis of cartilaginous endplate with ultra-short TE	257
	<i>T. Takebayashi, et al.</i> , Dept. of Orthop. Surg., Sapporo Medical Univ. School of Medicine	
1-7-F13-3	Visualization of spinal conduction block by magnetospinography	258
	<i>S. Kawabata, et al.</i> , Dept. of Advanced Technology in Medicine, Tokyo Medical and Dental Univ.	
1-7-F13-4	Diagnostic imaging for patients with idiopathic superficial siderosis due to dural defect : Efficacy of balanced sequence MRI	258
	<i>T. Yoshii, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical and Dental Univ.	
1-7-F13-5	Visualization of the lumbar nerve using reduced field-of-view diffusion tensor imaging	259
	<i>H. Kanamoto, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. School of Medicine	

1-7-F13-6	MR Cerebrospinal Fluid Flow Imaging with Time-Spatial Labeling Inversion Pulses (Time-SLIP) for Noninvasive Assessment in Normal Volunteer and Spinal Disorders	259
	<i>K. Takeuchi, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization Okayama Medical Center	

Break

Free Papers 14

9 : 20～10 : 08

Moderator : **F. Kasama**

Diagnostic imaging 2

1-7-F14-1	The clinical utility of a one-shot energy subtraction method for thoracic spine radiography : Analysis of 25 cases of multiple myeloma	260
	<i>T. Shimizu, et al.</i> , Dept. of Orthop. Surg., Kanazawa University Hospital	
1-7-F14-2	Alteration of Brain Neural Network in Cervical Spondylotic Myelopathy using Resting-State Functional Connectivity MRI technique	260
	<i>E. Takasawa, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Maebashi Hospital	
1-7-F14-3	Application of diffusion tensor imaging and neurite orientation dispersion and density imaging to quantify myelopathy severity and to assess postoperative neural recovery in cervical spondylotic myelopathy	261
	<i>T. Ohba, et al.</i> , Dept. of Orthop. Surg., University of Yamanashi	
1-7-F14-4	Correlation with fatty degeneration of multifidus/psoas muscles and disc degeneration using MR spectroscopy and MRI T2 mapping	261
	<i>I. Ogon, et al.</i> , Department of Orthopaedic Surgery, Sapporo Medical University School of Medicine, Hokkaido, Japan	
1-7-F14-5	Analysis of relevance between quantitative values of lumbar discs degeneration with magnetic resonance imaging T2 mapping and Schmorl's node	262
	<i>I. Ogon, et al.</i> , Department of Orthopaedic Surgery, Sapporo Medical University School of Medicine, Hokkaido, Japan	
1-7-F14-6	Significance of the "short cut sign" in diagnosing of the Tight Filum Terminale	262
	<i>M. Komagata, et al.</i> , Dept. of Orthop. Surg., Tamagawa Hospital	

Break

Free Papers 15

10 : 10～10 : 58

Moderator : **Y. Sugimoto**

Ankylosing spinal disorders

1-7-F15-1	The prevalence of DISH in Sweden	263
	<i>A. Hirasawa, et al.</i> , Spine Center, Aichi Medical Univ. Hospital	

1-7-F15-2	New Classification of Ankylosing spinal disorder by MRI and CT image and treatment results of fracture type	263
	<i>M. Furukawa, et al.</i> , Dept. of Orthop. Surg., Shizuoka City Shimizu Hospital	
1-7-F15-3	Spinal fractures in patients with diffuse idiopathic skeletal hyperostosis. Nationwide Multi-Institution Survey.....	264
	<i>E. Okada, et al.</i> , Dept. of Orthop. Surg., Saiseikai Central Hospital	
1-7-F15-4	Clinical outcomes and problems of spinal injuries in patients with ankylosing spinal disorders	264
	<i>M. Tanaka, et al.</i> , Dept. of Orthop. Surg., Juntendo Univ.	
1-7-F15-5	Diffuse idiopathic skeletal hyperostosis (DISH) is a risk factor for worse clinical results after decompression surgery of lumbar spine.....	265
	<i>B. Otsuki, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.	
1-7-F15-6	Excessive anterior widening of the fractured vertebral body in the supine position possibly causes delayed neurological deficits in patients with diffuse idiopathic skeletal hyperostosis	265
	<i>Y. Kasai, et al.</i> , Dept. of Orthop. Surg., Kochi Medical School/Spine Center	

Break

Free Papers 16

11 : 00～11 : 48

Moderator : K. Mori

Ankylosing spinal hyperostosis, thoracic spine

1-7-F16-1	The association between Diffuse Idiopathic Skeletal Hyperostosis and low back pain : A population-based cohort study	266
	<i>R. Kagotani, et al.</i> , Department of Orthopedic Surgery, Wakayama Medical University	
1-7-F16-2	Diffuse Idiopathic Skeletal Hyperostosis has Positive Relationship with Symptomatic Lumbar Spinal Stenosis.....	266
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Osaka Social Medical Center	
1-7-F16-3	Correlation between clinical outcome and spinopelvic parameters in ankylosing spondylitis.....	267
	<i>T. Sato, et al.</i> , Department of Orthopedic Surgery, Juntendo University School of Medicine	
1-7-F16-4	Surgical outcomes of laminectomy for thoracic myelopathy	267
	<i>S. Kohno, et al.</i> , Department of Orthopedic Surgery, Japan Community Health Care Organization Uwajima Hospital	
1-7-F16-5	Bone metabolism factor in patient with diffuse idiopathic skeletal hyperostosis complicated ossification of the posterior longitudinal ligament.....	268
	<i>S. Horie, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical University	
1-7-F16-6	The prevalence of Diffuse Idiopathic Skeletal Hyperostosis and the relations with physical function in high age populations	268
	<i>T. Banno, et al.</i> , Dept. of Orthop. Surg., Hamamatsu University School of Medicine	

Break**Luncheon Seminar 7**

12 : 05~13 : 05

Moderator : **Y. Tokuhashi**

- 1-7-LS7 Pathomechanism, diagnosis, and treatment of lumbar spondylosis 269
T. Sakai, et al., Dept. of Orthop. Surg., Tokushima Univ.

Break**Free Papers 17**

16 : 15~17 : 03

Moderator : **T. Tachibana****Upper cervical 1**

- 1-7-F17-1 Analysis of Prevalence and Risk Factors for Idiopathic Atlantoaxial Subluxation 269
S. Fujiwara, et al., Dept. of Orthop. Surg., Kobe Rosai Hospital, Kobe, Japan
- 1-7-F17-2 The effectiveness of Tomosynthes technique for diagnosis of the atlantoaxial subluxation 270
R. Tamaki, et al., Dept. of Orthop. Surg., Tokyo Women's Univ. School of Medicine
- 1-7-F17-3 Muscle weakness of the shoulder is the characteristic symptom of atlantoaxial myelopathy 270
M. Funaba, et al., Dept. of Orthop. Surg., Yamaguchi University of Medicine
- 1-7-F17-4 Effect of craniocervical junction and subaxial cervical sagittal alignment on cervical sagittal balance and oropharyngeal space in normal patients 271
M. Takemoto, et al., Dept. of Orthop. and Spine Surg., Kyoto City Hospital
- 1-7-F17-5 Diagnosis and clinical significance of hypoplasia of the atlas 271
Y. Onishi, et al., Dept. of Orthop. Surg., Kobe Rousai Hospital, Kobe, Japan
- 1-7-F17-6 Rotatory range of motion of atlanto-occipital joint increases after remodeling therapy for chronic atlantoaxial rotatory fixation 272
K. Kitamura, et al., Dept. of Orthop. Surg., Saiseikai Yokohamashi Tobu Hospital

Break**Free Papers 18**

17 : 05~17 : 53

Moderator : **E. Wada****Upper cervical 2**

- 1-7-F18-1 Occipital and External Acoustic Meatus to Axis angle (O-EAa) as a Predictor of the Oropharyngeal Space in Healthy Volunteers : A Novel Parameter for Craniocervical Junction Alignment 272
K. Morizane, et al., Dept. of Orthop. Surg., Kyoto Univ. Graduate School of Medicine

1-7-F18-2	Clinical results of Intra-operative control of O-C2 angle in occipitocervical fusion surgery	273
	<i>T. Abe, et al.</i> , Dept. of Orthop. Surg., University of Tsukuba	
1-7-F18-3	Capability of C2 pedicle screw insertion at posterior cervical spinal fusion surgeries	273
	<i>H. Noguchi, et al.</i> , Dept. of Orthop. Surg., Tsukuba Univ.	
1-7-F18-4	Feasibility and clinical outcomes of C1 lateral mass screw insertion via posterior arch	274
	<i>Y. Inui, et al.</i> , Dept. of Orthop. Surg., Kobe Medical Center, Kobe Japan	
1-7-F18-5	Epidemiology of upper cervical surgery and clinical features of retro-odontoid pseudotumors -Retrospective multicenter study-	274
	<i>R. Hyakkan, et al.</i> , Department of Orthopaedic Surgery, Hokkaido University Graduate School of Medicine	
1-7-F18-6	Operation for retro-odontoid pseudotumor	275
	<i>K. Kobayashi, et al.</i> , Department of Orthopaedic Surgery, Nagoya University Graduate School of Medicine	

Break

Evening Seminar 5

18 : 20～19 : 20

Moderator : **T. Shimizu**

1-7-ES5	Safe! Easy! Cervical laminoplasty using suture anchors	275
	<i>M. Neo</i> , Dept. of Orthop. Surg., Osaka Medical College	

Room 8

Free Papers 19

8 : 30～9 : 18

Moderator : **K. Sato**

Pyogenic spondylitis 1

1-8-F19-1	Clinical outcomes and problems of conservative treatment for pyogenic discitis	276
	<i>R. Takahashi, et al.</i> , Dept. of Orthop. Surg., Juntendo Univ. Shizuoka Hospital	
1-8-F19-2	Treatment plan for pyogenic spondylitis with epidural abscess	276
	<i>F. Kugimiya, et al.</i> , Dept. of Orthop. Surg., Saitama Univ. School of Medicine	
1-8-F19-3	Minimally invasive treatment for spinal infection cases using hyperbaric oxygen therapy	277
	<i>M. Hashimoto, et al.</i> , Dept. of Orthop. Surg., Chiba Rosai Hospital	
1-8-F19-4	Intermittent administration of linezolid for pyogenic spondylitis caused by Methicillin-resistant Staphylococcus aureus	277
	<i>T. Nakagawa, et al.</i> , Dept. of Orthop. Surg., National Defense Medical College, Tokorozawa, Saitama, Japan	
1-8-F19-5	Indication of drainage and factors associated with mortality in patients with iliopsoas abscess	278
	<i>H. Shoji, et al.</i> , Dept. of Orthop. Surg., Niigata Univ. School of Medicine	

1-8-F19-6	Mycobacterial examination of intraoperative specimen in patients with spinal tuberculosis under the standard treatment regimen for one month.....	278
	<i>K. Izawa, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization Toneyama National Hospital	

Break**Free Papers 20**

9 : 20～10 : 08

Moderator : **J. Hashimoto****Pyogenic spondylitis 2**

1-8-F20-1	Trends of pyogenic spondylitis for 8 years in Sado Island with a population of 60,000 people	279
	<i>Y. Ishikawa, et al.</i> , Dept. of Orthop. Surg., Sado General Hospital	
1-8-F20-2	Clinical outcomes of 15 cases of cervical pyogenic spondylodiscitis	279
	<i>Y. Kudo, et al.</i> , Dept. of Orthop. Surg., Showa Univ.	
1-8-F20-3	Examination of the minimally invasive treatment in pyogenic spondylitis-Percutaneous suction aspiration and drainage VS Hyperbaric oxygen therapy-	280
	<i>T. Matsubara, et al.</i> , Dept. of Orthop. Surg., Kurume Univ. School of Medicine	
1-8-F20-4	Clinical effectiveness and limitation of percutaneous endoscopic surgery for pyogenic spondylodiscitis	280
	<i>D. Ukeba, et al.</i> , Dept. of Spine and Spinal Cord Disorders, National Hospital Organization Hokkaido Medical Center	
1-8-F20-5	Percutaneous nucleotomy for pyogenic spondilitis	281
	<i>K. Yamana, et al.</i> , Dept. of Orthop. Surg., Okayama Citizens' Hospital	
1-8-F20-6	Analyses on unfavorable outcomes in the 2-staged surgical treatment for infected spondylitis	281
	<i>K. Miyamoto, et al.</i> , Spine Center, Gifu Municipal Hospital	

Break**Free Papers 21**

10 : 10～10 : 58

Moderator : **M. Machida****Scoliosis : Basic research**

1-8-F21-1	Retinol metabolism relates to pathogenesis of congenital scoliosis-Gene expression analysis in lumbar spine of model rats-	282
	<i>H. Sonoda, et al.</i> , Department of Orthopaedic Surgery, Graduate School of Medicine, Gunma University	
1-8-F21-2	The Trk family of neurotrophin receptors is downregulated in the lumbar spines of congenital kyphoscoliotic rats	282
	<i>D. Tsunoda, et al.</i> , Department of Orthopaedic Surgery, Graduate School of Medicine, Gunma University	

1-8-F21-3	A new genetic model for <i>TBX6</i> -associated congenital scoliosis	283
	<i>K. Takeda, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	
1-8-F21-4	Differential proteome analysis of plasma from adolescent idiopathic scoliosis patients.....	283
	<i>H. Makino, et al.</i> , Dept. of Orthop. Surg., Toyama Univ. School of Medicine, Toyama, Japan	
1-8-F21-5	Spinal curve patterns influence asymmetrical trunk-pelvic kinematics during gait in adolescent idiopathic scoliosis	284
	<i>M. Nishida, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio University, Tokyo, Japan	
1-8-F21-6	Correlation between dynamic shoulder balance during gait and radiographic shoulder balance in adolescent idiopathic scoliosis.....	284
	<i>K. Ito, et al.</i> , Dept. of Orthop. Surg., Keio Univ., Tokyo, Japan	

Break**Free Papers 22**

11 : 00~11 : 48

Moderator : **Y. Arai****Scoliosis : Assessment**

1-8-F22-1	Scoliosis screening in musculoskeletal survey—Significance of participation of orthopedic surgeon in reduction effect on medical expenses—.....	285
	<i>T. Hirano, et al.</i> , Division of Orthop. Surg., Niigata Univ. Graduate School of Medical and Dental Sciences	
1-8-F22-2	Three-dimensional measurements of body surface in adolescent idiopathic scoliosis	285
	<i>Y. Oda, et al.</i> , Department of Orthopaedic Surgery, Okayama University Hospital	
1-8-F22-3	Effect of lifestyle activities on curve type of adolescent idiopathic scoliosis	286
	<i>N. Isogai, et al.</i> , Spine and Spinal Cord Center, Mita Hospital, International University of Health and Welfare	
1-8-F22-4	Self-image in adolescent idiopathic scoliosis patients	286
	<i>T. Takigawa, et al.</i> , Dept. of Orthop. Surg., Okayama University Hospital	
1-8-F22-5	Radiographic and psychological risk factors for back pain in patients with adolescent idiopathic scoliosis without corrective surgery	287
	<i>T. Makino, et al.</i> , Department of Orthopaedic Surgery, Osaka University Graduate School of Medicine	
1-8-F22-6	The comparison of the sit-to-stand motion in Adolescence Idiopathic Scoliosis patients pre and post surgery	287
	<i>T. Katogi, et al.</i> , Department of Physical Therapy, Seirei Sakura Citizen Hospital	

Break

Luncheon Seminar 8

12 : 05~13 : 05

Moderator : M. Ito

- 1-8-LS8 Radiological and clinical results of TLIF fusions using a titanium coated cage system 288
T. Kevin, Klinikum Dortmund gGmbH, Germany

Break

Free Papers 23

16 : 15~17 : 03

Moderator : T. Hirano

Spinal cord tumor

- 1-8-F23-1 Can ¹⁸F-FDG PET predict differentiation between a benign spinal cord tumor and a malignant tumor? 288
T. Furuya, et al., Dept. of Orthopaedic Surgery, Chiba University Graduate School of Medicine
- 1-8-F23-2 The clinical algorithm with plain MR imaging for differentiation between spinalmeningioma and schwannoma-The prospective study- 289
Y. Yamamoto, et al., Dept. of Orthop. Surg., Nara Medical University
- 1-8-F23-3 Intracranial dissemination of primary spinal cord gliomas 289
T. Endo, et al., Department of Neurosurgery, Kohnan Hospital, Sendai, Japan
- 1-8-F23-4 Surgical outcome for intramedullary cavernous hemangioma of the spinal cord in relation to preoperative motor paresis, disease duration, and tumor volume and location 290
S. Imagama, et al., Dept. of Orthop. Surg., Nagoya Univ. Graduate School of Medicine
- 1-8-F23-5 Selection of surgical access myelotomy to spinal intramedullary tumors 290
T. Takami, et al., Department of Neurosurgery, Osaka City University Graduate School of Medicine
- 1-8-F23-6 Iatrogenic Pneumocephalus after Intradural Surgical Procedure 291
M. Masuda, et al., Dept. of Orthop. Surg., Japanese Organization of Labour Hearth and Safety Spinal Injuries Center

Break

Free Papers 24

17 : 05~17 : 53

Moderator : K. Nakanishi

Spinal tumor and spinal cord tumor

- 1-8-F24-1 Relevance of the effect and prognosis of bone modifying agent that was used as an index over time CT value in metastatic spinal tumor 291
R. Sasaoka, et al., Dept. of Orthop. Surg., Yodogawa Christian Hospital

1-8-F24-2	Lower extremities motor function of the L2 nerve root transection cases in total en bloc spondylectomy	292
	<i>N. Takahashi, et al.</i> , Dept. of Orthop. Surg., Kanazawa Univ. School of Medicine	
1-8-F24-3	New Strategy for spinal giant cell tumor using denosumab as preoperative adjuvant therapy of total en bloc spondylectomy	292
	<i>N. Yonezawa, et al.</i> , Department of Orthopaedic Surgery, Kanazawa University, Kanazawa, Japan	
1-8-F24-4	Predictive value of metabolic parameter by 18FDG-PET/CT in primary malignant spine and spinal cord tumor	293
	<i>Y. Matsumoto, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kyushu Univ.	
1-8-F24-5	Risk factor for postoperative complications and readmission within 90 days after the resection of spinal cord tumor : Is neurofibromatosis a predictor for postoperative adverse event?	293
	<i>J. Ohya, et al.</i> , Dept. of Spinal Surgery, JCHO Tokyo Shinjuku Medical Center	
1-8-F24-6	Clinical and radiographic differences between thoracic idiopathic spinal cord herniation and spinal arachnoid cyst	294
	<i>H. Nakashima, et al.</i> , Dept. of Orthop. Surg., Konan Kosei Hospital	

Break

Evening Seminar 6

18 : 20~19 : 20

Moderator : **S. Yabuki**

1-8-ES6	What's Next? Treatment Option for Chronic Pain-Spinal Cord Stimulation-	294
	<i>K. Ishii</i> , Department of Orthopaedic Surgery, Keio University School of Medicine, Department of Orthopaedic Surgery, International University of Health and Welfare	
	<i>S. Kosugi</i> , Department of Anesthesiology, Keio University School of Medicinene	

Poster Room

Poster 1

16 : 15~16 : 45

Moderator : **M. Sekiguchi**

Basic research of intervertebral disc

1-P1-1	Histological and immunohistochemical observation of the intervertebral disc in the rat intervertebral disc disorder model	295
	<i>Y. Yamamoto, et al.</i> , University of Fukui Faculty Medical Sciences	
1-P1-2	Intervertebral disc reproduction by the dedifferentiation fat cells (DFAT) transplant for the rat degenerated intervertebral disc model	295
	<i>E. Nakayama, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	

1-P1-3	Inhibition of autophagy through ATG5 knock down induces apoptosis and senescence, resulting in reduced cellularity, in human intervertebral disc cells	296
	<i>M. Ito, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
1-P1-4	A comparative study of multiple mTOR inhibitors regarding protective effects against cellular apoptosis, senescence, and extracellular matrix degradation in human intervertebral disc nucleus pulposus cells	296
	<i>Y. Kakiuchi, et al.</i> , Department of Orthopaedic Surgery, Kobe University Graduate School of Medicine	
1-P1-5	Expression of RANK/RANKL/OPG System in Human Intervertebral Disc Tissues in Early and Advanced Stages of Degeneration.....	297
	<i>T. Sano, et al.</i> , Dept. of Orthop. Surg., Mie Univ. School of Medicine	
1-P1-6	The Expression and Role of RANK/RANKL/OPG System in the Process of Degeneration in Human Intervertebral Disc	297
	<i>T. Sano, et al.</i> , Dept. of Orthop. Surg., Mie Univ. School of Medicine	

Poster 2

16 : 45~17 : 15

Moderator : **A. Kimura**

Basic research

1-P2-1	Unfolded protein response leads to intervertebral disc degeneration via NF- κ B signaling	298
	<i>T. Fujii, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	
1-P2-2	Intervertebral disc regeneration after implantation of an acellular bioresorbable ultra-purified alginate gel	298
	<i>T. Tsujimoto, et al.</i> , Department of Orthopaedic Surgery, Hokkaido University Graduate School of Medicine, Sapporo, Hokkaido, Japan	
1-P2-3	Hypoxia interfere with iPSC induction from nucleus pulposus cells	299
	<i>S. Hiraishi, et al.</i> , Dept. of Orthop. Surg., Surgical Science, Tokai Univ. School of Medicine	
1-P2-4	Neuromuscular imaging using human induced pluripotent stem cells	299
	<i>S. Tanaka, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. School of Medicine	
1-P2-5	Effect of Prostaglandin EP-4 agonist on osteoblastic differentiation and bone formation	300
	<i>S. Kanayama, et al.</i> , Department of Orthopedic Surgery, Osaka University	
1-P2-6	The effects of the quaternary lidocaine derivative, QX314, on slow ventral root potentials in spinal reflex responses of neonatal rats	300
	<i>C. Hayakawa, et al.</i> , Dept. of Orthop. Surg., Showa Univ. School of Medicine	

Poster 3

17 : 15~17 : 45

Moderator : K. Chiba

Diagnostic imaging

1-P3-1	Evaluation of collateral flow for cerebral posterior circulation with digital subtraction angiography	301
	<i>T. Aoyama, et al.</i> , Department of Orthopaedic Surgery, Spine Center, Teine Keijinkai Hospital	
1-P3-2	Motor task-based functional MRI of cervical spinal cord	301
	<i>S. Maki</i> , Dept. of Orthop. Surg., Chiba Univ. Graduate School of Medicine	
1-P3-3	Usefulness of Curved Coronal MPR imaging for the diagnosis of Cervical Disc Hernia	302
	<i>H. Yonezawa, et al.</i> , Dept. of Orthop. Surg., Saiseikai, Kanazawa Hospital, Kanazawa, Ishikawa, Japan	
1-P3-4	Extraforaminal lesion visualized by MRI diffusion tractography	302
	<i>H. Doi</i> , Dept. of Orhtop. Surg., Okayama Kyokuto Hospital	
1-P3-5	Novel classification of high intensity zones of the lumbar spine : The Wakayama Spine Study	303
	<i>M. Teraguchi, et al.</i> , Spine Care Center, Wakayama Medical Univ. Kihoku Hospital	
1-P3-6	Alteration of Sensorimotor Network in Lumbar Spinal Stenosis using Resting-State Functional Connectivity MRI technique	303
	<i>E. Takasawa, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Maebashi Hospital	

Poster 4

16 : 15~16 : 40

Moderator : Y. Nakagawa

Minimally invasive decompression 1

1-P4-1	The patient's mental status evaluation was performed microendoscopic discectomy using BS-POP	304
	<i>T. Kanoko, et al.</i> , Iwai Orthopedic Hospital	
1-P4-2	Percutaneous Endoscopic Lumbar Discectomy for Lateral Lumbar Disc Herniation	304
	<i>S. Urayama, et al.</i> , Department of Orthopaedic Surgery, Mizuno Memorial Hospital, Tokyo, Japan	
1-P4-3	A comparison of the treatment result of the microendoscopic discectomy for far lateral lumbar herniation between each lumbar levels	305
	<i>M. Fukushima, et al.</i> , Inanami Spine and Joint Hospital	
1-P4-4	Endoscopic decompression surgery for lumbar extraforaminal lesion	305
	<i>K. Tsuchiya, et al.</i> , Dept. of Orthopaedic Surg., JCHO Kyushu Hospital	
1-P4-5	A study of reoperation after MED for lumbar disc herniation	306
	<i>R. Shiboi, et al.</i> , Dept. of Orthop Surg., Oono Central Hospital	

Poster 5

16 : 45~17 : 15

Moderator : M. Natsuyama

Minimally invasive decompression 2

1-P5-1	Clinical characteristics of the subarachnoid-fluid protein increase case in a lumbar disc herniation	306
	<i>F. Tanabe, et al.</i> , Ryokusenkai Yonemori Hospital	
1-P5-2	Surgical outcome and complication of percutaneous endoscopic lumbar discectomy under local anesthesia	307
	<i>T. Terai, et al.</i> , Dept. of Orthop. Surg. Tokushima Prefecture Naruto Hospital	
1-P5-3	Can patients treated with MED be candidates for PED?	307
	<i>S. Yamaya, et al.</i> , Dept. of Orthop. Surg., Sumiya Orthopaedic Hospital	
1-P5-4	Changes in inflammatory markers after lumbar microendoscopic laminotomy	308
	<i>E. Takahashi, et al.</i> , Sendai Orthopedic Hospital	
1-P5-5	Radiological evaluation of bone regrowth and spur formation after muscle-preserving interlaminar decompression for lumbar spinal canal stenosis in patients with or without spondylolisthesis	308
	<i>H. Tonomura, et al.</i> , Dept. of Orthopaedics, Kyoto Prefectural University of Medicine, Kyoto, Japan	
1-P5-6	5-year outcome of MILD (muscle preserving interlaminar decompression) for the lumbar spinal canalstenosis	309
	<i>K. Hirai, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical & Dental Univ., Tokyo, Japan	

Poster 6

17 : 15~17 : 40

Moderator : T. Fujimoto

Minimally invasive decompression 3

1-P6-1	A comparative study with low invasiveness between percutaneous endoscopic laminectomy and lumbar spinous process-splitting laminectomy for lumbar spinal stenosis	309
	<i>K. Nakamichi, et al.</i> , Keiyu Orthopedic Hospital Keiyu Spine Center	
1-P6-2	The association between change of the property of low back pain and sagittal spino-pelvic alignment before and after hemi-laminectomy of the lumbar canal stenosis～Using an evaluation by detailed VAS～	310
	<i>M. Inoue, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. School of Medicine	
1-P6-3	Comparative study between laminoplasty and laminotomy against lumbar spinal stenosis	310
	<i>H. Torikai, et al.</i> , Dept. of Orthop. Surg., Chibaken Saiseikai Narashino Hospital	
1-P6-4	The microendoscopic decompression surgery (ME-MILD) for lumbar spinal canal stenosis complicated with degenerative spondylolisthesis-Mid-term clinical results and radiological assessments-	311
	<i>T. Itsuji, et al.</i> , Dept. of Orthopaedics, Graduate School of Medical Science, Kyoto Prefectural University of Medicine	

1-P6-5	Consideration about the validity of the endoscopic tandem operation for lumbar spinal canal stenosis	311
	<i>Y. Nakamura, et al.</i> , Sumiya Orthopaedic Hospital, Wakayama-Ken, Japan	

Poster 7

16 : 15~16 : 45

Moderator : **T. Abe**

LIF : Fusion

1-P7-1	Three-dimensional Computed Tomographic Evaluation of Extreme Lateral Interbody Fusion	312
	<i>K. Akeda, et al.</i> , Dept. of Orthop. Surg., Mie Univ. Graduate School of Medicine	
1-P7-2	Effect of local spinal deformity correction using extreme lateral interbody fusion standard surgical technique	312
	<i>T. Ogura, et al.</i> , Spine Surgery and Related Research Center, Nantan General Hospital	
1-P7-3	The bone union rate at 2 years after Oblique Lateral Interbody Fusion-The comparison with the bone union rate after Transforaminal Lumbar Interbody Fusion-	313
	<i>S. Tanida, et al.</i> , Department of Orthopaedic Surgery, Graduate School of Medicine, Kyoto University, Kyoto, Japan	
1-P7-4	Autograft implantation in XLIF cage demonstrates superior fusion rates and bone volume compared to artificial bone (ReFit) implantation	313
	<i>J. Kushioka, et al.</i> , Department of Orthopaedic Surgery, Osaka University Graduate School of Medicine	
1-P7-5	Analysis for location change of intervertebral cage in two-staged correction surgery using LLIF for adult spinal deformity	314
	<i>S. Kaneko, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization Murayama Medical Center	
1-P7-6	The effect of combined administration, denosumab and teriparatide, to bone metabolism after oblique lateral interbody fusion	314
	<i>D. Yamabe, et al.</i> , Dept. of Orthop. Surg., Iwate Medical Univ. School of Medicine	

Poster 8

16 : 45~17 : 15

Moderator : **K. Akeda**

LIF : Complication 1

1-P8-1	Early surgical complications of lumbar lateral interbody fusion (LLIF) through the trans-ilium approach	315
	<i>T. Kinoshita, et al.</i> , Division of Orthop. Surg., Narashino-daiichi Hosp., Chiba, Japan	
1-P8-2	The approach to prevent the complications related to oblique lateral interbody fusion	315
	<i>T. Asari, et al.</i> , Dept. of Orthop. Surg., Takaoka Seishikai Hospital	
1-P8-3	Analyses of running direction of inferior vena cava and right-side common iliac vein at L4/5 level of lumbar spine	316
	<i>T. Kushida, et al.</i> , Department of Orthopaedic Surgery, Kansai Medical University Hospital	

1-P8-4	Risk assessment of venous injury during L4-5 Oblique Lateral Interbody Fusion (OLIF) <i>H. Motegi, et al.</i> , Dept. of Orthop. Surg., Chiba Aoba Municipal Hospital	316
1-P8-5	Study about risk factor of bowel injury by LLIF <i>Y. Koshika, et al.</i> , Chiba Central Medical Center, Spine Center	317
1-P8-6	A case report of bowel injury in extreme lateral interbody fusion <i>Y. Yuzawa, et al.</i> , Inanami Spine and Joint Hospital	317

Poster 9

17 : 15~17 : 45

Moderator : **S. Orita**

LIF : Complication 2

1-P9-1	Analysis for risk factors of thigh symptoms after XLIF <i>T. Hori, et al.</i> , Center for Spinal Surgery, Nippon Koukan Hospital, Kawasaki, Japan	318
1-P9-2	A Randomized, Controlled Trial of Lateral Lumbar Interbody Fusion for Lumbar Spinal Stenosis with intervertebral instability <i>M. Hoshino, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	318
1-P9-3	Time-dependent change of psoas muscle and residual thigh symptoms after Oblique Lateral Interbody Fusion (OLIF) <i>S. Sasaki, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	319
1-P9-4	Transitional changes of leg muscle strength after surgery in cases with LIF procedure using quantitative evaluation of strength <i>R. Takatori, et al.</i> , Department of Orthopaedics, Graduate School of Medical Science, Kyoto Prefectural University of Medicine, Kyoto, Japan	319
1-P9-5	Complication rate and risk factor of intraoperative endplate injury in lateral lumbar interbody fusion <i>N. Sentsui, et al.</i> , Dept. of Spine Center, Chiba Central Medical Center	320
1-P9-6	Radiation exposure dose in Oblique Lateral Interbody fusion <i>A. Ikeura, et al.</i> , Dept. of Orthop. Surg., Kansai Medical University	320

Poster 10

16 : 15~16 : 45

Moderator : **S. Ebara**

Adult deformity correction 1

1-P10-1	An algorithm for the choice of minimally invasive posterior spine surgical treatment of adult spinal deformity <i>M. Chazono, et al.</i> , Department of Orthopaedic Surgery, Utsunomiya National Hospital	321
1-P10-2	Differences of the postoperative process in various types of Adult spinal deformity <i>T. Hasegawa, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	321
1-P10-3	Rod fracture after adult spinal deformity surgery—Analysis of symptom and treatment— <i>Y. Yamato, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	322

1-P10-4	Can adding of two-level sublaminar fixation using polyethylene tape on spinal long fusion prevent PJK?.....	322
	<i>K. Nishida, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
1-P10-5	Reinforcement technique using UHMWPE cable for preventing fracture in the upper end or its adjacent vertebrae after thoraco-lumbar spinal long fusion.....	323
	<i>T. Ogata, et al.</i> , Dept. of Orthop. Surg., Ehime Univ. School of Medicine	
1-P10-6	Clinical investigation of postoperative rod breakage after instrumented corrective fusion from high thoracic to sacrum or ilium for adult spinal deformity in the middle-aged and elderly patients	323
	<i>N. Manabe, et al.</i> , Gunma Spine Center, Harunaso Hospital	

Poster 11

16 : 45~17 : 15

Moderator : H. Yamada

Adult deformity : Pelvic fixation

1-P11-1	Three-dimensional computed tomography analysis of S2-alar-iliac screw and iliac screw insertion in Japanese population	324
	<i>H. Funao, et al.</i> , Dept. of Orthop. Surg., Kawasaki Municipal Kawasaki Hospital, Kawasaki, Japan	
1-P11-2	A radiological evaluation of insertion S2 alar-iliac screw in the Japanese population	324
	<i>K. Masuda, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	
1-P11-3	Evaluation of insertion technique S2 Alar-Iliac screw	325
	<i>A. Inada, et al.</i> , Dept. of Spine Center, Nagoya City West Medical Center	
1-P11-4	Difference of safety margin of sacral alar iliac screw between two insertion points	325
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Osaka Social Medical Center	
1-P11-5	Pelvic inlet view to avoid the deviation of sacral alar iliac screw by simulation of the fluoroscopy	326
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Osaka Social Medical Center	
1-P11-6	The analysis of screw fixation of S2 alar iliac screw and iliac screw using computer tomographic image	326
	<i>M. Tsukamoto, et al.</i> , Dept. of Orthop. Surg., Eniwa Hosp.	

Poster 12

17 : 15~17 : 45

Moderator : H. Endo

Adult deformity : Pelvic fixation, PJK

1-P12-1	The impact of iliac screw loosening on global spinal alignment in the adult spinal deformity surgery	327
	<i>T. Ashizawa, et al.</i> , Dept. of Orthop. Surg., Yamanashi Univ.	
1-P12-2	Clinical Outcome of spinal reconstruction with sacral alar-iliac screw (SAI)	327
	<i>T. Kaibara, et al.</i> , Dept. of Orthop. Surg., Spine and Spinal Cord Center, Steel Memorial Muroran Hospital	

1-P12-3	The Risk Factor of Fracture at Proximal Junction after Thoraco-pelvic fusion surgery	328
	<i>H. Ueda, et al.</i> , Dept. of Orthopaedic Surgery, Dokkyo Medical University	
1-P12-4	Incidence and factors of distal junctional kyphosis in vertebral body osteotomy surgery.....	328
	<i>Y. Sato, et al.</i> , Sanraku Spine Center, Tokyo, Japan	
1-P12-5	The study of PJK after corrective surgery for adult spinal deformity	329
	<i>K. Nakamichi, et al.</i> , Keiyu Orthopedic Hospital Keiyu Spine Center	
1-P12-6	Treatment for skin problems associated with proximal junctional kyphosis as a late complication of spinal instrumentation surgery.....	329
	<i>K. Miyamoto, et al.</i> , Spine Center, Gifu Municipal Hospital	

Poster 13

16 : 15~16 : 45

Moderator : **Y. Aota**

Spinal alignment : Lumbar spine

1-P13-1	Spinal sagittal alignment after microendoscopic laminotomy for patients with lumbar degenerative spondylolisthesis	330
	<i>S. Dohzono, et al.</i> , Department of Orthopedic Surgery, Yodogawa Christian Hospital	
1-P13-2	Relationship of postoperative low back pain and lumbar spine alignment in lumbar fusion surgery (PLIF) and decompression surgery at a single level.....	330
	<i>H. Honda, et al.</i> , Dept. of Orthop. Surg., Hoshigaoka Medical Center	
1-P13-3	Slip reduction improves global sagittal balance and spinopelvic harmony in lumbar degenerative spondylolisthesis surgery	331
	<i>T. Tsutsumimoto, et al.</i> , Spine Center, Yodakubo Hosp.	
1-P13-4	The effect of single-level PLIF with 12 degree wedge cages on alignment of fused segment and spino-pelvic parameters—Comparison of box cages—.....	331
	<i>T. Matsumoto, et al.</i> , Dept. of Orthopaedics, Osaka Rosai Hosp.	
1-P13-5	Dysplastic Spondylolisthesis Treated with Reduction Surgery, featuring spinal sagittal alignment. Case series.....	332
	<i>M. Tsushima, et al.</i> , Department of Orthop. Surg., Nagoya Univ. School of Medicine	
1-P13-6	Alteration of whole body alignment following decompression alone, short fusion, and spinal correction & fusion for degenerative lumbar diseases with or without deformity	332
	<i>S. Hatsushikano, et al.</i> , Niigata Spine Surgery Center, Niigata, Japan	

Poster 14

16 : 45~17 : 15

Moderator : **T. Aihara**

Spinal alignment : Others

1-P14-1	Changes of spinal alignment pre-and post-operation for lumbar spine.....	333
	<i>Y. Kasukawa, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine	

1-P14-2	The effect of spinopelvic alignment on the prevalence of adjacent segment disease after single-level lumbar fusion	333
	<i>Y. Shimamura, et al.</i> , Spine Center, Hakodate Central General Hospital	
1-P14-3	Sagittal spino-pelvic alignment and the low back pain after total hip arthroplasty : The comparison between anterolateral and posterior approach for the hip joint	334
	<i>A. Ono, et al.</i> , Dept. of Orthop. Surg., Hirosaki Memorial Hospital	
1-P14-4	Total Hip Arthroplasty does not influence on post operative lumbosacral alignment in patients with Rapidly Destructive Coxarthropathy	334
	<i>A. Honda, et al.</i> , Dept. of Orthop. Surg., Isesaki Municipal Hospital	
1-P14-5	Influence of sagittal lumbo-pelvic alignment on a complication of knee osteoarthritis in patients with degenerative spondylolisthesis after posterior lumbar intervertebral fusion	335
	<i>M. Kohno, et al.</i> , Dept. of Orthop. Surg., Yokohama Ekisaikai Hospital	
1-P14-6	Sagittal spinopelvic alignment in patients with rheumatoid arthritis	335
	<i>K. Miura, et al.</i> , Dept. of Spine and Spinal Cord Surg., Nagaoka Red Cross Hospital	

Poster 15

17 : 15~17 : 45

Moderator : **K. Wada**

Scoliosis : Diagnosis, assessment

1-P15-1	Identification of a novel locus associated with curve progression of adolescent idiopathic scoliosis	336
	<i>Y. Ogura, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	
1-P15-2	A genetic analysis of <i>TBX6</i> -associated congenital scoliosis in Japanese : Follow-up study	336
	<i>K. Takeda, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	
1-P15-3	Inter-observer reliability of the intelligent equipment for scoliosis screening (iScolioroller) at the field of school scoliosis examination	337
	<i>S. Jimbo, et al.</i> , Dept. of Orthop. Surg., Asahikawa Medical University	
1-P15-4	Reliability analysis and comparison between the distal radius and ulna classification and Tanner-Whitehouse-3 for adolescent idiopathic scoliosis patients	337
	<i>A. Okuda, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	
1-P15-5	Reliability of EOS imaging system in bone maturity evaluation of idiopathic scoliosis patients	338
	<i>T. Sekiya, et al.</i> , Department of Orthopaedic Surgery, Yokohama City University, Yokohama, Japan	
1-P15-6	Comparison of middle age and adolescent idiopathic scoliosis cohort-Clinical outcome and radiographic evaluation-.....	338
	<i>T. Saiki, et al.</i> , Dept. of Orthop. Surg., Dokkyo Univ. School of Medicine	

Poster 16

16 : 15~16 : 45

Moderator : M. Hayashi

Osteoporotic vertebral fractures : Evaluation, diagnosis

1-P16-1	GERD after vertebral fractures occur regardless of the fusion shape.....	339
	<i>T. Ohbo, et al.</i> , Dept. of Orthopedics, Nagayama Hosp.	
1-P16-2	Prediction of walking ability of the osteoporotic patients presenting with acute thoracolumbar vertebral fractures	339
	<i>J. Kitahara</i> , Spine Center, Aizawa Hospital	
1-P16-3	A descriptive statistic report of trabecular bone score (TBS) at our hospital : The primary report	340
	<i>I. Yamazaki, et al.</i> , Dept. of Orthop. Surg., Nagano Matsushiro General Hospital	
1-P16-4	Evaluation of vertebral fractures in cases for new administration of cocorticoid	340
	<i>K. Ohnaru, et al.</i> , Dept. of Orthopedics, Traumatology and Spine Surgery, Kawasaki Medical School, Kurashiki, Japan	
1-P16-5	Pediatric blood disease with osteoprotic multiple vertebral compression fractures. Report of 3 cases	341
	<i>K. Hayashi, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Narita Hospital	
1-P16-6	Lateral measurement of DXA can evaluate the increase of lumbar bone mineral density by using daily teriparatide.....	341
	<i>T. Ishikawa, et al.</i> , Department of Orthopedic Surgery, Sanmu Medical Center, Chiba, Japan	

Poster 17

16 : 45~17 : 10

Moderator : G. Katahira

Osteoporotic vertebral fractures : Pharmacological treatment

1-P17-1	The effects of weekly teriparatide administration on fresh severe osteoporotic vertebral fracture	342
	<i>K. Kitaguchi, et al.</i> , Department of Orthopedic Surgery, Osaka University Graduate School of Medicine	
1-P17-2	The efficacy of transition from weekly teriparatide to denosmab for severe osteoporosis	342
	<i>M. Miyagi, et al.</i> , Dept. of Orthop. Surg., Kitasato Univ. School of Medicine	
1-P17-3	Effect of Denosumab Treatment on BMD as Assessed by QCT in Postmenopausal Osteoporosis With and Without Prior Bisphosphonates.....	343
	<i>K. Ishikawa, et al.</i> , Dept. of Orthop. Surg., Showa Univ. School of Medicine	
1-P17-4	The efficacy of switching from teriparatide to denosumab administration for aged osteoporosis patients.....	343
	<i>H. Yasuoka, et al.</i> , Dept. of Orthop. Surg., Tokorozawa Meisei Hospital	
1-P17-5	Cost-Effectiveness analysis of pharmacological interventions for vertebral fracture in patients with osteoporosis	344
	<i>S. Matsunaga, et al.</i> , Dept. of Orthopaedic Surg., Imakiire General Hospital	

Poster 18

17 : 15～17 : 45

Moderator : K. Sawakami

Osteoporotic vertebral fractures : Conservative treatment

1-P18-1	Clinical results of conservative treatment for osteoporotic vertebral fractures according to the risk for nonunion	344
	<i>T. Fujita, et al.</i> , Enshu Hospital, Hamamatsu-city, Japan	
1-P18-2	A clinical study on conservative treatment at outpatient clinic for thoracolumbar vertebral body fracture.....	345
	<i>K. Hatakeyama, et al.</i> , Funabashi Orthopedic Hospital	
1-P18-3	Clinical outcomes of conservative treatment including hospitalization for osteoporotic vertebral fracture.....	345
	<i>Y. Shibao, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, University of Tsukuba	
1-P18-4	Strict conservative therapy with a soft brace by hospitalization get high bone union rate in atraumatic osteoporotic vertebral fractures	346
	<i>M. Sugita, et al.</i> , Miyukikai Hospital Yamagata Spine Center	
1-P18-5	The effect of bracing for the patients with high risk of delayed union after osteoporotic vertebral fracture.....	346
	<i>H. Toyoda, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
1-P18-6	A Study of middle-term prognosis of osteoporotic vertebral fractures in our hospital	347
	<i>K. Amano, et al.</i> , Dept. of Orthop. Surg., Tsukuba Central Hospital	

Poster 19

16 : 15～16 : 45

Moderator : G. Watanabe

Osteoporotic vertebral fractures : Surgery 1

1-P19-1	The change of surgical procedure for thoraco-lumbar osteoporotic vertebral collapse : A retrospective multicenter study	347
	<i>K. Katsumi, et al.</i> , Dept. of Orthopedic Surgery, Uonuma Institute of Community Medicine, Niigata University Medical and Dental Hospital	
1-P19-2	Comparison of surgical outcomes for osteoporotic vertebral collapse	348
	<i>Y. Shibuya, et al.</i> , Dept. of Orthop. Surg., Shonai Hosp.	
1-P19-3	Posterior instrumented fusion without neural decompression for foraminal stenosis following osteoporotic lumbar vertebral collapse–Short fusion combined with spinous process plate-	348
	<i>A. Nakano, et al.</i> , Dept. of Orthop. Surg., Osaka Medical College	
1-P19-4	Analysis of pathology and operative procedure for pedicle fracture in patients with osteoporotic lumbar vertebral fracture	349
	<i>Y. Hirao, et al.</i> , Dept. of Spine and Orthopaedic Surgery, Japanese Red Cross Medical Center	

1-P19-5	Clinical feature and surgical outcome of the osteoporotic vertebral collapse for the patients with Parkinson disease	349
	<i>H. Nakajima, et al.</i> , Dept. of Orthop. and Rehabil. Medicine, Univ. of Fukui Faculty of Medical Sciences	
1-P19-6	Complications of spinal instrumentation in the patients with osteoporosis	350
	<i>M. Nakano, et al.</i> , Dept. of Orthop. Surg., Takaoka City Hospital	

Poster 20

16 : 45~17 : 10

Moderator : **M. Matsusaki**

Osteoporotic vertebral fractures : Surgery 2

1-P20-1	Long term clinical results for more than 10 years following pedicle subtraction osteotomy in patients with osteoporotic thoracolumbar vertebral fracture	350
	<i>S. Ueda, et al.</i> , Orthopaedic Center, Nihon University Hospital	
1-P20-2	Unilateral approach in vertebral reconstruction for osteoporotic vertebral fracture	351
	<i>T. Yoshii, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical and Dental Univ.	
1-P20-3	Antero-posterior spinal fusion for osteoporotic vertebral collapse-Comparison between autologous iliac bone and X-Core2-	351
	<i>H. Baba, et al.</i> , Dept. of Orthopaedic Surgery, Nagasaki Rosai Hospital	
1-P20-4	XLIF corpectomy for patients with osteoporotic vertebral collapse	352
	<i>M. Ishihara, et al.</i> , Department of Orthopaedic Surgery, Kansai Medical University Medical Center	
1-P20-5	Short-term outcomes of XLIF corpectomy procedure for osteoporotic vertebral fracture-Focused on the modes of posterior stabilization-	352
	<i>T. Katayama, et al.</i> , Dept. of Orthop. Surg., Kansai Electric Power Hospital	

Poster 21

17 : 15~17 : 40

Moderator : **T. Ishibe**

Osteoporotic vertebral fractures : Delayed paralysis

1-P21-1	Computed tomography after myelography in the prone position could contribute to make the decision of surgical procedure for patients with incomplete neurological deficit by osteoporotic thoracolumbar spine fracture	353
	<i>T. Dokai, et al.</i> , Dept. of Orthop. Surg., Masuda Red Cross Hospital, Masuda, Japan	
1-P21-2	Conservative treatment for delayed paralysis due to osteoporotic vertebral collapse	353
	<i>T. Mamada, et al.</i> , Dept. of Spine Surg., JCHO Tokyo Yamate Medical Center	
1-P21-3	Clinical Outcomes of the Posterior Spinal Shortening for Delayed Paralysis after Osteoporotic Vertebral Fracture~Classification of intra-vertebral body instability and the instability between the vertebral body~	354
	<i>T. Chikawa, et al.</i> , Tokushima Municipal Hospital	

1-P21-4	A comparative study of operative methods of delayed paralysis after osteoporotic vertebral fracture	354
	<i>T. Kanchiku, et al.</i> , Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine	
1-P21-5	Surgical results in patients with neurological disorders due to osteoporotic vertebral fractures in the middle-lower lumbar spine	355
	<i>M. Kohno, et al.</i> , Dept. of Orthop. Surg., Yokohama Ekisaikai Hospital	

Poster 22

16 : 15~16 : 45

Moderator : I. Yuge

Spine and spinal cord injury

1-P22-1	Motor function improvement effect of the anti-epileptic drug zonisamide to the spinal cord injury model mice	355
	<i>K. Ota, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. Graduate School of Medicine	
1-P22-2	Strategy of therapy for the unstable sacral fractures	356
	<i>S. Osaki, et al.</i> , Dept. of Orthopaedic Surgery, Japanese Red Cross Kobe Hosp.	
1-P22-3	Characteristics of spine and spinal cord injury in an aged society (the aging rate of 33.3 percent)	356
	<i>T. Dokai, et al.</i> , Dept. of Orthop. Surg., Masuda Red Cross Hospital, Masuda, Japan	
1-P22-4	Analysis of spinal trauma transported by the Doctor's helicopter in Okayama area	357
	<i>Y. Hanai, et al.</i> , Dept. of Orthop. Surg., Kawasaki Univ. School of Medicine	
1-P22-5	Damage Control Surgery for Spinal Trauma	357
	<i>D. Takeuchi, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ.	
1-P22-6	Intradiscal Baclofen Therapy for Severe Spasticity	358
	<i>Y. Takagi, et al.</i> , Dept. of Orthop. Surg., Tonami General Hospital, Tonami, Japan	

Poster 23

16 : 45~17 : 15

Moderator : H. Konishi

Thoracolumbar injury 1

1-P23-1	Evaluation of thoracic and lumbar spine fractures using Tomosynthesis	358
	<i>Y. Otake, et al.</i> , Department of Orthopaedic Surgery, Kitasato University School of Medicine	
1-P23-2	Conservative treatment of thoracolumbar burst fracture-Comparison between plaster cast and corset-	359
	<i>Y. Tamaki, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Society Wakayama Medical Center	
1-P23-3	A direct repair with vertebroplasty for a thoracolumbar burst fracture provided comparable result to ligamentotaxis with pedicle screws	359
	<i>H. Misawa, et al.</i> , Dept. of Orthop. Surg., Fukuyama City Hospital	
1-P23-4	Balloon Kyphoplasty for the treatment of osteoporotic burst fractures	360
	<i>Y. Miyamoto, et al.</i> , Oume Spine Center, Takagi Hospital, Tokyo, Japan	

1-P23-5	A two stage surgical operation for acute vertebral burst fracture.....	360
	<i>K. Shimizu, et al.</i> , Dept. of Orthop. Surg., Sanokousei General Hospital, Spine Center	
1-P23-6	A study of the pain and quality of life in thoracolumbar burst fracture surgery patients	361
	<i>H. Kato, et al.</i> , Dept. of Orthop. Surg., Surgical Science, Tokai Univ. School of Medicine	

Poster 24

17 : 15~17 : 45

Moderator : O. Kawano

Thoracolumbar injury 2

1-P24-1	Traumatic Disc Degeneration and Surgical Outcome after Percutaneous Vertebroplasty and Pedicle Screw Fixation for Thoracolumbar Burst Fracture.....	361
	<i>E. Takasawa, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Maebashi Hospital	
1-P24-2	Assessment for the 16 cases with disc degeneration in adjacent disc to traumatic spinal fracture with posterior augmentations.....	362
	<i>T. Masuda, et al.</i> , Dept. of Orthopaedic Surgery, Spine Center, Kizawa Memorial Hospital	
1-P24-3	Does the severity of intervertebral disc injury with unstable thoracolumbar fracture correlate kyphosis after implant removal?	362
	<i>S. Kanezaki, et al.</i> , Dept. of Orthop. Surg., Oita Univ.	
1-P24-4	A consideration to implant removal after temporary fixation for thoracolumbar injury	363
	<i>M. Ota, et al.</i> , Dept. of Orthopedics, Sanmu Medical Center	
1-P24-5	Risk factors of post-operative correction loss in thoracolumbar injury treated by percutaneous posterior fixation	363
	<i>R. Hirota, et al.</i> , Dept. of Orthop. Surg., Sapporo Medical Univ.	
1-P24-6	Does implant removal need for the patients after posterior spinal fixation with percutaneus pedicle screws?.....	364
	<i>A. Kojima, et al.</i> , Funabashi Orthopaedic Hospital Spine Center	

Poster 25

16 : 15~16 : 45

Moderator : Y. Fujiwara

Spinal cord tumor 1

1-P25-1	Epidemiology of spinal cord tumors—Surgical cases of single institution in 22 years-	364
	<i>A. Suzuki, et al.</i> , Dept. of Orthopaedic Surgery, Osaka City University Graduate School of Medicine	
1-P25-2	Surgical outcomes of spinal cord tumors and treatment of recurrent cases in the last 5 years	365
	<i>S. Soshi, et al.</i> , Dept. of Orthop. Surg., The Jikei Univ. School of Medicine	
1-P25-3	Delayed diagnosis in patients with spinal cord tumor.....	365
	<i>H. Suzuki, et al.</i> , Dept. of Orthop. Surg., Tokyo Med. Univ.	
1-P25-4	Postoperative spinal deformity by the tumor resection through hemilaminectomy in pediatric spinal cord tumor	366
	<i>M. Matsuda, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. School of Medicine	

1-P25-5	Surgical outcome for the spinal extramedullary schwannoma.....	366
	<i>K. Akatsuka, et al.</i> , Dept. of Neurosurg., Tottori Municipal Hospital, Tottori, Japan	
1-P25-6	Differential diagnosis of myxopapillary ependymoma and schwannoma.....	367
	<i>K. Ito, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. Graduate School of Medicine	

Poster 26

16 : 45~17 : 15

Moderator : H. Nohara

Spinal cord tumor 2

1-P26-1	Surgical management of ventrally located spinal meningiomas via posterior approach.....	367
	<i>M. Miyazaki, et al.</i> , Department of Orthopaedic Surgery, Faculty of Medicine, Oita University	
1-P26-2	Reconstruction of the dura mater after resection of spinal meningioma at ventral side of thoracic spine.....	368
	<i>T. Furuya, et al.</i> , Dept. of Orthopaedic Surgery, Chiba University Graduate School of Medicine	
1-P26-3	Association of postoperative pseudomeningocele with methods of approach and duraplasty in spinal meningioma patients	368
	<i>K. Wada, et al.</i> , Dept. of Orthopaedic Surgery, Hirosaki University Graduate School of Medicine	
1-P26-4	Treatment of Intradural Extramedullary Extraskeletal Ewing Sarcoma/Primitive Neuroectodermal Tumor	369
	<i>K. Harimaya, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kyushu Univ.	
1-P26-5	Sagittal alignment changes after thoracic laminectomy in patients with spinal cord tumor	369
	<i>Y. Kobayashi, et al.</i> , Spine Center, Japanese Red Cross Shizuoka Hospital	
1-P26-6	Changes of cervical alignment after resection of dumbbell tumors	370
	<i>S. Kawabata, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	

Poster 27

16 : 15~16 : 45

Moderator : S. Seki

RA cervical and upper cervical

1-P27-1	O-C1 and O-C2 instability index as a CT-based evaluation for instability of the occipito-cervical junction	370
	<i>M. Miyata, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization Kyoto Medical Center	
1-P27-2	Surgical results of upper cervical lesion in rheumatoid arthritis patients	371
	<i>K. Wada, et al.</i> , Dept. of Orthop. Surg., Tokyo Women's Medical University	
1-P27-3	Change in the surgical treatment for cervical spine disorders of Rheumatoid Arthritis during recent 15 years	371
	<i>K. Kai, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization Kyushu Medical Center	
1-P27-4	Upper cervical reconstruction surgery for RA patients with high riding VA	372
	<i>S. Oshima, et al.</i> , Dept. of Orthop. Surg., Hokkaido Orthopaedic Memorial Hospital	

1-P27-5	Evaluation of sub-axial disc degeneration after occipito-axial fixation or atlanto-axial fixation for rheumatoid arthritis.....	372
	<i>H. Murakami, et al.</i> , Dept. of Orthop. Surg., Iwate Medical Univ. School of Medicine	
1-P27-6	Evaluation of sagittal alignment of the subaxial cervical spine before and after atlantoaxial fixation in Rheumatoid Arthritis	373
	<i>H. Tsuji, et al.</i> , Dept. of Orthop. Surg., Okayama Medical Center	

Poster 28

16 : 45~17 : 10

Moderator : **J. Mizutani**

Upper cervical 1

1-P28-1	Posterior atlantoaxial fusion with C1 lateral mass screw for atlantoaxial instability in children	373
	<i>Y. Takeoka, et al.</i> , Department of Orthopaedic Surgery, Kobe University Graduate School of Medicine	
1-P28-2	Surgical outcomes of posterior fusion with rib graft for pediatric patients with upper cervical disorders	374
	<i>A. Matsumura, et al.</i> , Department of Orthopaedic Surgery, Osaka City General Hospital	
1-P28-3	Postoperative spinal growth and alignment of occipitoaxial fusion on the pediatric cervical spine	374
	<i>K. Higa, et al.</i> , Department of Orthopaedic Surgery, University of Miyazaki	
1-P28-4	Relationship betweenof retro-odontoid soft-tissue thickness and radiographic parameters	375
	<i>T. Ishizaka, et al.</i> , Dept. of Orthop. Surg., National Defense Medical College	
1-P28-5	Surgical results for retro-odontoid pseudotumor : Review of 20 cases	375
	<i>S. Nakagawa, et al.</i> , Sumitomo Hospital, Osaka, Japan	

Poster 29

17 : 15~17 : 40

Moderator : **N. Wakao**

Upper cervical 2

1-P29-1	Screw insertion procedure with patient-specific screw guide templates for posterior C1-C2 fixation	376
	<i>T. Sugawara, et al.</i> , Department of Spinal Surgery, Institute for Brain and Blood Vessels, Akita	
1-P29-2	Surgical result of posterior atlanto-axial fixation with resection of C1 posterior arch	376
	<i>M. Takabatake, et al.</i> , Dept. of Orthop. Surg., Kobe Rosai Hospital	
1-P29-3	The bony morphology pattern after atrantaxial fixation	377
	<i>Y. Ohtake, et al.</i> , Spinal Disorders Center, Fujieda Heisei Memorial Hospital	
1-P29-4	Demerit of occipito-cervical fusion for atlantoaxial instability	377
	<i>T. Futatsugi, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ. School of Medicine	
1-P29-5	Occipitocervical fixation : Focus on bone fusion rate and instrumentation failure	378
	<i>M. Suzuki, et al.</i> , Center for Spine Surgery, Hakkaido Orthopaedic Memorial Hospital, Sapporo, Japan	

Poster 30

16 : 15～16 : 45

Moderator : Y. Toribatake

Posterior cervical surgery

1-P30-1	Clinical Impact on the Difference between Military Tuck and Flexion Position of Cervical Sagittal Alignment and Axis in Posterior Cervical Surgery Using A Novel Skull Clamp Positioning System	378
	<i>N. Manabe, et al.</i> , Gunma Spine Center, Harunaso Hospital	
1-P30-2	What type of cervical kyphosis is developed after cervical laminoplasty?	379
	<i>N. Yamamoto, et al.</i> , Dept. of Orthop. Surg., Tokyo Women's Medical Univ., Yachiyo Medical Center	
1-P30-3	Postoperative change of cervical sagittal balance in patients with cervical spondylotic myelopathy -A comparison between C3-6 laminoplasty and C3-7 laminoplasty-	379
	<i>A. Ohnishi, et al.</i> , Dept. of Orthop. Surg., Kansai Rosai Hospital, Hyogo, Japan	
1-P30-4	Surgical Outcomes of Laminoplasty for Cervical Spondylotic Myelopathy without Kyphotic Alignment-Differences in Local Alignment Type-	380
	<i>K. Sakai, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	
1-P30-5	Results and sagittal alignment and biomechanical stability after minimal cervical laminectomy	380
	<i>H. Kono, et al.</i> , Keiyu Orthopedic Hosp. Keiyu Spine Center, Tatebayashi, Japan	
1-P30-6	Influence of bone graft of cervical laminoplasty on the operative results and the spinal cord alignment in patients with cervical myelopathy	381
	<i>H. Onuma, et al.</i> , Department of Orthopedic Surgery, Tokyo Medical and Dental University, Tokyo, Japan	

Poster 31

16 : 45～17 : 15

Moderator : H. Chikuda

Cervical surgery

1-P31-1	Recovery process using Japanese Orthopaedic Association Cervical Myelopathy Evaluation Questionnaire (JOACMEQ) in patients with cervical laminoplasty	381
	<i>S. Kawasaki, et al.</i> , Kashiba Asahigaoka Hospital	
1-P31-2	Factors of postoperative satisfaction for cervical compressive myelopathy patients after posterior decompression surgery	382
	<i>K. Otani, et al.</i> , Dept. of Orthop. Surg., Fukushima Medical Univ. School of Medicine	
1-P31-3	Evaluation of remaining neck pain after surgery of cervical spine : Anterior versus posterior?	382
	<i>T. Miyamoto, et al.</i> , Dept. of Orthop. Surg., Toho Univ. Sakura Medical Center	
1-P31-4	Full-endoscopic cervical foraminotomy is a promising surgery for lower level cervical spondylotic radiculopathy	383
	<i>K. Ono, et al.</i> , Center for Spinal Surg., Nippon Koukan Hospital	
1-P31-5	Clinical results of microsurgical posterior foraminotomy for cervical spondylotic radiculopathy	383
	<i>N. Tanaka, et al.</i> , Dept. of Orthop. Surg., Institute of Biomedical & Health Sciences, Hiroshima Univ.	

1-P31-6	Finite element analysis of transvertebral anterior cervical foraminotomy for the optimal key hole position	384
	<i>D. Umebayashi, et al.</i> , Department of Neurosurgery, Inazawa Municipal Hospital, Aichi	

Poster 32

17 : 15~17 : 45

Moderator : **A. Seichi**

Posterior cervical fusion

1-P32-1	The surgical learning curve and accuracy of cervicothoracic pedicle screw insertion using Screw Guide Template system	384
	<i>S. Kaneyama, et al.</i> , Dept. of Orthop. Surg., Kobe Rosai Hospital	
1-P32-2	Learning curve of cervical pedicle screw insertion using intraoperative 3D navigation system	385
	<i>Y. Ishikawa, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Medical Center	
1-P32-3	Clinical result and assessment of safety of cervical pedicle screw fixation—Comparison of three insertion techniques-	385
	<i>H. Hamanaka, et al.</i> , Dept. of Orthop. Surg., Miyazaki Univ.	
1-P32-4	Clinical result of posterior cervical long fusion of pedicle screw	386
	<i>H. Hamanaka, et al.</i> , Dept. of Orthop. Surg., Miyazaki Univ.	
1-P32-5	Difference of ADL, Pain, QOL, and satisfaction after cervical posterior fixation and laminoplasty	386
	<i>Y. Ishikawa, et al.</i> , Dept. of Orthop. Surg., Akita Univ. School of Medicine	
1-P32-6	Combination of pedicle screws and lateral mass screws for posterior cervical spinal fusion	387
	<i>I. Takahashi, et al.</i> , Department of Orthopaedic Surgery, Niigata City General Hospital	

Poster 33

16 : 15~16 : 40

Moderator : **H. Miyamoto**

Cervical surgery : C5 palsy

1-P33-1	Differences in the time of onset of postoperative upper limb palsy among surgical procedures : A meta-analysis	387
	<i>S. Takenaka, et al.</i> , Dept. of Orthop. Surg., Osaka Univ. School of Medicine	
1-P33-2	Analysis of MR images for C5 palsy after posterior cervical decompression and fusion	388
	<i>S. Nozawa, et al.</i> , Dept. of Orthop. Surg., Gifu Univ. School of Medicine	
1-P33-3	The analysis of movement of spinal cord after laminoplasty with prophylactic foraminotomy for C5 paraparesis	388
	<i>T. Izumi, et al.</i> , Department of Orthopaedic, Spine Center, Niigata Central Hospital	
1-P33-4	Relationship between C5 palsy and preoperative spinal cord rotation angle for expansive open-door laminoplasty	389
	<i>T. Takeuchi, et al.</i> , Dept. of Orthop. Surg., Kugayama Hospital	

1-P33-5	An experience of the Open-door Laminoplasty for a CSM patient who was a Board-certified Spine Surgeon (approved by the Board of the Japanese Society for Spine Surgery and Related Research)	389
	<i>N. Toda, et al.</i> , Gunma Spine Center, Harunaso Hosp.	

Poster 34

16 : 45~17 : 15

Moderator : **Y. Abe**

Surgical complication

1-P34-1	The cause of hematoma after spinal surgery was inspected and its prevention was proposed	390
	<i>K. Sato, et al.</i> , Dept. of Orthop. Surg., Ohara General Hospital	
1-P34-2	Relation of epidural drain pressure and epidural hematoma after Microendoscopic discectomy	390
	<i>T. Nakagawa, et al.</i> , Dept. of Orthop. Surg., Sendai Orthopaedic Hospital, Sendai, Japan	
1-P34-3	Spinal subdural hematoma : Underestimated pathology following lumbar decompression surgery	391
	<i>Y. Nagamoto, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization Osaka Medical Center	
1-P34-4	Spinal surgery complicated with hemophilia	391
	<i>K. Kobayashi, et al.</i> , Department of Orthopaedic Surgery, Nagoya University Graduate School of Medicine	
1-P34-5	Can the postoperative nausea and vomiting be controlled by administering it before spine surgery on the Prochlorperazine Maleate?	392
	<i>Y. Hoshino, et al.</i> , Dept. of Orthop. Surg., Showa University Koto Toyosu Hospital	
1-P34-6	Importance of dental examination before spinal fusion operation	392
	<i>S. Fukuta, et al.</i> , Dept. of Orthop. Surg., Hikone Municipal Hospital	

Poster 35

17 : 15~17 : 45

Moderator : **K. Yamada**

Surgical site infection

1-P35-1	Is albumin to globulin ratio useful to predict surgical site infection (SSI) after spine surgery?	393
	<i>H. Imabayashi, et al.</i> , Dept. of Orthop. Surg., National Defense Medical College	
1-P35-2	The Effect of preoperative hemoglobin A1c on surgical site infection after posterior lumbar spinal instrumentation surgery in diabetes patients	393
	<i>H. Hara, et al.</i> , Dept. of Spine Center, Hakodate General Central Hospital	
1-P35-3	Early diagnosis and prevention of MRSA infection are very important for preservation of instrument in surgical site infection following spinal instrumentation surgery	394
	<i>Y. Yamamoto, et al.</i> , Dept. of Orthop. Surg., Nara Medical University	
1-P35-4	Development of the novel coating that can give antibacterial activity to an orthopedics implant	394
	<i>K. Yonezawa, et al.</i> , Kanazawa Medical University	

1-P35-5	A study of antimicrobial prophylaxis in spine surgery without instrumentation.....	395
	<i>S. Konishi, et al.</i> , Osaka General Hospital of West Japan Railway Company	
1-P35-6	Risk factors for removal of instrumentation after surgical site infection with spine surgery.....	395
	<i>H. Tominaga, et al.</i> , Department of Orthopaedic Surgery, Graduate School of Medical and Dental Sciences, Kagoshima University	

Poster 36

16 : 15～16 : 45

Moderator : **M. Kanamori**

Lumbar spine : Pathology

1-P36-1	Cross-sectional survey of low back pain and quality of life	396
	<i>K. Nakase, et al.</i> , Dept. of Orthop. Surg., Mie Univ. Graduate School of Medicine	
1-P36-2	Risk factor associated with spondylosis, lumbar spinal stenosis and intervertebral disc herniation in subjects underwent spinal screening	396
	<i>Y. Ono, et al.</i> , Dept. of Orthop. Surg., Akita Univ. School of Medicine	
1-P36-3	Does the lumbar disease affect psychological responses?.....	397
	<i>T. Mieda, et al.</i> , Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine	
1-P36-4	Progression and risk factor for intervertebral disc degeneration in 4 years longitudinal population-based cohort : The Wakayama Spine Study	397
	<i>M. Teraguchi, et al.</i> , Spine Care Center, Wakayama Medical Univ. Kihoku Hospital	
1-P36-5	The association between Lumbar Epidural Lipomatosis and metabolic disease	398
	<i>S. Morishita, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hospital, Saitama, Japan	
1-P36-6	Pathological investigation of the patients with radiculopathy because of the hypertrophic ligamentum flavum of the lumbar.....	398
	<i>K. Toyoda, et al.</i> , Dept. of Orthop. Surg., Sakai City Medical Center, Osaka, Japan	

Poster 37

16 : 45～17 : 15

Moderator : **E. Murakami**

Lumbar spine : Diagnosis

1-P37-1	Diagnosis and Characters of non-specific LBP by an Orthopedist.....	399
	<i>H. Suzuki, et al.</i> , Dept. of Orthopedics Surg., Graduate School of Medicine, Yamaguchi Univ.	
1-P37-2	The groin pain with lumbar spine disease	399
	<i>Y. Horinouchi, et al.</i> , Dept. of Orthop. Surg., Yuaikai Hospital	
1-P37-3	The differences between cases of severe hip osteoarthritis with or without low back pain (LBP)	400
	<i>F. Saiki, et al.</i> , Department of Orthopaedic Surgery, Faculty of Medicine, The University of Tokyo	
1-P37-4	Muscle tenderness of gluteus maximus and biceps femoris is characteristic for the S1 nerve root disorder by lumbar disc herniation	400
	<i>Y. Kuroda, et al.</i> , Dept. of Orthop. Surg., Kansai Rousai Hospital, Amagasaki City, Japan	

1-P37-5	The test to retest reliability of walking test for intermittent claudication associated with lumbar spinal stenosis.....	401
	<i>S. Tanishima, et al.</i> , Department of Orthopedic Surgery, Faculty of Medicine, Tottori University	
1-P37-6	Lumbar spinal canal stenosis causes impaired postural stability leading to fall.....	401
	<i>S. Ujigo, et al.</i> , Dept. of Orthop. Surg., Higashihiroshima Medical Center	

Poster 38

17 : 15~17 : 45

Moderator : E. To

Lumbar spine : Conservative treatment

1-P38-1	Conservative treatment for lumbar spondylolysis	402
	<i>N. Iesato, et al.</i> , Department of Orthopaedic Surgery, Sapporo Medical University	
1-P38-2	Analysis of pediatric patients with recurrent stress fracture on the lumbar spine (spondylolysis)	402
	<i>T. Sakai, et al.</i> , Dept. of Orthop. Surg., Tokushima Univ.	
1-P38-3	Selective Nerve Root Block for Lumbar Radiculopathy	403
	<i>Y. Hagihara, et al.</i> , Dept. of Orthop. Surg., Japan Community Health Care Organization (JCHO) Tokyo Joto Hospital	
1-P38-4	Anatomic consideration of sacral hiatus : A 3DCT study of 120 cases for reliable caudal access	403
	<i>S. Nozawa, et al.</i> , Dept. of Orthop. Surg., Gifu Univ. School of Medicine	
1-P38-5	Which injection is more effective for sacroiliac joint disorder, intra or peri-articular injection?	404
	<i>E. Murakami, et al.</i> , Dept. of Low Back Pain and Sacroiliac Joint Center	
1-P38-6	Fluoroscopy-guided sacroiliac intraarticular injection via the middle portion of the joint : A technical report	404
	<i>D. Kurosawa, et al.</i> , Dept. of Orthop. Surg./Low Back Pain and Sacroiliac Joint Center, JCHO Sendai Hospital	

Poster 39

16 : 15~16 : 45

Moderator : M. Yamashita

Lumbar decompression

1-P39-1	Short-term clinical outcomes of fenestration for lumbar spinal stenosis due to degenerative spondylolisthesis	405
	<i>T. Hoshikawa, et al.</i> , Dept. of Orthop. Surg., Tohoku Central Hospital	
1-P39-2	Postoperative bony fusion rate of spinous process and lamina in reposition closure with simplified suture after lumbar partial laminectomy	405
	<i>S. Ii, et al.</i> , Mito General Hospital	
1-P39-3	Posterior midline approach for lateral lumbar disc herniation : Appropriate place of lateral fenestration	406
	<i>T. Ogawa, et al.</i> , Dept. of Orthop. Surg., The Taiju-kai Foundation Kaisei General Hospital	

1-P39-4	Surgical outcomes of the foraminal decompression and partial ala osteotomy for lumbosacral foraminal stenosis.....	406
	<i>Y. Shinozaki, et al.</i> , Spine Center, Japanese Red Cross Shizuoka Hospital	
1-P39-5	Total release of L5 nerve root in patients with L5 radiculopathy due to foraminal stenosis	407
	<i>K. Takahashi, et al.</i> , Dept. of Orthop. Surg., Tohoku Central Hospital, Japan	
1-P39-6	Foraminal and extraforaminal entrapment of fifth lumbar nerve root : A review of 22 surgical cases	407
	<i>M. Sasaki, et al.</i> , Dept. of Orthop. Surg., JR Hiroshima Hospital	

Poster 40

16 : 45~17 : 15

Moderator : **T. Toyone**

Lumbar fusion 1

1-P40-1	Clinical case reports of 6 teenage patients with High-grade spondylolisthesis who underwent PLIF	408
	<i>H. Terai, et al.</i> , Dept. of Orthop. Surg., Osaka City University, Graduate School of Medicine	
1-P40-2	The association between JOABPEQ and patient satisfaction with outcome after lumbar fusion surgery—Clinical Outcome of multiple lumbar fusions after three years—.....	408
	<i>K. Tateishi, et al.</i> , Dept. of Orthop. Surg., Japan Health-care Community Organization Osaka Hospital	
1-P40-3	The diagnosis and surgical results of monoportal PLIF for chronic discogenic low back pain	409
	<i>H. Yoshida, et al.</i> , Dept. of Orthopedic Surg., Fukuoka Higashi Medical Center	
1-P40-4	Clinical outcomes of lumbo-sacral fusion after short cage TLIF for LCS	409
	<i>H. Miyakata, et al.</i> , Sonoda Medical Institute Tokyo Spine Center	
1-P40-5	Surgical outcome of the posterior lumbar interbody fusion at double levels using the local block bone graft	410
	<i>S. Nishimura, et al.</i> , Dept. of Orthop. Surg., Keiyu Hospital	
1-P40-6	A comparative study between the transforaminal interbody fusion after microscopic bilateral decompression through a unilateral approach and the posterior lumbar interbody fusion with the posterolateral fusion after open bilateral decompression through a bilateral approach	410
	<i>M. Iwabuchi, et al.</i> , Dept. of Orthopaedic and Spinal Surgery, Aizu Medical Center at Fukushima Medical University	

Poster 41

17 : 15~17 : 45

Moderator : **M. Koizumi**

Lumbar fusion 2

1-P41-1	The effect of ultraviolet functionalization of titanium on spine fusion	411
	<i>H. Tominaga, et al.</i> , Department of Orthopaedic Surgery, Graduate School of Medical and Dental Sciences, Kagoshima University	

1-P41-2	Investigation of predicting factors related to nonunion after spinal fusion surgery.....	411
	<i>H. Inose, et al.</i> , Department of Orthopedics, Graduate School, Tokyo Medical and Dental University, Japan	
1-P41-3	Radiographical assessment of bony fusion around interbody cages in lumbar spine	412
	<i>T. Mishiro, et al.</i> , Department of Orthopaedic Surgery, Takamatsu Red Cross Hospital	
1-P41-4	Usefulness of Titanium-coating PEEK cage for posterior lumbar interbody fusion-A prospective comparative study of Titanium-coating PEEK and Carbon PEEK-	412
	<i>Y. Arai, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	
1-P41-5	Potential of porous hydroxyapatite/collagen composite as grafted bone for PLIF/TLIF.....	413
	<i>T. Endo, et al.</i> , Spine Center, Hakodate Central Hospital, Hakodate, Hokkaido, Japan	
1-P41-6	Evaluation of the cage subsidence after L5/S1 TLIF using finite element method	413
	<i>Y. Kobayashi, et al.</i> , Spine Center, Japanese Red Cross Shizuoka Hospital	

Poster 42

16 : 15~16 : 45

Moderator : **Y. Murata**

RA lumbar spine and others

1-P42-1	Histological evaluation of lumbar spine changes in Rats with collagen-induced arthritis	414
	<i>T. Mihara, et al.</i> , Department of Orthopedic Surgery, Faculty of Medicine, Tottori University	
1-P42-2	Were the surgical outcomes for lumbar spinal stenosis with RA lumbar lesion poor? -The comparison with non-RA patients-.....	414
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Osaka Social Medical Center	
1-P42-3	Risk factor for radiological adjacent segment disease after PLIF in RA patients	415
	<i>H. Fujiwara, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization, Osaka Minami Medical Center	
1-P42-4	Surgical results for posterior spinal fusion of lumbar spinal disorders with rheumatoid arthritis	415
	<i>K. Hasegawa, et al.</i> , Dept. of Orthop. Surg., Toho Univ. School of Medicine	
1-P42-5	Examination of referred pain and severe cases in radiofrequency neurotomy for sacroiliac joint pain	416
	<i>K. Ito, et al.</i> , Dept. of Spinal. Surg., Toho Univ. Ohashi Medical Center	
1-P42-6	Monitoring of frictional heat for the hard-soft tissue that occur in Sonopet	416
	<i>K. Fukuda</i> , Dept. of Orthop. Surg., Sendai East Neurosurgical Hospital	

Poster 43

16 : 45~17 : 15

Moderator : **Y. Hatakeyama**

Locomotive syndrome in sarcopenia

1-P43-1	Evaluation of the paraspinal muscle of patients with sarcopenia	417
	<i>N. Fujita, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	

1-P43-2	Relationship between muscle mass and walking speed in patient with lumbar canal stenosis <i>T. Iwaki, et al.</i> , Tokyo Medical Univ. School of Medicine, Tokyo, Japan	417
1-P43-3	The effect of sarcopenia for clinical outcomes of lumbar spinal disorders <i>H. Toyoda, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	418
1-P43-4	Impact of Sarcopenia for Conservative Treatment of Osteoporotic Vertebral Fracture <i>Y. Sakai, et al.</i> , Dept. of Orthop. Surg., National Center for Geriatrics and Gerontology	418
1-P43-5	The influence of frailty on postoperative outcome after cervical laminoplasty <i>S. Ito, et al.</i> , Dept. of Orthop. Surg., Naogya Univ. Graduate School of Medicine	419
1-P43-6	Effects of locomotive syndrome on low back pain and quality of life in elderly people <i>Y. Kasukawa, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine	419

Poster 44

17 : 15~17 : 45

Moderator : M. Miyazaki

Rehabilitation and trunk muscles

1-P44-1	Decrease of skeletal muscle in patients with lumbar degenerative disease affecting the psychological disorder <i>A. Hiyama, et al.</i> , Dept. of Orthop. Surg., Tokai Univ. School of Medicine	420
1-P44-2	Characteristics of fat degeneration in paraspinal muscle in patients with chronic low back pain <i>T. Takebayashi, et al.</i> , Dept. of Orthop. Surg., Sapporo Medical Univ. School of Medicine	420
1-P44-3	Evaluation of the Cross Sectional Area of the Psoas Major, Multifidus and Erector Spinae and Quantitative Measurements of Muscle Strength of Psoas Major in Lumbar Operated Patients <i>Y. Hatakeyama, et al.</i> , Dept. of Orthop. Surg., Nakadori General Hospital	421
1-P44-4	Effects of surgical treatment and resistance training for the body composition of the lumbar spine disease-The evaluation of muscle and fat mass by Bioelectrical Impedance Analysis- <i>T. Sainoh, et al.</i> , Dept. of Orthop. Surg., Sainoh Hospital	421
1-P44-5	Effects of the difference in the lumbar lordosis angle in healthy women after flexibility/core-training <i>T. Goto, et al.</i> , Department of Rehabilitation Medicine, Tokushima University Hospital, Tokushima, Japan	422
1-P44-6	Effects of functional improvement treatment using robot suit HAL in for chronic myelopathy patients <i>S. Kubota, et al.</i> , Division of Regenerative Medicine for Musculoskeletal System, Faculty of Medicine, University of Tsukuba	422

The Second Day—April 14 (Friday)

Room 1

Symposium 2

8 : 40～10 : 10

Moderators : M. Neo

M. Yamazaki

Frontline of correction surgery for cervical deformity

2-1-S2-1	Manifestation of spinal balance in cervical deformity and thoraco-lumbar reciprocal change following cervical reconstruction surgery	431
	<i>J. Mizutani</i> , Dept. of Rehabilitation Medicine, Nagoya City University, Graduate School of Medical Sciences	
2-1-S2-2	Posterior correction surgery for cervical kyphosis	431
	<i>H. Miyamoto</i> , Dept. of Orthopaedic Surg., Kindai University Hospital	
2-1-S2-3	Antero-posterior correction and fusion surgery for severe cervical kyphosis.....	432
	<i>M. Koda, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. Graduate School of Medicine	
2-1-S2-4	Surgical treatment and issues of cervical kyphotic deformity	432
	<i>K. Abumi, et al.</i> , Sapporo Orthopaedic Hospital-Center for Spinal Disorders	
2-1-S2-5	Ingenuity to prevent iatrogenic foraminal stenosis after cervical pedicle screw fixation	433
	<i>A. Yamazaki, et al.</i> , Spine Center, Dept. of Orthop. Surg., Niigata Central Hospital	
2-1-S2-6	Cervical corrective reconstruction surgery in athetoid cerebral palsy patients.....	433
	<i>H. Mihara, et al.</i> , Spine Center, Yokohama Minami Kyosai Hospital	

Break

Panel Discussion

10 : 30～12 : 00

Moderators : K. Abumi

K. Ueyama

Current status and future challenge for spinal biomechanics by medical-biological engineering collaboration

2-1-PD-1	Prediction of secondary vertebrae compression fracture using computer simulation with CT images	434
	<i>M. Todo, et al.</i> , Research Institute for Applied Mechanics, Kyushu University	
2-1-PD-2	Biomechanical Study of Vertebrae using Finite Element Analysis	434
	<i>Y. Matsuura, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. Hospital	
2-1-PD-3	Biomechanics of osteoporotic vertebral compression fracture	435
	<i>H. Murakami, et al.</i> , Dept. of Orthop. Surg., Kanazawa Univ. School of Medicine	

2-1-PD-4	Overview of current engineered approach of biomechanics research for spine instrumentation ··· 435 <i>D. Tawara, et al.</i> , Dept. of Mech. Sys. Eng., Ryukoku University, Japan
2-1-PD-5	Construction of a trunk musculoskeletal model by using data from Computed Tomography (CT) and Magnetic Resonance Imaging (MRI) 436 <i>T. Iwami</i> , Dept. of Systems Design Engineering, Akita Univ. Faculty of Engineering Science, Akita, Japan
2-1-PD-6	Current status of the research for spino-pelvic kinematics with three-dimensional musculoskeletal model of the whole body by medical and engineering cooperation 436 <i>J. Iida, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine

Break**Luncheon Seminar 9**

12 : 15~13 : 15

Moderator : **T. Yamashita**

2-1-LS9	Intravenous administration of auto serum-expanded autologous mesenchymal stem cells derived from bone marrow : therapeutic outlook for stroke and spinal cord injury 437 <i>O. Honmou</i> , Department of Neural Regenerative Medicine, Research Institute for Frontier Medicine, Sapporo Medical University School of Medicine
---------	--

Break**Plenary Lecture 2**

13 : 25~14 : 25

Moderator : **T. Taguchi**

2-1-PL2	Trajectory of 40 years as a spine surgeon. Splendid encounter, achieved the research project 437 <i>J. Mochida</i> , Dept. of Orthop. Surg., Ebina General Hospital/Professor emeritus, Tokai University
---------	---

Special Lecture

14 : 25~14 : 55

Moderator : **T. Yamashita**

2-1-SL	Expected Role of the Japanese Society for Spine Surgery and Related Research 438 <i>S. Kikuchi</i> , Fukushima Medical University
--------	--

Break

Debate 3

15 : 05～16 : 05

Moderators : A. Okawa
K. Chiba

Cervical OPLL : Anterior vs Posterior surgery

2-1-DB3-1	Clinical outcomes of our method of OPLL extirpation and anterior arthrodesis for multilevel myelopathy due to cervical OPLL	438
	<i>M. Mochizuki, et al.</i> , Dept. of Orthop. Surg., Numazu City Hospital	
2-1-DB3-2	Pros and cons of laminoplasty for cervical ossification of the posterior longitudinal ligament	439
	<i>A. Seichi, et al.</i> , Dept. of Orthopaedics, Mitsui Memorial Hospital, Tokyo, Japan	

Break

JSSR Project Report

16 : 55～18 : 25

Moderators : J. Mochida
H. Haro

Report of socioeconomic evaluation of clinical pharmacology to chronic low back pain

2-1-PR-1	Economical and clinical assessment for pharmacological treatment for chronic low back pain.....	439
	<i>Y. Matsuyama, et al.</i> , Project committee, The Japanese Society for Spine Surgery and Related Research	
2-1-PR-2	Clinical assessment of pharmacological treatment for chronic low back pain.....	440
	<i>T. Kaito, et al.</i> , Project committee, The Japanese Society for Spine Surgery and Related Research	
2-1-PR-3	Pitfalls and Checkpoints in Analyzing a Large Scale Observational Clinical Research	440
	<i>A. Shintani, et al.</i> , Project committee, The Japanese Society for Spine Surgery and Related Research	

Break

SV Evening Seminar

18 : 35～19 : 35

Moderator : T. Maeda

2-1-SVE	Risk management in spine surgery.....	441
	<i>N. Kawahara</i> , Dept. of Orthop. Surg., Kanazawa Medical Univ.	

Room 2

Main Theme 5

8 : 40～9 : 30

Moderator : T. Hashimoto

Strategy for the treatment of vertebral fractures with severe osteoporosis

2-2-M5-1	Comparison of the effect between once-weekly teriparatide and alendronate in fresh thoracolumbar fracture-T-WRAP study-	441
	<i>S. Ikeda, et al.</i> , Department of Orthopaedic, Surgery, Ken-Ai Memorial Hospital	
2-2-M5-2	Differential effect of teriparatide and alendronate on bone remodeling in vertebral bones adjacent to fractured vertebra-Longitudinal study-	442
	<i>K. Ura, et al.</i> , Spine Center, Hakodate Central General Hospital	
2-2-M5-3	Trabecular bone score could predict the spreading fracture line to posterior vertebral wall in spinal compression fracture	442
	<i>O. Tsuji, et al.</i> , Hokkaido Spinal Cord Injury Center	
2-2-M5-4	Balloon Kyphoplasty for fresh osteoporotic vertebral fractures with poor prognostic factor	443
	<i>M. Hoshino, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
2-2-M5-5	Risk factors associated with early onset adjacent vertebral fracture after balloon kyphoplasty for osteoporotic patient	443
	<i>M. Morozumi, et al.</i> , Department of Orthopaedics, Nagoya University Graduate School of Medicine	
2-2-M5-6	Vertebral column osteotomy for the kyphosis due to osteoporotic vertebral fracture with sagittal mal alignment-To fuse pelvis or not?.....	444
	<i>T. Hasegawa, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	

Break

Main Theme 6

9 : 50～10 : 40

Moderator : F. Kato

Diagnosis and treatment of spinal cord tumor

2-2-M6-1	Imaging feature of spinal ependymoma in MRI-NSG Multicenter study-	444
	<i>K. Kobayashi, et al.</i> , Department of Orthopaedic Surgery, Nagoya University Graduate School of Medicine	
2-2-M6-2	Surgical outcome for spinal ependymoma	445
	<i>T. Yasuda, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Medical Center	
2-2-M6-3	Microscopic resection surgery of intramedullary spinal cord tumors : A single institute study with 142 consecutive cases	445
	<i>Y. Fujiwara, et al.</i> , Dept. of Orthop. Surg., Hiroshima City Asa Hospital	
2-2-M6-4	Surgical outcomes of spinal cord astrocytomas-A 40-year experience at a single institution-	446
	<i>N. Nagoshi, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	

2-2-M6-5	Clinical outcome and predictive factor for patients with malignant spinal dumbbell tumor <i>Y. Matsumoto, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kyushu Univ.	446
2-2-M6-6	Perioperative complications after an operation of the spinal cord tumor which occurred to a cervical spine and a cervico-thoracic spine junction <i>T. Fujimoto, et al.</i> , Department of Orthopaedic Surgery, Kumamoto University Hospital	447

Break**Main Theme 7**

11 : 00~11 : 50

Moderator : **T. Shiraishi****Pathology of the spine in Rheumatoid Arthritis**

2-2-M7-1	The relevance of the cervical lesion and ADL in rheumatoid arthritis-From large-scale cross sectional study- <i>O. Morita, et al.</i> , Dept. of Spine Surg., Nagaoka Red Cross Hospital	447
2-2-M7-2	Bony ankylosis of the facet joint of the cervical spine in rheumatoid arthritis : Its characteristics and relationship to the clinical findings <i>H. Iizuka, et al.</i> , Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine	448
2-2-M7-3	The effect of the progress of medical treatment on cervical lesions in rheumatoid arthritis patients <i>Y. Koizumi, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization Sendai Nishitaga Hospital	448
2-2-M7-4	Functional prognosis and life prognosis of rheumatoid arthritis cervical spine surgery from the change after biologics <i>M. Kamiya, et al.</i> , Dept. of Orthop. Surg., Aichi Medical Univ.	449
2-2-M7-5	Prognosis after surgical treatment for severe myelopathy (Ranawat IIIB) caused by cervical lesions in rheumatoid arthritis <i>S. Kaneyama, et al.</i> , Dept. of Orthop. Surg., Kobe Rosai Hospital	449
2-2-M7-6	Occipitothoracic fusion for severe rheumatoid cervical disorders : Long-term follow-up <i>T. Tanouchi, et al.</i> , Dept. of Orthop. Surg., Gunma Spine Center	450

Break**Luncheon Seminar 10**

12 : 15~13 : 15

Moderator : **M. Matsumoto**

2-2-LS10	The cutting edge of pathophysiological study and treatment for adult spinal deformity <i>H. Taneichi, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	450
----------	---	-----

Break

Main Theme 8

15 : 05～15 : 55

Moderator : K. Yamazaki

Surgical challenges for severe pediatric spinal deformity

2-2-M8-1	Challenge for severe early onset spinal deformity : Outcome of the operation and complication	451
	<i>T. Saito, et al.</i> , Dept. of Orthopaedics & Spine Surgery, Meijo Hospital	
2-2-M8-2	Results of Shilla technique for early onset scoliosis by a single surgeon	451
	<i>T. Suzuki, et al.</i> , Department of Orthopaedic Surgery, National Hospital Organization Kobe Medical Center	
2-2-M8-3	Risk factors for unsatisfactory correction of spinal deformity associated with growing-rod surgery for early-onset scoliosis	452
	<i>K. Watanabe, et al.</i> , Dept. of Orthop. Surg., Keio University	
2-2-M8-4	Safety and efficacy of vertebral column resection for early onset spinal deformity-Anterior and posterior vertebral column resection versus posterior-only technique-.....	452
	<i>H. Moridaira, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	
2-2-M8-5	Radiological results of spinal fusion to L5 in neuromuscular scoliosis	453
	<i>W. Saito, et al.</i> , Department of Orthopedics, Kitasato University, School of Medicine	
2-2-M8-6	Surgical results of scoliosis with cerebral palsy	453
	<i>M. Tanaka, et al.</i> , Department of Orthopaedic Surgery, Okayama University Hospital	

Break

Main Theme 9

16 : 15～17 : 05

Moderator : M. Yoshimoto

Scientific appraisal of minimally invasive spine surgery

2-2-M9-1	Good clinical results of minimally invasive facet fusion without decompression for radicular symptoms caused by unstable degenerative lumbar spondylolisthesis.....	454
	<i>H. Ataka, et al.</i> , Spine Center, Matsudo Orthopaedic Hospital	
2-2-M9-2	Risk factors of reoperation after microsurgical bilateral decompression via a unilateral approach for lumbar spinal canal stenosis with scoliosis or disc wedging	454
	<i>M. Kato, et al.</i> , Department of Orthopaedic Surgery, Osaka City General Hospital	
2-2-M9-3	Anatomical analysis on 5th lumbar segmental-like arteries	455
	<i>S. Orita, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. School of Medicine	
2-2-M9-4	Movement of abdominal structures on CT during positioning changes related to lateral lumbar spine surgery : A morphometric study in the supine position and lateral position	455
	<i>S. Ebata, et al.</i> , Dept. of Orthopaedic, Yamanashi Univ.	
2-2-M9-5	Cage subsidence of intervertebral cage in LIF	456
	<i>M. Ishihara, et al.</i> , Department of Orthopaedic Surgery, Kansai Medical University Medical Center	

2-2-M9-6	Clinical Outcome of Spinal Reconstruction with Oblique Lateral Interbody Fusion (OLIF) for Revision Spinal Surgery	456
	<i>T. Kaibara, et al.</i> , Dept. of Orthop. Surg., Spine and Spinal Cord Center, Steel Memorial Muroran Hospital	

Break**Main Theme 10**

17 : 25~18 : 15

Moderator : O. Nakai

Pathophysiology and treatment of adult spinal deformity

2-2-M10-1	Analysis of compensatory mechanism for sagittal balance in degenerative lumbar kyphoscoliosis	457
	<i>Y. Shiba, et al.</i> , Dept. of Orthop. Surg., Dokkyo Univ. School of Medicine	
2-2-M10-2	A novel classification of ambulatory kyphosis among female volunteers aged over 60	457
	<i>T. Kobayashi, et al.</i> , Dept. of Orthop. Surg., Asahikawa Medical University	
2-2-M10-3	The influence of osteoporosis and sarcopenia on adult spinal deformity.....	458
	<i>M. Kashii, et al.</i> , Dept. of Orthop. Surg., Toyonaka Municipal Hospital	
2-2-M10-4	Therapeutic Exercises for Adult Spinal Deformity, with special references to Spino-Pelvic Alignment and Physical Function	458
	<i>T. Endo, et al.</i> , Department of Orthopedics & Spinal Surgery / Rehabilitation, Fukushima Medical University, Aizu Medical Center	
2-2-M10-5	Assessments of activity of daily living after thoracolumbar instrumentation surgery without sacroiliac fixation for adult spine deformity	459
	<i>Y. Ishikawa, et al.</i> , Dept. of Orthop. Surg., Akita Univ. School of Medicine	
2-2-M10-6	The cases with preoperative thoracic kyphosis of 30 degrees has less risk of proximal junctional kyphosis in adult spinal deformity surgery	459
	<i>S. Oe, et al.</i> , Department of Orthopaedic Surgery, Hamamatsu University School of Medicine	

Break**Evening Seminar 7**

18 : 35~19 : 35

Moderator : M. Yamazaki

2-2-ES7	Exploring for locomotive pain in our ageing society	460
	<i>S. Orita</i> , Dept. of Orthopaedic Surgery, Graduate School of Medicine, Chiba University	

Room 3**Invited Lecture 4**

8 : 40~9 : 40

Moderator : **M. Watanabe**

- 2-3-IL4 New approaches for stem cell mediated intervertebral disc regeneration 460
G. Vadalà, Dept. of Orthop. and Trauma Surg., Campus Bio-Medico Univ. of Rome, Italy

Break**Invited Lecture 5**

9 : 50~10 : 50

Moderator : **T. Kanemura**

- 2-3-IL5 Minimally invasive techniques for the correction of adult spinal deformity 461
RK. Eastlack, Scripps Clinic and San Diego Spine Foundation, CA, USA

Break**Invited Lecture 6**

11 : 00~12 : 00

Moderator : **M. Tanaka**

- 2-3-IL6 Myths in the surgery of adolescent idiopathic scoliosis 461
MP. Grevitt, Centre for Spinal Studies & Surgery, Queens Medical Centre, Nottingham, UK

Break**Luncheon Seminar 11**

12 : 15~13 : 15

Moderator : **H. Ozawa**

- 2-3-LS11 Ossification of the spinal ligament-new insight for pathology and treatment- 462
Y. Kawaguchi, Dept. of Orthop. Surg., Toyama Univ. School of Medicine

Break

Invited Lecture 7

15 : 05~16 : 05

Moderator : **M. Ito**

- 2-3-IL7 Recent advances in surgical management of spinal neoplasms 462
ZL. Gokaslan, Dept. of Neurosurg., Rhode Island Hosp. /Chair of Neurosurg. in the Warren Alpert Medical School of Brown Univ., Rhode Island, USA

Break

Invited Lecture 8

16 : 15~17 : 15

Moderator : **S. Kokubun**

- 2-3-IL8 Odontoid fractures in the elderly 463
C. Olerud, Dept. of Orthop., Uppsala Univ. Hosp., Uppsala, Sweden

Break

Invited Lecture 9

17 : 25~18 : 25

Moderator : **Y. Kato**

- 2-3-IL9 Sublaminar bands for the treatment of pediatric spinal deformity 463
B. Ilharreborde, Robert Debre Hosp., Paris Diderot Univ., Paris, France

Break

Evening Seminar 8

18 : 35~19 : 35

Moderator : **S. Ohtori**

- 2-3-ES8 Pharmacotherapy for chronic low back pain : a strategy based on the pain mechanisms, evidence and my clinical experience 464
H. Hashizume, Dept. of Orthop. Surg. Wakayama Medical University

Room 4**Morning Seminar 1**

7 : 30~8 : 30

Moderator : **N. Kawakami**

2-4-MS1	Current science of spinal interbody fusion	464
	<i>T. Kaito</i> , Dept. of Orthopaedic Surgery, Osaka University Graduate School of Medicine	

Break**Free Papers 25**

8 : 40~9 : 28

Moderator : **S. Inami****Adult deformity : Diagnosis**

2-4-F25-1	Effect of the genetic background of adolescent idiopathic scoliosis and disc degeneration on adult spinal deformity	465
	<i>K. Takeda, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	
2-4-F25-2	Residual Lumbar Curve Accelerates Lumbar Intervertebral Disc Degeneration in Patients with Adult Idiopathic Scoliosis	465
	<i>S. Suzuki, et al.</i> , Dept. of Orthop. Surg., Tokyo Dental College Ichikawa General Hospital	
2-4-F25-3	Natural history of degenerative lumbar scoliosis	466
	<i>Y. Ishihara, et al.</i> , Asao General Hospital Spine Center	
2-4-F25-4	Change of pelvic incidence due to rotatory subluxation of sacroiliac joint in severe adult spinal deformity	466
	<i>M. Ino, et al.</i> , Dept. of Orthop. Surg., Gunma Spine Center	
2-4-F25-5	Prevalence and key radiographic spinal malalignment parameters that influence the risk for gastroesophageal reflux disease in patients treated surgically for adult spinal deformity	467
	<i>T. Ohba, et al.</i> , Dept. of Orthop. Surg., University of Yamanashi	
2-4-F25-6	The importance of trunk muscle on gait postural in patients with adult spinal deformity	467
	<i>T. Banno, et al.</i> , Dept. of Orthop. Surg., Hamamatsu University School of Medicine	

Break**Free Papers 26**

9 : 30~10 : 18

Moderator : **M. Fukuoka****Adult deformity : Assessment**

2-4-F26-1	Three-dimensional gait motion analysis on degenerative lumbar kyphoscoliosis : A supporting tool for determining the procedure of surgery	468
	<i>K. Miura, et al.</i> , Dept. of Orthop. Surg., Tsukuba Univ. Graduate School of Medicine	

2-4-F26-2	The target lumbar lordosis of corrective fusion surgery in each decade of elderly patients with adult spinal deformity	468
	<i>Y. Yamato, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-4-F26-3	Differences in surgical strategy between North American and Japanese spinal surgeons for adult spinal deformity	469
	<i>N. Hosogane, et al.</i> , Dept. of Orthop. Surg., National Defense Medical College	
2-4-F26-4	Radiological analysis of the rising psoas muscle at L4–5 in adult spinal deformity with sagittal imbalance	469
	<i>H. Moridaira, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	
2-4-F26-5	Fact or fiction?—The avoidance of L1 or L2 proximal fusion levels after long adult lumbar fusion to L5 or S1–	470
	<i>H. Yamada, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical University	
2-4-F26-6	Correction amount in lumbar lordosis is a predictor of fused lumbar lordosis loss after adult spinal deformity surgery	470
	<i>H. Ushirozako, et al.</i> , Dept. of Orthop. Surg., Fujinomiya City Hospital	

Break

Free Papers 27

10 : 20～11 : 08

Moderator : **K. Miyamoto**

Adult deformity : Alignment, quality of life

2-4-F27-1	The Minimum Clinically Important Difference in SRS-22R Activity, Pain, and Mental Domains After Surgical Treatment of Adult Spinal Deformity Based on Japanese Orthopaedic Association Back Pain Evaluation Questionnaire among Japanese population	471
	<i>H. Arima, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-4-F27-2	Surgical versus Non-surgical Treatment for Adult Spinal Deformity : Propensity-adjusted Observational Cohort Study	471
	<i>M. Takemoto, et al.</i> , Department of Orthopaedic and Spine Surgery, Kyoto City Hospital	
2-4-F27-3	Radiographic evaluation of after correction surgery in adult patients with idiopathic scoliosis	472
	<i>K. Daimon, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
2-4-F27-4	Classification of postoperative adult spinal deformity patient by sagittal alignment compensation	472
	<i>S. Inami, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	
2-4-F27-5	A spinal correction and fixation surgery improve not only standing sagittal plane alignment but also balance	473
	<i>M. Ono, et al.</i> , Niigata Spine Surgery Center	
2-4-F27-6	Radiographic evaluation of reciprocal change in cervical spine alignment following adult spinal deformity surgery	473
	<i>A. Matsumura, et al.</i> , Department of Orthopaedic Surgery, Osaka City General Hospital	

Break**Free Papers 28**

11 : 10~11 : 58

Moderator : **M. Saito****Adult deformity : Correction 1**

2-4-F28-1	What is important to gain postoperative lumbosacral angle with corrective surgery for adult spinal deformity?	474
	<i>K. Fukuda, et al.</i> , Dept. of Orthop. Surg., Saiseikai Yokohamashi Tobu Hospital	
2-4-F28-2	Is the hyper lordotic interbody fusion cage effective for securing the L5/S1 lordosis?	474
	<i>T. Sakuma, et al.</i> , Dept. of Orthop. Surg., Seirei Sakura Citizen Hospital	
2-4-F28-3	Can we get ideal lumbar lordosis in adult spinal deformity by corrective surgery with LIF and PPS?	475
	<i>T. Harada, et al.</i> , Spine Center, Rakuwakai Marutamachi Hospital	
2-4-F28-4	Staged reconstruction with lateral interbody fusion in patients with degenerative lumbar kyphosis	475
	<i>H. Nakashima, et al.</i> , Dept. of Orthop. Surg., Konan Kosei Hospital	
2-4-F28-5	Advantages and disadvantages of corrective surgery with posterior lumbar interbody fusion for treatment of lumbar degenerative kyphoscoliosis	476
	<i>T. Kobayashi, et al.</i> , Dept. of Orthop. Surg., Akita Kousei Medical Center	
2-4-F28-6	Hybrid posterior fixation using percutaneous sacral alar iliac and lumbar pedicle screw with lateral interbody fusion for adult spinal deformity	476
	<i>H. Murakami, et al.</i> , Dept. of Orthop. Surg., Iwate Medical Univ. School of Medicine	

Break**Luncheon Seminar 12**

12 : 15~13 : 15

Moderator : **H. Nakamura**

2-4-LS12	Changes in central neuronal modulation caused chronic pain	477
	<i>M. Kawatani</i> , Dept of Neurophysiology, Akita Univ. School of Medicine	

Break

Free Papers 29

15 : 05～15 : 53

Moderator : K. Watanabe

Adult deformity : Correction 2

2-4-F29-1	Corrective Long Fusion for Adult Spinal Deformity : Comparison of best and worst cases 2 years after the surgery	477
	<i>D. Togawa, et al.</i> , Div. of Geriatric Musculoskeletal Health, Hamamatsu Univ. School of Medicine	
2-4-F29-2	Dorsal ventral dorsal three stage correction surgery for adult spinal deformity-Minimum 5-year follow-up surgical results-	478
	<i>K. Otani, et al.</i> , Dept. of Orthop. Surg., Kudanzaka Hospital	
2-4-F29-3	Reciprocal Change in Thoracic Kyphosis after Spinal Corrective Surgery for Adult Spinal Deformity	478
	<i>T. Yasuda, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Medical Center	
2-4-F29-4	Revision PSO for iatrogenic flat back	479
	<i>Y. Nakao, et al.</i> , Dept. of Orthop. Surgery, Spine Center, Sanraku Hospital	
2-4-F29-5	1 year postoperative results of minimally invasive correction surgery using extreme lateral interbody fusion and transforaminal lumbar interbody fusion for adult spinal deformities	479
	<i>T. Ogura, et al.</i> , Spine Surgery and Related Research Center, Nantan General Hospital	
2-4-F29-6	Clinical results of combined anterior and posterior corrective fusion with multiple OLIF and hybrid PF techniques	480
	<i>Y. Kotani, et al.</i> , Spine and Spinal Cord Center, Steel Memorial Muroran Hospital	

Break

Free Papers 30

15 : 55～16 : 43

Moderator : D. Togawa

Adult deformity : Pelvic fixation

2-4-F30-1	The effect of the iliac screws in adult spine deformity	480
	<i>S. Ebata, et al.</i> , Dept. of Orthopaedic, Yamanashi Univ.	
2-4-F30-2	Clinical outcome in degenerative lumbar kyphoscoliosis after lumbo-sacral fusion～From lower thoracic spine to the ilium vs middle lumbar spine to the ilium～	481
	<i>K. Yamasaki, et al.</i> , Dept. of Orthopaedics, Sonoda Medical Institute Tokyo Spine Center	
2-4-F30-3	Relationship between sacroiliac joint angle and spinopelvic alignment	481
	<i>A. Kondo, et al.</i> , Dept. of Orthop. Surg., Nagoya City Univ. School of Medicine	
2-4-F30-4	Reoperation for sagittal decompensation after lumbopelvic fixation with S2 alar iliac screw for adult spinal deformity	482
	<i>Y. Inui, et al.</i> , Dept. of Orthop. Surg., Kobe Medical Center, Kobe Japan	
2-4-F30-5	Clinical result of lumbosacral fixation for adult spinal deformity using S2-alar-iliac screws	482
	<i>M. Oyama, et al.</i> , Dept. of Orthop. Surg., Morioka National Hospital	

2-4-F30-6	Pseudarthrosis in long fusion to the sacrum : Intrasacral fixation (Jackson technique) versus Iliac screw fixation.....	483
	<i>T. Ohara, et al.</i> , Dept. of Orthop. Surg. and Spine Center, Meijo Hospital	

Break

Free Papers 31

16 : 45~17 : 33

Moderator : K. Harimaya

Metastatic spinal tumor

2-4-F31-1	An animal model for verifying the progression of metastatic cervical spine tumor and motor paralysis.....	483
	<i>S. Sato, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ. School of Medicine	
2-4-F31-2	Characteristics of patients who survived less than three months for cervical spinal metastases	484
	<i>S. Dohzono, et al.</i> , Department of Orthopedic Surgery, Yodogawa Christian Hospital	
2-4-F31-3	Survival prognosis and clinical features for patients with spinal metastases from prostate cancer	484
	<i>T. Kawai, et al.</i> , Dept. of Spine and Spinal Cord Surg., Yokohama Brain and Spine Center	
2-4-F31-4	Prospective cohort study for the risk factor of symptomatic spinal metastasis.....	485
	<i>K. Kakutani, et al.</i> , Department of Orthopaedic Surgery, Kobe University Graduate School of Medicine	
2-4-F31-5	A novel treatment algorithm of spinal metastases from kidney and thyroid cancers	485
	<i>S. Kato, et al.</i> , Dept. of Orthop. Surg., Kanazawa Univ. School of Medicine	
2-4-F31-6	Establishing the metastatic spine tumor liaison service	486
	<i>K. Nakanishi, et al.</i> , Dept. of Orthopaedics, Kawasaki Medical School	

Break

Free Papers 32

17 : 35~18 : 23

Moderator : S. Kawaguchi

Surgery for metastatic spinal tumor

2-4-F32-1	Strategy and clinical outcome for spinal tumors of unknown primary origin.....	486
	<i>K. Miura, et al.</i> , Dept. of Orthop. Surg., Tsukuba Univ. Graduate School of Medicine	
2-4-F32-2	Local treatment outcome of intraoperative radiation therapy for metastatic spinal tumor of renal cell carcinoma.....	487
	<i>M. Fujiwara, et al.</i> , Dept. of Orthop. Surg., Tokyo Metropolitan Cancer and Infectious Diseases Center Komagome Hospital	
2-4-F32-3	The efficacy of early surgical treatment in patients with neurological defect due to metastatic spinal cord compression	487
	<i>M. Iinuma, et al.</i> , Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine	

2-4-F32-4	Effectiveness of multidisciplinary treatment and minimally invasive spine stabilization for spinal metastases.....	488
	<i>H. Uei, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	
2-4-F32-5	Risk factors of perioperative complications in metastatic spinal tumor	488
	<i>R. Hirota, et al.</i> , Dept. of Orthop. Surg., Sapporo Medical Univ.	
2-4-F32-6	Antitumor immune enhancement of total spondylectomy using frozen tumor-bearing autograft for spinal metastasis : A preliminary study	489
	<i>N. Yonezawa, et al.</i> , Department of Orthopaedic Surgery, Kanazawa University, Kanazawa, Japan	

Break**Evening Seminar 9**

18 : 35~19 : 35	Moderator : S. Matsunaga	
2-4-ES9	Treatment of osteoporosis to prevent vertebral fracture	489
	<i>H. Kawaguchi</i> , Japan Community Health Care Organization (JCHO)	

Room 5**Morning Seminar 2**

7 : 30~8 : 30	Moderator : J. Okawa	
2-5-MS2	Bone biology and spine surgery	490
	<i>M. Takahata</i> , Dept. of Orthop. Surg., Hokkaido Univ. School of Medicine	

Break**Free Papers 33**

8 : 40~9 : 28	Moderator : A. Minamide	
Minimally invasive decompression 1		
2-5-F33-1	Risk assessment of abdominal and retroperitoneal organ injuries performing transforaminal percutaneous endoscopic lumbar discectomy	490
	<i>F. Tezuka, et al.</i> , Dept. of Orthop., Tokushima Univ.	
2-5-F33-2	A novel preoperative planning and simulation for percutaneous endoscopic discectomy using 3D fusion imaging	491
	<i>S. Yamaya, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. School of Medicine	
2-5-F33-3	Diagnosis and pitfalls for the nerve root anomalies in posterior microendoscopic surgery	491
	<i>Y. Nakagawa, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical University	

2-5-F33-4	Learning curves for microendoscopic laminectomy surgery for the treatment of lumbar spinal canal stenosis	492
	<i>K. Nomura, et al.</i> , Dept. of Orthop. Surg., Sumiya Orthopaedic Hospital, Wakayama, Japan	
2-5-F33-5	Percutaneous Endoscopic Translaminar Approach for Herniated Nucleus Pulpous in the Hidden Zone of Lumbar Spine.....	492
	<i>T. Funato, et al.</i> , Asao General Hospital Spine Center	
2-5-F33-6	Does microendoscopic procedure reduce perioperative surgical risks of lumbar laminectomy? : A propensity score matched analysis	493
	<i>T. Oichi, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, The University of Tokyo	

Break**Free Papers 34**

9 : 30～10 : 18

Moderator : A. Dezawa

Minimally invasive decompression 2

2-5-F34-1	Surgical outcome and complication of PELD transforrminal and interlaminar approach in patients with juvenile lumbar disc herniation	493
	<i>K. Ohmori, et al.</i> , Center for Spinal Surg., Nippon Koukan Hospital	
2-5-F34-2	Analysis of risk factors influencing the recurrence of lumbar disc herniation after MED	494
	<i>Y. Sakuma, et al.</i> , Chiba Central Medical Center Spine Center	
2-5-F34-3	Revision microendoscopic discectomy (re-MED) for postoperative recurrence of lumbar disc herniation	494
	<i>H. Tashi, et al.</i> , Department of Orthopedic, Spine Center, Niigata Central Hospital	
2-5-F34-4	Clinical outcomes of microendoscopic laminectomy for degenerative lumbar spondylolisthesis—Over 5 years follow up-	495
	<i>M. Morishita, et al.</i> , Souseikai Asao General Hospital	
2-5-F34-5	The microendoscopic decompression surgery (ME-MILD) for lumbar spinal canal stenosis—Clinical results and radiological assessments in the cases of 10 years follow-up-	495
	<i>M. Nagae, et al.</i> , Dept. of Orthopaedics, Graduate School of Medical Science, Kyoto Prefectural University of Medicine	
2-5-F34-6	Minimally invasive decompression surgery for lumbar spinal stenosis with degenerative scoliosis : Predictive factors of radiographic and clinical outcomes	496
	<i>A. Minamide, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ. School of Medicine	

Break

Free Papers 35

10 : 20~11 : 08

Moderator : H. Gen

Minimally invasive fusion 1

2-5-F35-1	Pooled analysis of prospective trials of minimally invasive SI joint fusion with porous titanium triangular implants	497
	<i>D.J. Cher, et al.</i> , SI-BONE, Inc., United States	
2-5-F35-2	Surgical technique and clinical results of percutaneous endoscopic transforaminal lumbar interbody fusion : A new modified technique of PELD	498
	<i>K. Nagahama, et al.</i> , Dept. of Orthop. Surg., Wajokai Sapporo Hospital	
2-5-F35-3	The anterior and posterior combined surgery in tandem using the percutaneous pedicle screw	498
	<i>H. Ikuma, et al.</i> , Dept. of Orthop. Surg., Kagawa Prefectural Central Hospital	
2-5-F35-4	Clinical outcome of percutaneous pedicle screw fixation and the examination of deviation factor for pedicle screw	499
	<i>T. Matsubara, et al.</i> , Dept. of Orthop. Surg., Kurume Univ. School of Medicine	
2-5-F35-5	A Retrospective Cohort Study Comparing the Safety and Efficacy of Minimally Invasive versus Open Surgical Techniques in the Lumbar Spinal Fusion Surgery	499
	<i>T. Hikata, et al.</i> , Kitasato University Kitasato Institute Hospital	
2-5-F35-6	Clinical Results of spinal reconstructions with oblique lateral interbody fusion (OLIF)	500
	<i>Y. Kotani, et al.</i> , Spine and Spinal Cord Center, Steel Memorial Muroran Hospital	

Break

Free Papers 36

11 : 10~11 : 58

Moderator : T. Tomita

Minimally invasive fusion 2

2-5-F36-1	Nonunion cases of facet fusion with a percutaneous pedicle screw system for degenerative lumbar spondylolisthesis	500
	<i>T. Miyashita, et al.</i> , Spine Center, Matsudo City Hospital, Chiba, Japan	
2-5-F36-2	The accuracy of percutaneous pedicle screw insertion for Mini open TLIF Percutaneous side VS Open side	501
	<i>S. Sumiya, et al.</i> , Dept. of Orthopaedic and Spine Surgery, Yokohama City Minato Red Cross Hospital	
2-5-F36-3	Comparison of postoperative 1-year results of extreme lateral interbody fusion and mini-open transforaminal lumbar interbody fusion for lumbar degenerative spondylolisthesis	501
	<i>T. Ogura, et al.</i> , Spine Surgery and Related Research Center, Nantan General Hospital	
2-5-F36-4	Surgical outcome of LLIF for lumbar spondylolisthesis that compared with mini-open TLIF	502
	<i>M. Suzuki, et al.</i> , Chiba Rousai Hospital	

2-5-F36-5	Short-to middle-term outcomes of MIS fusion surgery for degenerative spondylolisthesis-A comparative study among conventional TLIF, MIS-TLIF, and LIF-PPS-.....	502
	<i>K. Ishii, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
2-5-F36-6	Long term follow-up results of MIS-TLIF for patients with degenerative lumbar disease	503
	<i>A. Wada, et al.</i> , Dept. of Orthop. Surg., Toho Univ. School of Medicine	

Break**Luncheon Seminar 13**

12 : 15～13 : 15

Moderator : **Y. Aota**

2-5-LS13	Why slot-scanning 3D X-ray imager (EOS) has a place in the routine spine care pathway, especially preOP planning and follow-up?.....	503
	<i>K. Hasegawa, et al.</i> , Niigata Spine Surgery Center	

Break**Free Papers 37**

15 : 05～15 : 53

Moderator : **K. Takeuchi****LIF : Indirect decompression, correction**

2-5-F37-1	Surgical outcome of Oblique Lateral Interbody Fusion for spondylolisthesis-Prospective multicenter study with direct decompression though posterior lumbar interbody fusion-.....	504
	<i>H. Endo, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Iwate Medical Univ.	
2-5-F37-2	Indirect decompression effect of LLIF by the degree of yellow ligament thickening difference	504
	<i>S. Ebata, et al.</i> , Dept. of Orthopedic, Yamanashi Univ.	
2-5-F37-3	Study of the effect on the adjacent segment by single level OLIF.....	505
	<i>K. Fujimoto, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba University	
2-5-F37-4	Indirect decompression with lateral interbody fusion in patients with degenerative spondylolisthesis	505
	<i>H. Nakashima, et al.</i> , Dept. of Orthop. Surg., Konan Kosei Hospital	
2-5-F37-5	Radiographic analysis of Lateral Interbody Fusion combined with percutaneous pedicle screw for lumbar degenerative spondylolisthesis.....	506
	<i>Y. Shiono, et al.</i> , Dept. of Orthop. Surg., Nerima General Hospital, Nerima, Tokyo, Japan	
2-5-F37-6	Fusion status of lateral interbody fusion with use of allograft : Minimum 2 years follow-up	506
	<i>K. Satake, et al.</i> , Konan Kosei Spine Center	

Break

Free Papers 38

15 : 55～16 : 43

Moderator : T. Iguchi

Lumbar spinal stenosis

2-5-F38-1	Ligamentum flavum covers facet joint in lumbar spine, but not in cervical spine	507
	<i>MS. Rahmani, et al.</i> , Dept. of Orthopedic Surgery, Osaka City University Graduate School of Medicine	
2-5-F38-2	Clinicopathological analysis of mechanisms associated with ligamentum flavum hypertrophy in lumbar spinal canal stenosis.....	507
	<i>K. Kawaguchi, et al.</i> , Department of Orthopaedic Surgery, Kyushu University	
2-5-F38-3	Analysis of preoperative risk factors of residual low back pain after decompression surgery in patients of lumbar spinal canal stenosis	508
	<i>T. Morino, et al.</i> , Spine Center, Ehime Univ. Hosp.	
2-5-F38-4	Bladder Dysfunction as a Predictor for Surgical Outcome in Lumbar Spinal Stenosis	508
	<i>E. Takasawa, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Maebashi Hospital	
2-5-F38-5	Lower urinary tract symptoms in male patients who have undergone decompressive surgery for lumbar spinal canal stenosis : A prospective study	509
	<i>H. Hasebe, et al.</i> , Department of Spine and Orthopedic Surgery, Japanese Red Cross Medical Center	
2-5-F38-6	Lower urinary tract symptoms in women patients who have undergone decompressive surgery for lumbar spinal canal stenosis : A prospective study	509
	<i>M. Iizuka, et al.</i> , Dept. of Spine and Othrop. Surg., Japanease Red Cross Medical Center	

Break

Free Papers 39

16 : 45～17 : 33

Moderator : K. Okuyama

Spinal alignment 1

2-5-F39-1	Standard values of pelvic incidence (PI) and lumbar lordosis (LL) from 626 asymptomatic subjects	510
	<i>Y. Yukawa, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ., Wakayama, Japan	
2-5-F39-2	Cohort study of factors affecting dynamic kyphosis	510
	<i>M. Shimizu, et al.</i> , Dept. of Orthop. Surg., Asahikawa Medical Univ.	
2-5-F39-3	Lumbosacral transitional vertebrae affect the spinal alignment measurement	511
	<i>M. Okamoto, et al.</i> , Niigata Spine Surgery Center, Niigata, Japan	
2-5-F39-4	PI-LL mismatch of lumbar degenerative disease patient-The evaluation of body formed analysis and QOL-	511
	<i>A. Hiyama, et al.</i> , Dept. of Orthop. Surg., Tokai Univ. School of Medicine	
2-5-F39-5	The effect of spinal balance for one-leg standing duration with vision	512
	<i>G. Yoshida, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	

2-5-F39-6	Sagittal spinopelvic alignment in an adult population.....	512
	<i>T. Kido, et al.</i> , Dept. of Orthop. Surg., Akita Rosai Hospital	

Break

Free Papers 40

17 : 35~18 : 23

Moderator : **K. Aita**

Spinal alignment 2

2-5-F40-1	The correlation between sagittal spinopelvic alignment and degree of lumbar degenerative spondylolisthesis	513
	<i>K. Nakanishi, et al.</i> , Dept. of Orthop. Surg., Hiroshima Univ.	
2-5-F40-2	Lower generated lumbar retrolisthesis suggests spinopelvic malalignment	513
	<i>Y. Mihara, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-5-F40-3	Spinal alignment for the recurrence case of the lumbar disc herniation	514
	<i>B. Izumi, et al.</i> , Dept. of Orthop. Surg., Hiroshima City Asa Citizens Hospital	
2-5-F40-4	Lumbar extensor muscle function is associated with improvement of sagittal alignment after decompression surgery.....	514
	<i>S. Shimizu, et al.</i> , Dept. of Orthop. Surg., Narita Memorial Hospital	
2-5-F40-5	Lumbar vertebrae kyphosis for lower melagra evasion—Sagittal spinopelvic alignment after spinal decompression—	515
	<i>K. Mukaiyama, et al.</i> , Dept. of Orthop. Surg., North Alps Medical Center Azumi Hospital	
2-5-F40-6	Can the correction of local kyphosis by vertebroplasty favorably affect the global sagittal alignment?—Analysis using T1 Pelvic Angle—	515
	<i>R. Takemasa, et al.</i> , Dept. of Orthop. Surg., Spine Center, Kochi Medical School, Kochi University	

Room 6

Free Papers 41

8 : 40~9 : 28

Moderator : **H. Murakami**

Scoliosis : Surgery 2

2-6-F41-1	Mid-term clinical outcome of short fusion strategy for Lenke type 1A adolescent idiopathic scoliosis	516
	<i>S. Kawabata, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
2-6-F41-2	Distal adding-on and related factors in Lenke type 1B and 1C	516
	<i>T. Fujii, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	

2-6-F41-3	Risk factor of coronal off balance after posterior corrective fusion for Lenke type 5c idiopathic scoliosis.....	517
	<i>K. Hayashi, et al.</i> , Department of Orthopaedic Surgery, Osaka City University Graduate School of Medicine	
2-6-F41-4	Comparison between rail shape rods and circular rods for correctional forces of scoliosis curves in adolescent idiopathic scoliosis patients	517
	<i>T. Suzuki, et al.</i> , Department of Orthopaedic Surgery, National Hospital Organization Kobe Medical Center	
2-6-F41-5	The effect of Derotation Procedure for L4 Tilting Angle in the Correction Surgery of Idiopathic Scoliosis	518
	<i>A. Iwata, et al.</i> , Department of Orthopaedic Surgery, Hokkaido University School of Medicine	
2-6-F41-6	Dual growing rod for early onset scoliosis	518
	<i>K. Matsumoto, et al.</i> , Dept. of Orthop. Surg., Dokkyo Univ. School of Medicine	

Break**Free Papers 42**

9 : 30～10 : 18

Moderator : H. Sudo

Scoliosis : Surgery 3

2-6-F42-1	Three dimensional analysis of posterior corrective surgery for adolescent idiopathic scoliosis-A relationship between changes in vertebral rotation and rib hump-	519
	<i>Y. Sakai, et al.</i> , Dept. of Orthop. Surg., Osaka Univ. Graduate School of Medicine	
2-6-F42-2	Accuracy of pedicle screw placement in scoliosis surgery : Correlation with vertebral rotation.....	519
	<i>K. Ito, et al.</i> , Department of Orthopedic Surgery, Gunma Spine Center (Harunaso Hospital)	
2-6-F42-3	Accuracy of pedicle screw placement into narrow pedicles at rotated thoracic apical vertebrae in patients with adolescent idiopathic scoliosis and usefulness of O-arm-based navigation	520
	<i>S. Tsutsui, et al.</i> , Dept. of Orthop. Surg., Wakayama Med. Univ. School of Medicine	
2-6-F42-4	An additional effect of differential rod contouring for adolescent idiopathic scoliosis	520
	<i>S. Seki, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, University of Toyama	
2-6-F42-5	How safely can we insert pedicle screws at the upper thoracic curve of the Lenke type2 idiopathic scoliosis?	521
	<i>Y. Taniguchi, et al.</i> , Dept. of Orthopaedic Surgery, The University of Tokyo Hospital	
2-6-F42-6	Accuracy in instrumenting small thoracic pedicles of adolescent idiopathic scoliosis : A comparison between intraoperative navigation and preoperative navigation techniques	521
	<i>W. Zhang, et al.</i> , Department of Orthopaedic Surgery, Okayama University	

Break

Free Papers 43

10 : 20~11 : 08

Moderator : T. Furuya

Posterior cervical surgery 1

2-6-F43-1	Babinski sign predicts surgical outcomes after laminoplasty	522
	<i>T. Tsuji, et al.</i> , Dept. of Orthop. Surg., Keio University School of Medicine	
2-6-F43-2	A multidimensional patient satisfaction with laminoplasty for cervical spondylotic myelopathy	522
	<i>M. Kawakami, et al.</i> , Spine Care Center, Wakayama Medical Univ. Kihoku Hospital	
2-6-F43-3	The preventive effect of C5 palsy by foraminotomy in Laminoplasty aiming at the largest expansion	523
	<i>Y. Yamasaki, et al.</i> , Dept. of Orthop. Surg., Aomori City Hospital	
2-6-F43-4	Impact of Cervical Scoliosis on Radiological Parameters : Retrospective Study of 258 Patients undergoing posterior decompression surgery	523
	<i>K. Ninomiya, et al.</i> , Dept. of Orthop. Surg., Tokyo Dental College Ichikawa General Hospital	
2-6-F43-5	Long-term clinical outcomes of posterior foraminotomy for cervical radiculopathy	524
	<i>Y. Nishimura</i> , Shimabara Orthopaedic Surgery Nishimura Clinic, Shimabara, Japan	
2-6-F43-6	Increased segmental range of motion is correlated with spondylolisthesis in the cervical spine after laminoplasty	524
	<i>H. Shigematsu, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	

Break

Free Papers 44

11 : 10~11 : 58

Moderator : S. Hirabayashi

Posterior cervical surgery 2

2-6-F44-1	Surgical outcomes of laminoplasty in 881 patients with cervical spondylotic myelopathy -Comparison between board-and non board-certified spine surgeons-	525
	<i>N. Nagoshi, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	
2-6-F44-2	A clinical and radiologic study of patients associated with cervical anterior spondylolisthesis followed by posterior decompression surgery : Retrospective multicenter study of 867 cases	525
	<i>K. Ninomiya, et al.</i> , Dept. of Orthop. Surg., Tokyo Dental College Ichikawa General Hospital	
2-6-F44-3	Surgical outcomes of posterior decompression surgery for degenerative cervical diseases	526
	<i>S. Suzuki, et al.</i> , Department of Orthopedic Surgery, Tokyo Dental College, Ichikawa General Hospital	
2-6-F44-4	Risk factors for persistent axial neck pain following cervical laminoplasty	526
	<i>A. Kimura, et al.</i> , Dept. of Orthopaedics, Jichi Medical Univ., School of Medicine	

2-6-F44-5	Comparison operative outcomes among three posterior decompression methods for cervical spinal myelopathy—Open and Double door laminoplasty and Selective laminectomy with muscle preservation—	527
	<i>J. Yamane, et al.</i> , Dept. of Orthop. Surg., Murayama Medical Center	
2-6-F44-6	Laminar closure after cervical laminoplasty	527
	<i>S. Komatsubara, et al.</i> , Dept. of Orthop. Surg., Kagawa Univ. Faculty of Medicine	

Break**Luncheon Seminar 14**

12 : 15～13 : 15

Moderator : **K. Takahashi**

2-6-LS14	Long-term evaluation of cervical disc arthroplasty with the Mobi-C cervical disc : A randomized, prospective, multicenter clinical trial with seven-year follow-up	528
	<i>JP. Steib, et al.</i> , Spine Center, University Hospital, Strasbourg, France	
	(*This abstract contains information of the product which has not been approved in Japan.)	

Break**Free Papers 45**

15 : 05～15 : 53

Moderator : **R. Takemasa****Osteoporotic vertebral fractures : Diagnosis**

2-6-F45-1	Influence of Vertebral Fractures on QOL of Elderly Volunteers Investigated by Musculoskeletal Examination (TOEI study)	528
	<i>K. Ide, et al.</i> , Dept. of Orthop. Surg., Iwata City Hospital	
2-6-F45-2	Prognosis factor of decreased ADL for hospitalized patients with osteoporotic vertebral fracture	529
	<i>S. Kato, et al.</i> , Dept. of Orthop. Surg., Restorative Medicine of Neuro-Musculoskeletal System, Fujita Health Univ. School of Medicine	
2-6-F45-3	Impact of osteoporotic vertebral fracture on cognitive function	529
	<i>S. Takahashi, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ.	
2-6-F45-4	Mechanical properties of irradiated vertebral body	530
	<i>T. Igarashi, et al.</i> , Department of Orthopaedic Surgery, Kanazawa University Hospital	
2-6-F45-5	The relationship between gastric esophageal reflux disease and spinal sagittal alignment in elderly osteoporotic patients	530
	<i>Y. Nakamura, et al.</i> , Saitama Spine Center, Higashi Saitama General Hospital	
2-6-F45-6	Relationship between the vertebral instability evaluated by X-ray at standing-supine position and the findings of CT and MRI in osteoporotic vertebral fracture	531
	<i>T. Funayama, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, University of Tsukuba	

Break**Free Papers 46**

15 : 55~16 : 43

Moderator : I. Oda

Osteoporotic vertebral fractures : Vertebroplasty, kyphoplasty

2-6-F46-1	Impact of preoperative radiographic findings of osteoporotic vertebral fractures on postoperative adverse events following BKP	531
	<i>M. Hoshino, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
2-6-F46-2	Surgical results of BKP for osteoporotic vertebral fracture of non-union and bulging posterior wall type-Challenge of BKP indication-	532
	<i>H. Sano, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ. School of Medicine	
2-6-F46-3	The risk factors of early new vertebral fracture after BKP	532
	<i>T. Sawada, et al.</i> , Dept. of Orthop. Surg., Takaoka Seishikai Hospital	
2-6-F46-4	Safty and effectiveness of balloon kyphoplasty for osteoporotic vertebral fracture causing leg pain	533
	<i>A. Muramoto, et al.</i> , Dept. of Spine Surg., Kariya Toyota General Hospital	
2-6-F46-5	Risk factors predicting cement loosening after percutaneous vertebroplasty for osteoporotic vertebral fracture with intravertebral cleft	533
	<i>T. Nakamae, et al.</i> , Dept. of Orthop. Surg., JA Hiroshima General Hospital	
2-6-F46-6	Clinical Outcomes of Vertebroplasty with Calcium Phosphate Cement	534
	<i>K. Kiyasu, et al.</i> , Department of Orthopaedics Surgery, Kochi Medical School, Spine Center	

Break**Free Papers 47**

16 : 45~17 : 33

Moderator : T. Suzuki

Osteoporotic vertebral fractures : Management

2-6-F47-1	Risk factors and clinical results of middle to lower lumbar osteoporotic vertebral fractures induced neurological symptoms	534
	<i>Y. Oishi, et al.</i> , Dept. of Orthop. Surg., Hamawaki Orthopaedic Hospital	
2-6-F47-2	Conservative therapy depending on a destruction of the posterior wall of vertebral body in osteoporotic vertebral fractures	535
	<i>M. Tokunaga, et al.</i> , Sendai Orthopaedic Hospital	
2-6-F47-3	Effect of an intensive conservative treatment for patients with osteoporotic delayed vertebral collapse and paralysis	535
	<i>N. Wakao, et al.</i> , Spine Center, Aichi Medical University	

2-6-F47-4	Clinical features and surgical outcomes of balloon kyphoplasty for osteoporotic vertebral compression fractures in lower lumbar spine.....	536
	<i>T. Hiramatsu, et al.</i> , Department of Orthopedic Surgery, Hiroshima General Hospital	
2-6-F47-5	Long-term survivors after surgical management of patients with insufficient union following osteoporotic vertebral fractures-Impact of preoperative serum albumin on mortality following surgery-.....	536
	<i>T. Ohba, et al.</i> , Dept. of Orthop. Surg., University of Yamanashi	
2-6-F46-6	Modified strategy for dens fracture of axis in the elderly as fragile fractures	537
	<i>Y. Toribatake, et al.</i> , Dept. of Orthop. Surg., JA Takaoka Hosp.	

Break

Free Papers 48

17 : 35~18 : 23

Moderator : A. Ono

Cervical OPLL

2-6-F48-1	Possible Risk Factors for Poor Outcome after Laminoplasty for K-line (+) Type Cervical Ossification of the Posterior Longitudinal Ligament	537
	<i>J. Saito, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. Graduate School of Medicine	
2-6-F48-2	A comparison analysis of the posterior decompression surgery for ossification of posterior longitudinal ligament of the cervical spine	538
	<i>Y. Kobayashi, et al.</i> , Department of Orthopaedic Surgery, Japanese Red Cross Shizuoka Hospital	
2-6-F48-3	The K-line Tilt, a Novel Radiographic Parameter of Cervical Sagittal Balance, is a Predictor of Postoperative Kyphotic Deformity after Laminoplasty for Cervical Ossification of the Posterior Longitudinal Ligament	538
	<i>K. Sakai, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	
2-6-F48-4	An Effect of T1 slope on sagittal alignment and surgical outcomes after laminoplasty for ossification of posterior longitudinal ligament of the cervical spine	539
	<i>T. Ishihara, et al.</i> , Department of Orthopaedic Surgery, Oita University	
2-6-F48-5	Analysis of the relationship between MRI signal intensity and dynamic factor in the cases of laminoplasty for ossification of posterior longitudinal ligament of the cervical spine.....	539
	<i>T. Ishihara, et al.</i> , Department of Orthopaedic Surgery, Oita University	
2-6-F48-6	Hs-CRP in patients with ossification of the posterior longitudinal ligament	540
	<i>Y. Kawaguchi, et al.</i> , Dept. of Orthop. Surg., Toyama Univ. School of Medicine	

Room 7

Morning Seminar 3

7 : 30～8 : 30

Moderator : K. Matsudaira

2-7-MS3	Critical Points Regarding Chronic Low Back Pain Management Using Analgesics in Elderly Patients	540
	<i>T. Imamura</i> , The Center for Research and Treatment of Bone and joint Disease for Workers. Kyushu Rosai Hp. Japan Organization of Occupational Health and Safety		

Break

Free Papers 49

8 : 40～9 : 28

Moderator : N. Ishikawa

Cervical spine trauma 1			
2-7-F49-1	Vertebral artery injury with cervical spinal injury and cervical spinal cord injury	541
	<i>K. Tsuda, et al.</i> , Dept. of Orthop. Surg., Nagasaki Univ. School of Medicine		
2-7-F49-2	Risk factors of Mortality After Traumatic Cervical Spinal Cord Injury	541
	<i>T. Higashi, et al.</i> , Yokohama City University Medical Center, Advnced Critical Care and Emergency Center		
2-7-F49-3	Functional recovery after cervical spinal cord Injury without bone Injury	542
	<i>J. Yamakawa, et al.</i> , Department of Orthopedic, Yamagata University Faculty of Medicine		
2-7-F49-4	The clinical influence of cervical spinal canal stenosis on the neurological outcome after traumatic cervical spinal cord injury without major fracture or dislocation	542
	<i>T. Takao, et al.</i> , Dept. of Orthop. Surg., Spinal Injuries Center		
2-7-F49-5	Delayed onset myelopathy requiring surgical intervention after successful conservative treatment for traumatic cervical spinal cord injury without bone injury	543
	<i>T. Maeda, et al.</i> , Dept. of Orthop. Surg., Spinal Injuries Center		
2-7-F49-6	Clinical characteristics of cervical spinal cord injury	543
	<i>K. Handa, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. School of Medicine		

Break

Free Papers 50

9 : 30～10 : 18

Moderator : Y. Ito

Cervical spine trauma 2

2-7-F50-1	Analysis of risk factors of postoperative neurological deterioration in the patients with Allen type DF 2 and 3	544
	<i>I. Yugue, et al.</i> , Dept. of Orthopedic Surgery, Japan Organization of Occupational Health and Safety Spinal Injuries Center	
2-7-F50-2	Outcome of surgery for type II odontoid fractures in patients over age 80	544
	<i>H. Hayashi, et al.</i> , Dept. of Orthop. Surg., Tonami General Hospital	
2-7-F50-3	Very early decompression after complete cervical spinal cord injury improves functional outcome	545
	<i>K. Inokuchi, et al.</i> , Dept. of Emerg. and Crit. Care Medicine, Saitama Med. Center, Saitama Med. Univ.	
2-7-F50-4	Outcome of late decompression surgery for cervical spinal cord injury with cord compression rate over 40%	545
	<i>T. Konomi, et al.</i> , Dept. of Orthopaedic Surgery, NHO Murayama Medical Center	
2-7-F50-5	Goodbye pacemaker, Hello aminophylline for bradycardia after cervical spinal cord injury	546
	<i>N. Ishikawa, et al.</i> , Akita Red Cross Hospital	
2-7-F50-6	Restoration Process of the Respiratory Function in the the Cervical Spinal Cord Injury without Bony Injury	546
	<i>C. Ushiku, et al.</i> , Dept. of Orthop. Surg., Hokkaido Spinal Cord Injury Center	

Break

Free Papers 51

10 : 20～11 : 08

Moderator : M. Morishita

Spinal trauma

2-7-F51-1	Factors affecting death of patients in the acute phase of upper cervical spine injuries	547
	<i>T. Morita, et al.</i> , Dept. of Orthop. Surg., Sapporo Medical Univ. School of Medicine	
2-7-F51-2	Progressive cervical ossifying degeneration observed in Pro-wrestlers	547
	<i>M. Sasaki, et al.</i> , Department of Neurosurgery, Iseikai Hospital	
2-7-F51-3	A validation of the new classification of thoracolumbar spine injuries : TL AOSIS, compared with the TLICS.....	548
	<i>H. Takayama, et al.</i> , Dept. of Orthop. Surg., Hyogo Prefectural Kakogawa Medical Center	
2-7-F51-4	Limitation of percutaneous short-segment fixation without fusion for thoracolumbar burst fractures	548
	<i>K. Sawakami, et al.</i> , Dept. of Orthopaedic Surgery, Niigata City General Hospital	

2-7-F51-5	Clinical outcome of surgical treatment for thoracolumbar burst fractures using percutaneous pedicle screw	549
	<i>T. Kikuchi, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Kobe Hospital	
2-7-F51-6	Reduction in radiation exposure during percutaneous posterior stabilization for thoracolumbar spine fractures	549
	<i>Y. Ueda, et al.</i> , Dept. of Orthop. Surg., Fukui Prefectural Hospital	

Break**Free Papers 52**

11 : 10~11 : 58

Moderator : **H. Hase****Surgical complication 1**

2-7-F52-1	Analysis of risk factors on postoperative delirium after spine surgery	550
	<i>T. Morino, et al.</i> , Spine Center, Ehime Univ. Hosp.	
2-7-F52-2	Prevalence of deep vein thrombosis of patients with malignant disease before spine treatment	550
	<i>S. Sugita, et al.</i> , Dept. of Orthop. Surg., Tokyo Metropolitan Komagome Hosp.	
2-7-F52-3	Efficient search of venous thromboembolism in the perioperative period of lumbar spine disease	551
	<i>T. Imuro, et al.</i> , Depertment of Orthopaedic Surgery, Atsugi City Hospital, Kanagawa	
2-7-F52-4	Preoperative incidence and risk factors for deep vein thrombosis associated with spine surgery	551
	<i>K. Takegami, et al.</i> , Dept. of Orthop. Surg., Saiseikai Matsusaka General Hospital	
2-7-F52-5	Clinical outcomes of DVT using ultrasonics after spinal surgery for degenerative lumbar disease	552
	<i>T. Tsuruta, et al.</i> , Sonoda Medical Institute Tokyo Spine Center	
2-7-F52-6	Surgical complications data of Osaka Spine & Spinal Cord Research Group	552
	<i>S. Takenaka, et al.</i> , Dept. of Orthop. Surg., Osaka Univ. School of Medicine	

Break**Luncheon Seminar 15**

12 : 15~13 : 15

Moderator : **M. Nakamura**

2-7-LS15	Evidence based benefits of exercise and vitamin D in the prevention of falls and fall-related osteoporotic fractures	553
	<i>N. Miyakoshi, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine	

Break

Free Papers 53

15 : 05～15 : 53

Moderator : T. Kobayashi

Surgical complication 2

2-7-F53-1	Remote cerebellar hemorrhage after spinal surgery	553
	<i>D. Numaguchi, et al.</i> , Dept. of Orthopaedic Surgery, Tomei Atsugi Hospital	
2-7-F53-2	Examination of intracranial hemorrhage after spine surgery	554
	<i>M. Goto, et al.</i> , Dept. of Orthop. Surg., Kurume Univ. School of Medicine	
2-7-F53-3	The effect of Tranexamic acid for Postoperative Epidural Hematoma in lumbar surgery	554
	<i>J. Ochiai, et al.</i> , Dept. of Orthop. Surg., Showa University Fujigaoka Hosp.	
2-7-F53-4	Post-surgical epidural hematoma after microendoscopic decompression	555
	<i>M. Shibayama, et al.</i> , Aichi Spine Institute	
2-7-F53-5	The Impact of Hypertension on the Occurrence of Postoperative Spinal Epidural Hematoma Following after Single Level Microscopic Posterior Lumbar Decompression Surgery in a Single Institute	555
	<i>Y. Fujiwara, et al.</i> , Dept. of Orthop. Surg., Hiroshima City Asa Hospital	
2-7-F53-6	Relation of epidural drain pressure and epidural hematoma after Microendoscopic laminotomy	556
	<i>T. Nakagawa, et al.</i> , Dept. of Orthop. Surg., Sendai Orthopaedic Hospital, Sendai, Japan	

Break

Free Papers 54

15 : 55～16 : 43

Moderator : S. Demura

Surgical site infection : Risk factors

2-7-F54-1	Elevation of C-reactive protein after the Spinal Instrumentation Surgery—Sensitivity, specificity and cut-off index for the Surgical Site Infection-	556
	<i>R. Fujita, et al.</i> , Department of Orthopaedic Surgery, Hokkaido University Graduate School of Medicine	
2-7-F54-2	A risk factor analysis of spine surgical site infection	557
	<i>K. Shimizu, et al.</i> , Dept. of Orthop. Surg., Tobata Kyoritsu Hosp.	
2-7-F54-3	Clinical analysis of surgical site infection following spinal surgery	557
	<i>T. Sekine, et al.</i> , Department of Orthopedic Surgery, Ohara General Hospital, Fukushima, Japan	
2-7-F54-4	Multicenter Surveillance and Risk Factor Analysis of Surgical Site Infection after Cervical Spine Surgery in 1773 Adult Patients	558
	<i>S. Ogihara, et al.</i> , Dept. of Orthop. Surg., Saitama Medical Center, Saitama Medical University	
2-7-F54-5	SSI risk factors of spine instrumentation surgery. An analysis of 1156 surgeries	558
	<i>H. Nakamoto, et al.</i> , Department of Orthopaedic Surgery, Faculty of Medicine, The University of Tokyo, Tokyo, Japan	

2-7-F54-6	SSI risk factors of spine surgery. An analysis of 2465 surgeries	559
	<i>H. Nakamoto, et al.</i> , Department of Orthopaedic Surgery, Faculty of Medicine, The University of Tokyo, Tokyo, Japan	

Break

Free Papers 55

16 : 45～17 : 33

Moderator : M. Kanayama

Surgical site infection : Examination

2-7-F55-1	Correlation of T-lymphocyte subset with infectious complications in spine surgery	559
	<i>T. Suzuki, et al.</i> , Dept. of Orthop. Surg., Yamagata Univ. School of Medicine	
2-7-F55-2	Changes of damage-associated molecular patterns during the perioperative period in spine surgery. Can we distinguish surgical site infection from post-operative systemic inflammatory response syndrome?	560
	<i>T. Koakutsu, et al.</i> , Dept. of Emergency and Critical Care Medicine, Tohoku University Hospital	
2-7-F55-3	Is drain cultivation necessary after spinal surgery?	560
	<i>T. Katayama, et al.</i> , Yokohama City Minato Red Cross Hospital	
2-7-F55-4	Should we need to incubate the drain after spine surgery?	561
	<i>H. Inoue, et al.</i> , Dept. of Orthop. Surg., Jichi Medical Univ.	
2-7-F55-5	SSI (surgical sight infection) after spinal surgery and nasal MRSA (methicillin-resistant Staphylococcus aureus) colonization	561
	<i>H. Tobimatsu, et al.</i> , Dept. of Orthop. Surg., Ikeda Municipal Hospital	
2-7-F55-6	The efficacy of drain tip culture and nasal culture for surgical site infection in spinal surgery	562
	<i>A. Kawabata, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hospital, Saitama, Japan	

Break

Free Papers 56

17 : 35～18 : 23

Moderator : H. Takahashi

Surgical site infection : Prevention

2-7-F56-1	Preventive effects of preoperative skin preparation using ethanol wipes on postoperative surgical site infection	562
	<i>Y. Takahashi, et al.</i> , Dept. of Spine Center, Japanese Red Cross Shizuoka Hospital	
2-7-F56-2	Validity of two staged-correction surgery for adult spinal deformity in the aspect of prevention of surgical site infection	563
	<i>S. Kaneko, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization Murayama Medical Center	

2-7-F56-3	Preventive measure for surgical site infection of spinal surgery using surgical helmet, pulsating water jet lavage and vancomycin powder	563
	<i>T. Ohbo, et al.</i> , Dept. of Orthopedics, Nagayama Hosp.	
2-7-F56-4	Evaluation of preventive measure for surgical site infection of spinal surgery	564
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Kurume Univ. School of Medicine	
2-7-F56-5	Intrawound application of Vancomycin powder for prophylaxis of surgical site infection in instrumented spinal injury.....	564
	<i>Y. Menjo, et al.</i> , Dept. of Orthopedic Surgery, Hokkaido Spinal Cord Injury Center	
2-7-F56-6	Is the administration of vancomycin to operative field effective?—Studying from operative wound drainage tube culture—.....	565
	<i>H. Takeuchi, et al.</i> , Hokkaido Orthopedic Memorial Hospital	

Room 8

Free Papers 57

8 : 40～9 : 28

Moderator : T. Oda

RA spine

2-8-F57-1	Trend of the surgery for cervical lesion due to the rheumatoid arthritis in more than 20-year period in Niigata prefecture	565
	<i>T. Hirano, et al.</i> , Division of Orthop. Surg., Niigata Univ. Graduate School of Medical and Dental Sciences	
2-8-F57-2	Trends of spinal surgery in patients with rheumatoid arthritis : An analysis of operational database of Osaka Spine and Spinal cord Group	566
	<i>J. Kodama, et al.</i> , Department of Orthopedic, Osaka University Hospital	
2-8-F57-3	Surgical treatment of lumbar spine in patients with RA. A Comparative study between decompression and fusion of the lumbar spine	566
	<i>S. Seki, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, University of Toyama	
2-8-F57-4	Can Biological Agents Suppress Upper Cervical Lesions in Rheumatoid Arthritis?	567
	<i>H. Watanabe, et al.</i> , Keiyu Spine Center, Keiyu Orthopedic Hospital	
2-8-F57-5	Factors influencing sagittal balance of standing posture in patients with rheumatoid arthritis	567
	<i>K. Masamoto, et al.</i> , Department of Orthopaedic Surgery, Graduate School of Medicine, Kyoto University, Kyoto, Japan	
2-8-F57-6	Risk factor of lumbar disease and low back pain in RA patients	568
	<i>Y. Hori, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ.	

Break

Free Papers 58

9 : 30～10 : 18

Moderator : T. Ogata

Lumbar spondylolysis

2-8-F58-1	Epidemiology of spina bifida occulta and spondylolysis in children	568
	<i>M. Chiba, et al.</i> , Department of Orthopaedic Surgery, Sapporo Medical University Hospital	
2-8-F58-2	The analysis of the adolescent athletes having unidentified low back pain—What is the pathology that falls into unidentified low back pain?—.....	569
	<i>K. Yamashita, et al.</i> , Department of Orthopedics, Institute of Biomedical Sciences, Tokushima University Graduate School, Tokushima, Japan	
2-8-F58-3	A Clinical Study on Conservative Treatment for Adolescent Spondylolysis Comparing Uni-and Bi-lateral Spondylolysis~Follow-up study~	569
	<i>K. Hatakeyama, et al.</i> , Funabashi Orthopedic Hospital	
2-8-F58-4	Outcomes of conservative treatment in pediatric lumbar spondylolysis	570
	<i>T. Sakai, et al.</i> , Dept. of Orthop. Surg., Tokushima Univ.	
2-8-F58-5	Analysis of very early stage in patients with adolescent lumbar spondylolysis.....	570
	<i>H. Gamada, et al.</i> , Dept. of Orthop. Surg., Ibaraki Seinan Medical Center Hospital	
2-8-F58-6	When, and how often does vertebral slip occur in patients with spondylolysis : Comparison with degenerative spondylolisthesis	571
	<i>Y. Aoki, et al.</i> , Dept. of Orthop. Surg., Eastern Chiba Medical Center	

Break

Free Papers 59

10 : 20～11 : 08

Moderator : T. Kanchiku

Monitoring

2-8-F59-1	The usefulness of muscle evoked potential after electrical stimulation to the spinal cord in the intraoperative spinal cord monitoring : Comparing with muscle evoked potential after electrical stimulation to the brain	571
	<i>M. Ando, et al.</i> , Dept. of Orthop. Surg., Wakayama Rosai Hospital	
2-8-F59-2	Constant voltage stimulation detects compound motor action potentials better than constant current stimulation during transcranial motor evoked potentials	572
	<i>H. Shigematsu, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	
2-8-F59-3	Best intraoperative neuromonitoring method for lower limb motor function during intramedullary spinal cord tumor surgery	572
	<i>A. Yasuda, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
2-8-F59-4	Intraoperative monitoring for extramedullary spinal cord tumors including the difference from intramedullary spinal cord tumors—JSSR multi-center study—.....	573
	<i>Y. Fujiwara, et al.</i> , Dept. of Orthop. Surg., Hiroshima City Asa Hospital	

2-8-F59-5	Intraoperative intervention based on the mechanism of spinal cord and nerve root injury caused by reduction maneuver in spinal deformity surgery	573
	<i>K. Yamada, et al.</i> , Monitoring Working Group of Japanese Society of Spine Surgery and Related Research	
2-8-F59-6	Spinal cord monitoring during high-risk spinal surgery using Br(E)-MsEP	574
	<i>Y. Matsuyama, et al.</i> , JSSR Working Group on Intraoperative Spinal Cord Monitoring	

Break

Free Papers 60

11 : 10~11 : 58

Moderator : **M. Ando**

Monitoring and electrophysiological diagnosis

2-8-F60-1	Paralysis recovery prediction by the intraoperative spinal cord monitoring of cervical spondylotic amyotrophy (CSA)	574
	<i>H. Sano, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ. School of Medicine	
2-8-F60-2	Motor Evoked Potential Examination in Flexion Position for Juvenile Muscular Atrophy of Unilateral Upper Extremity.....	575
	<i>S. Kotaka, et al.</i> , Department of Orthopaedic Surgery, Integrated Health Sciences, Institute of Biomedical & Health Sciences, Hiroshima University	
2-8-F60-3	Wave change of Br(E)-MsEP for corrective fusion in congenital kyphoscoliosis.....	575
	<i>K. Kobayashi, et al.</i> , Department of Orthopaedic Surgery, Nagoya University Graduate School of Medicine	
2-8-F60-4	Association between postoperative corrective rate and alert of intraoperative monitoring using Br(E)-MsEP in scoliosis patients.....	576
	<i>K. Wada, et al.</i> , Dept. of Orthopaedic Surgery, Hirosaki University Graduate School of Medicine	
2-8-F60-5	Prevention of neurological complications using a neural monitoring system with a finger electrode in the XLIF approach	576
	<i>W. Narita, et al.</i> , Department of Orthopedic Surgery, Midorigaoka Hospital	
2-8-F60-6	Verification of myotome using intraoperative electrical stimulation to lumbosacral nerves	577
	<i>T. Sasaki, et al.</i> , Niigata Spine Surgery Center	

Break

Luncheon Seminar 16

12 : 15~13 : 15

Moderator : **T. Takebayashi**

2-8-LS16	Pain management of spinal disorders—drug and exercise	577
	<i>K. Takeshita</i> , Department of Orthopaedics, Jichi Medical Univ.	

Break**Free Papers 61**

15 : 05~15 : 53

Moderator : **M. Koda****Spinal cord regeneration 1**

2-8-F61-1	The feasibility of in vivo imaging of infiltrating blood cells for predicting the functional prognosis after spinal cord injury.....	578
	<i>K. Yokota, et al.</i> , Department of Advanced Medical Initiatives, Kyushu University Graduate School of Medical Sciences, Fukuoka, Japan	
2-8-F61-2	Necroptosis as a novel cell death mechanism to induce secondary neural tissue damage after spinal cord injury : comparisons of the time course and the prevalence with apoptosis.....	578
	<i>H. Kanno, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. School of Medicine	
2-8-F61-3	Assessment of M1/M2 phenotype and inflammatory cytokines related with below-level allodynia in injured spinal cord CCL21 knockout mouse	579
	<i>K. Honjoh, et al.</i> , Department of Orthopaedics and Rehabilitation Medicine, University of Fukui Faculty of Medical Sciences	
2-8-F61-4	[¹¹ C]-PK11195 PET imaging of microglia with spinal cord injury rat	579
	<i>M. Kitade, et al.</i> , Department of Orthopaedics, University of Fukui	
2-8-F61-5	Combined theta burst stimulation of motor cortex and transspinal direct current stimulation in rats promote corticospinal tract outgrowth caudal to a cervical spinal contusion and motor recovery	580
	<i>M. Shinozaki, et al.</i> , Department of Physiology, Pharmacology and Neuroscience, The City College of the City University of New York, NY, USA	
2-8-F61-6	Evaluation of the effect of lateral olfactory tract usher substance on axonal regeneration after spinal cord injury	580
	<i>S. Ito, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	

Break**Free Papers 62**

15 : 55~16 : 43

Moderator : **S. Okada****Spinal cord regeneration 2**

2-8-F62-1	Grafts of neural stem cells into chronically injured spinal cord	581
	<i>K. Kadoya, et al.</i> , Dept. of Orthop. Surg., Hokkaido Univ. Graduate School of Medicine	
2-8-F62-2	Transplantation of the co-cultured cell sheet of bone marrow stromal cells and neural stem/progenitor cells promotes axonal regeneration and remyelination for completely transected spinal cord injury in rats	581
	<i>A. Okuda, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	

2-8-F62-3	Gene expression analysis of adipose-derived stem cell and bone marrow-derived stem cell and treatment of spinal cord injury model.....	582
	<i>A. Takahashi, et al.</i> , Department of Orthopedics and Rehabilitation Medicine, University of Fukui Faculty of Medical Sciences	
2-8-F62-4	Immune Response in Allogeneic HLA-mismatched Human iPS Cell-Derived Neural Stem/Progenitor Cell Transplantation for Spinal Cord Injury	582
	<i>M. Ozaki, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
2-8-F62-5	An examination against tumorigenesis in human iPSC-derived transplants for spinal cord injury	583
	<i>T. Okubo, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
2-8-F62-6	Establishment of safety evaluation of human iPS cell derived neural stem/progenitor cells for spinal cord injury	583
	<i>T. Iida, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	

Break**Free Papers 63**

16 : 45~17 : 33

Moderator : **D. Sakai****Basic research**

2-8-F63-1	The role of Transforming Growth Factor-Activated Kinase 1 from spinal microglia in the inflammatory response	584
	<i>H. Fujimaki, et al.</i> , Department of Orthopaedic Surgery, Kitasato University School of Medicine	
2-8-F63-2	Development of a model of chronic compressive myelopathy in a rat.....	584
	<i>Y. Iijima, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. School of Medicine	
2-8-F63-3	Osteoconductivity of vertebral screw made of iodine-supported titanium	585
	<i>T. Ota, et al.</i> , Department of Orthopaedic Surgery, Graduate School of Medical Sciences, Kanazawa University	
2-8-F63-4	IL-6 contributes to the degenerative change in the ligamentum flavum by promoting MMP2 expression	585
	<i>K. Sugimoto, et al.</i> , Dept. of Orthop. Surg., Kumamoto Univ. School of Medicine	
2-8-F63-5	Enhancement of the Effects of Exfoliated Carbon Nanofibers by Bone Morphogenetic Protein in a rat spinal fusion model	586
	<i>N. Notani, et al.</i> , Department of Orthopaedic Surgery, Oita University, Yufu, Japan	
2-8-F63-6	Roles of R-spondin2 : The susceptibility gene for ossification of posterior longitudinal ligament ..	586
	<i>K. Soma, et al.</i> , Dept. of Orthop. Surg., Tokyo Univ. Faculty of Medicine	

Break

Free Papers 64

17 : 35~18 : 23

Moderator : G. Inoue

Basic research of intervertebral disc

2-8-F64-1	Effect of platelet-rich plasma on anti-inflammatory properties by human intervertebral disc cells	587
	<i>J. Yamada, et al.</i> , Dept. of Orthop. Surg., Mie Univ. School of Medicine	
2-8-F64-2	Expression and function of Semaphorin 3A in intervertebral disc degeneration	587
	<i>Y. Mima, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
2-8-F64-3	Suppression of NGF and MMP-1 by PGE1/2 is mediated by up-regulation of DUSP1 in human intervertebral disc	588
	<i>Y. Sawaji, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ. School of Medicine	
2-8-F64-4	Intervertebral disc regeneration with TEC (Tissue Engineered Construct) derived from adipose-derived mesenchymal stem cells in a rat tail model	588
	<i>H. Ishiguro, et al.</i> , Dept. of Orthop. Surg., Osaka Univ. Graduate School of Medicine, Osaka, Japan	
2-8-F64-5	Involvement and possible roles of autophagy in maintaining notochordal cell phenotype of the intervertebral disc nucleus pulposus	589
	<i>T. Yurube, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
2-8-F64-6	Herniated and spondylotic intervertebral discs of the human cervical spine : Histological and immunohistological findings of macrophage	589
	<i>A. Yamagishi, et al.</i> , Dept. of Orthop. Surg., Fukui Univ.	

Poster Room

Poster 45

16 : 20~16 : 50

Moderator : N. Tanaka

Surgical management for octogenarian patients 1

2-P45-1	Spinal surgery for 90 years of age or more the super-elderly	590
	<i>T. Hayashi, et al.</i> , Dept. of Orthop. Surg., Kochi Health Sciences Center	
2-P45-2	A prospective study clinical outcomes for lumbar spine surgery in elderly patients older than 80 years old evaluated with JOABPEQ and patients satisfaction	590
	<i>H. Yasuda, et al.</i> , Dept. of Orthop. Surg., Osaka General Hospital of Japan Railway Campany	
2-P45-3	Clinical study of cardiovascular complication before and after spine surgery for elderly patients over 80 years old	591
	<i>K. Ijiri</i> , Kirishima Orthopaedics	
2-P45-4	Clinical outcome of the minimum invasive surgery in elderly patients using local anesthesia and epidural block in our hospital	591
	<i>N. Hoshi, et al.</i> , Aichi Spine Institute	

2-P45-5	Comparative study of preoperative comorbidities in the elderly patients for spinal surgery	592
	<i>Y. Torii, et al.</i> , Department of Orthopedic Surgery, St. Marianna University School of Medicine	
2-P45-6	After spinal surgery in elderly (over 80 years) mortality rate	592
	<i>H. Sawada, et al.</i> , Kobari General Hospital	

Poster 46

16 : 50～17 : 20

Moderator : A. Matsumura

Surgical management for octogenarian patients 2

2-P46-1	Clinical outcomes of decompressive surgery for elderly patients with lumbar spinal canal stenosis (over 80 years old)	593
	<i>T. Yano, et al.</i> , Department of Orthopaedic Surgery, Hyogo Rehabilitation Center Hospital, Kobe, Japan	
2-P46-2	Clinical results of microscopic Decompressive laminotomy for the elderly patients with lumbar spinal canal stenosis	593
	<i>M. Fujiwara, et al.</i> , Dept. of Orthop. Surg., Sada Hospital, Fukuoka, Japan	
2-P46-3	Muscle-preserving Interlaminar Decompression for Lumbar Spinal Canal Stenosis in Patients Over 80 Years Old.....	594
	<i>Y. Hagiwara, et al.</i> , Dept. of Orthop. Surg., Japan Community Health Care Organization (JCHO) Tokyo Joto Hospital	
2-P46-4	The outcome of bilateral decompression through unilateral laminotomy for patients over the age of 80 years.....	594
	<i>K. Tamura, et al.</i> , Section of Spine Surg., Iseikai Hospital	
2-P46-5	Surgical outcomes of two or three level posterior lumbar interbody fusion for elderly patients.....	595
	<i>D. Ikegami, et al.</i> , Department of Orthopedic Surgery, Japan Community Healthcare Organization Osaka Hospital	
2-P46-6	Risk factors for poor outcome after posterior lumbar interbody fusion in patients of 80 years of age and older—A more than 2-Year follow-up study—.....	595
	<i>M. Furuya, et al.</i> , Department of Orthopedic, National Hospital Organization Osaka National Hospital, Osaka	

Poster 47

17 : 20～17 : 50

Moderator : N. Nishida

Surgical management for octogenarian patients 3

2-P47-1	Surgical outcomes of cervical myelopathy in patients aged 80 years or older.....	596
	<i>T. Mihara, et al.</i> , Dept. of Orthop. Surg., Tottori Univ. School of Medicine	
2-P47-2	Surgical treatment outcome of cervical spondylotic myelopathy patients over 90 years old	596
	<i>T. Morita, et al.</i> , Dept. of Orthop. Surg., Okayama Univ. School of Medicine	

2-P47-3	Residual postoperative symptom of the elderly patients with cervical spondylotic myelopathy : A comparative study of clinical data from 1025 patients	597
	<i>M. Machino, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. School of Medicine	
2-P47-4	Are surgical outcomes of cervical spondylotic myelopathy in elderly patients with a postoperative deterioration of cognitive function poor?.....	597
	<i>S. Kanbara, et al.</i> , Dept. of Orthop. Surg., Nagoya University Graduate School of Medicine	
2-P47-5	Clinical features of pyogenic spondylitis for elderly patients	598
	<i>Y. Shimamura, et al.</i> , Dept. of Orthop. Surg., Yamagata Univ. School of Medicine	
2-P47-6	Efficacy of surgical treatment for vertebral osteomyelitis in elder patients	598
	<i>S. Ogawa, et al.</i> , Dept. of Orthop. Surg., Tottori Univ. School of Medicine	

Poster 48

16 : 20～16 : 50

Moderator : **Y. Takano**

Minimally invasive screw insertion

2-P48-1	Minimum invasive lumbo-sacral fixation using screw insertion techniques of TASS	599
	<i>H. Terai, et al.</i> , Dept. of Orthop. Surg., Osaka City University Graduate School of Medicine	
2-P48-2	The accuracy of percutaneous pedicle screw placement using intraoperative three-dimensional imaging	599
	<i>S. Makio, et al.</i> , Spine Center, Rakuwakai Marutamachi Hospital	
2-P48-3	Radiographic study of percutaneous pedicle screw of lumbar spine with intraoperative CT based navigation	600
	<i>Y. Tamaki, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Society Wakayama Medical Center	
2-P48-4	Learning curve of resident for percutaneous pedicle screw placement with O-arm navigation	600
	<i>T. Hozumi, et al.</i> , Dept. of Orthop. Surg., Seirei Sakura Citizen Hosp.	
2-P48-5	Minimally Invasive Percutaneous Pedicle Screw Placement using an Illuminated Retractor for Decreasing the Risk of Radiation Exposure	601
	<i>T. Ohki, et al.</i> , Department of Orthopedic, Yuki Hospital, Ibaraki	
2-P48-6	Comparison of the incidence of pedicle screw misplacement and cranial facet joint violation rates between open and percutaneous pedicle screw using single fluoroscopy	601
	<i>S. Numazaki, et al.</i> , Dept. of Orthop. Surg., Yokohama Municipal Citizen's Hospital	

Poster 49

16 : 50～17 : 20

Moderator : **M. Yamagata**

Minimally invasive fusion surgery

2-P49-1	The effectiveness of MIS-TLIF for the single level lesion, compared to OLIF	602
	<i>T. Asari, et al.</i> , Dept. of Orthop. Surg., Takaoka Seishikai Hospital	
2-P49-2	Can XLIF be the first selection of fusion surgery for degenerative lumbar spondylolisthesis?	602
	<i>K. Ohmori, et al.</i> , Center for Spinal Surg., Nippon Koukan Hospital	

2-P49-3	Radiographic analysis of unilateral versus bilateral instrumentation in one-level lateral lumbar interbody fusion	603
	<i>M. Fukushima, et al.</i> , Inanami Spine and Joint Hospital	
2-P49-4	Comparison of short-term clinical results between lateral lumbar interbody fusion and posterior lumbar interbody fusion for lumbar spinal canal stenosis	603
	<i>I. Torigoe, et al.</i> , Dept. of Orthopaedic Surgery, Saiseikai Kawaguchi General Hosp.	
2-P49-5	A radiological comparative analysis of XLIF with PLIF	604
	<i>Y. Morita, et al.</i> , Dept. of Orthop. Surg., Kariya Toyota General Hospital	
2-P49-6	Comparison of sagittal alignment following between lateral lumbar interbody fusion and posterior lumbar interbody fusion	604
	<i>H. Yamaguchi, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ.	

Poster 50

17 : 20～17 : 50

Moderator : **M. Chazono**

LIF : Indirect decompression, correction, and fusion

2-P50-1	Clinical results of LLIF indirect decompression for spondylolisthesis using JOABPEQ	605
	<i>Y. Kohno, et al.</i> , Chiba Central Medical Center, Spine Center	
2-P50-2	Effectiveness of Indirect Decompression with XLIF	605
	<i>Y. Hachiya, et al.</i> , Hachiya Orthopaedic Hospital	
2-P50-3	Clinical outcome and complication of XLIF in first 143 cases	606
	<i>A. Yoshioka, et al.</i> , Hachiya Orthopaedic Hospital	
2-P50-4	Anterior Spinal Reconstruction using X-Core2 : Efficacy and Problem in Minimally Invasive Thoracolumbar Corpectomy	606
	<i>N. Segi, et al.</i> , Spine Center, Konan Kosei Hospital	
2-P50-5	What is the most important factor to get lordosis by LLIF (Lateral Lumbar Interbody Fusion)?	607
	<i>K. Nakai, et al.</i> , Department of Orthopaedic Surgery, Fujieda Municipal General Hospital	
2-P50-6	Radiographic evaluation of cage subsidence following adult spinal deformity surgery with Lateral Lumbar Interbody Fusion	607
	<i>A. Yabu, et al.</i> , Department of Orthopedic Surgery, Osaka City General Hospital	

Poster 51

16 : 20～16 : 50

Moderator : **Y. Yamato**

Adult deformity correction 2

2-P51-1	Does level of UIV affect the gait pattern and ability in surgically treated patients with ASD?	608
	<i>M. Yagi, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
2-P51-2	The relationship between body sway, health-related quality of life and spinal sagittal alignment	608
	<i>K. Morizane, et al.</i> , Dept. of Orthop. Surg., Kyoto Univ. Graduate School of Medicine	

2-P51-3	Can ADL questionnaire properly evaluate the ADL impairment after correction surgery in adult spinal deformity? -Comparison with short spinal fusion-.....	609
	<i>N. Hosogane, et al.</i> , Dept. of Orthop. Surg., National Defense Medical College	
2-P51-4	Postoperative clinical outcome evaluation of surgical correction for adult spinal deformity	609
	<i>J. Katayanagi, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical University, Koshigaya Hospital	
2-P51-5	Analysis for change of Pelvic Incidence after posterior correction and fusion for adult spine deformity using three-dimensional measurement with computed tomography based bone model.....	610
	<i>Y. Nagamoto, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization Osaka Medical Center	
2-P51-6	Volumetric change in lung after correction and fusion surgery in patients with adult spinal deformity	610
	<i>K. Watanabe, et al.</i> , Dept. of Orthop. Surg., Keio University	

Poster 52

16 : 50～17 : 20

Moderator : **T. Hasegawa**

Adult deformity correction 3

2-P52-1	Radiographic and clinical evaluation of anterior-posterior spinal fusion for adult spinal deformity, minimum 2-year follow up.....	611
	<i>T. Sakuma, et al.</i> , Dept. of Orthop. Surg., Seirei Sakura Citizen Hospital	
2-P52-2	Multi-segmental posterior instrumentation with corrective fusion for degenerative lumbar scoliosis, Analysis of the factors affecting long-term postoperative clinical outcomes.....	611
	<i>Y. Iwamura, et al.</i> , Dept. of Orthop. Surg., Yokohama Ekisaikai Hospital	
2-P52-3	The fact of PLIF (posterior lumber interbody fusion) at lower lumbar area for adult spinal deformity	612
	<i>K. Kurosu, et al.</i> , Dept. of Orthop. Surg., Shizuoka City Shizuoka Hospital	
2-P52-4	Comparison of posterior correction with PSO versus posterior correction with Ponte after LIF for Adult spinal deformity.....	612
	<i>Y. Sasao, et al.</i> , Dept. of Orthop. Surg., International Univ. of Health and Welfare Shioya Hospital	
2-P52-5	Second stage surgery combined OLIF and PSO for adult spinal deformity	613
	<i>Y. Kobayashi, et al.</i> , Dept. of Spine and Spinal Cord Surg., Yokohama Brain and Spine Center	
2-P52-6	Staged 3 column osteotomy surgery for adult spinal deformity	613
	<i>Y. Nakao, et al.</i> , Dept. of Orthop. Surgery, Sanraku Hospital	

Poster 53

17 : 20～17 : 45

Moderator : **T. Kotani**

Adult deformity correction 4

2-P53-1	The clinical results of two stage corrective fusion including oblique lumbar interbody fusion for adult spinal deformity	614
	<i>H. Takei, et al.</i> , Yamagata Spine Centr. Miyukikai Hosp.	

2-P53-2	Relationship between effect of intraoperative three-dimensional rotational deformity correction using lumbar lateral interbody fusion and percutaneous pedicle screw fixation and global spinal alignment in degenerative lumbar scoliosis	614
	<i>R. Takatori, et al.</i> , Department of Orthopaedics, Graduate School of Medical Science, Kyoto Prefectural University of Medicine, Kyoto, Japan	
2-P53-3	Comparison of surgical results in PSF with XLIF and PSF with osteotomy for degenerative scoliosis	615
	<i>Y. Matsubara, et al.</i> , Dept. of Orthopedic Surg. Kariya-TOYOTA General Hospital, Kariya	
2-P53-4	Consideration of the correction effect of OLIF (Oblique lateral body fusion) for Adult Spinal deformity	615
	<i>R. Oshima, et al.</i> , Departments of Orthopaedic Surgery, Shinshu University School of Medicine	
2-P53-5	Results of the corrective fusion by LLIF (Lateral Lumbar Interbody Fusion) for the spinal imbalance	616
	<i>K. Omori, et al.</i> , Sonoda Medical Institute Tokyo Spine Center	

Poster 54

16 : 20～16 : 50

Moderator : **T. Kobayashi**

Spinal alignment 1

2-P54-1	Differences in lumbar and pelvic parameters among African American, Caucasian and Japanese populations	616
	<i>H. Arima, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-P54-2	An analysis of spino-pelvic sagittal alignment by slot scan digital radiography in asymptomatic Japanese volunteers : Comparison with computed radiography	617
	<i>M. Takami, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	
2-P54-3	The influence of pelvic retroversion on the sagittal spinal column curvature form in the normal high age population	617
	<i>Y. Sato, et al.</i> , Jyuzen Memorial Hospital	
2-P54-4	Comparison of accuracy in spinal alignment measurement between EOS and CT	618
	<i>K. Sasagawa, et al.</i> , Dept. of Mechanical and Control Eng., Niigata Institute of Technology	
2-P54-5	The relationship among depression, spinal alignment, and spinal range of motion in health checkup	618
	<i>S. Imagama, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. Graduate School of Medicine	
2-P54-6	Optimal arm positions for the evaluation of SVA on lateral X-ray	619
	<i>K. Kaneko, et al.</i> , Department of Orthopedic Surgery, Yokohama City University	

Poster 55

16 : 50～17 : 20

Moderator : T. Tanaka

Spinal alignment 2

2-P55-1	Impact of spinopelvic harmony in sitting position.....	619
	<i>H. Suzuki, et al.</i> , Dept. of Orthop. Surg., Tokyo Med. Univ.	
2-P55-2	The change of posture by the mirror at the time of taken whole spine standing radiograph	620
	<i>S. Oe, et al.</i> , Department of Orthopaedic Surgery, Hamamatsu University School of Medicine	
2-P55-3	Utility of PI-LL in lateral X-ray on prone position.....	620
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Yokohama City Univ.	
2-P55-4	Discrepancy between Standing and Walking Posture	621
	<i>T. Yasuda, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Medical Center	
2-P55-5	Analysis of the relationship between the cross sectional area of multifidus, erector spinae, psoas major muscle and spinopelvic alignment	621
	<i>K. Kikuchi, et al.</i> , Dept. of Orthopedic, Akita Kousei Medical Center	
2-P55-6	Influence of the change in back extensor strength on the deterioration of spino-pelvic sagittal alignment : A 2 year follow-up	622
	<i>M. Hongo, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine	

Poster 56

17 : 20～17 : 50

Moderator : H. Ozawa

Spinal alignment 3

2-P56-1	A relationship of straight neck outbreak and sagittal spinal alignment.....	622
	<i>A. Maekawa, et al.</i> , Department of Orthopedic Surgery, Tokyo Medical University	
2-P56-2	Occipito-cervical and lower extremity alignment also correlate with low back pain related HRQOL	623
	<i>K. Hasegawa, et al.</i> , Niigata Spine Surgery Center	
2-P56-3	Sagittal occipito-cervical alignment in the standing and sitting positions.....	623
	<i>Y. Morimoto, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	
2-P56-4	Impact of thoracolumbar parameters on cervical sigmoid deformity	624
	<i>Y. Matsubayashi, et al.</i> , Dept. of Orthop. Surg., Tokyo Univ. School of Medicine	
2-P56-5	Correlations between QOLs of osteoporotic patients and the sagittal spine parameters using the JOQOL	624
	<i>A. Sano, et al.</i> , Dept. of Orthop. Surg., Niigata Prefectual Shibata Hospital	
2-P56-6	Effect of osteoporotic vertebral fracture on sagittal alignment in the whole spine	625
	<i>T. Ikeda, et al.</i> , Dept. of Orthop. Surg., Kindai University Hospital	

Poster 57

16 : 20～16 : 50

Moderator : N. Morozumi

Scoliosis : Diagnosis, others

2-P57-1	A clinical survey of the neck pain and shoulder stiffness following posterior corrective surgery for the patients with adolescent idiopathic scoliosis.....	625
	<i>A. Matsumura, et al.</i> , Department of Orthopaedic Surgery, Osaka City General Hospital	
2-P57-2	Longitudinal study of the bone mineral density change until bone maturity in adolescent idiopathic scoliosis.....	626
	<i>M. Nishida, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio University, Tokyo, Japan	
2-P57-3	Bone mineral density and physical performance test of female patients 27 years or longer after surgery for adolescent idiopathic scoliosis	626
	<i>T. Akazawa, et al.</i> , Department of Orthopaedic Surgery, St. Marianna University School of Medicine	
2-P57-4	Drop out cases of adolescent idiopathic scoliosis	627
	<i>K. Yasuhara, et al.</i> , St. Marianna University School of Medicine Yokohama City Seibu Hospital	
2-P57-5	New surgery treatment strategy using the S-line for adolescent idiopathic scoliosis	627
	<i>H. Oba, et al.</i> , Department of Orthopaedic Surgery, Shinshu University, School of Medicine	
2-P57-6	Efficacy of Orthopedic Perioperative Autotransfusion System in Scoliosis Surgery	628
	<i>Y. Abe, et al.</i> , Dept. of Orthop. Surg., Eniwa Hospital	

Poster 58

16 : 50～17 : 20

Moderator : T. Suzuki

Scoliosis : Surgery

2-P58-1	Sagittal spino-pelvic alignment in Lenke type1 and 2 adolescent idiopathic scoliosis~Analysis of postoperative SVA ~	628
	<i>K. Yoshikawa, et al.</i> , Dept. of Orthop. Surg., Juntendo Univ. School of Medicine	
2-P58-2	Comparative study of surgical outcomes in AIS surgery between CoCr rod and Titanium alloy rod	629
	<i>A. Yabu, et al.</i> , Department of Orthopedic Surgery, Osaka City General Hospital	
2-P58-3	The role of intervertebral spacer in anterior correction and fusion surgeries for left convex thoracolumbar/lumbar curve of adolescent idiopathic scoliosis	629
	<i>T. Iida, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. Koshigaya Hosp.	
2-P58-4	Postoperative distal adding-on in Lenke 1 and 2 adolescent idiopathic scoliosi.....	630
	<i>T. Namikawa, et al.</i> , Dept. of Orthop. Surg., Osaka City General Hospital	
2-P58-5	Incidence of Pleural Fluid and Its Associated Risk Factors After Posterior Spinal Fusion in Patients with Adolescent Idiopathic Scoliosis	630
	<i>K. Hayashi, et al.</i> , Department of Orthopaedic Surgery, Osaka City University Graduate School of Medicine	

2-P58-6	Visualization of corrective maneuvers in surgery for adolescent idiopathic scoliosis using intraoperative 3D image based navigation.....	631
	<i>T. Sakuma, et al.</i> , Dept. of Orthop. Surg., Seirei Sakura Citizen Hospital	

Poster 59

17 : 20~17 : 50

Moderator : **J. Takahashi**

Scoliosis : Neuromuscular, syndrome, complication

2-P59-1	The incidence and risk factors for in-hospital morbidity and mortality in pediatric scoliosis surgery in Japan.....	631
	<i>Y. Taniguchi, et al.</i> , Dept. of Orthopaedic Surgery, The University of Tokyo Hospital	
2-P59-2	Pathophysiology and treatment policy of neuromuscular scoliosis	632
	<i>A. Misawa, et al.</i> , Department of Orthopaedic Surgery, Akita Prefectural Center on Development and Disability	
2-P59-3	Comparison of Spinal Alignment in Neuromuscular Scoliosis patients	632
	<i>E. Shirasawa, et al.</i> , Department of Orthopaedic Surgery, Kitasato University School of Medicine	
2-P59-4	Surgical outcome and complications of spinal fusion for neuromuscular scoliosis	633
	<i>M. Ito, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
2-P59-5	The outcome of surgical treatment for 51 syndromic scoliosis	633
	<i>Y. Dogaki, et al.</i> , Dept. of Orthop. Surg., NHO Kobe Med. Cent.	
2-P59-6	Postoperative course of dystrophic spinal deformity due to Neurofibromatosis type 1-More than five years follow up-	634
	<i>T. Yamamoto, et al.</i> , Dept. of Orthop. Surg., Kagoshima Univ.	

Poster 60

16 : 20~16 : 50

Moderator : **H. Murakami**

Osteoporotic vertebral fractures : Management

2-P60-1	Conservative treatment of osteoporotic vertebral fracture to evaluate.....	634
	<i>Y. Kohno, et al.</i> , Chiba Central Medical Center, Spine Center	
2-P60-2	The impact of trunk muscle size reduction and fatty degeneration on prognosis for osteoporotic vertebral fracture.....	635
	<i>M. Katsu, et al.</i> , Dept. of Orthop. Surg., Yamanashi Univ. School of Medicine	
2-P60-3	The Comparison of MRI image early after injury between balloon kyphoplasty and conservative therapy for the osteoporotic vertebral fracture	635
	<i>N. Kobayashi, et al.</i> , Tobu Chiiki Hospital, Tokyo Metropolitan Health and Medical Treatment Corporation	
2-P60-4	Comparison evaluation of conservative treatment and balloon kyphoplasty for the osteoporotic vertebral fractures	636
	<i>Y. Yamamoto, et al.</i> , Dept. of Orthop. Surg., Tokai Univ. Hachiouji Hospital	

2-P60-5	A radiological study on new vertebral fracture following percutaneous vertebroplasty	636
	<i>R. Nagayama, et al.</i> , Dept. of Orthop. Surg., Saiseikai Senri Hospital	
2-P60-6	Finite element analysis of balloon kyphoplasty in lumbar vertebrae	637
	<i>H. Takano, et al.</i> , Department of Orthopedic Surgery, Juntendo University School of Medicine	

Poster 61

16 : 50~17 : 20

Moderator : **S. Sano**

Osteoporotic vertebral fractures : Vertebroplasty, kyphoplasty

2-P61-1	Efficacy of Daily or Weekly PTH after Balloon Kyphoplasty for the patients of osteoporotic vertebral fracture	637
	<i>A. Kojima, et al.</i> , Funabashi Orthopaedic Hospital Spine Center	
2-P61-2	PTH treatment after BKP for osteoporotic vertebral fractures	638
	<i>R. Okazaki, et al.</i> , Dept. of Orthop. Surg., Saitama Red Cross Hospital	
2-P61-3	Clinical and radiological outcomes of Balloon kyphoplasty for OVF	638
	<i>H. Murata, et al.</i> , Shimura Orthopedic Hospital, Hiroshima	
2-P61-4	Relationship between the postoperative loss of vertebral height and the preoperative vertebral instability in Balloon Kyphoplasty for osteoporotic vertebral fracture	639
	<i>T. Funayama, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, University of Tsukuba	
2-P61-5	Effectiveness of balloon kyphoplasty for preventing further progression of canal stenosis adjacent to a clinical vertebral fracture	639
	<i>T. Imamura, et al.</i> , Kyushu Rosai Hosp., Japan Organization of Occupational Health and Safety	
2-P61-6	Analysis adjacent vertebral fracture after vertebroplasty for osteoporotic vertebral fracture	640
	<i>T. Tsujio, et al.</i> , Dept. of Orthop. Surg. and Spinal Center, Shiraniwa Hospital	

Poster 62

17 : 20~17 : 45

Moderator : **Y. Kawaguchi**

Osteoporotic vertebral fractures : Reconstruction with vertebroplasty

2-P62-1	Surgical outcome of vertebroplasty with posterior spinal fusion using spinous process plate and pedicle screw system	641
	<i>Y. Shibuya, et al.</i> , Dept. of Orthop. Surg., Shonai Hosp.	
2-P62-2	Spinal instrumentation and vertebroplasty for osteoporotic vertebral fracture	641
	<i>D. Nakahara, et al.</i> , Dept. of Orthop. Surg., Ouji Hospital	
2-P62-3	Clinical outcome of vertebroplasty with posterior fusion for osteoporotic vertebral pseudoarthrosis using percutaneous pedicle screw	642
	<i>Y. Kudo, et al.</i> , Dept. of Orthop. Surg., Showa Univ.	
2-P62-4	Operative indication in the treatment of osteoporotic thoracolumbar junctional spinal fractures by using load sharing classification	642
	<i>K. Kitaoka, et al.</i> , Dept. of Orthop. Surg., Kochi Hata Prefectural Hospital	

2-P62-5	Clinical results of posterior spinal fusion with hydroxyapatite block for osteoporotic vertebral fracture.....	643
	<i>K. Maio, et al.</i> , Dept. of Orthop. Surg., Wakayama Rosai Hospital	

Poster 63

16 : 20~16 : 50

Moderator : **E. Mori**

Thoracic spine, spinal cord and others

2-P63-1	Anatomical study of ligamentum flavum in humans cadaveric thoracic spine	643
	<i>AA. Sayed, et al.</i> , Osaka City University	
2-P63-2	Pulsation of aorta prevents the development of the ossification of anterior longitudinal ligament in DISH	644
	<i>K. Mori, et al.</i> , Dept. of Orthop. Surg., Shiga Univ. of Medical Science	
2-P63-3	Analysis of respiratory function and human lymphocyte antigen typing in diffuse idiopathic skeletal hyperostosis.....	644
	<i>T. Yasuda, et al.</i> , Dept. of Orthop. Surg., Univ. of Toyama	
2-P63-4	Clinical treatment outcome of ossification of yellow ligament	645
	<i>Y. Yamashita, et al.</i> , Dept. of Orthop. Surg., Nanpuh Hospital	
2-P63-5	Clinical features and prognosis in 7 cases of spinal cord infarction.....	645
	<i>K. Kitaoka, et al.</i> , Dept. of Orthop. Surg., Kochi Hata Prefectural Hospital	
2-P63-6	Surgical outcome of spinal adhesive arachnoiditis	646
	<i>K. Naito, et al.</i> , Department of Neurosurgery, Osaka City University Graduate School of Medicine	

Poster 64

16 : 50~17 : 20

Moderator : **K. Ida**

Pyogenic spondylitis and others

2-P64-1	Features of infectious spondylitis according to the lesion levels.....	646
	<i>K. Saita, et al.</i> , Dept. of Orthop. Surg., Saitama Medical Center, Saitama Medical University	
2-P64-2	Sedimentation sign is useful for a diagnosis of the lumbar pyogenic spondylitis.....	647
	<i>S. Tahata, et al.</i> , Dept. of Orthop. Surg., Tamana Central Hospital	
2-P64-3	Efficacy of Percutaneous Dorainage for Iliopsoas abscess with pyogenic discitis	647
	<i>K. Minato, et al.</i> , Dept. of Orthop., Niigata Prefectural Shibata Hospital	
2-P64-4	Surgical Treatment of PPS-Instrumentation Surgery for Pyogenic Spondylitis	648
	<i>S. Yamada, et al.</i> , Dept. of Orthopedic Surgery, Nagasaki Rosai Hospital	
2-P64-5	Cervical pyogenic spinal infections-A review of 16 consecutive patients-	648
	<i>K. Yamada, et al.</i> , Dept. of Orthopaedic Surgery, Hokkaido Univ., Graduate School of Medicine	
2-P64-6	Acute calcific tendinitis of the longus colli muscle : Report of eight cases-Comparison the Crowned Dens syndrome-	649
	<i>T. Sakuraba, et al.</i> , Dept. of Orthop. Surg., Hiraka General Hospital	

Poster 65

16 : 20～16 : 50

Moderator : K. Owashi

Cervical spine trauma 1

2-P65-1	A study of factors of false-positive result of the Knee up sign	649
	<i>I. Yugue, et al.</i> , Dept. of Orthopedic Surgery, Japan Organization of Occupational Health and Safety Spinal Injuries Center	
2-P65-2	Clinical Features of Upper Cervical Spine Injury At the Tokai University School Advanced Critical and Care Center—Changes Over the Past 15 Years-	650
	<i>M. Tanaka, et al.</i> , Dept. of Orthop. Surg., Tokai Univ. School of Medicine	
2-P65-3	Survivors of Upper cervical cord injury with Cardiopulmonary Arrest	650
	<i>J. Okumura, et al.</i> , Dept. of Orthop. Surg., Sapporo City General Hospital	
2-P65-4	Temporary internal fixation without fusion of the cervical axis fracture	651
	<i>T. Ishikawa, et al.</i> , Department of Orthopedic Surgery, Sanmu Medical Center, Chiba, Japan	
2-P65-5	Management of Vertebral Artery Injuries after Cervical Trauma : Report of 4 Cases	651
	<i>A. Nagahama, et al.</i> , Department of Neurosurgery, Osaka City University Graduate School of Medicine	
2-P65-6	A study on nine cases of cervical trauma due to surfing	652
	<i>A. Sakaguchi, et al.</i> , Dept. of Orthop. Surg., Fujisawa City Hospital	

Poster 66

16 : 50～17 : 20

Moderator : T. Homma

Cervical spine trauma 2

2-P66-1	Outcome of cervical spinal cord injury with ossification of posterior longitudinal ligament	652
	<i>T. Konomi, et al.</i> , Dept. of Orthopaedic Surgery, NHO Murayama Medical Center	
2-P66-2	Risk factors of neurologic outcomes in patients with cervical spinal cord injury without radiographic abnormality	653
	<i>M. Tanaka, et al.</i> , Dept. of Orthop. Surg., Juntendo Shizuoka Hospital	
2-P66-3	Clinical evaluation of diagnosis and treatment for traumatic cervical spinal cord injury without major fracture or dislocation and rapid progressive clinical deterioration of cervical spondylotic myelopathy	653
	<i>Y. Morishita, et al.</i> , Dept. of Orthop. Surg., Spinal Injuries Center	
2-P66-4	The relationship between subacute MRI image and walking ability, urinary function at the chronic stage in patients with cervical spinal cord injury	654
	<i>A. Matsushita, et al.</i> , Spinal Injuries Center	
2-P66-5	What prevents the rehabilitation of the elderly with cervical spinal cord injury to home? Analysis of difference between the young-old and the old-old	654
	<i>M. Ishii, et al.</i> , Dept. of Orthop. Surg., Hoshigaoka Medical Center	

2-P66-6	Return to play after spinal cord concussion : Systematic literature review.....	655
	<i>N. Nagoshi, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	

Poster 67

17 : 20～17 : 50

Moderator : **T. Kusakabe**

Fractures in ankylosing spinal hyperostosis

2-P67-1	A biomechanical study for hyperextension injury of the ankylosed spine with diffuse idiopathic skeletal hyperostosis by finite element method	655
	<i>T. Endo, et al.</i> , Dept. of Orthop. Surg., Jichi Medical Univ., Shimotsuke City, Japan	
2-P67-2	Clinical characteristics of spinal injuries related to ankylosing spinal disorders.....	656
	<i>O. Kawano, et al.</i> , Dept. of Orthop. Surg., Spinal Injuries Center	
2-P67-3	Analysis of costvertebral joint and restrictive lung dysfunction between diffuse idiopathic skeletal hyperostosis and osteoporotic vertebral fracture in patients with thoracolumbar spinal surgery	656
	<i>T. Matsumoto, et al.</i> , Dept. of Orthop. Surg., Nokami Kosei General Hosp.	
2-P67-4	Surgical cases of posterior fixation surgery for diffuse idiopathic skeletal hyperostosis (DISH) fracture patients	657
	<i>Y. Shimada, et al.</i> , Sanmu Medical Center, Sanmu City, Chiba	
2-P67-5	Short Term Result of Balloon Kyphoplasty (BKP) for Vertebral Fracture with Diffuse Idiopathic Skeletal Hyperostosis (DISH) -Comparison of fracture type-	657
	<i>H. Yagi, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Nagoya Daiichi Hospital	
2-P67-6	A surgical outcome of thoraco-lumbar spinal injury in ankylosing spine with aged people	658
	<i>M. Nakahara, et al.</i> , Dept. of Orthopedic Surgery, Kitasuma Hospital	

Poster 68

16 : 20～16 : 50

Moderator : **Y. Terashima**

Spinal tumor 1

2-P68-1	Differentiation of spinal giant cell tumors from chordomas by using a scoring system	658
	<i>T. Tsuji, et al.</i> , Dept. of Orthop. Surg., Keio University School of Medicine	
2-P68-2	Instrumentation surgery for the primary intermediate and malignant tumor of lumbar spine	659
	<i>K. Ando, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. School of Medicine	
2-P68-3	Five cases of hourglass tumor resected by posterior approach with Navigation system use	659
	<i>T. Shima, et al.</i> , Dept. of Orthop. Surg., Hiroshima City Asa Citizens Hospital	
2-P68-4	Surgical strategy and clinical outcomes for radical combined resection of lung cancer invading the chest wall and vertebra.....	660
	<i>E. Nakamura, et al.</i> , Dept. of Orthop. Surg., Univ. of Occupational and Environmental Health Japan	
2-P68-5	The new detection system with CT and MRI for spinal metastatic tumor collaborated with radiologist.....	660
	<i>M. Tanaka, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	

- 2-P68-6 When should spine surgeon have contacts with breast cancer patients without spinal metastasis? ··· 661
M. Iinuma, et al., Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine

Poster 69

16 : 50~17 : 20

Moderator : **T. Ito**

Spinal tumor 2

- 2-P69-1 Efficacy of surgical treatment for metastatic spinal tumor 661
K. Ishii, et al., Spine Center, Seirei Hamamatsu General Hospital, Hamamatsu
- 2-P69-2 Clinical outcome of the palliative surgery for the metastatic spinal tumor in our hospital 662
Y. Hori, et al., Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine
- 2-P69-3 Outcome of spinal cord compression caused by metastatic cancer 662
K. Iida, et al., Dept. of Orthop. Surg., Kyushu Univ. School of Medicine
- 2-P69-4 A comparative study between open and percutaneous posterior fixation surgeries for effects of the performance status, activities of daily living, and quality of life in patients with spinal metastasis ··· 663
T. Yurube, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- 2-P69-5 Clinical outcome of spinal decompression and fusion for spinal metastasis 663
K. Masuda, et al., Dept. of Orthop. Surg., Yokosuka Kyousai Hospital
- 2-P69-6 Total en bloc spondylectomy for the elderly patients over 65 years old with spinal metastasis 664
N. Yonezawa, et al., Department of Orthopaedic Surgery, Kanazawa University, Kanazawa, Japan

Poster 70

16 : 20~16 : 50

Moderator : **T. Nitobe**

Cervical : Evaluation

- 2-P70-1 Evaluation of cervical foraminal stenosis using computed tomography 664
T. Mizouchi, et al., Division of Orthopedic Surgery, Department of Regenerative and Transplant Medicine, Niigata University Graduate School of Medical and Dental Sciences, Japan
- 2-P70-2 Gradient T2 imaging in the preoperative diagnosis of cervical foraminal stenosis 665
N. Yamamoto, et al., Dept. of Orthop. Surg., Yachiyo Medical Center, Tokyo Women's Medical University
- 2-P70-3 Prediction of clinical results of laminoplasty for cervical myelopathy focusing on transverse area of the spinal cord at the maximum compression 665
T. Ozaki, et al., Dept. of Orthopedic Surgery, Osaka City University Graduate School of Medicine
- 2-P70-4 MR T2 increased signal intensity in patients with cervical spondylotic myelopathy : Predictor of surgical outcome 666
M. Machino, et al., Dept. of Orthop. Surg., Nagoya Univ. School of Medicine
- 2-P70-5 The changes of cervical spinal sagittal alignment between upright standing and sitting position in patients with cervical kyphosis 666
H. Nishimura, et al., Dept. of Orthop. Surg., Tokyo Medical Univ.

2-P70-6	Clinical results of conservative therapy, and pathosis of dropped head syndrome	667
	<i>H. Tanaka, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	

Poster 71

16 : 50～17 : 20

Moderator : J. Ito

Cervical : OPLL and others

2-P71-1	The effect of diabetic mellitus and glycemic profile for surgical outcome with cervical myelopathy	667
	<i>S. Tanishima, et al.</i> , Department of Orthopedic Surgery, Tottori University, Faculty of Medicine	
2-P71-2	Cervical ossification of the posterior longitudinal ligament : Factors affecting the effect of posterior decompression	668
	<i>N. Nishida, et al.</i> , Dept. of Orthop. Surg., Yamaguchi Univ. School of Medicine	
2-P71-3	Analysis for factors influencing to the clinical results of anterior extirpation and arthrodesis for cervical OPLL	668
	<i>A. Aiba, et al.</i> , Dept. of Orthop. Surg., Numazu City Hospital	
2-P71-4	Intraoperative evaluation using mobile computed tomography in Anterior Cervical Decompression with floating method for Ossification of the Posterior Longitudinal Ligament	669
	<i>T. Yoshii, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical and Dental Univ. School of Medicine	
2-P71-5	Treatment strategy in cervical OPLL～Analysis of predictors of surgical outcomes without dynamic factors～	669
	<i>H. Takano, et al.</i> , Department of Orthopedic Surgery, Juntendo University School of Medicine	
2-P71-6	Postoperative reinstatement investigation of cervical OPLL-Preoperative lower limb function has an impact on reinstatement-	670
	<i>T. Maeno, et al.</i> , Dept. of Orthop. Surg., Osaka Rosai Hospital	

Poster 72

17 : 20～17 : 50

Moderator : I. Koyanagi

Cervical laminoplasty

2-P72-1	The influence of ASA physical status on surgical results and clinical outcomes in cervical laminoplasty for cervical spondylotic myelopathy	670
	<i>H. Funao, et al.</i> , Dept. of Orthop. Surg., Kawasaki Municipal Kawasaki Hospital, Kawasaki, Japan	
2-P72-2	Factors that regulate spinal cord position after expansive open-door laminoplasty	671
	<i>T. Tsuji, et al.</i> , Dept. of Orthop. Surg., National Defense Medical College	
2-P72-3	The relationship between the angle of the formed lamina, the position of the gutter and the length of posterior shifting of the spinal cord, the expansion of dura matter after cervical laminoplasty	671
	<i>H. Kudo, et al.</i> , Depertment of Orthopaedic Surgery, Hirosaki University Graduate School of Medicine, Hirosaki, Japan	

2-P72-4	Dural tube continues to expand after muscle sparing cervical laminectomy	672
	<i>R. Aoyama, et al.</i> , Department of Orthopaedics, Tokyo Dental College Ichikawa General Hospital	
2-P72-5	Microendoscopic laminotomy versus conventional laminoplasty for cervical spondylotic myelopathy -A 5-year follow-up study-	672
	<i>A. Minamide, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ. School of Medicine	
2-P72-6	Usefulness of cervical lamina plate for laminoplasty	673
	<i>K. Endo, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	

Poster 73

16 : 20~16 : 50

Moderator : **T. Kido**

Cervical fusion

2-P73-1	Ten years follow-up clinical and radiologic evaluation of anterior decompression with fusion for cervical spondylotic myelopathy	673
	<i>T. Hirai, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical and Dental University	
2-P73-2	Adjacent Segment Disease after Anterior Cervical Decompression and Fusion-A Study of approximately 400 cases at a Single Institution-	674
	<i>Y. Matsukura, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hospital, Saitama, Japan	
2-P73-3	Single-stage posterior and anterior fusion surgery for correction of cervical kyphotic deformity using lordotic tapered cages.....	674
	<i>Y. Jin, et al.</i> , Dept. of Orthop. Surg., Tokyo Metropolitan Health and Medical Treatment Corporation Ebara Hospital	
2-P73-4	Complications of ACDF after cervical posterior laminoplasty	675
	<i>I. Kitahara, et al.</i> , Dept. of Neuro. Surg., Chiba Tokushukai Hospital	
2-P73-5	Comparative study for cervical spondylotic myelopathy with one or two level lesion-Anterior cervical discectomy with fusion vs. selective laminoplasty-.....	675
	<i>K. Sakai, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	
2-P73-6	Bioactivity of sol-gel derived TiO ₂ coated PEEK in canine cervical anterior fusion model	676
	<i>T. Shimizu, et al.</i> , Dept. of Orthop. Surg., Kyoto Univ. Graduate School of Medicine	

Poster 74

16 : 50~17 : 20

Moderator : **H. Terai**

Anterior cervical fusion

2-P74-1	Anterior cervical short fusion using stand-alone intervertebral cage	676
	<i>K. Ito, et al.</i> , Dept. of Orthop. Surg., Chubu Rosai Hospital	
2-P74-2	A Surgical Outcome of ACDF with a PEEK Cage-A Prospective Study of a PEEK Cage Stand Alone Usage-.....	677
	<i>K. Abe, et al.</i> , Department of Orthopedic Surgery, Akita Rosai Hospital, Japan	

2-P74-3	Effectiveness of anterior cervical interbody fusion without plate	677
	<i>H. Igarashi, et al.</i> , Sonoda Medical Institute, Tokyo Spine Center	
2-P74-4	Clinical outcomes of anterior cervical discectomy and fusion : comparison of porous hydroxyapatite/collagen composites and iliac bone grafts	678
	<i>K. Fujita, et al.</i> , Dept. of Orthopaedic Surgery, Spine and Spinal Cord Center, Steel Memorial Muroran Hospital	
2-P74-5	Clinical results and radiological assessment of the anterior cervical fusion using titanium interbody cage for treatment of cervical degenerative disease with segmental kyphosis	678
	<i>K. Hosoi, et al.</i> , Department of Orthopaedics, Graduate School of Medical Science, Kyoto Prefectural University of Medicine	
2-P74-6	Clinical results of anterior cervical fusion using the translational plate system	679
	<i>F. Hasue, et al.</i> , Department of Orthopaedic Surgery, Kimitsu Chuo Hospital, Kisarazu, Japan	

Poster 75

17 : 20~17 : 50

Moderator : M. Mochizuki

Anterior cervical fusion : Complication

2-P75-1	Immobilization of the cervical spine and cage subsidence after single-level anterior cervical discectomy and fusion using a polyetheretherketone cage, without plating and iliac crest harvesting	679
	<i>N. Minami, et al.</i> , Dept. of Orthop. Surg., Kashiwa City Hospital, Chiba, Japan	
2-P75-2	Postoperative Prevertebral Soft Tissue Swelling After Multiple Anterior Cervical Decompression and Fusion in OPLL Compared with Other Cervical Spine Disorders	680
	<i>S. Egawa, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical and Dental Univ.	
2-P75-3	Airway complication after anterior cervical fixation : analysis of retropharyngeal space on pre and post operative X ray	680
	<i>H. Serikyaku, et al.</i> , Dept. of Orthop. Surg., Naha City Hospital, Naha	
2-P75-4	Analyses for air-way related complications after anterior cervical fusion for various cervical diseases	681
	<i>Y. Kondo, et al.</i> , Spine Center, Gifu Municipal Hospital, Gifu, Japan	
2-P75-5	Risk factors and clinical outcomes of dysphagia after anterior cervical surgery in patients with degenerative cervical myelopathy	681
	<i>N. Nagoshi, et al.</i> , Department of Orthopaedic Surgery, Keio University School of Medicine	
2-P75-6	The frequency and risk factors about dysphagia after anterior cervical spine surgery	682
	<i>Y. Ishihama, et al.</i> , Dept. of Orthop. Surg., Seirei Mikatahara General Hospital	

Poster 76

16 : 20～16 : 50

Moderator : T. Yokoyama

Monitoring

- 2-P76-1 Effect on the intraoperative spinal cord function monitoring of inhalable anesthetic desflurane in spinal correction fusion, compared with the TIVA 682
T. Koike, et al., Niigata Spine Surgery Center, Niigata, Japan
- 2-P76-2 Characteristic changes of intraoperative motor evoked potential in spinal deformity surgery 683
T. Hashimoto, et al., Dept. of Medical Engineer, National Hospital Organization Kobe Medical Center, Japan
- 2-P76-3 Intraoperative spinal cord monitoring for the surgery of thoracic spine : The usefulness of multimodal monitoring 683
M. Ando, et al., Dept. of Orthop. Surg., Wakayama Rosai Hospital
- 2-P76-4 Investigation of factor of Br(E)-MsEP alert during laminoplasty for cervical myelopathy 684
Y. Ide, et al., Dept. of Orthop. Surg., Kurume Univ. School of Medicine
- 2-P76-5 Efficacy of multi-train electrical stimulation for recording transcranial motor evoked potentials in neurophysiologic monitoring during spinal surgery in neurologically impaired patients 684
S. Tsutsui, et al., Dept. of Orthop. Surg., Wakayama Med. Univ. School of Medicine
- 2-P76-6 The verification of the alarm point of MEP monitoring in lumbar spinal operation 685
Y. Yanagisawa, et al., Dept. of Orthop. Surg., Hiroshima Red Cross Hospital & Atomic-bomb Survivors Hospital

Poster 77

16 : 50～17 : 15

Moderator : Y. Nakamura

Monitoring, electrophysiological diagnosis

- 2-P77-1 Accuracy of C-arm-independent percutaneous pedicle screw placement using the specialized guiding device and nerve root monitoring 685
Y. Tani, et al., Dept. of Orthop. Surg., Kansai Medical University Medical Center
- 2-P77-2 Efficacy of Intraoperative Direct Electrical Stimulation of the Spinal Root and Measurement of Distal Motor Latency in Lumbar Spinal Stenosis 686
T. Murohashi, et al., Department of Clinical Engineering, Sapporo Medical University Hospital
- 2-P77-3 Current state and utility of electrodiagnosis for differentiation between spinal diseases and compressive neuropathy in our hospital 686
K. Takayama, et al., Dept. of Orthop. Surg., Seikeikai Hospital
- 2-P77-4 Relationship between cauda equina conduction time and postoperative numbness of lower limbs in lumbar spinal stenosis 687
Y. Nagao, et al., Department of Orthopaedic Surgery, Yamaguchi University Graduate School of Medicine, Ube City, Japan

2-P77-5	Can mapping of electromyography monitoring decrease postoperative symptomatic neuropraxia after LLIF?	687
	<i>S. Ebata, et al.</i> , Dept. of Orthopaedic, Yamanashi Univ.	

Poster 78

16 : 20~16 : 50

Moderator : **M. Iwabuchi**

Lumbar spine : Radiological diagnosis 1		
2-P78-1	The value of bone SPECT/CT in diagnosis of pathology causing low back pain.....	688
	<i>N. Takahashi, et al.</i> , Dept. of Orthop. Surg., Kanazawa Univ. School of Medicine	
2-P78-2	MR imaging of vertebral endplate injury in young gymnasts	688
	<i>M. Urushibara, et al.</i> , Funabashi Orthopedic Hospital	
2-P78-3	Relationship between facet joint osteoarthritis and segmental motion in lumbar canal spinal stenosis with spondylolisthesis using in vivo three-dimensional image analysis	689
	<i>S. Kitanaka, et al.</i> , Department of Orthopedic Surgery, Nishijin Hospital, Kyoto, Japan	
2-P78-4	Morphological analysis of spinous process in lumbar spine (second report)	689
	<i>M. Yazu, et al.</i> , Dept. of Orthop. Surg., Kameoka-Shimizu Hospital, Kyoto, Japan	
2-P78-5	Anatomical study of psoas major muscle on sagittal MRI.....	690
	<i>M. Iwamae, et al.</i> , Dept. of Orthop. Surg., Seikeikai Hospital	
2-P78-6	Reduction of ligamentum flavum after facet fusion without neural decompression for unstable degenerative lumbar spondylolisthesis	690
	<i>H. Ataka, et al.</i> , Spine Center, Matsudo Orthopaedic Hospital	

Poster 79

16 : 50~17 : 15

Moderator : **K. Higashino**

Lumbar spine : Radiological diagnosis 2		
2-P79-1	Evaluation of lumbar facet joint and intervertebral disc in normal subjects by age using T2 mapping	691
	<i>S. Enokida, et al.</i> , Dept. of Orthop. Surg., Tottori Univ.	
2-P79-2	Bone marrow edema on the posterior elements of the lumbar spine among symptomatic adults	691
	<i>K. Sugiura, et al.</i> , Dept. of Orthop. Surg., Tokushima Red Cross Hospital	
2-P79-3	Imaging diagnosis in lumbar intradural disc herniation : An analysis of CTD and MRI	692
	<i>T. Nakamura, et al.</i> , Department of Orthopaedic Surgery, Tohoku Rosai Hospital	
2-P79-4	Evaluation of L5 foraminal lesions using the 3-D MRI/CT fusion imaging	692
	<i>T. Kataoka, et al.</i> , Keiyu Orthopedic Hospital	
2-P79-5	Relationship between facet joint effusion and occurrence of facet cysts after lumbar decompression surgery for lumbar spinal stenosis	693
	<i>T. Sato, et al.</i> , Dept. of Orthop. Surg., Hakodate Municipal Hospital	

Poster 80

17 : 20～17 : 45

Moderator : T. Nikaido

Lumbar surgery

2-P80-1	Changes of the psychological state during perioperative period in patients with lumbar degenerative disease	693
	<i>T. Imuro</i> , Department of Orthopaedic Surgery, Atsugi City Hospital	
2-P80-2	Clinical results of operated patients with lumbar degenerative diseases using JOABPEQ (Comparisons between the patients in their 60s, 70s and 80s)	694
	<i>Y. Oishi, et al.</i> , Dept. of Orthop. Surg., Hamawaki Orthopaedic Hospital	
2-P80-3	Surgical Treatment of Lumbar Canal Stenosis Associated with Osteoporotic Vertebral Fracture	694
	<i>H. Tashima, et al.</i> , Tokyo Medical Center	
2-P80-4	Surgical treatment of lumbar spinal stenosis in elderly athletes	695
	<i>M. Yoshimoto, et al.</i> , Dept. of Orthop. Surg., Sapporo Medical Univ. School of Medicine	
2-P80-5	Facet cysts after lumbar laminectomy	695
	<i>K. Nishida, et al.</i> , Dept. of Orthop. Surg., Hiroshima Prefectural Hospital	

Poster 81

16 : 20～16 : 50

Moderator : A. Sannohe

Lumbar fusion 3

2-P81-1	Results of 360° fusion with anterior lumbar interbody fusion (ALIF) using a paramedian extraperitoneal approach for degenerative lumbar disease	696
	<i>T. Kinoshita, et al.</i> , Div. of Orthop. Surg., Narashinodaiichi Hosp., Chiba, Japan	
2-P81-2	Analysis of Postoperative local alignment change in lumbar interbody fusion using high angle cage or low angle cage	696
	<i>H. Matsumori, et al.</i> , Dept. of Orthop. Surg., Higashiosaka Medical Center	
2-P81-3	Risk factors for vertebral endplate cysts after PLIF using cortical bone trajectory procedure	697
	<i>A. Nakamura, et al.</i> , Dept. of Orthop. Surg., Shiga University of Medical Science	
2-P81-4	Problem with the use of implant on PLIF/TLIF for the fracture vertebra with fragility	697
	<i>T. Watanabe, et al.</i> , Hakodate Central General Hospital Spine Center	
2-P81-5	Should the tip of CBT screw perforate the cortex of vertebral body?-An Anatomical position-related study of the tip of CBT screws in Lumbosacral fixation : Cadaver study-	698
	<i>S. Otsuka, et al.</i> , Dept. of Orthop. Surg., Nagoya City Univ., Graduate School of Medical Sciences	
2-P81-6	Hounsfield unit value along screw pathway is a predictor of fixation strength of pedicle screw	698
	<i>K. Matsukawa, et al.</i> , Department of Orthopaedic Surgery, Self Defense Force Central Hospital	

Poster 82

16 : 50～17 : 20

Moderator : Y. Yato

Lumbar fusion 4

2-P82-1	Biomechanical problems with pedicle screw system	699
	<i>T. Mizuno, et al.</i> , Department of Spinal Surgery and Medical Engineering, Mie University Graduate School of Medicine	
2-P82-2	Establishment of a novel measurement technique for pedicle screw stability : Cadaveric study with resonance frequency analysis	699
	<i>D. Nakashima, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
2-P82-3	Tapping insertional torque is the main predictor of fixation strength of pedicle screw	700
	<i>K. Matsukawa, et al.</i> , Department of Orthopaedic Surgery, Self Defense Force Central Hospital	
2-P82-4	Site of pedicle screw breakage	700
	<i>T. Sakakibara, et al.</i> , Dept. of Spine Surg. and Med. Eng., Mie Univ. Graduate School of Medicine	
2-P82-5	Surgical outcomes of additional posterior lumbar interbody fusion for adjacent segment disease after single-level posterior lumbar interbody fusion	701
	<i>T. Yamashita, et al.</i> , Dept. of Orthop. Surg., Osaka Rosai Hospital	
2-P82-6	Anterior lateral approach lumbar interbody fusion prevent vertebral collapse	701
	<i>K. Sasaki, et al.</i> , Spine Center, Seirei Hamamatsu General Hospital	

Poster 83

17 : 20～17 : 50

Moderator : K. Ijiri

Lumbar surgery : Complication

2-P83-1	Re-decompression with fusion as treatment for same level re-stenosis after laminotomy for lumbar spinal canal stenosis : Mid-term result	702
	<i>K. Cheung</i> , Department of Orthopaedics & Traumatology, Tuen Mun Hospital, Hong Kong	
2-P83-2	Study of re-surgery performed within 1 year after lumbar posterior fixation-NSG multicenter study	702
	<i>K. Kobayashi, et al.</i> , Department of Orthopaedic Surgery, Nagoya University Graduate School of Medicine	
2-P83-3	Surgical results of multiply operated lumbar spine lesion in Shizuoka City Shimizu Hospital-What cause Failed back surgery syndrome?-	703
	<i>M. Furukawa, et al.</i> , Dept. of Orthop. Surg., Shizuoka City Shimizu Hospital	
2-P83-4	Efficacy of tranexamic acid for blood loss in lumber fenestration	703
	<i>N. Seike, et al.</i> , Dept. of Orthop. Surg., Showa Univ. Fujigaoka Hospital	
2-P83-5	The factor involved in perioperative blood loss in posterior lumbar interbody fusion : The validity of tranexamic acid	704
	<i>K. Kikuchi, et al.</i> , Dept. of Orthopedic, Akita Kousei Medical Center	

2-P83-6	Posterior element fracture after lumbar spinous process-splitting laminectomy for lumbar canal stenosis	704
	<i>R. Fujihara, et al.</i> , Department of Orthopaedic Surgery, Kagawa University Faculty of Medicine	

Poster 84

16 : 20~16 : 50

Moderator : H. Suzuki

Pain

2-P84-1	Spinal primary pain generator identification by bone SPECT/CT	705
	<i>S. Kato, et al.</i> , Dept. of Orthop. Surg., Kanazawa Univ. School of Medicine	
2-P84-2	Analysis of pain mechanism and therapeutic effect of NSAIDs and pregabalin in chronic low back pain	705
	<i>I. Ogon, et al.</i> , Departments of Orthopaedic Surgery, Sapporo Medical University School of Medicine, Hokkaido, Japan	
2-P84-3	Pharmacological management in combination with opioid for the elderly patients with chronic low back pain	706
	<i>Y. Sakai, et al.</i> , Dept. of Orthop. Surg., National Center for Geriatrics and Gerontology	
2-P84-4	The effect of Spinal Cord Stimulation for intractable neuropathic pain due to spinal problems with Parkinson's Disease : Case series	706
	<i>A. Matsui</i> , Dept. of Orthop., National Center Hospital of Neurology and Psychiatry	
2-P84-5	The factors associated with fentanyl amount used in postoperative pain management	707
	<i>T. Shiozaki, et al.</i> , Dept. of Orthop. Surg., Hakodate Municipal Hospital	
2-P84-6	Pregabalin versus acetaminophen for a treatment of chronic neuropathic pain on extremities after cervical surgery : A prospective randomized, open-label preliminary study	707
	<i>T. Hirai, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical and Dental University	

Poster 85

16 : 50~17 : 20

Moderator : Y. Tanaka

Medical situation and others

2-P85-1	Frequency of lumbar spinal fusion in Japan : The annual analysis of nationwide diagnosis procedure combination database	708
	<i>M. Kohno, et al.</i> , Dept. of Orthop. Surg., Shimane Univ. School of Medicine	
2-P85-2	Cost effectiveness analysis of posterior lumbar interbody fusion in degenerative lumbar disorders using the Roland-Morris Disability Questionnaire	708
	<i>H. Fujiwara, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization, Osaka Minami Medical Center	
2-P85-3	Surgical medical expenses for the patients with adult lumbar kyphoscoliosis	709
	<i>Y. Sugimoto, et al.</i> , Dept. of Orthop. Surg., Okayama University Hospital	

2-P85-4	Optimum duration of hospitalization for the elderly of lumbar spinal stenosis	709
	<i>H. Kakimaru, et al.</i> , Dept. of Orthop. Surg., Hamada Medical Center	
2-P85-5	A study on treatment cost of pyogenic spondylitis	710
	<i>R. Yamasaki, et al.</i> , Department of Orthopaedic Surgery, Osaka Police Hospital	
2-P85-6	The strategy for pharmaceutical approval in the field of cellular and tissue-based products	710
	<i>T. Furuya, et al.</i> , Dept. of Orthopaedic Surgery, Chiba University Graduate School of Medicine	

The Third Day—April 15 (Saturday)

Room 1

Symposium 3

8 : 00～9 : 30

Moderators : M. Yoshida

S. Konno

Evaluation and application of health check for spinal disorders in normal population

3-1-S3-1	10 year follow-up of lumbar spinal stenosis—An epidemiological study of Minami-Aizu study— ······	713
	<i>K. Otani, et al.</i> , Dept. of Orthop. Surg., Fukushima Medical Univ. School of Medicine	
3-1-S3-2	Physical survey on whole spinal sagittal alignment and QOL in normative Japanese populations ······	713
	<i>Y. Yamato, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
3-1-S3-3	Evaluation and clinical application of the paravertebral/psoas muscles : The Wakayama Spine Study	714
	<i>H. Hashizume, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ., Wakayama, Japan	
3-1-S3-4	Clinical application of JOACMEQ and JOABPEQ based on average scores of healthy volunteers ······	714
	<i>N. Tanaka, et al.</i> , Dept. of Orthop. Surg., Institute of Biomedical & Health Sciences, Hiroshima Univ.	
3-1-S3-5	Prevalence of degenerative lumbar scoliosis in Japanese general population and association with lumbar spinal stenosis	715
	<i>T. Tanaka, et al.</i> , Dept. of Orthop. Surg., Hirosaki Univ. Graduate School of Medicine	
3-1-S3-6	Where does the elderly spine misalignment come from ? : Results of the Obuse study on rural Japanese residents survey	715
	<i>J. Takahashi, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ. School of Medicine	

Break

Debate 4

10 : 20～11 : 20

Moderators : M. Doita

K. Takeshita

Pedicle screwing of lumbar spine : CBT vs Conventional procedure

3-1-DB4-1	Long-term results of fusion status after PLIF using traditional pedicle screw fixation (minimum 10 years follow-up)	716
	<i>M. Iwasaki, et al.</i> , Dept. of Orthop. Surg., Osaka Rosai Hospital	
3-1-DB4-2	Spinal fusion by cortical bone trajectory	716
	<i>Y. Yato</i> , Dept. of Orthop. Surg., National Hospital Organization Murayama Medical Center	

Room 2

Main Theme 11

8 : 00~8 : 50

Moderator : O. Shirado

Biomechanics of the spine

3-2-M11-1	Biomechanical evaluation of fixation strength among different size of lumbar pedicle screws : A finite element study	717
	<i>K. Matsukawa, et al.</i> , Department of Orthopaedic Surgery, Self Defense Force Central Hospital	
3-2-M11-2	Preoperative Measurement of Pedicle Screw BMD Using QCT could be Useful to Predict the Strength of Pedicle Screw Fixation	717
	<i>K. Ishikawa, et al.</i> , Dept. of Orthop. Surg., Showa Univ. School of Medicine	
3-2-M11-3	The analysis of pull-out strength, insertion torque and resonance frequency monitoring of pedicle screw by micro-CT : Cadaveric study	718
	<i>D. Nakashima, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
3-2-M11-4	New method to fix the spine to get the torsional stability	718
	<i>T. Mizuno, et al.</i> , Department of Spinal Surgery and Medical Engineering, Mie University Graduate School of Medicine	
3-2-M11-5	Morphological analysis of lumbosacral foramen and finite element analysis of nerve root disorders in L5 isthmic spondylolisthesis	719
	<i>Y. Shinozaki, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Shizuoka Hospital	
3-2-M11-6	Influence of the cervical spine bending forward and backward on sagittal plane spinal alignment · 719	
	<i>T. Konishi, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ., Tokyo, Japan	

Break

Main Theme 12

9 : 10~10 : 00

Moderator : T. Sato

Surgical management for octogenarian patients

3-2-M12-1	Spine surgery of the super elderly patients 85 years or older	720
	<i>K. Iwazaki, et al.</i> , Nihonkai General Hospital	
3-2-M12-2	Surgical result of spinal surgery in 80 years of age or older patients	720
	<i>M. Fujita, et al.</i> , Dept. of Orthop. Surg., JCHO Uwajima Hospital	
3-2-M12-3	Spinal surgery in elderly patients more than 80 years old-Complications and surgical results-	721
	<i>T. Chikawa, et al.</i> , Tokushima Municipal Hospital	
3-2-M12-4	Surgical outcome of elderly patients with lumbar spinal stenosis	721
	<i>K. Watanabe, et al.</i> , Dept. of Orthop. Surg. Fukushima Medical Univ. School of Medicine	

3-2-M12-5	Assessment of prognostic factors for poor outcome after lumbar spine surgery in elderly patients over 80 year	722
	<i>T. Hikata, et al.</i> , Kitasato University Kitasato Institute Hospital	
3-2-M12-6	Related factors of cognitive decline after spine surgery	722
	<i>S. Takahashi, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ.	

Break**Main Theme 13**

10 : 20～11 : 10

Moderator : **F. Suetsuna****Current topics in cervical instrumentation surgery**

3-2-M13-1	Posterior decompression and fusion for cervical OPLL—Examination of a factor related to surgical outcomes—	723
	<i>K. Katsumi, et al.</i> , Dept. of Orthopedic Surgery, Uonuma Institute of Community Medicine, Niigata University Medical and Dental Hospital	
3-2-M13-2	Range of instrumented fusion at posterior surgery for K-line (-)-type cervical OPLL : Short fusion versus long fusion, minimum 5-year follow-up	723
	<i>T. Furuya, et al.</i> , Dept. of Orthopaedic Surgery, Chiba University Graduate School of Medicine	
3-2-M13-3	The role of cervical posterior decompression with fusion for the K-line (+) OPLL	724
	<i>T. Fujiyoshi, et al.</i> , Dept. of Orthop. Surg., Kimitsu Chuo Hospital, Chiba, Japan	
3-2-M13-4	Complication rate after cervical anterior decompression and arthrodesis with dynamic plate system for degenerative spine and distinctiveness of this system	724
	<i>A. Aiba, et al.</i> , Dept. of Orthop. Surg., Numazu City Hospital	
3-2-M13-5	Anterior Cervical Corpectomy and Fusion with Anterior Pedicle Screw Instrumentation : A Minimum 5-Year Follow-up	725
	<i>M. Aramomi, et al.</i> , Dept. of Orthop. Surg., Oyumino Central Hospital	
3-2-M13-6	Efficacy of the pedicle screwing using newly developed 3D guide	725
	<i>Y. Kawaguchi, et al.</i> , Dept. of Orthop. Surg., Toyama Univ. School of Medicine	

Room 3**Invited Lecture 10**

8 : 00～9 : 00

Moderator : **T. Fuji**

3-3-IL10	Surgical correction of degenerative flat back deformity : How and how much correct?	726
	<i>KT. Kim</i> , Dept. of Orthop. Surg., Kyung Hee Univ. Hosp. at Gangdong, Seoul, Korea	

Break

Invited Lecture 11

9 : 10～10 : 10

Moderator : K. Yone

3-3-IL11	Robot-Assisted Spine Surgery	726
	<i>YM. Lu, Dept. of Orthop., Kaohsiung Medical Univ. Hosp., Taiwan</i>	

Break

Symposium 4

10 : 20～11 : 00

Moderator : H. Nakamura

Current status for establishing the board certified spine surgeon

3-3-S4-1	National board spinal surgeon : Its making process beyond two subspecialties between Neurosurgery and Orthopedic surgery	727
	<i>K. Hida, Sapporo Azabu Neurosurgical Hospital</i>	
3-3-S4-2	Residency Program of Board Certified Doctor for Spine Surgeon	727
	<i>H. Haro, et al., Dept. of Orthop. Surg., Univ. of Yamanashi Graduate School of Medicine</i>	

Room 4

Free Papers 65

8 : 00～8 : 48

Moderator : K. Nishida

Adult deformity : PJK1

3-4-F65-1	Can we predict the developing of PJK in surgically treated patient with ASD?	728
	<i>M. Yagi, et al., Dept. of Orthop. Surg., Keio Univ. School of Medicine</i>	
3-4-F65-2	Incidence of adjacent segment disease after the corrective surgery for adult spinal deformity stopping distal fusion at L5	728
	<i>T. Abe, et al., Akita Kousei Medical Center</i>	
3-4-F65-3	Neurological comorbidities are risk factor of proximal junctional kyphosis after corrective surgery for adult spinal deformity	729
	<i>H. Arima, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine</i>	
3-4-F65-4	Clinical and radiographic evaluation of postoperative proximal junctional kyphosis for patients with aged kypho-scoliotic spinal deformity	729
	<i>A. Wada, et al., Dept. of Orthop. Surg., Toho Univ. School of Medicine</i>	
3-4-F65-5	Can T12 slope predict PJK for adult spinal deformity?	730
	<i>K. Nakamichi, et al., Keiyu Orthopedic Hospital Keiyu Spine Center</i>	
3-4-F65-6	Evaluation of the scoring system for proximal junctional failure (PJK) after adult spinal deformity surgery	730
	<i>K. Maruo, et al., Dept. of Orthopaedic Surgery, Hyogo College of Medicine</i>	

Break

Free Papers 66

8 : 50～9 : 38

Moderator : S. Taniguchi

Adult deformity : PJK2

3-4-F66-1	Investigation of Proximal Junctional Kyphosis in Adult Spinal Deformity including concept of center of gravity of head.....	731
	<i>M. Tomori, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hospital	
3-4-F66-2	Low Bone Mineral Density is the significant risk for developing PJF in surgically treated patient with ASD	731
	<i>M. Yagi, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
3-4-F66-3	Risk factors of proximal junctional fracture after correction using pedicle subtraction osteotomy and fixation from pelvis to thoracolumbar junction in the treatment of adult spinal deformity	732
	<i>S. Odate, et al.</i> , Dept. of Orthop. Surg., Gakkentoshi Hospital	
3-4-F66-4	Risk factors of adjacent segment fractures at UIV after adult spinal deformity surgery.....	732
	<i>G. Inoue, et al.</i> , Dept. of Orthop. Surg., Kitasato Univ. School of Medicine	
3-4-F66-5	Proximal junctional fracture after correction surgery for adult spinal deformity	733
	<i>H. Aoki, et al.</i> , Department of Orthopaedic Surgery, Kudanzaka Hosp.	
3-4-F66-6	Dynamization in Thoracolumbar Long Fusion for Prevention of Proximal Junctional Failure	733
	<i>N. Kawamura, et al.</i> , Dept. of Spine & Orthop. Surg., Japanese Red Cross Medical Center	

Break

Free Papers 67

9 : 40～10 : 28

Moderator : T. Iida

Adult deformity : Complication

3-4-F67-1	Perioperative and minimum 1-year postoperative complication rates associated with adult spinal deformity surgery	734
	<i>G. Yoshida, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
3-4-F67-2	The relationship between postoperative sagittal alignment and mechanical failure in patients with adult spinal deformity.....	734
	<i>T. Kurakawa, et al.</i> , Dept. of Orthop. Surg., National Hosp. Org. Kobe Medical Center	
3-4-F67-3	Post-operative rod fracture for adult spinal deformity	735
	<i>T. Tsuji, et al.</i> , Dept. of Orthop. Surg., Meijo Hospital	
3-4-F67-4	Rod failure following correction and fusion surgery for adult spinal deformity	735
	<i>K. Kusano, et al.</i> , Dept. of Orthop. Surg., Kudanzaka Hospital	

3-4-F67-5	Risk factors attributed to rod breakage after the corrective surgery for the adult spinal deformity	736
	<i>H. Fukuda, et al.</i> , Department of Orthopaedic and Spine Surgery, Fukushima Medical University, Aizu Medical Center	
3-4-F67-6	Distal junctional complications and reoperation in lumbar lateral interbody fusion for lumbar canal stenosis	736
	<i>S. Terayama, et al.</i> , Dept. of Spine Surg., Sangubashi Spine Surgery Hospital	

Break**Free Papers 68**

10 : 30~11 : 18

Moderator : **K. Endo****Spinal alignment 3**

3-4-F68-1	Relationships between total spino-pelvic sagittal alignment and quality of life with neck and shoulder pain	737
	<i>M. Nakagawa, et al.</i> , Spine Care Center, Wakayama Medical University Kihoku Hospital	
3-4-F68-2	Relationship between trapezoid vertebra and sagittal alignment in patients with degenerative cervical spondylolisthesis	737
	<i>K. Murata, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
3-4-F68-3	Dose preoperative thoracolumbar alignment predict cervical kyphotic deformity after laminoplasty in cervical myelopathy patients?	738
	<i>K. Sakai, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	
3-4-F68-4	Truncal negative offset is a risk factor for developing postoperative cervical kyphosis in patients with cervical spondylotic myelopathy	738
	<i>Y. Matsuoka, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical University	
3-4-F68-5	Preoperative global sagittal imbalance is a predictor of postoperative neck pain following laminoplasty in patients with cervical spondylotic myelopathy : Based on the prospective analysis of 165 patients	739
	<i>J. Ouchida, et al.</i> , Dept. of Orthop. Surg., Konan Kosei Hospital	
3-4-F68-6	Postoperative change in sagittal spinopelvic alignment and low back pain after total hip arthroplasty. What spinopelvic parameter influence the low back pain after total hip arthroplasty?	739
	<i>K. Kishima, et al.</i> , Dept. of Orthop. Surg., Hyogo College of Medicine	

Room 5

Free Papers 69

8 : 00～8 : 48

Moderator : K. Nakanishi

Cervical surgery

3-5-F69-1	Optimal cervical screw insertion angle determined by means of CT scans pre-and postoperatively ······	740
	<i>M. Uehara, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ. School of Medicine	
3-5-F69-2	Accuracy of cervical pedicle screw insertion—From free-hand to full-time navigation system—·········	740
	<i>N. Shimokawa</i> , Dept. of Neurosurgery, Tsukazaki Hospital	
3-5-F69-3	Accuracy of CT-guided cervical pedicle screw placement using a hybrid operating room ··········	741
	<i>M. Takahata, et al.</i> , Dept. of Orthop. Surg., Hokkaido Univ. School of Medicine	
3-5-F69-4	Sequential changes of CT findings of ossification of posterior longitudinal ligaments of cervical spine	741
	<i>T. Tokioka, et al.</i> , Dept. of Orthop. Surg., Kochi Health Sciences Center	
3-5-F69-5	The examination of drop finger caused by cervical radiculopathy, a retrospective multicenter study of 23 cases·········	742
	<i>T. Makino, et al.</i> , Dept. of Orthop. Surg., Uonuma Kikan Hospital	
3-5-F69-6	Surgical outcome of drop finger caused by 8th cervical nerve root impairment·········	742
	<i>M. Koda, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. Graduate School of Medicine, Chiba, Japan	

Break

Free Papers 70

8 : 50～9 : 38

Moderator : T. Yoshiii

Cervical fusion

3-5-F70-1	Comparison between zero profile cage and various implants in a single level anterior cervical discectomy and fusion ··········	743
	<i>R. Kono, et al.</i> , Spine Center, Shinagawa Shishoukai Hospital	
3-5-F70-2	Perioperative complication in anterior cervical decompression and fusion in latter-stage elderly·····	743
	<i>Y. Ito, et al.</i> , Dept. of Orthop. Surg., Yokohama Minami Kyousai Hospital	
3-5-F70-3	Reduced surgical invasion using an anchor cage in anterior cervical discectomy and fusion·········	744
	<i>A. Wada, et al.</i> , Dept. of Orthop. Surg., Toho Univ. School of Medicine	
3-5-F70-4	Evaluation of screw loosening and breakage in posterior cervical long fusion surgery ··········	744
	<i>K. Nagashima, et al.</i> , Dept. of Orthop. Surg., Tsukuba Univ. Faculty of Medicine	
3-5-F70-5	C2-T1 posterior decompression and fusion preserving all muscles inserted on axis ··········	745
	<i>K. Takeuchi, et al.</i> , Dept. of Orthop. Surg., Odate Municipal General Hospital	

3-5-F70-6	The influence of cervical sagittal balance on adjacent segment degenerations after anterior cervical fusion more than 3-levels-long-term followup	745
	<i>R. Kadota, et al.</i> , Dept. of Orthop. Surg., Numazu City Hospital	

Break

Free Papers 71

9 : 40～10 : 28

Moderator : **K. Fushimi**

Ossification of spinal ligaments 2

3-5-F71-1	Analysis of ossification of the anterior longitudinal ligament in the whole spine CT of patients with cervical ossification of the posterior longitudinal ligament : Second report-A multicenter study-	746
	<i>S. Nishimura, et al.</i> , Dept. of Orthop. Surg., Keiyu Hospital	
3-5-F71-2	Analysis of ossification of the ligamentum flavum in the whole spine CT of patients with cervical ossification of the posterior longitudinal ligament-A multicenter study-	746
	<i>S. Nishimura, et al.</i> , Dept. of Orthop. Surg., Keiyu Hospital	
3-5-F71-3	Distribution of ossified lesion in the whole spine of patients with severe ossification of posterior longitudinal ligament : Multicenter cross-sectional study (JOSL CT study)	747
	<i>T. Hirai, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical and Dental University	
3-5-F71-4	The clinical analysis and influence of the ossification within spinal canal for the patient with thoracic OPLL.....	747
	<i>K. Shinohara, et al.</i> , Dept. of Orthop., Okayama Medical Center	
3-5-F71-5	Effect of Dekyphosis in Anterior Decompression by a Single Posterior Approach for Thoracic OPLL	748
	<i>T. Igarashi, et al.</i> , Department of Orthopaedic Surgery, Kanazawa University Hospital	
3-5-F71-6	Comparative study between posterior decompression and fusion surgery with and without OPLL resection for beak type thoracic OPLL	748
	<i>S. Imagama, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. Graduate School of Medicine	

Break

Free Papers 72

10 : 30～11 : 18

Moderator : **Y. Hiraizumi**

Medical situation and others

3-5-F72-1	Increasing Incidence of Surgeries for Spinal Disorders with Super-aged Society in Japan	749
	<i>T. Aizawa, et al.</i> , Dept. of Orthop. Surg., Tohoku University School of Medicine	
3-5-F72-2	Medical economic efficiency of spinal surgery	749
	<i>A. Nagamachi, et al.</i> , Dept. of Orthop. Surg., Tokushima Univ.	

3-5-F72-3	Cost-utility analysis of surgery for degenerative lumbar diseases	750
	<i>T. Fujimori, et al.</i> , Dept. of Orthopedic Surgery, Sumitomo Hosp.	
3-5-F72-4	Comparisons of Direct Costs, Outcomes and Cost Effectiveness for degenerative spondylolisthesis between decompression and decompression and fusion.....	750
	<i>M. Yagi, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
3-5-F72-5	Reexamination of the data of frequency of complication in myelography	751
	<i>T. Inoue</i> , Dept. of Spine and Spinal Surg., Fukuoka Wajiro Hospital	
3-5-F72-6	Duplicated submission and secondary publication.....	751
	<i>E. Wada, et al.</i> , Spine and Spinal Cord Center, Osaka Police Hospital, Osaka, Japan	

Room 6

Free Papers 73

8 : 00~8 : 48

Moderator : **Y. Kasai**

Lumbar spinal fusion 1

3-6-F73-1	Mechanical stress induces elastic fiber disruption and chondrogenesis in ligamentum flavum -Verification with stress concentration rabbit model-	752
	<i>K. Hayashi, et al.</i> , Department of Orthopaedic Surgery, Osaka City University Graduate School of Medicine	
3-6-F73-2	Additional surgery at the decompression segment adjacent to the simultaneous fusion for lumbar degenerative disorders	752
	<i>E. Mori, et al.</i> , Dept. of Orthop. Surg., Spinal Injuries Center	
3-6-F73-3	Adjacent segment disease after PLIF-Minimum 10 years follow-up-	753
	<i>S. Okuda, et al.</i> , Dept. of Orthop. Surg., Osaka Rosai Hospital	
3-6-F73-4	Clinical and Radiological Analysis of 300 Consecutive Spine Reconstructions using Cortical Bone Trajectory (CBT) screws-Comparison between Original CBT and Modified CBT techniques-.....	753
	<i>K. Fujita, et al.</i> , Dept. of Orthopaedic Surgery, Spine and Spinal Cord Center, Steel Memorial Muroran Hospital	
3-6-F73-5	Does the number of pedicle screws affect stability in one to three level lateral interbody fusions? A CT/Finite Element Analysis.....	754
	<i>Y. Kumano, et al.</i> , Department of Orthopaedic Surgery, Sagamihara Hospital, National Hospital Organization	
3-6-F73-6	Clinical outcome and change after multiple lumbo-sacral fusion for degenerative lumbar kyphoscoliosis.....	754
	<i>K. Yamasaki, et al.</i> , Dept. of Orthopaedics, Sonoda Medical Institute Tokyo Spine Center	

Break

Free Papers 74

8 : 50～9 : 38

Moderator : T. Asazuma

Lumbar spinal fusion 2

3-6-F74-1	Do Peek materials can be a risk of nonunion? Frequency of occurrence survey of vertebral endplate cyst and sinking of the cage at the time of 1 year after PLIF	755
	<i>M. Terakawa, et al.</i> , Department of Orthopaedic Surgery, Wajokai Eniwa Hospital	
3-6-F74-2	Frequency of endplate cysts following posterior lumbar interbody fusion using titanium-coated PEEK cage	755
	<i>A. Nakamura, et al.</i> , Dept. of Orthop. Surg., Shiga University of Medical Science	
3-6-F74-3	Evaluation of bone ongrowth on the surface of titanium-coated PEEK cage using computed tomography color mapping.....	756
	<i>T. Makino, et al.</i> , Department of Orthopaedic Surgery, Osaka University Graduate School of Medicine	
3-6-F74-4	Comparison of cyst sign around interbody cage between portrait parallel setting and side parallel setting on CBT-PLIF	756
	<i>N. Shizu, et al.</i> , Dept. of Orthop. Surg., Fujita Health Univ. School of Medicine	
3-6-F74-5	Risk factors for appearance of clear zone of Cortical Bone Trajectory screw	757
	<i>H. Kosaka, et al.</i> , Dept. of Orthop. Surg., Tokushima Prefectural Central Hospital	
3-6-F74-6	A comparison of surgical results for lumbar spondylolisthesis between posterior lumbar interbody fusion and transforaminal lumbar interbody fusion.....	757
	<i>Y. Ishihara, et al.</i> , Asao General Hospital Spine Center	

Break

Free Papers 75

9 : 40～10 : 28

Moderator : Y. Fujimoto

Lumbar spine : Radiological diagnosis

3-6-F75-1	Incidental extraspinal findings at lumbar spine MRI for low back and/or leg pain using modified CT Colonography Reporting and Date System	758
	<i>H. Nohara, et al.</i> , Dept. of Orthop. Surg., Ohama Daiichi Hospital	
3-6-F75-2	Is the traction spur an indicator of segmental instability of lumbar spine?.....	758
	<i>M. Tsukamoto, et al.</i> , Dept. of Orthop. Surg., Eniwa Hosp.	
3-6-F75-3	Relationship between nerve root sedimentation sign and severity of clinical symptoms in patients with lumbar spinal canal stenosis	759
	<i>H. Kanno, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. School of Medicine	
3-6-F75-4	Intraoperative ultrasonographic findings before and after posterior decompression for lumbar spinal stenosis with redundant nerve roots	759
	<i>Y. Kawasaki, et al.</i> , Department of Orthopedic Surgery, Mitsui Memorial Hospital	

3-6-F75-5	Foraminal stenotic ratio (FSR) could predict patients requiring surgery among symptomatic patients with lumbar foraminal stenosis	760
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Osaka Social Medical Center	
3-6-F75-6	Relationship between the onset of lumbosacral foraminal stenosis and the degree of foraminal stenosis or horizontalization of the L5 nerve root	760
	<i>Y. Shinozaki, et al.</i> , Spine Center, Japanese Red Cross Shizuoka Hospital	

Break

Free Papers 76

10 : 30～11 : 18

Moderator : M. Miyamoto

Lumbar surgery and others

3-6-F76-1	Influence on activities of daily living and health-related quality of life of short segmental lumbar surgery	761
	<i>R. Kimura, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine	
3-6-F76-2	Clinical changes after decompression without fusion for lumbar spinal stenosis with degenerative spondylolisthesis	761
	<i>A. Miyauchi, et al.</i> , Dept. of Orthop. Surg., Saka-midori Hospital, Hiroshima, Japan	
3-6-F76-3	Targeted Therapy of Low Back Pain in Elderly De Novo Degenerative Lumbar Scoliosis	762
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., JA Hiroshima General Hospital	
3-6-F76-4	Risk factors for reoperation after lumbar spinal fusion surgery	762
	<i>T. Hikata, et al.</i> , Kitasato University Kitasato Institute Hospital	
3-6-F76-5	The Impact of Psychiatric Problem on Results of Surgical Treatment for Lumbar Spine	763
	<i>H. Utsumi, et al.</i> , Saiseikai Yamagata Hospital	
3-6-F76-6	Long term follow-up study of intradiscal injection therapy of platelet-rich plasma for the patients with discogenic low back pain	763
	<i>K. Akeda, et al.</i> , Dept. of Orthop. Surg., Mie Univ. Graduate School of Medicine	

Room 7

Free Papers 77

8 : 00～8 : 48

Moderator : Y. Sakai

Trunk muscles in sarcopenia

3-7-F77-1	Study on menopausal back muscle quality changes in a rat ovariectomy model	764
	<i>K. Inage, et al.</i> , Dept. of Orthopaedic Surgery, Graduate School of Medicine, Chiba University	
3-7-F77-2	Comparative study of the prevalence of Sarcopenia between spine clinic outpatients and community-dwelling elderly people	764
	<i>S. Ohyama, et al.</i> , Dept. of Orthopedic Surgery, Osaka City University Graduate School of Medicine	

3-7-F77-3	The association of back muscle strength and sarcopenia in the patients with lumbar spinal disorders	765
	<i>H. Toyoda, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
3-7-F77-4	A study of the usefulness of the measurement tools of trunk muscles. What can become standard measurement method	765
	<i>K. Fujimoto, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba University	
3-7-F77-5	Perioperative muscle volume change using bioelectrical impedance analysis in degenerative lumbar disorder patients	766
	<i>S. Orita, et al.</i> , Dept. of Orthop. Surg., Chiba Univ. School of Medicine	
3-7-F77-6	About the relationship of Sarcopenia and vertebral fracture.....	766
	<i>M. Nobukiyo, et al.</i> , Sainou Hospital	

Break

Free Papers 78

8 : 50～9 : 38

Moderator : M. Kato

Spinal alignment in sarcopenia

3-7-F78-1	The impact of sarcopenia and posterior extensor muscles of the cervical spine on sagittal alignment after laminoplasty.....	767
	<i>H. Koshimizu, et al.</i> , Dept. of Orthop. Surg., National Center for Geriatrics and Gerontology	
3-7-F78-2	Impact of Sarcopenia on sagittal spinal alignment and low back pain in elderly population	767
	<i>S. Tsuji, et al.</i> , Dept. of Orthop., Sasayama Medical Center, Hyogo College of Medicine	
3-7-F78-3	Relationship of Spinal sagittal plane form and sarcopenia in patients with lumbar canal stenosis.....	768
	<i>N. Take, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
3-7-F78-4	Impact of appendicular and trunk skeletal muscle mass and back extensor strength on spinal sagittal alignment	768
	<i>D. Kudo, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine	
3-7-F78-5	The relationship among spinal alignment, bone mineral density and muscle mass in elder osteoporosis patients	769
	<i>M. Miyagi, et al.</i> , Dept. of Orthop. Surg., Kitasato Univ., School of Medicine	
3-7-F78-6	The influence of sarcopenia in dropped head syndrome in older women.....	769
	<i>Y. Eguchi, et al.</i> , Dept. of Orthop. Surg., Shimoshizu National Hospital	

Break

Free Papers 79

9 : 40～10 : 28

Moderator : Y. Mikami

Rehabilitation in sarcopenia

3-7-F79-1	Quantitative measurements of muscle strength of gluteus medius in lumbar operative patients, using handheld dynamometer	770
	<i>Y. Hatakeyama, et al.</i> , Dept. of Orthop. Surg., Nakadori General Hospital	
3-7-F79-2	Quantitative analysis concerning amyotrophy and fatty degeneration of paraspinal muscle in chronic low back pain	770
	<i>I. Ogon, et al.</i> , Departments of Orthopaedic Surgery, Sapporo Medical University School of Medicine, Hokkaido, Japan	
3-7-F79-3	Innovative exercise device for the abdominal trunk muscles in patients with chronic low back pain : Evaluation of the exercise effect using PET	771
	<i>S. Kato, et al.</i> , Dept. of Orthop. Surg., Kanazawa Univ. School of Medicine	
3-7-F79-4	The association between a habit of exercise and improvement of locomotion	771
	<i>T. Yamada, et al.</i> , The Department of Orthopedics, Kikugawa General Hospital	
3-7-F79-5	Effect of HAL for lumbar support on reduction of lumbar load in repetitive snow-shoveling movements	772
	<i>K. Miura, et al.</i> , Dept. of Orthop. Surg., Tsukuba Univ. Graduate School of Medicine	
3-7-F79-6	Is physical therapy effective for adult spinal deformity patients with chronic low back pain?	772
	<i>K. Watanabe, et al.</i> , Dept. of Orthop. Surg., Niigata Univ. School of Medicine	

Break

Free Papers 80

10 : 30～11 : 18

Moderator : H. Hamanaka

Surgical management for octogenarian patients

3-7-F80-1	Surgical outcome of laminoplasty in elderly patients with cervical spondylotic myelopathy	773
	<i>N. Isogai, et al.</i> , Spine and Spinal Cord Center, Mita Hospital, International University of Health and Welfare	
3-7-F80-2	Clinical results of lumbar decompression in patients over the age of eighty	773
	<i>T. Ishibe, et al.</i> , Dept. of Orthopaedic Surg., JCHO Tamatsukuri Hospital	
3-7-F80-3	Morbidity and mortality of spinal fusion for elderly people with adult spinal deformity	774
	<i>Y. Takada, et al.</i> , Department of Orthopaedic Surgery, Kobe Medical Center	
3-7-F80-4	Current status of surgical treatment for super-aged spinal deformity	774
	<i>H. Aoki, et al.</i> , Dept. of Orthopaedics, Dokkyo Medical University	
3-7-F80-5	Post spine surgery complication of age 80 and over	775
	<i>T. Takada, et al.</i> , Spine Center, Kobe Hokuto Hospital	

3-7-F80-6	Epidemiology of spine surgery to patients over 80 years old-Analyses with a 27-year spine registry of Tohoku University Spine Society (TUSS)-	775
	<i>K. Hashimoto, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. Graduate School of Medicine	

Room 8

Free Papers 81

8 : 00～8 : 48

Moderator : **T. Maruyama**

Scoliosis : Radiological evaluation, conservative treatment

3-8-F81-1	Effect of the Push-up on adolescent idiopathic scoliosis	776
	<i>N. Tajima, et al.</i> , Dept. of Orthop. Surg., Nozaki Higashi Hospital	
3-8-F81-2	A New Clinical Investigation of Rib-Hump Using a Full-length Standing Sagittal Radiograph in Patients with Adolescent Idiopathic Scoliosis.....	776
	<i>N. Manabe, et al.</i> , Gunma Spine Center, Harunaso Hospital	
3-8-F81-3	Image evaluation of adolescent idiopathic scoliosis using the EOS/sterEOS-Evaluation of the vertebral body rotation in standing position-	777
	<i>I. Kawamura, et al.</i> , Dept. of Orthopaedic Surgery, Meijo Hospital	
3-8-F81-4	The efficacy of the serial cast correction for the secondary curve of congenital scoliosis	777
	<i>S. Tanida, et al.</i> , The Department of Orthopaedic Surgery, Graduate School of Medicine, Kyoto University, Kyoto, Japan	
3-8-F81-5	Long-term follow-up after non-surgical treatment for adolescent idiopathic scoliosis : Analysis of factors affecting quality of life in adulthood	778
	<i>M. Ohashi, et al.</i> , Dept. of Orthop. Surg., Niigata Univ. School of Medical and Dental Sciences	
3-8-F81-6	Morphological change of vertebral body in the patients with growing rod technique	778
	<i>T. Chiba, et al.</i> , Dept. of Orthopaedic Surgery, Dokkyo University, School of Medicine	

Break

Free Papers 82

8 : 50～9 : 38

Moderator : **K. Watanabe**

Scoliosis : Neuromuscular, syndrome, complication

3-8-F82-1	Perioperative complications in neuromuscular scoliosis	779
	<i>M. Matsumoto, et al.</i> , Dept. of Orthopedic Surgery, Kitasato University, School of Medicine	
3-8-F82-2	Clinical outcome and perioperative complication of scoliosis surgery diagnosed as high risk patients	779
	<i>K. Kakutani, et al.</i> , Department of Orthopaedic Surgery, Kobe University Graduate School of Medicine	

3-8-F82-3	Prospective investigation of perioperative complications after correction surgeries for idiopathic scoliosis.....	780
	<i>Y. Takahashi, et al.</i> , Spine Center, Japanese Red Cross Shizuoka Hospital	
3-8-F82-4	Cardiomegaly and cardiac function affect development and severity for scoliosis after cardiac surgery for patients under the age of one	780
	<i>T. Kaito, et al.</i> , Dept. of Orthopaedic Surgery, Osaka University Graduate School of Medicine	
3-8-F82-5	The predicted factors of thoracolumbar kyphosis in achondroplasia.....	781
	<i>K. Ando, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. School of Medicine	
3-8-F82-6	Treatment for Scoliosis secondary to Spinal Muscular Atrophy using Instrumentation only to lumbar 5.....	781
	<i>A. Kawakubo, et al.</i> , Department of Orthopaedic Surgery, Kitasato University School of Medicine	

Break

Free Papers 83

9 : 40～10 : 28

Moderator : **T. Yamamoto**

Severe pediatric deformity

3-8-F83-1	Surgical outcomes of posterior fusion alone with osteotomy for congenital scoliosis in thoracolumbar spine : Comparison with anterior/posterior combined fusion	782
	<i>K. Watanabe, et al.</i> , Dept. of Orthop. Surg., Niigata Univ. School of Medicine	
3-8-F83-2	Posterior-only spinal fusion for the treatment of large (above 80 degrees) thoracic scoliosis	782
	<i>T. Namikawa, et al.</i> , Dept. of Orthop. Surg., Osaka City General Hospital	
3-8-F83-3	Surgical outcomes of posterior vertebral column resection for the patients with congenital scoliosis and kyphosis	783
	<i>A. Matsumura, et al.</i> , Dept. of Orthop. Surg., Osaka City General Hosp.	
3-8-F83-4	Clinical outcomes of surgical treatment for scoliosis complicated with neurofibromatosis type 1	783
	<i>R. Ugawa, et al.</i> , Dept. of Orthop. Surg., Okayama Univ.	
3-8-F83-5	Scoliosis Surgery for Cerebral Palsy in Children's Hospital	784
	<i>N. Nakamura, et al.</i> , Dept. of Pediatr. Orthop. Surg., Kanagawa Children's Medical Center	
3-8-F83-6	Surgical treatment for myelomeningocele kyphosis	784
	<i>H. Yanagida, et al.</i> , Dept. of Orthop. & Spine Surg., Fukuoka Children's Hospital	

Break

Free Papers 84

10 : 30~11 : 18

Moderator : T. Ushida

Chronic pain

3-8-F84-1	Longitudinal evaluation of change of pain type in paravertebral muscle injury model in rats	785
	<i>K. Abe, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
3-8-F84-2	Osteoporosis-related Pain Following Ovariectomy in Mice is Attenuated by Pregabalin and Bisphosphonates	785
	<i>M. Suzuki, et al.</i> , The Center for Preventive Medical Science, Chiba University	
3-8-F84-3	Impact of diabetes to radiculopathy : The prolonged duration of the pain, inflammation and neuronal regeneration in nucleus pulposus applied model using type 2 diabetic rat	786
	<i>T. Kameda, et al.</i> , Dept. of Orthop. Surg., Fukushima Med. Univ. School of Medicine	
3-8-F84-4	Analysis of relevance between drug's therapeutic effect for low back pain and sagittal spino-pelvic alignment	786
	<i>I. Ogon, et al.</i> , Departments of Orthopaedic Surgery, Sapporo Medical University School of Medicine, Hokkaido, Japan	
3-8-F84-5	Effect of Duloxetine with chronic low back pain	787
	<i>T. Ozawa, et al.</i> , Chiba Rosai Hospital	
3-8-F84-6	The effect of the pain management program for chronic pain patients with failed back surgery syndrome	787
	<i>M. Inoue, et al.</i> , Institute of Physical Fitness, Sports Medicine and Rehabilitation, Aichi Medical University, Aichi, Japan	