

Program of the 48th Annual Meeting of the Japanese Society for Spine Surgery and Related Research

The First Day—April 18 (Thursday)

Room 1

Symposium 1

8 : 00～9 : 30

Moderators : Y. Matsuyama

H. Taneichi

Selection of surgical method for adult spinal deformity—LLIF or osteotomy

1-1-S1-1	The posterior segmental release, correction, and fusion for adult spinal deformities — significance and limitation	147
	<i>K. Hasegawa, et al.</i> , Niigata Spine Surg. Center	
1-1-S1-2	Strategy to select surgical options between LIF and 3-column osteotomy in the surgery for adult spinal deformity	147
	<i>S. Inami, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	
1-1-S1-3	When should we perform 3-column osteotomy?	148
	<i>Y. Yamato, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
1-1-S1-4	Indications and limitations of minimally invasive lateral lumbar interbody fusion without osteotomy for adult spinal deformity	148
	<i>T. Ohba</i> , Dept. of Orthop. Surg., Univ. of Yamanashi	
1-1-S1-5	Transition from Pedicle Subtraction Osteotomy (PSO) into Lateral Interbody Fusion (LIF) in Correction of Sagittal Imbalance in Elderly Patients	149
	<i>K. Miyamoto</i> , Gifu Municipal Hosp., Div. of Orthop. and Spine Surg.	

Expert Technical Note 1

9 : 30～11 : 30

Moderators : K. Chiba

M. Watanabe

Treatment strategy

1-1-ETN1-1	Selection of surgical procedures, anterior or posterior, for cervical myelopathy	149
	<i>T. Yoshii</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	
1-1-ETN1-2	Treatment strategy for fresh osteoporotic vertebral fracture	150
	<i>M. Hoshino</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	

1-1-ETN1-3	Challenging for metastatic spinal tumor -Challenge the limits of palliative surgery-	150
	<i>K. Nakanishi, et al.</i> , Dept. of Orthop. Surg., Kawasaki Medical School	
1-1-ETN1-4	Surgical strategy of adult spinal deformity	151
	<i>Y. Yamato</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	

Break**Luncheon Seminar 1**

11 : 45~12 : 45	Moderator : M. Yamazaki	
1-1-LS1	Condoliase: a novel treatment option for lumbar disc herniation -how to use it safely and effectively-	
	151
	<i>K. Chiba, et al.</i> , Dept. of Orthop. Surg., National Defense Medical College	

Break**Congress Presidential Lecture**

13 : 50~14 : 20	Moderator : H. Nakamura	
1-1-PL	Practice your knowledge and technique in daily clinical service- ask what you can do for spinal disorders-	
	152
	<i>H. Haro</i> , Dept. of Orthop. Surg., Univ. of Yamanashi	

Cultural Lecture

14 : 20~14 : 50	Moderator : H. Haro	
1-1-CL	Way to world best whisky	
	152
	<i>S. Koshimizu</i> , SUNTORY HD	

Break**Afternoon Seminar 1**

16 : 00~17 : 00	Moderator : T. Taguchi	
1-1-AS1	Mechanism and treatment of chronic pain	
	153
	<i>S. Konno, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Fukushima Medical Univ.	

Break

Room 2

Main Theme 1

8:00~8:48

Moderator : M. Sekiguchi

Regenerative medicine for spine and spinal cord diseases

- 1-2-M1-1 G-SPIRIT trial: A Randomized, Placebo-Controlled, Double-blinded Phase 3 Trial of Granulocyte Colony Stimulating Factor for Acute Spinal Cord Injury 153
M. Koda, et al., Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba
- 1-2-M1-2 Optimization of grafting cocktail for injured spinal cord: Enzymatically inactive tissue plasminogen activator supports cell surviving and differentiation 154
Y. Shiga, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.
- 1-2-M1-3 Visualizing undifferentiated/differentiation-resistant grafts of hiPSC-NS/PCs using TSPO ligand PET 154
Y. Tanimoto, et al., Dept. of Orthop. Surg., School of Medicine, Keio Univ.
- 1-2-M1-4 Bioresorbable Ultra-purified Alginate Gel combined with Allogeneic-Bone derived mesenchymal stem cells promote Intervertebral Disc Regeneration 155
D. Ukeba, et al., Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.
- 1-2-M1-5 Withdrawn
- 1-2-M1-6 Effect of hepatocyte growth factor on HIF-1 α expression and cell proliferation on nucleus pulposus cells 156
T. Itsuji, et al., Dept. of Orthop., Graduate School of Medical Science, Kyoto Prefectural Univ. of Medicine

Main Theme 2

8:50~9:38

Moderator : M. Kawakami

Science of chronic low back pain

- 1-2-M2-1 Do mental and physical changes along with aging differ by the presence or absence of chronic back pain? -The Shiraniwa Study- 156
S. Ohyama, et al., Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine
- 1-2-M2-2 Low back pain is significantly associated with the incidence of slip,trip and fall accident among workers - a 2 years cohort study of 18,475 subjects 157
E. Nakamura, et al., Dept. of Orthop. Surg., School of Medicine, Univ. of Occupational and Environmental Health
- 1-2-M2-3 Genome-wide DNA methylation analysis of human intervertebral disc degeneration 157
K. Akeda, et al., Dept. of Musculoskeletal Surg., Dept. of Multimodality Therapy for Cancer, Mie Univ. Graduate School of Medicine

1-2-M2-4	Axial loading to human intervertebral disc induce the up-regulation of pain-related molecules <i>M. Miyagi, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Kitasato Univ.	158
1-2-M2-5	Proprioceptive function in elderly patients with chronic low back pain <i>Y. Sakai, et al.</i> , National Center for Geriatrics and Gerontology	158
1-2-M2-6	The Analgesic Effect of Chimera Decoy Oligodeoxynucleotide on Thrombin-induced Facet Joint Pain in the Rat <i>J. Yamada, et al.</i> , Univ. of California, San Diego	159

Break**Main Theme 3**

9 : 50~10 : 38

Moderator : **S. Yabuki****Epidemiological survey of spine and spinal cord diseases**

1-2-M3-1	Modic changes in the cervical spine: Prospective 20-year follow-up study in asymptomatic subjects <i>T. Tsuji, et al.</i> , Dept. of Orthop. Surg., Fujita Health Univ., School of Medicine	159
1-2-M3-2	Cut off value in each gender and decade of 10 sec G&R test and 10 sec step test in cervical spondylotic myelopathy <i>M. Machino, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	160
1-2-M3-3	Prospective multia-center investigation for chronic pain and quality of life in cervical OPLL patients <i>T. Hirai, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	160
1-2-M3-4	The impact of early or super-early introduction of biological agents on the incidence of cervical lesions in patients with rheumatoid arthritis <i>T. Kaito, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	161
1-2-M3-5	Incidence and its risk factors for diffuse idiopathic skeletal hyperostosis: A 3-year follow-up survey of the population-based cohort <i>K. Minakata, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	161
1-2-M3-6	Coronal global malalignment is a prognostic factor of de novo degenerative lumbar scoliosis in high age volunteers: the TOEI study <i>H. Ushirozako, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	162

Break

Main Theme 4

10 : 40~11 : 28

Moderator : S. Ohtori

Progress in innovative image diagnosis for spine and spinal cord diseases

1-2-M4-1	High resolution lumbar nerve tractography using multiple motion probing gradient directions 162 <i>M. Norimoto, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.
1-2-M4-2	Plasticity and prognosis prediction in brain local activity in patients with cervical myelopathy, via resting-state functional MRI 163 <i>S. Takenaka, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.
1-2-M4-3	Brain morphologic changes in Patients with Neuropathic Pain after Spinal Cord Surgery 163 <i>Y. Horiuchi, et al.</i> , Dept. of Orthop. Surg., JCHO Saitama Medical Center
1-2-M4-4	Development of prediction software for spinal alignment utilizing artificial intelligence 164 <i>K. Watanabe, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.
1-2-M4-5	Repeatability of automated noninvasive detection of idiopathic scoliosis 164 <i>T. Kokabu, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.
1-2-M4-6	Mechanism of adjacent vertebral fracture after balloon kyphoplasty in osteoporotic vertebral fracture : dynamic analysis with bone vibration 165 <i>M. Machida, et al.</i> , Dept. of Spine and Spinal Cord Surg., Yokohama Brain and Spine Center

Break

Luncheon Seminar 2

11 : 45~12 : 45

Moderator : Y. Shimada

1-2-LS2-1	International movements in the field of adult spinal deformity surgery 165 <i>M. Ito</i> , Hokkaido Medical Center
1-2-LS2-2	What are important factors to succeed corrective surgery for adult spinal deformity? 166 <i>K. Fukuda</i> , Yokohamashi Tobu Hosp.

Break

Main Theme 5

15 : 00~15 : 48

Moderator : K. Hasegawa

Standard to treat adult spinal deformity

1-2-M5-1	Does trunk stiffness following ASD surgery impact the HRQOL 5-year after surgery? 166 <i>A. Matsumura, et al.</i> , Dept. of Orthop. Surg., Osaka City General Hosp.
----------	---

1-2-M5-2	Correlation between postoperative distribution of lordosis and reciprocal progression of thoracic kyphosis and occurrence of proximal junctional kyphosis	167
	<i>T. Ohba, et al.</i> , Dept. of Orthop. Surg., Univ. of Yamanashi	
1-2-M5-3	lower extremity parameters related to progression of adult spinal deformity – longitudinal study of 22 years –	167
	<i>M. Shimizu, et al.</i> , Asahikawa Red Cross Hosp.	
1-2-M5-4	Gait Analysis of Adult Spinal Deformity Patients by Three-Dimensional Inertial Sensors	168
	<i>F. Asano, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	
1-2-M5-5	Difference in PI-LL mismatch by thoracic kyphosis	168
	<i>T. Yasuda, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
1-2-M5-6	Loss of pelvic incidence correction after long fusion using iliac screws: cause and effect on clinical outcome	169
	<i>H. Oba, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ. School of Medicine	

Break

Afternoon Seminar 2

16 : 00~17 : 00

Moderator : **H. Yamada**

1-2-AS2	Pathology and treatment strategies for adult spinal deformity including osteoporotic vertebral fracture induced deformity	169
	<i>H. Taneichi</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	

Break

Room 3

English Presentation Award 1

8 : 00~9 : 04

Moderator : **M. Ito**

1-3-EPA1-1	Predictors of Extended Length of Hospital Stay in Adolescent Idiopathic Scoliosis Patients Undergoing Posterior Segmental Instrumented Fusion: An Analysis of 407 Surgeries Performed at a Large Academic Center	170
	<i>R. Goodwin, et al.</i> , Dept. of Orthop. Surg., Cleveland Clinic Foundation	
1-3-EPA1-2	Effectiveness of Nighttime Brace in Preventing Progression of Idiopathic Scoliosis	171
	<i>S. Xin-Ya, et al.</i> , Dept. of Orthop. Surg., Linkou Chang Gung Memorial Hosp./Medical School, Chang Gung Univ.	
1-3-EPA1-3	The risk factors of radiographic adjacent segment degeneration in patients with adolescent idiopathic scoliosis received posterior spinal fusion: A minimum of 10-year follow-up	171
	<i>Y. Yu-Cheng, et al.</i> , Taipei Veterans General Hosp.	

1-3-EPA1-4	Withdrawn	
1-3-EPA1-5	Does Medial and Lateral Shoulder Discordance after Postoperative Shoulder Balance in Lenke Type 1 and 2 Adolescent Idiopathic Scoliosis Patients Following Posterior Spinal Fusion	172
	<i>C. Chan, et al.</i> , Dept. of Orthop. Surg., National Orthop. Center for Excellence in Research and Learning, Noceral, Faculty of Medicine, Univ. of Malaya	
1-3-EPA1-6	Posterior Multiple Vertebral Crack Osteotomy for the Treatment of Severe Spinal Deformities in Pediatric Patients: A Retrospective Case Series of 53 patients	173
	<i>N. Damani, et al.</i> , Spine and Scoliosis Research Institute, Dept. of Orthop., Korea Univ. Guro Hosp.	
1-3-EPA1-7	Defining Two Subtypes of Lenke 5 Curves in Adolescent Idiopathic Scoliosis Patients Undergoing Posterior Spinal Fusion	173
	<i>W. Chung, et al.</i> , Dept. of Orthop. Surg., National Orthop. Center for Excellence in Research and Learning, Noceral, Faculty of Medicine, Univ. of Malaya	
1-3-EPA1-8	Hybrid versus total sublaminar wires in spinal muscular atrophy patients undergoing scoliosis surgery	174
	<i>S. Chou, et al.</i> , Dept. of Orthop., Kaohsiung Medical Univ. Hosp.	

Break

English Presentation Award 2

9 : 10~10 : 14

Moderator : **M. Yagi**

1-3-EPA2-1	3D Printing Technology Assisted Spinal Deformity Surgery	174
	<i>C. Hsien-Te, et al.</i> , Dept. of Orthop. Surg., China Medical Univ. Hosp.	
1-3-EPA2-2	Medical Malpractice Litigation in Pediatric Scoliosis; A Comprehensive, Nationwide Analysis For The Last Three Decades	175
	<i>R. Goodwin, et al.</i> , Dept. of Orthop. Surg., Cleveland Clinic Foundation	
1-3-EPA2-3	Repeat surgeries after decompression and fusion surgeries for degenerative spinal diseases depending on cervical and lumbar regions: National population-based cohort study	176
	<i>M. Park, et al.</i> , Dept. of Orthop. Surg., Hallym Univ. Sacred Heart Hosp., Medical College of Hallym Univ.	
1-3-EPA2-4	Uniplanar pedicle screw for vertebral derotation of scoliosis – a biomechanical study	176
	<i>P. Lai, et al.</i> , Dept. of Orthop. Surg., Linkou Chang Gung Memorial Hosp.	
1-3-EPA2-5	The position and distance of the aorta from the vertebra in relation with the magnitude of the Lenke 1 & 2 scoliotic curve	177
	<i>C. Chiu, et al.</i> , Dept. of Orthop. Surg., National Orthop. Center for Excellence in Research and Learning, Noceral, Faculty of Medicine, Univ. of Malaya	
1-3-EPA2-6	Extraforaminal approach of biportal endoscopic spinal surgery: A new endoscopic technique for transforaminal decompression and discectomy	177
	<i>H. Lee, et al.</i> , Dept. of Orthop. Surg., Chungnam National Univ. Hosp.	
1-3-EPA2-7	Withdrawn	

1-3-EPA2-8	Back Pain and Scoliosis Prevalence in Adolescent in Riyadh, A Cross Sectional Study	178
	<i>S. Al Assiri, et al.</i> , Dept. of Orthop. Surg., National Guard Hosp., King Abdulaziz Medical City	

Break

English Presentation Award 3

10 : 20~11 : 24

Moderator : K. Ishii

1-3-EPA3-1	MRI findings in painful cemented vertebrae of failed vertebroplasty	179
	<i>C. Yen-Jen, et al.</i> , Dept. of Orthop. Surg., China Medical Univ. Hosp.	
1-3-EPA3-2	Treatment of complex basilar invagination and irreducible atlantoaxial dislocation: A 5-year follow-up study	179
	<i>Y. Zhang, et al.</i> , Dept. of Orthop. Surg., First Affiliated Hosp. of Kunming Medical Univ.	
1-3-EPA3-3	Removal of a urinary catheter prior to discontinuation of epidural analgesia is associated with an increased risk of post-operative urinary retention in patients undergoing surgical correction for adolescent idiopathic scoliosis.....	180
	<i>R. Goodwin, et al.</i> , Dept. of Orthop. Surg., Cleveland Clinic Foundation	
1-3-EPA3-4	Multi-Center Trial Revealing the Presence of Bacterial Contamination on Pedicle Screws during Spinal Fusion and Prevention Method	181
	<i>A. Agarwal, et al.</i> , Engineering Center for Orthop. Research Excellence, Dept. of Bioengineering and Orthop. Surg., Univ. of Toledo	
1-3-EPA3-5	Radiological study after microscopic decompression surgery for lumbar canal stenosis with degenerative spondylolisthesis (LCSDS)-A single institute study of 527 consecutive cases-	181
	<i>Y. Hu, et al.</i> , Dept. of Spine Surg., The people's Hosp. of Longhua, Shenzhen City, Guangdong Province, People's Republic of China	
1-3-EPA3-6	Advanced Glycolysis End products (AGEs) in Hypertrophied Ligamentum Flavum of Diabetes Mellitus and Non Diabetes Mellitus	182
	<i>M. Maruf, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
1-3-EPA3-7	Impact of the PVM on Osteoporotic Vertebral Fracture: a multicenter cohort study	182
	<i>H. Habibi, et al.</i> , Osaka City Univ. Graduate School of Medicine, Orthop. Dept.	
1-3-EPA3-8	Pedicle morphology of Dorsolumbar spine in Nepalese population in relation to transpedicular screw fixation	183
	<i>R. Pradhan, et al.</i> , Dept. of Orthop. Surg., Kathmandu Medical College	

Break

Luncheon Seminar 3

11 : 45~12 : 45

Moderator : M. Matsumoto

1-3-LS3	Sagittal Morphological Abnormalities of the Cervical Spine and its Clinical Implications.....	183
	<i>T. Shimizu</i> , Harunaso Hosp.	

Break**English Presentation Award 4**

14 : 40~15 : 44

Moderator : **Y. Kawaguchi**

1-3-EPA4-1	The Importance of Combined Anterior Column Realignment Compared to PSO only for Severe Rigid Sagittal Plane Deformity	184
	<i>Y. Kim, et al.</i> , Dept. of Orthop. Surg., Kyung Hee Univ. Hosp. at Gangdong	
1-3-EPA4-2	The Impact of Lumbar Lordosis on Surgical Results of Long Adult Deformity Fusion to L5 – minimum 2 years –	184
	<i>G. Park, et al.</i> , Dept. of Orthop. Surg., Kyung Hee Univ. Hosp.	
1-3-EPA4-3	The flexibility of scoliosis in Prader-Willi syndrome (PWS)	185
	<i>L. Hu, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ.	
1-3-EPA4-4	How to Determine Distal Fusion Level in the Major Thoracolumbar and Lumbar Adolescent Idiopathic Scoliosis Treated by Rod Derotation and Direct Vertebral Rotation	185
	<i>D. Chang, et al.</i> , Dept. of Orthop. Surg., Inje Univ. Sanggye Paik Hosp.	
1-3-EPA4-5	Withdrawn	
1-3-EPA4-6	Relevance of appearance and pain relief among HRQoL subdomains for satisfaction after adult spinal deformity surgery	186
	<i>K. Hayashi, et al.</i> , Spine Surg. Unit 1, Bordeaux Univ. Pellegrin Hosp.	
1-3-EPA4-7	Perioperative Complications of Posterior Three-column Osteotomy in 408 adult spinal deformity patients	187
	<i>S. Kobayashi, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Medical Center	
1-3-EPA4-8	Changes in Pelvic Incidence because of Rotatory Subluxation of the Sacroiliac Joint in Severe Adult Spinal Deformity	187
	<i>M. Ino, et al.</i> , Gunma Spine Center	

Break**English Presentation Award 5**

16 : 00~17 : 04

Moderator : **H. Ozawa**

1-3-EPA5-1	The Severity of Cervical Disc Degeneration does not impact on the improvement after Laminoplasty for the patient with Cervical Spondylotic Myelopathy	188
	<i>H. Habibi, et al.</i> , Osaka City Univ., Graduate School of Medicine, Dept. of Orthop. Surg.	
1-3-EPA5-2	Impact of pelvic incidence on change in lumbo-pelvic sagittal alignment between sitting and standing position	188
	<i>A. Maekawa, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
1-3-EPA5-3	Risk factors and progression rate of sacroiliac joint degeneration in asymptomatic subjects	189
	<i>Y. Sato, et al.</i> , Dept. of Orthop. Surg., The Univ. of Tokyo Hosp.	

1-3-EPA5-4	Can C7 slope substitute the T1 slope? An analysis using cervical radiographs and weight-bearing MRIs	189
	<i>K. Tamai, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
1-3-EPA5-5	Comparison between Functional Outcome (JOA Score) of Miniplate Laminoplasty and En Bloc / Bone Graft Laminoplasty for Cervical Myelopathy: A Sytematic Review	190
	<i>R. Zainuraditya, et al.</i> , Dept. Of Orthop. And Traumatology, Udayana Univ. Sanglah General Hosp.	
1-3-EPA5-6	Transforming growth factor beta promotes proliferation of microglia in injured ganglions	190
	<i>C. Bureta, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical and Dental Sciences, Kagoshima Univ.	
1-3-EPA5-7	Transplantation of Neural Stem/Progenitor Cell Derived from Human iPS cells with a Gamma-secretase Inhibitor Treatment Promotes Motor Functional Recovery and Axonal Regrowth after Chronic Spinal Cord Injury	191
	<i>T. Okubo, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
1-3-EPA5-8	Deletion of endoplasmic reticulum stress transducer OASIS inhibits the glial scar formation after spinal cord injury.....	191
	<i>N. Kamei</i> , Dept. of Orthop. Surg., Hiroshima Univ.	

Break

English Presentation Award 6

17 : 15~18 : 19

Moderator : **H. Murakami**

1-3-EPA6-1	Minimally invasive surgery for adolescent idiopathic scoliosis – A retrospective case series of 84 patients	192
	<i>N. Damani, et al.</i> , Spine and Scoliosis Research Institute, Dept. of Orthop., Korea Univ. Guro Hosp.	
1-3-EPA6-2	Stability of biportal arthroscopic lumbar discectomy from the change of cervical epidural pressure : A cross-sectional cohort study	193
	<i>J. Hwang, et al.</i> , CM General Hosp.	
1-3-EPA6-3	Biportal Arthroscopic Discectomy for High-grade Migrated Lumbar Disc Herniation	193
	<i>T. Kang, et al.</i> , Dept. of Orthop., Korea Univ. College of Medicine	
1-3-EPA6-4	From MED to UBEST, A New Horizon of Minimally Invasive Spine Surgery.....	194
	<i>J. Pao</i> , Far-Eastern Memorial Hosp.	
1-3-EPA6-5	Combination of minimally invasive spinal surgery: oblique lumbar interbody fusion and biportal endoscopic spinal surgery for lumbar spinal stenosis – Pilot Study	194
	<i>H. Lee, et al.</i> , Dept. of Orthop. Surg., Chungnam National Univ. Hosp.	
1-3-EPA6-6	Withdrawn	
1-3-EPA6-7	Can the conventional MRI substitute for the 3D-MRI to diagnose lumbar foraminal stenosis?	196
	<i>M. Maruf, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	

1-3-EPA6-8	Disaster Relief Effort in Orthopedics Field:A Medical and Epidemiology Review of Lombok and Palu Earthquakes in 2018.....	196
	<i>I. Lanang Ngurah Agung Artha Wiguna, et al.</i> , Dept. of Orthop. and Traumatology Udayana Univ. Sanglah General Hosp.	

Break**Room 4****Invited Lecture 1**

8 : 00~9 : 00

Moderator : **T. Hasegawa**

1-4-IL1	Necessity of a medical illustration in medical science and all medical treatment. And the various effect of the visual communication.....	197
	<i>L. Sakuma</i> , Kawasaki Univ. of Medical Welfare	

Break**Invited Lecture 2**

9 : 10~10 : 10

Moderator : **T. Shimizu**

1-4-IL2	Osteoporotic Spine Fracture – An Orthopedic Surgeon’s Perspective	197
	<i>S. Wang</i> , Dept. of Orthop. Surg., School of Medicine, National Yang Ming Univ.	

Break**Invited Lecture 3**

10 : 20~11 : 20

Moderator : **D. Togawa**

1-4-IL3	Long-Term Result of Total Lumbar Disc Replacement	198
	<i>C. Siepe</i> , Dept. of Spine Surg., Schöen Klinik	

Break**Luncheon Seminar 4**

11 : 45~12 : 45

Moderator : **K. Hasegawa**

1-4-LS4	Mini-open anterior lumbar interbody fusion for lumbar degenerative diseases.....	198
	<i>S. Nakahara, et al.</i> , Dept. of Orthop. Surg., National Hosp. Organization Okayama Medical Center	

Break**Invited Lecture 4**

14 : 50～15 : 50

Moderator : **Y. Matsuyama**

1-4-IL4	Indication, Surgical Skills, and Complications of Spinal Osteotomies in Adult Spinal Deformity Patients.....	199
	<i>I. Obeid</i> , Spine Unit, Bordeaux Univ.	

Break**Afternoon Seminar 3**

16 : 00～17 : 00

Moderator : **T. Kanemura**

1-4-AS3	Challenges for minimally invasive spinal deformity surgery -Hybrid OR equipped robotic C-arm and team building utilizing VR-	199
	<i>A. Shinohara</i> , Dept. of Orthop. Surg., The Jikei Univ. School of Medicine	

Room 5**Free Papers 1**

8 : 00～8 : 48

Moderator : **H. Sudo****Scoliosis: basic research**

1-5-F1-1	The evaluation of TBX6 missense variants in Congenital Scoliosis and Spondylocostal dysostosis, and the verification of the results using patient's iPS cells	200
	<i>N. Otomo, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
1-5-F1-2	A multi-ethnic meta-analysis defined the association of rs12946942 with curve progression of adolescent idiopathic scoliosis.....	200
	<i>K. Takeda, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
1-5-F1-3	Anatomical Characteristics of Vertebral Body in Patients with Adolescent Idiopathic Scoliosis Using Hounsfield Unit Values Obtained from Computed Tomography	201
	<i>M. Chazono, et al.</i> , Dept. of Orthop. Surg., NHO Utsunomiya Hosp.	
1-5-F1-4	Evaluation of thoracolumbar/lumbar scoliosis detectability: comparison of ATI (angle of trunk inclination) and sum-ATI	201
	<i>S. Jimbo, et al.</i> , Dept. of Orthop. Surg., Asahikawa Medical Univ.	
1-5-F1-5	A comparative analysis of ligamentum flavum between concave and convex curvature of main thoracic spine for adolescent idiopathic scoliosis patients.....	202
	<i>S. Seki, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Toyama	

1-5-F1-6	Three-dimensional computed tomographic analysis of spinal canal length increase after surgery for adolescent idiopathic scoliosis—A multicenter study.....	202
	<i>S. Seki, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Toyama	

Break**Free Papers 2**

8 : 50～9 : 38

Moderator : **T. Akazawa****Scoliosis: epidemiology**

1-5-F2-1	Predictability of One-year Curve Progression in Adolescent Idiopathic Scoliosis Using the Distal Radius and Ulna Classification	203
	<i>Y. Yamamoto, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	
1-5-F2-2	Age-specific survey of idiopathic scoliosis with structural lumbar curve: Report on aging of sagittal alignment and SRS-22 scores	203
	<i>J. Katayanagi, et al.</i> , First Dept. of Orthop. Surg., Dokkyo Medical Univ. Saitama Medical Center	
1-5-F2-3	Neural axis abnormalities in patients with presumed idiopathic scoliosis	204
	<i>M. Inoue, et al.</i> , Saiseikai Narashino	
1-5-F2-4	Effective use of musculoskeletal screening and Moiré method for early detection of scoliosis	204
	<i>A. Misawa, et al.</i> , Dept. of Orthop. Surg., Akita Prefectural Center on Development and Disability	
1-5-F2-5	Treatment outcomes of thoracic lumbosacral orthosis in patients with adolescent idiopathic scoliosis: Comparisons between immature and mature patients	205
	<i>M. Sato, et al.</i> , Niigata Univ. Medical & Dental Hosp.	
1-5-F2-6	Analysis of School screening examination by Moire topography for scoliosis in Ehime prefecture — review of the past 20 years —	205
	<i>T. Morino, et al.</i> , Dept. of Bone and Joint Surg., Ehime Univ. Graduate School of Medicine	

Break**Free Papers 3**

9 : 50～10 : 38

Moderator : **S. Demura****Scoliosis: surgical plan**

1-5-F3-1	Risk factors of distal adding-on in the Lenke 1 or 2 AIS patients with A-R Lumbar Modifiers	206
	<i>A. Matsumura, et al.</i> , Dept. of Orthop. Surg., Osaka City General Hosp.	
1-5-F3-2	Extended S-line as a fusion area determination tool for Lenke type 5C adolescent idiopathic scoliosis	206
	<i>T. Futatsugi, et al.</i> , Dept. of Orthop. Surg. Marunouchi Hosp.	

1-5-F3-3	New Method for Selection of Fusion Area Using Extended S(Shinshu)-Line (C7-L1V line) In Lenke 1A Curve for Adolescent Idiopathic Scoliosis	207
	<i>R. Munakata, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ. School of Medicine	
1-5-F3-4	Assessment of hump after corrective surgery in Adolescent Idiopathic Scoliosis : Comparison of thoracic and thoracolumbar curve	207
	<i>S. Yamamoto, et al.</i> , Kobe Medical Center	
1-5-F3-5	The factors affecting postoperative L4 tilt and spontaneous thoracic curve correction of adolescent idiopathic scoliosis with thoracolumbar/lumbar curve	208
	<i>T. Kokabu, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.	
1-5-F3-6	Residual Thoracolumbar/Lumbar Curve is Related to Self-image After Selective Thoracic Fusion of Lenke 1 and 2 Curves in Adolescent Idiopathic Scoliosis Patients	208
	<i>T. Mimura, et al.</i> , Dept. of Orthop. Surg., Yodakubo Hosp.	

Break

Free Papers 4

10 : 40~11 : 28

Moderator : **J. Takahashi**

Complication measure

1-5-F4-1	Efficacy and limitations of current methods of intraoperative neuromonitoring	209
	<i>H. Iwasaki, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	
1-5-F4-2	Evaluation of MEP Amplitude Decreasing in Spinal Deformity Surgery	209
	<i>R. Ugawa, et al.</i> , Dept. of Orthop. Surg., Okayama Univ. Hosp.	
1-5-F4-3	Pedicle perforation while inserting screws using O-arm during surgery for adolescent idiopathic scoliosis: risk factors and effect of insertion order	210
	<i>H. Oba, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ. School of Medicine	
1-5-F4-4	Usefulness of an electronic conductivity probing device for pedicle screw insertion in patients with syndromic scoliosis	210
	<i>T. Yurube, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
1-5-F4-5	Risk factor for reduction in postoperative lung volume in patients with adolescent idiopathic scoliosis	211
	<i>N. Fujita, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
1-5-F4-6	Hidden blood loss in posterior spinal fixation for adolescent idiopathic scoliosis; A retrospective study	211
	<i>Y. Mima, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	

Break

Luncheon Seminar 5

11 : 45~12 : 45

Moderator : H. Nakamura

1-5-LS5	Surgical treatment for adult spinal deformity: Treatment strategy based on natural history and dynamic physical function	212
	<i>K. Watanabe, et al.</i> , Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences	

Break

Free Papers 5

15 : 00~15 : 48

Moderator : K. Uno

Postoperative alignment

1-5-F5-1	Effects of Lowest Instrumented Vertebra on Non-instrumented Lumbar Curve and Coronal balance in Patients with Thoracic AIS	212
	<i>A. Iwata, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.	
1-5-F5-2	Spinal alignments of non-fused lumbar curve and the disc degenerations after surgery in the patients with adolescent idiopathic scoliosis.....	213
	<i>T. Akazawa, et al.</i> , Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine	
1-5-F5-3	Assessment of cervical sagittal alignment after posterior thoracolumbar/lumbar curve correction in patient with Lenke type 5/6 adolescent idiopathic scoliosis	213
	<i>T. Okubo, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
1-5-F5-4	The effect of pelvic slanting on postoperative coronal alignment in patients with adolescent idiopathic scoliosis	214
	<i>T. Banno, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
1-5-F5-5	How does the correction of the thoracic kyphosis affect the lumbopelvic sagittal alignment in thoracic adolescent idiopathic scoliosis?.....	214
	<i>H. Ueda, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	
1-5-F5-6	Analysis of non-fused lumbar intervertebral disc degeneration in patients with adult idiopathic scoliosis after posterior spinal fusion surgery.....	215
	<i>S. Suzuki, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	

Break

Afternoon Seminar 4

16 : 00～17 : 00

Moderator : S. Ichimura

1-5-AS4	Spinal trauma and spinal cord injury in elderly population: an emerging problem in our aging society	215
	<i>H. Chikuda</i> , Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine		

Room 6

Free Papers 6

8 : 00～8 : 48

Moderator : K. Okuyama

Osteoporosis 1

1-6-F6-1	Oral glucocorticoid therapy does not inhibit bone union in conservative therapy for osteoporotic vertebral fracture -a study with propensity score matching-	216
	<i>K. Nagashima, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba		
1-6-F6-2	Does the occurrence level of vertebral body fractures and disc degeneration affect spinal alignment and low back pain? —The Wakayama Spine Study	216
	<i>K. Kitayama, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.		
1-6-F6-3	Comparison of rigid-brace and soft-brace for acute osteoporotic compression fracture: a prospective, randomized, multicenter study	217
	<i>H. Inose, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.		
1-6-F6-4	Daily teriparatide showed larger improvements in spinal BMD and microstructure of vertebral bodies adjacent to fresh fractured vertebra compared to alendronate	217
	<i>M. Takahata, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.		
1-6-F6-5	Effect of the presence of vertebral fractures on the occurrence of adjacent vertebral fractures: The ROAD study	218
	<i>C. Horii, et al.</i> , Orthop. Surg., Sensory and Motor System Medicine, Surgical Sciences, Graduate School of Medicine, The Univ. of Tokyo		
1-6-F6-6	Does osteoporosis affect the low back pain and related disorders? -The Wakayama Spine Study-	218
	<i>S. Iwata, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.		

Break

Free Papers 7

8 : 50～9 : 38

Moderator : I. Oda

Osteoporosis 2

1-6-F7-1	Early CT image is more useful than MRI for early screening of continuous pain in osteoporotic vertebral fracture.....	219
	<i>A. Itoi, et al.</i> , Dept. of Orthop. Surg., Juntendo Univ. Shizuoka Hosp.	
1-6-F7-2	Assessment by CT imaging findings for Fresh Osteoporotic Vertebral Fractures with Poor Prognostic Factor.....	219
	<i>H. Murata</i> , Shimura Hosp.	
1-6-F7-3	Selection of agents for postmenopausal vertebral osteoporosis (PMVO) -Evaluation with microstructure and μFEM using MDCT-	220
	<i>M. Machida, et al.</i> , Dept. of Spine and Spinal Cord Surg., Yokohama Brain and Spine Center	
1-6-F7-4	Outcomes of sufficient conservative treatment for osteoporotic vertebral fractures classified by fracture types.....	220
	<i>M. Sugita</i> , Orthop. Surg. Rokujizou General Hosp.	
1-6-F7-5	Clinical outcomes of treatment for osteoporotic vertebral fracture with cleft	221
	<i>Y. Shibao, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
1-6-F7-6	Risk factors for decreased walking ability after osteoporotic vertebral fracture.....	221
	<i>H. Tominaga, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical and Dental Sciences, Kagoshima Univ.	

Break

Free Papers 8

9 : 50～10 : 38

Moderator : M. Takahata

Spinal alignment

1-6-F8-1	Cervical spinal alignment change accompanying spondylosis exposes discord with total spinal balance	222
	<i>S. Ikegami, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ. School of Medicine	
1-6-F8-2	The morphometric difference of L4 single-level and L3-4 multi-level degenerative spondylolisthesis; focused on sagittal spinopelvic morphology.....	222
	<i>I. Senoo, et al.</i> , Dept. of Orthop. Surg., Asahikawa Medical Univ.	
1-6-F8-3	Pelvic slope accompanying standing posture change and back pain-related factors —The Wakayama Spine Study	223
	<i>H. Hashizume, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	

1-6-F8-4	Impact of obesity on sagittal spinopelvic alignment in patients undergoing adult spinal deformity surgery	223
	<i>J. Hashimoto, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	
1-6-F8-5	The relationship between global spinal alignment and obesity with gender difference	224
	<i>K. Ando, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	
1-6-F8-6	Does mental status influence for HRQOL and alignment?	224
	<i>K. Kurosu, et al.</i> , Shizuoka City Shizuoka Hosp.	

Break**Free Papers 9**

10 : 40~11 : 28

Moderator : **T. Morimoto****Alignment of pelvis and spine**

1-6-F9-1	The Relationship between Sagittal Spinopelvic Alignment and the Acetabular Anteversion Angle on Computed Tomography in Patients with Hip Osteoarthritis	225
	<i>T. Kobayashi, et al.</i> , Saga Univ.	
1-6-F9-2	Relationship between iliosacral joint degeneration and spinal sagittal alignment in the patient with lumbar spinal canal stenosis	225
	<i>M. Morozumi, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	
1-6-F9-3	Model case distribution in the low back pain around the disease in the spine specialist outpatient (Sacroiliac joint disorder as an argument)	226
	<i>Y. Nonaka, et al.</i> , Heiwa Hosp. Spinalsurg.	
1-6-F9-4	Prevelence of Lumbosacral Transitional Vertebra and its influence on Spino-Pelvic Parameters	226
	<i>H. Nakamoto, et al.</i> , Orthop. Surg., Sensory and Motor System Medicine, Surgical Sciences, Graduate School of Medicine, The Univ. of Tokyo	
1-6-F9-5	Impact of Total Hip Arthroplasty for Radiological Spinopelvic Alignment and Low Back Pain in Patients	227
	<i>S. Shoji, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Kitasato Univ.	
1-6-F9-6	Influence of spinopelvic harmony on a complication of knee osteoarthritis in patients with degenerative spondylolisthesis after posterior instrumented fusion	227
	<i>M. Kohno, et al.</i> , Yokohama Ekisaikai Hosp.	

Break

Luncheon Seminar 6

11 : 45~12 : 45

Moderator : M. Nakamura

- 1-6-LS6 Cervical lesions in rheumatoid arthritis -Up-to-date treatment stragery for spine surgeons- 228
T. Kaito, Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.

Break

Free Papers 10

15 : 00~15 : 48

Moderator : K. Otani

Low back pain

- 1-6-F10-1 Relationships between spinopelvic alignment and trunk muscle function in patients with chronic low back pain 228
M. Nakagawa, et al., Dept. of Orthop. Surg., Wakayama Medical Univ. Kihoku Hosp.
- 1-6-F10-2 Abdominal trunk muscle weakness is associated with low back pain and locomotive syndrome and sarcopenia 229
N. Oku, et al., Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.
- 1-6-F10-3 Relationship between low back pain in elderly and degeneration of intervertebral disc 229
S. Ohtori, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.
- 1-6-F10-4 Lumbar spinal stenosis associated with degree of locomotive syndrome and skeletal muscle strength 230
Y. Kasukawa, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 1-6-F10-5 Analysis of Factors related to Low Back Pain in Patients with Lumbar Canal Stenosis 230
H. Misaki, et al., Dept. of Bone and Joint Surg., Ehime Univ. Graduate School of Medicine
- 1-6-F10-6 Numerical Rating Scale (NRS) and Minimally Clinically Important Difference (MCID) in chronic low back pain 231
H. Suzuki, et al., Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine

Break

Afternoon Seminar 5

16 : 00~17 : 00

Moderator : A. Okawa

- 1-6-AS5 Management of osteoporosis for healthy life expectancy: roles of exercise and vitamin D 231
N. Miyakoshi, Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine

Break

Room 7**Free Papers 11**

8 : 00~8 : 48

Moderator : **Y. Tanaka****Cervical radiculopathy**

1-7-F11-1	C6radiculopathy can cause so-called C5palsy	232
	<i>T. Tsubakino, et al.</i> , Dept. of Orthop. Surg., Tohoku Central Hosp.	
1-7-F11-2	Hand weakness due to T1-2 disc herniation.....	232
	<i>Y. Fujioka, et al.</i> , Dept. of Orthop. Surg., JR Hiroshima Hosp.	
1-7-F11-3	Radiographic analysis of sagittal spinal alignment in patients with C5 palsy after laminoplasty for cervical spondylotic myelopathy	233
	<i>K. Murata, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	
1-7-F11-4	Postoperative C5 palsy following microacopic cervical laminoplasty	233
	<i>H. Manabe, et al.</i> , Hiroshima City Asa Hosp.	
1-7-F11-5	Is selective nerve root block effective for cervical radiculopathy with drop shoulder or drop finger?	234
	<i>M. Tsushima, et al.</i> , Orthop. Surg. Chubu-Rosai Hosp.	
1-7-F11-6	Surgical priocedures for drop finger caused by C8 nerve root lesions: comparison between anterior and posteior surgeries	234
	<i>M. Koda, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	

Break**Free Papers 12**

8 : 50~9 : 38

Moderator : **F. Kato****Cervical spine: preoperative evaluation**

1-7-F12-1	Anomalous vertebral artery of V3 segment in pediatric patients undergoing upper cervical fusion surgery	235
	<i>Y. Takeshita, et al.</i> , Dept. of Orthop. Surg., Yokohama Rosai Hosp.	
1-7-F12-2	Investigation of vertebral artery path at C7 level	235
	<i>C. Ushiku, et al.</i> , Dept. of Orthop. Surg., The Kashiwa Hosp. of the Jikei Univ. School of Medicine	
1-7-F12-3	MRI kinematic analysis of T1 sagittal motion between cervical flexion and extension positions in 145 patients	236
	<i>K. Tamai, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
1-7-F12-4	Prognostic indicators for cervical myelopathy after expansive open-door laminoplasty -Evaluation by multivariate logistic regression analysis using JOACMEQ	236
	<i>N. Nagoshi, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	

1-7-F12-5	Characteristics and predictors of patients who fail to achieve a MCID following laminoplasty for cervical spondylotic myelopathy -Propensity score matching-	237
	<i>A. Yabu, et al.</i> , Dept. of Orthop. Surg., Ishikiriseiki Hosp.	
1-7-F12-6	Prognostic Nutritional Index (PNI) before operation is predictive factor for perioperative complication among cervical posterior surgery	237
	<i>K. Kurosu, et al.</i> , Shizuoka City Shizuoka Hosp.	

Break**Free Papers 13**

9 : 50～10 : 38

Moderator : **K. Ueyama****Cervical spine: diagnosis and evaluation 1**

1-7-F13-1	A 20-year longitudinal study on the change of posterior muscles of the cervical spine in asymptomatic subjects by magnetic resonance imaging.....	238
	<i>H. Izumida, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
1-7-F13-2	The impact of cervical alignment and range of motion for the severity of myelopathy induced by OPLL.....	238
	<i>M. Funaba, et al.</i> , Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine	
1-7-F13-3	Percutaneous ultrasonography of the spinal cord after cervical laminoplasty -the relationship between the spinal cord condition and clinical outcome-	239
	<i>S. Hayama, et al.</i> , Dept. of Orthop. Surg., Div. of Vital Care and Reconstructive Medicine, Osaka Medical College	
1-7-F13-4	Development of the novel methods for dexterity functional evaluation of upper limbs using tablet computer (first report): Evaluation with healthy volunteers	239
	<i>T. Moroi, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ. School of Medicine	
1-7-F13-5	Frequency and characteristics of cervical and thoracic cord compressions in patients undergoing operations for lumbar degenerative disease.....	240
	<i>T. Makino, et al.</i> , Dept. of Orthop. Surg., Niigata Central Hosp.	
1-7-F13-6	Heterotopic Triggered HAL methods for complete para/quadriplegia due to chronic spinal cord injury.....	240
	<i>S. Kubota, et al.</i> , Div. of Regenerative Medicine for Musculoskeletal System, Faculty of Medicine, Univ. Tsukuba	

Break

Free Papers 14

10 : 40~11 : 28

Moderator : A. Ono

Cervical spine: diagnosis and evaluation 2

1-7-F14-1	Neck extension holding test is useful in diagnosis of cervical myelopathy	241
	<i>M. Suzuki, et al.</i> , Depart. of Orthop. Surg., Tohoku Central Hosp.	
1-7-F14-2	Risk factors for neurological deterioration in patients with cervical OPLL	241
	<i>T. Furuya, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
1-7-F14-3	A new quantitative evaluation method for assessment of sensory disturbance -Application for neurological level diagnosis in cervical myelopathy patients-	242
	<i>T. Inoue, et al.</i> , Dept. of Orthop. Surg., The Jikei Univ. Katsushika Medical Center	
1-7-F14-4	How much period is necessary for a judgment of AIS A in patients with cervical spinal cord injury?	242
	<i>O. Kawano, et al.</i> , Spinal Injuries Center	
1-7-F14-5	Principal component analysis of acute MRI predicts neurological improvements in patients with cervical spinal cord injury after early surgical decompression	243
	<i>T. Inoue, et al.</i> , Sendai Medical Center, Dept. of Neurosurg.	
1-7-F14-6	Resting Oxygen uptake in spinal cord injury	243
	<i>H. Sakai, et al.</i> , Dept. of Orthop. Surg. Spinal Injuries Center	

Break

Luncheon Seminar 7

11 : 45~12 : 45

Moderator : H. Nagashima

1-7-LS7	Promoting antimicrobial stewardship programs in orthopedic surgery	244
	<i>H. Yano</i> , International Univ. of Health and Welfare Mita Hosp.	

Break

Free Papers 15

15 : 00~15 : 48

Moderator : Y. Fujiwara

Cervical spine: treatment outcome

1-7-F15-1	Analysis of Age-dependent Influences on Cervical Spine Injury and its Medical Cost	244
	<i>M. Kato, et al.</i> , NTMC	
1-7-F15-2	Prognostic factors and treatment management for the patients with cervical spinal cord injury without major bone injury (Frankel A-C)	245
	<i>H. Nakajima, et al.</i> , Dept. of Orthop. and Rehab. Medicine, Faculty of Medical Sciences, Univ. of Fukui	

1-7-F15-3	Surgical outcome for the upper cervical lesions in athetoid cerebral palsy patients	245
	<i>A. Goda, et al., YMK</i>	
1-7-F15-4	Posterior decompression and stabilization for cervical myelopathy associated with athetoid cerebral palsy with a minimum 10-year follow-up.....	246
	<i>S. Demura, et al., Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.</i>	
1-7-F15-5	Clinical outcome of anterior hybrid decompression and fusion with a dynamic plate more than 4-levels for cervical OPLL	246
	<i>R. Kadota, et al., Dept. of Orthop., Numazu City Hosp.</i>	
1-7-F15-6	Surgical Outcomes for Distal-Type of Cervical Spondylotic Amyotrophy: A retrospective analysis of 43 cases	247
	<i>T. Yamada, et al., Dept. of Orthop. Surg., Saiseikai Kawaguchi Hosp.</i>	

Break**Afternoon Seminar 6**

16 : 00～17 : 00

Moderator : **N. Kawahara**

1-7-AS6	Trials for improvement of bony fusion after posterior lumbar interbody fusion -results from multicenter randomized control study by Alps Hamanako spine group-	247
	<i>T. Hasegawa, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine</i>	

Break**Room 8****Free Papers 16**

8 : 00～8 : 48

Moderator : **Y. Mikami****Minimally invasive surgery 1**

1-8-F16-1	A retrospective comparative study of peri-operative results of simultaneous OLIF&PPS under O-arm &navigation VS conventional TLIF/PLIF under C-arm	248
	<i>Y. Fujiwara, et al., Okayama Rousai Hosp.</i>	
1-8-F16-2	Microendoscopic surgery as a standard operation: the distribution of the patient's age speaks predictively about the healthcare in the super-ageing society	248
	<i>K. Nomura, et al., Sumiya Orthop. Hosp.</i>	
1-8-F16-3	The method of safety approach for PECD (percutaneous endoscopic cervical disectomy)	249
	<i>S. Shimizu, Omigawa General Hosp.</i>	
1-8-F16-4	The predictors of the improvement of drop foot caused by lumbar degenerative diseases	249
	<i>S. Masuda, et al., JCHO Tamatsukuri Hosp.</i>	

1-8-F16-5	Incidence of high intensity zone after percutaneous endoscopic lumbar discectomy and microendoscopic discectomy.....	250
	<i>T. Terai, et al.</i> , Dept. of Orthop., Tokushima Prefecture Naruto Hosp.	
1-8-F16-6	Five-year postoperative good outcomes of facet fusion with percutaneous pedicle screw for degenerative lumbar spondylolisthesis.....	250
	<i>T. Miyashita, et al.</i> , Matsudo City General Hosp.	

Break**Free Papers 17**

8 : 50～9 : 38

Moderator : **T. Aihara****Minimally invasive surgery 2**

1-8-F17-1	Comparison the depth of pedicle screws at thoracic spine inserted by PPS method and conventional open method	251
	<i>S. Tomizawa, et al.</i> , TBUIMC	
1-8-F17-2	Clinical results of minimally invasive spine stabilization for the management of metastatic spinal tumors based on the Epidural Spinal Cord Compression Scale	251
	<i>H. Uei, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	
1-8-F17-3	The radiological examination of misplacement for percutaneous pedicle screw fixation.....	252
	<i>T. Matsubara, et al.</i> , Saiseikai Fukuoka General Hosp., Orthop.	
1-8-F17-4	The effect of Radiation protection gloves at Lumbar selective nerve block	252
	<i>T. Nakagawa, et al.</i> , Sendai Orthop. Hosp.	
1-8-F17-5	The radiation exposure at surgeon' s finger in spinal nerve root infiltration under fluoroscopic guidance.....	253
	<i>T. Hishiya, et al.</i> , Sanmu Medical Center	
1-8-F17-6	Association between occupational radiation exposure and sex ratio of the offspring	253
	<i>Y. Hijikata, et al.</i> , Kitasuma Hosp.	

Break**Free Papers 18**

9 : 50～10 : 38

Moderator : **Y. Aoki****Minimally invasive surgery 3**

1-8-F18-1	Surgical outcome of PELD for lumbar disc herniation – Compared with LOVE method-	254
	<i>K. Nakamichi, et al.</i> , Keiyu Orthop. Hosp.	
1-8-F18-2	5-year reoperation rates and main causes of reoperation following the lumbar microendoscopic decompression: microendoscopic discectomy and laminotomy.....	254
	<i>T. Aihara, et al.</i> , Funabashi Orthop. Hosp.	

1-8-F18-3	The long-term clinical results and radiological assessments of ME-MILD for lumbar spinal canal stenosis combined with degenerative spondylolisthesis.....	255
	<i>M. Nagae, et al.</i> , Dept. of Orthop., Graduate School of Medical Science, Kyoto Prefectural Univ. of Medicine	
1-8-F18-4	Microendoscopic decompression for lumbar spinal stenosis with degenerative spondylolisthesis: The influence of spondylolisthesis stage on clinical outcomes.....	255
	<i>A. Minamide, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	
1-8-F18-5	Impact of Cervical Sagittal Alignment on Surgical Result of Selective Laminectomy in Patients Associated with Cervical Spondylotic Myelopathy	256
	<i>K. Ninomiya, et al.</i> , Tokyo Dental College Ichikawa General Hosp.	
1-8-F18-6	Comparison of HR-QOL between double-door laminoplasty and selective laminoplasty for degenerative cervical myelopathy, with a minimum follow-up of 5 years	256
	<i>R. Hirota, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Sapporo Medical Univ.	

Break

Free Papers 19

10 : 40~11 : 28

Moderator : **T. Aizawa**

Lumbar disc herniation

1-8-F19-1	Influence of histological composition within herniated disc on the presence of Modic changes and clinical symptoms after discectomy	257
	<i>K. Kawaguchi, et al.</i> , Dept. of Orthop. Surg., Clinical Medicine, Graduate School of Medical Sciences, Kyushu Univ.	
1-8-F19-2	Changes of lumber intervertebral disc after discectomy on postoperative MRI	257
	<i>Y. Sawada, et al.</i> , Shiraniwa Hosp. Dept. of Orthop.	
1-8-F19-3	The relationship between the form of the lumbosacral transitional vertebrae and the responsibility of the lumbar disc herniation level and laterality	258
	<i>N. Kobayashi, et al.</i> , Dept. of Orthop., Juntendo Univ. School of Medicine	
1-8-F19-4	The relationship of facet tropism to Lumbar disc herniation in young patients	258
	<i>Y. Ishihama, et al.</i> , Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School	
1-8-F19-5	MRI diagnosis of lumbar intradural disc herniation: A comparison with extradural disc herniation	259
	<i>T. Nakamura, et al.</i> , Tohokuosai Hosp.	
1-8-F19-6	3D MRI/CT Fusion Imaging for Translaminar Microdiscectomy	259
	<i>Y. Fujioka, et al.</i> , Dept. of Orthop. Surg., JR Hiroshima Hosp.	

Break

Luncheon Seminar 8

11 : 45～12 : 45

Moderator : J. Takahashi

1-8-LS8	New technique in Advanced Spine Hybrid OR with Artis zeego/ARTIS pheno; "Anterior VATS ECIF-A" and "Posterior ECIF-P" using "Correction Box" for Scoliosis surgery	260
	<i>S. Ebara</i> , Shonan Fujisawa Tokushukai Hosp.	

Break

Free Papers 20

15 : 00～15 : 48

Moderator : T. Kotani

Computer-assisted surgery

1-8-F20-1	The intraoperative evaluation of coronal alignment in the lumbosacral correction surgery for adult spine deformity: XP vs O-arm fluoroscopy	260
	<i>K. Satake, et al.</i> , Konan Kosei Hosp.	
1-8-F20-2	Comparison of accuracy of pedicle screw inserted under C-arm and O-arm to cervical-thoracic vertebrae	261
	<i>M. Yui, et al.</i> , Dept. of Orthop. Surg., Tokyo Women's Medical Univ.	
1-8-F20-3	The Evaluation of Indirect Neural Decompression After Lateral Lumbar Interbody Fusion Using Intraoperative Computed Tomography Myelogram	261
	<i>S. Hayama, et al.</i> , Dept. of Orthop. Surg., Div. of Vital Care and Reconstructive Medicine, Osaka Medical College	
1-8-F20-4	A variety of risk factors of the pedicle screw placement using a gantry sliding intraoperative CT navigation and Countermeasures	262
	<i>R. Sasaoka, et al.</i> , Yodogawa Christian Hosp.	
1-8-F20-5	Anterior Decompression and Fusion with Floating Method for C-OPLL using O-arm Navigation System	262
	<i>K. Sakai, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	
1-8-F20-6	Utility of powered instruments compared with manual instruments for pedicle screw insertion: Evaluation using O-arm-based navigation in scoliosis surgery	263
	<i>T. Kotani, et al.</i> , Seirei Sakura Citizen Hosp.	

Break

Afternoon Seminar 7

16 : 00～17 : 00

Moderator : A. Wada

1-8-AS7-1	Intraoperative computed navigation surgery for cervical spine trauma	263
	<i>Y. Ito</i> , Japanese Red Cross Kobe Hosp. Orthop. Surg.	

1-8-AS7-2	Prevention of C5 palsy after cervical laminoplasty	264
	<i>K. Wada, et al.</i> , Dept. of Orthop. Surg., Hirosaki Univ. Graduate School of Medicine	

Break**Room 9****Free Papers 21**

8 : 00~8 : 48

Moderator : **H. Hosoe****Metastatic spinal tumor 1**

1-9-F21-1	Prognostic factors in patients with metastatic spine tumor from hepatocellular carcinoma, a novel scoring system of predicting life expectancy.....	264
	<i>H. Uei, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	
1-9-F21-2	Clinical outcome of spinal metastases from unknown primary tumor	265
	<i>S. Sugita, et al.</i> , Komagome Hosp.	
1-9-F21-3	The accuracy of percutaneous image-guided spinal lesion biopsies.....	265
	<i>S. Sugita, et al.</i> , Komagome Hosp.	
1-9-F21-4	Strategy for primary malignant lymphoma of the spine with neurological symptoms and unknown origin at the initial visit	266
	<i>K. Yamakawa, et al.</i> , Komagome Hosp.	
1-9-F21-5	EGFR tyrosine kinase inhibitor administration to the patients with spinal metastases of non-small cell lung cancer with positive EGFR gene mutations.....	266
	<i>H. Omi, et al.</i> , Aomori Prefectural Central Hosp.	
1-9-F21-6	Efficiency of bone-modifying agents for patients with spinal metasitasis.....	267
	<i>D. Ikegami, et al.</i> , JCHO Osaka Hosp.	

Break**Free Papers 22**

8 : 50~9 : 38

Moderator : **K. Nishida****Metastatic spinal tumor 2**

1-9-F22-1	Effects of spinal surgery and molecular targeted drugs on spinal metastasis of lung adenocarcinoma	267
	<i>H. Miyakata, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	
1-9-F22-2	Clinical outcome of metastatic hepatocellular carcinoma to the spine	268
	<i>H. Kodama, et al.</i> , Tokyo Metropolitan Cancer and Infectious Diseases Center Komagome Hosp.	
1-9-F22-3	Surgical outcome for spinal metastasis of patients older than 70 years	268
	<i>Y. Kanda, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	

1-9-F22-4	Evaluation of CT Hounsfield units before and after treatment in spinal metastatic tumor of lung cancer.....	269
	<i>Y. Toda, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Saga Univ.	
1-9-F22-5	Evaluation of the factors lowering the cost-utility of surgical treatment for patients with metastatic spinal tumor	269
	<i>S. Miyazaki, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
1-9-F22-6	Life prognostic evaluation of spine myeloma metastases may be expected to be shorter than the actual survival time	270
	<i>T. Shiozaki, et al.</i> , Dept. of Orthop. Surg., Hakodate Municipal Hosp.	

Break**Free Papers 23**

9 : 50～10 : 38

Moderator : S. Katoh

Metastatic spinal tumor 3

1-9-F23-1	Aggressive surgical intervention changes surgical outcomes in the patients with metastatic spine tumor	270
	<i>M. Iinuma, et al.</i> , Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine	
1-9-F23-2	Treatment outcome for patients with spinal metastases from hepatocellular carcinoma.....	271
	<i>H. Uei, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	
1-9-F23-3	Factors influencing instrumentation failure after total en bloc spondylotomy	271
	<i>T. Shimizu, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.	
1-9-F23-4	The examination of background status in the spinal tumor surgery	272
	<i>A. Iwata, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.	
1-9-F23-5	Clinical assessment of bone fusion inside a titanium cage in total en block spondylotomy	272
	<i>K. Shimura, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.	
1-9-F23-6	More than 10-year follow-up after total en bloc spondylotomy for spinal tumors	273
	<i>S. Kato, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.	

Break**Free Papers 24**

10 : 40～11 : 28

Moderator : M. Ando

Primary spinal tumor and radiation therapy

1-9-F24-1	Selective arterial dye injection technique in the direct surgery of spinal arteriovenous malformations: Technical note.....	273
	<i>T. Takami, et al.</i> , Neurosurg., Osaka City Univ.	

1-9-F24-2	Clinical characteristics and treatment outcome in primary spinal osteochondroma	274
	<i>Y. Sakai, et al.</i> , Gifu Prefectural Tajimi Hosp.	
1-9-F24-3	Recurrence rate of spinal meningioma over 10 years after surgery	274
	<i>H. Tominaga, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical and Dental Sciences, Kagoshima Univ.	
1-9-F24-4	Examination of epidemiology and surgical results of spinal meningioma	275
	<i>T. Fujimoto, et al.</i> , Dept. of Orthop. Surg., Faculty of Life Sciences, Kumamoto Univ.	
1-9-F24-5	Mechanical properties of irradiated vertebral body	275
	<i>T. Igarashi, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.	
1-9-F24-6	The effect of irradiation on spinal meninges	276
	<i>T. Shimizu, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.	

Break**Luncheon Seminar 9**

11 : 45~12 : 45

Moderator : **T. Maeda**

1-9-LS9	Diagnosis and treatment of low back pain and its latest Guideline	276
	<i>K. Takeshita</i> , Dept. of Orthop., Jichi Medical Univ.	

Break**Free Papers 25**

15 : 00~15 : 48

Moderator : **J. Kunogi****Destructive spine (RA, HD)**

1-9-F25-1	The incidence of cervical lesions and the factors associated with cervical spine instability in RA patients	277
	<i>Y. Uchino, et al.</i> , Dept. of Orthop. Surg., Yokohama City Univ. Medical Center	
1-9-F25-2	The impact of low back pain on quality of life in patients with rheumatoid arthritis	277
	<i>K. Miura, et al.</i> , Dept. of Spine Surg., Nagaoka Red Cross Hosp.	
1-9-F25-3	Risk factors for occurrence of lumbar lesion in patients with rheumatoid arthritis	278
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Osaka Social Medical Center	
1-9-F25-4	Analysis of Annual Incidence and Risk Factors for Vertebral Compression Fracture in Rheumatoid Arthritis	278
	<i>H. Watanabe, et al.</i> , Keiyu Orthop. Hosp.	
1-9-F25-5	A study on risk factor of destructive spondyloarthropathy	279
	<i>A. Tagami, et al.</i> , Dept. of Orthop. Surg., Nagasaki Univ. Graduate School of Biomedical Sciences	
1-9-F25-6	Characteristic of JOACMEQ score in the patients with hemodialysis	279
	<i>K. Tamai, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	

Break**Afternoon Seminar 8**

16 : 00～17 : 00

Moderator : M. Hongo

1-9-AS8-1	Novel knowledge about trunk muscle function for spine surgeon.....	280
	<i>K. Kaneoka</i> , Faculty of Sport Sciences, Waseda Univ.	
1-9-AS8-2	Innovative exercise device for the abdominal trunk muscles	280
	<i>S. Kato</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.	

Break**Room 10****Free Papers 26**

8 : 00～8 : 48

Moderator : S. Imagama

Ligamentous ossification of thoracic spine

1-10-F26-1	Changes in surgical treatment for thoracic OPLL in 20 years in our spine team -Method of treatment, Outcomes, Complications, and Indications-	281
	<i>K. Miyamoto, et al.</i> , Gifu Municipal Hosp., Div. of Orthop. and Spine Surg.	
1-10-F26-2	Surgical Outcome With Thoracic Ossification of the Ligamentum Flavum A multicenter Study	281
	<i>K. Ando, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	
1-10-F26-3	Surgical outcome of laminectomy for ossification of ligamentum flavum of thoracic spine	282
	<i>H. Umekoji, et al.</i> , Tokyo Yamate Medical Center	
1-10-F26-4	Influence of spinal alignment and costovertebral joint change on respiratory function in diffuse idiopathic skeletal hyperostosis (DISH)	282
	<i>T. Yasuda, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Toyama	
1-10-F26-5	Indication and high-risk cases for posterior indirect decompression with corrective fusion for thoracic ossification of posterior longitudinal ligament	283
	<i>T. Fujita, et al.</i> , Enshu Hosp.	
1-10-F26-6	Postoperative Paralysis following Posterior Surgery for Thoracic Myelopathy Caused by Ossification of the Posterior Longitudinal Ligament	283
	<i>T. Aizawa, et al.</i> , Tohoku Univ.	

Break

Room 10**Free Papers 27**

8 : 50～9 : 38

Moderator : **Y. Imajo****Lumbar spine: diagnostic imaging**

1-10-F27-1	Anatomical evaluation of the lumbar nerve root in patients with adult spinal deformity using Diffusion Tensor Tractography	284
	<i>Y. Eguchi, et al.</i> , Dept of Orthop., Shimoshizu Hosp.	
1-10-F27-2	Bone Marrow Edema and Low Back Pain in Elderly Degenerative Lumbar Scoliosis	284
	<i>T. Nakamae, et al.</i> , Dept. of Orthop. Surg., Graduate School of Biomedical & Health Sciences, Hiroshima Univ.	
1-10-F27-3	Impact of psoas muscle position relative to lumbar spine for spinopelvic alignment	285
	<i>T. Yasuda, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
1-10-F27-4	Redundant nerve roots of MRI – Features in patients of lumbar spinal stenosis –	285
	<i>D. Nagakura, et al.</i> , Dept. of Orthop. Surg., Saitama Medical Univ. School of Medicine	
1-10-F27-5	Intraspinal quantitative evaluation in patients with lumbar spinal canal stenosis using diffusion tensor imaging parameters.....	286
	<i>M. Norimoto, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
1-10-F27-6	Assessment of the triangular working zone size and clinical outcome at different intervertebral disc levels evaluated by 3D CT/MR fusion imaging for PED-TF.....	286
	<i>J. Hirayama, et al.</i> , Chiba Medical Center	

Break**Free Papers 28**

9 : 50～10 : 38

Moderator : **A. Yamazaki****Lumbar spine: postoperative complication**

1-10-F28-1	complications and reoperations in lumbar endoscopic surgery for the past five years.....	287
	<i>T. Mazaki, et al.</i> , Fukuyama Medical Center, Orthop.	
1-10-F28-2	Risk factors for revision surgery of less invasive decompression procedures for lumbar spinal stenosis	287
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Osaka Social Medical Center	
1-10-F28-3	A study of factors of bone regeneration after lumbar laminectomy	288
	<i>I. Yuge, et al.</i> , Nishino Hosp.	
1-10-F28-4	Investigation of inferior articular process fracture after lumbar decompression	288
	<i>Y. Shibuya, et al.</i> , Niigata central Hosp.	
1-10-F28-5	Preventive effect of ramelteon on delirium after spinal surgery	289
	<i>M. Hino, et al.</i> , Spine Center of Ehime Univ. Hosp.	

1-10-F28-6	Reoperation cases after Percutaneous Lumber Endoscopic Discectomy	289
	<i>K. Chiba, et al.</i> , Yamagata Saisei Hosp.	

Break**Free Papers 29**

10 : 40~11 : 28

Moderator : **T. Asazuma****Postoperative ADL and QOL**

1-10-F29-1	The Impact of Spinopelvic Fusion on Activity of Daily Living for Adult Spinal Deformity Patients	290
	<i>H. Konuma, et al.</i> , Dokkyo Medical Univ. Saitama Medical Center	
1-10-F29-2	Extensive corrective fusion improves gait posture in middle and elderly patients with spinal deformities: A comparison of gait analysis by the degree of correction.....	290
	<i>H. Arima, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
1-10-F29-3	The association between sacroiliac joint-related pain following lumbar spine surgery and spinopelvic parameters: A prospective multicenter study.....	291
	<i>J. Tonosu, et al.</i> , Kanto Rosai Hosp.	
1-10-F29-4	Lumbar canal stenosis associated with gluteus medius muscle weakness decreases walking ability and health-related quality of life	291
	<i>S. Suzuki, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
1-10-F29-5	Operative procedure affects patient satisfaction with surgery for single level degenerative lumbar spondylolisthesis — A prospective multicenter study	292
	<i>M. Kawakami, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ. Kihoku Hosp.	
1-10-F29-6	Does fusion area impact the postoperative ADL in the spinal arthrodesis? — evaluation using LSDI —	292
	<i>M. Iwamae, et al.</i> , Dept. of Orthop. Surg., Osaka City General Hosp.	

Break**Luncheon Seminar 10**

11 : 45~12 : 45

Moderator : **H. Terai**

1-10-LS10	Hospital-clinic and multi-occupation collaborations started from BKP cooperation path -Usefulness of osteoporosis liaison service in acute hospital	293
	<i>T. Kotani</i> , Seirei Sakura Citizen Hosp.	

Break

Hands-On Seminar 1

14 : 50～16 : 20

Moderator : M. Iwasaki

Speaker : K. Ishii

Cervical Artificial Disc Replacement (Mobi-C)

-Basic Techniques and Pitfalls-

Break

Poster Room

Poster 1

17 : 10～17 : 40

Moderator : K. Sakai

Cervical spine: anterior surgery

1-P1-1	Accurate and minimally invasive cervical pedicle screw insertion procedure using the bone biopsy needle as the drill guide.....	293
	<i>T. Koakutsu, et al.</i> , Emergency Center, Tohoku Univ. Hosp.	
1-P1-2	preoperative assessment of swarrouingfunction for the anterior cervical decompression and fusion, and trial of postoperative care in ICU for high risk cases	294
	<i>M. Yoshida, et al.</i> , Seirei Mikatahara Hosp.	
1-P1-3	A case series review of surgical technique in hybrid anterior cervical fusion. Outcomes of hybrid surgery using standalone titanium cage	294
	<i>K. Fushimi, et al.</i> , Dept. of Orthop. Surg., Div. of Disease Control, Research field of Medical Sciences, Graduate School of Medicine, Gifu Univ.	
1-P1-4	Deformity Correction Effect On Each Intervertebral Disc After Multilevel Anterior Cervical Discectomy and Fusion.....	295
	<i>Y. Shimizu, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.	
1-P1-5	Surgical outcome of cervical laminoplasty for adjacent segment disease following anterior cervical decompression and fusion.....	295
	<i>T. Miyamoto, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
1-P1-6	Cervical laminoplasty and posterior fixation using intra operative ultrasonographic evaluation for ossification of the posterior longitudinal ligament cases	296
	<i>H. Matsumori, et al.</i> , Kashiba-asahigaoka	

Poster 2

17 : 40～18 : 10

Moderator : K. Kanzaki

Cervical spine: surgical outcome

1-P2-1	The residual arm numbness after laminoplasty for the patients with cervical spondylotic myelopathy.....	296
	<i>M. Iwamae, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
1-P2-2	Surgical and clinical outcomes in patients with ossification of posterior longitudinal ligament according to ASA-PS classification	297
	<i>H. Funao, et al.</i> , Dept. of Orthop. Surg., School of Medicine, International Univ. of Health and Welfare (IUHW)	
1-P2-3	Patient's satisfaction to surgical treatments for cervical disorders —analyses of preoperative factors and postoperative improvement	297
	<i>M. Teraguchi, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ. Kihoku Hosp.	
1-P2-4	What is the preoperative factor impacts on physical component summary of SF-36 two years after laminoplasty?	298
	<i>M. Iwamae, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
1-P2-5	Impact of tobacco smoking on outcomes after posterior decompression surgery in patients with cervical spondylotic myelopathy	298
	<i>N. Nagoshi, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
1-P2-6	Study of factors relating to post-operative home return of cervical spondylotic myelopathy.....	299
	<i>T. Fukuzawa, et al.</i> , Dept. of Orthop. Surg. Iida Municipal Hosp.	

Poster 3

17 : 10～17 : 40

Moderator : H. Shigematsu

Cervical spine 1

1-P3-1	To examine image diagnostic criteria for developmental cervical stenosis using the data of juvenile cervical spondylotic myelopathy patients.....	299
	<i>T. Iida, et al.</i> , Dept. of Orthop. Surg., Kitasato Institute Hosp.	
1-P3-2	MR angiography and CT image fusion for preoperative evaluation of vertebral artery in the patients with cervical spine pathology and chronic kidney disease	300
	<i>S. Maki, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
1-P3-3	Surgical Outcomes of Postural Instability in Patients with Cervical Myelopathy and Predictors of Surgical Outcomes.....	300
	<i>T. Yano, et al.</i> , Dept. of Orthop. Surg., Div. of Vital Care and Reconstructive Medicine, Osaka Medical College	

1-P3-4	Hounsfield unit measurement of screw path of cervical pedicle and lateral mass with healthy man	301
	<i>K. Tsuda, et al.</i> , Dept. of Orthop. Surg., Nagasaki Univ. Graduate School of Biomedical Sciences	
1-P3-5	Is conventional safe zone of halo pin insertion really safe in elderly patients?.....	301
	<i>T. Nakashima, et al.</i> , Dept. of Orthop. Surg., Osaka Red Cross Hosp.	
1-P3-6	Complications of Halo-vest Orthosis	302
	<i>M. Shimizu, et al.</i> , Yokohama Rosai Hosp.	

Poster 4

17 : 40～18 : 10

Moderator : **E. Wada**

Cervical spine 2

1-P4-1	Prevalence and natural course of transverse ligament of the atlas calcification in asymptomatic healthy individuals.....	302
	<i>M. Anno, et al.</i> , Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., Faculty of Medicine, The Univ. of Tokyo	
1-P4-2	Risk factor of retro-odontoid pseudotumor.....	303
	<i>Y. Yahiro, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical and Dental Sciences, Kagoshima Univ.	
1-P4-3	Management of cervical posture using the adjusted pillow to improve sleep disorders and chronic pain - Verification in case of chronic neck pain with Somatic Symptom.....	303
	<i>S. Yamada, et al.</i> , 16 Gou Orthop. Clinic	
1-P4-4	Clinical course of atlantoaxial rotatory fixation	304
	<i>Y. Oshita, et al.</i> , Dept. of Orthop. Surg., Showa Univ. Northern Yokohama Hosp.	
1-P4-5	Clinical Features of Atlantaxial Rotatory Fixation in Children	304
	<i>H. Kuniya, et al.</i> , Dept. of Orthop. Surg., Fujisawa City Hosp.	
1-P4-6	Pathophysiology and treatment of for cervical flexion myelopathy	305
	<i>T. Nakamae, et al.</i> , Dept. of Orthop. Surg., Graduate School of Biomedical & Health Sciences, Hiroshima Univ.	

Poster 5

17 : 10～17 : 40

Moderator : **H. Iizuka**

Cervical spine: posterior surgery 1

1-P5-1	Relationship between the degree of retraction of posterior cervical extensor and axial pain after cervical laminoplasty.....	305
	<i>D. Inoue, et al.</i> , Higashiosaka City Medical Center	
1-P5-2	A comparative study of postoperative changes of cervical sagittal alignment and balance after laminoplasty between CSM and OPLL	306
	<i>H. Sakaura, et al.</i> , JCHO Osaka Hosp.	

1-P5-3	Relationship of post cervical laminoplasty kyphosis and sagittal global alignment	306
	<i>N. Yoshiie, et al.</i> , Eniwa Hosp.	
1-P5-4	Investigation of various parameters deteriorating sagittal alignment after cervical laminoplasty	307
	<i>M. Nakahashi, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	
1-P5-5	Effect of C3 laminectomy in cervical laminoplasty — reduction of intraoperative bleeding and prevention of C2–3 interlaminar bony fusion —	307
	<i>K. Nakajima, et al.</i> , Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., Faculty of Medicine, The Univ. of Tokyo	
1-P5-6	Open door laminoplasty with stand alone autologous spacer – analysis of bone healing and closure of lamina	308
	<i>H. Kono, et al.</i> , Dept. of Orthop. Surg., Ishikiriseiki Hosp.	

Poster 6

17 : 40～18 : 10

Moderator : **Y. Oshima**

Cervical spine: posterior surgery 2

1-P6-1	Segmental instrumented fusion with laminoplasty for cervical OPLL with K-line (+)/large segmental motion	308
	<i>K. Fuji, et al.</i> , Takahagi Kyodo Hosp.	
1-P6-2	Novel concept of posterior decompression and fusion for K-line (-) type cervical ossification of the posterior longitudinal ligament	309
	<i>K. Katsumi, et al.</i> , Niigata Univ. Medical & Dental Hosp.	
1-P6-3	Study of posterior spinal fixation for dialysis cervical destructive spondyloarthropathy	309
	<i>N. Ohtomo, et al.</i> , Dept. of Spine and Spinal Cord Center, Sanraku Hosp.	
1-P6-4	Early postoperative MRI signal changing after cervical posterior decompression	310
	<i>Y. Shimizu, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.	
1-P6-5	Grading and perioperative related factors of the epidural hematoma after posterior cervical spine surgery	310
	<i>K. Takeuchi, et al.</i> , Dept. of Orthop. Surg., Odate Municipal General Hosp.	
1-P6-6	Natural course and postoperative outcomes of the epidural hematoma after posterior cervical spine surgery	311
	<i>K. Takeuchi, et al.</i> , Dept. of Orthop. Surg., Odate Municipal General Hosp.	

Poster 7

17 : 10～17 : 40

Moderator : **K. Harimaya**

Scoliosis: surgical outcome 1

1-P7-1	Postoperative coronal decompensation and related factors in Lenke type 1B and 1C	311
	<i>T. Fujii, et al.</i> , Keio University School of Medicine	

1-P7-2	Influence of preoperative end vertebra of proximal thoracic curve with adolescent idiopathic scoliosis with Lenke type 2	312
	<i>N. Isogai, et al.</i> , Spine and Spinal Cord Center, International Univ. of Health and Welfare Mita Hosp.	
1-P7-3	Radiological Assessment of Pre- and Postoperative Shoulder Balance Following Posterior Spinal Fusion for Lenke 2 Adolescent Idiopathic Scoliosis	312
	<i>T. Namikawa, et al.</i> , Osaka City General Hosp.	
1-P7-4	Negative Impacts of Postoperative Thoracic Hypokyphosis in Adolescent Idiopathic Scoliosis: A 10-year Follow-up	313
	<i>A. Nohara, et al.</i> , JCHO Tokyo Shinjuku Medical Center, Spine Surg.	
1-P7-5	Selecting the lowest instrumented vertebra in adolescent idiopathic scoliosis : Is it possible to choosing LIV L3 to end vertebra L4 patients?	313
	<i>K. Nakayama, et al.</i> , Seirei Sakura Citizen Hosp.	
1-P7-6	Considerations for lower instrumented vertebra in Lenke type 1AR adolescent idiopathic scoliosis	314
	<i>S. Kawabata, et al.</i> , Keiyu Hosp.	

Poster 8

17 : 40～18 : 05

Moderator : **T. Hirano**

Scoliosis: surgical outcome 2

1-P8-1	Intraoperative positioning is important factor influencing postoperative thoracic kyphosis for adolescent idiopathic scoliosis.....	314
	<i>H. Saiwai, et al.</i> , Dept. of Orthop. Surg., Clinical Medicine, Graduate School of Medical Sciences, Kyushu Univ.	
1-P8-2	Change in spinal length two years after posterior spinal fusion for idiopathic scoliosis patients with Risser grade 0.....	315
	<i>T. Shirayama, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ. School of Medicine	
1-P8-3	The Characteristics of the Patients with Residual Deformity of Adolescent Idiopathic Scoliosis Treated by Spinal Correction	315
	<i>W. Saito, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Kitasato Univ.	
1-P8-4	Changes in thoracic curve after thoracolumbar surgery in idiopathic scoliosis Lenke type 5 and factors affecting correction failure	316
	<i>A. Matsushita, et al.</i> , Dept. of Orthop. Surg., Clinical Medicine, Graduate School of Medical Sciences, Kyushu Univ.	
1-P8-5	Postoperative sagittal alignment of congenital thoracolumbar to lumbar kyphosis or kyphoscoliosis: a minimum 10-year follow-up study	316
	<i>S. Miyazaki, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	

Poster 9

17 : 10~17 : 40

Moderator : I. Yonezawa

Scoliosis 1

1-P9-1	Correction fusion surgery and Growing rod in idiopathic scoliosis.....	317
	<i>K. Matsumoto, et al.</i> , First Dept. of Orthop. Surg., Dokkyo Medical Univ. Saitama Medical Center	
1-P9-2	Clinical results of growing rod method for spinal scoliosis	317
	<i>T. Takigawa, et al.</i> , Dept. of Orthop. Surg., Okayama Univ. Hosp.	
1-P9-3	The intervertebral disc height decreases by the Growing Rod technique	318
	<i>T. Chiba, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	
1-P9-4	Surgical outcome of scoliosis with muscular dystrophy	318
	<i>K. Kakutani, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
1-P9-5	Effect of tranexamic acid on blood loss in corrective surgery of adolescent scoliosis.....	319
	<i>T. Kanchiku, et al.</i> , Yamaguchi Rosai Hosp.	
1-P9-6	Long-term trend of surgical medical costs in adolescent idiopathic scoliosis surgery	319
	<i>K. Kobayashi, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	

Poster 10

17 : 40~18 : 10

Moderator : T. Tsuji

Scoliosis 2

1-P10-1	Comparison of the Distal Radius and Ulna Classification and bone age assessment methods for patients with adolescent idiopathic scoliosis.....	320
	<i>Y. Yamamoto, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	
1-P10-2	A clinical study of postoperative pain in patients with adolescent idiopathic scoliosis: preoperative mental health influences the chronic postoperative pain	320
	<i>R. Sugawara, et al.</i> , Dept. of Orthop., Jichi Medical Univ.	
1-P10-3	Factors Leading to Postoperative Pain Including Sagittal Alignment and Lumbar Disc Degeneration in Adolescent Idiopathic Scoliosis Patients	321
	<i>T. Mimura, et al.</i> , Dept. of Orthop. Surg., Yodakubo Hosp.	
1-P10-4	For making full use of the patient-based outcome scores Using Questionnaire service-.....	321
	<i>T. Nakagawa, et al.</i> , Sendai Orthop. Hosp.	
1-P10-5	Japanese version of the Bad Söbernheim Stress Questionnaire-Brace for patients with adolescent idiopathic scoliosis	322
	<i>T. Asada, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
1-P10-6	One-third of Postoperative Scoliosis Patients Pursue a Career Path in the Healthcare Field	322
	<i>T. Kotani, et al.</i> , Seirei Sakura Citizen Hosp.	

Poster 11

17 : 10~17 : 40

Moderator : H. Moridaira

Adult spinal deformity: lower extremity

1-P11-1	Correction surgery for adult spinal deformity improves the 3D alignment of lower extremities	323
	<i>Y. Sato, et al.</i> , Niigata Spine Surg. Center	
1-P11-2	Analysis of global sagittal alignment of spine before and after total knee arthroplasty	323
	<i>K. Tomita, et al.</i> , Dept. of Orthop. Surg., National Center for Geriatrics and Gerontology, Japan	
1-P11-3	The effect of total hip arthroplasty on spinal alignment and low back pain	324
	<i>F. Saiki, et al.</i> , Dept. of Orthop. Surg., Yokohama Rosai Hosp.	
1-P11-4	Does scoliosis before Total Hip Althroplasty affect low back pain and lumbar spinal function after the operation?	324
	<i>E. Shirasawa, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Kitasato Univ.	
1-P11-5	Coronal Spinal Alignment changes with total hip arthroplasty for unilateral completely dislocation hip	325
	<i>H. Sugino, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Saga Univ.	
1-P11-6	Outcomes of corrective surgery without long fusion from sacrum to thoracic spine for adult spinal deformity	325
	<i>H. Moridaira, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	

Poster 12

17 : 40~18 : 10

Moderator : M. Chazono

Adult spinal deformirt: pelvic anchor

1-P12-1	Free hand insertion technique of novel iliac screw trajectory for lumbosacral fixation: Medial Iliac Screw	326
	<i>K. Ishikawa, et al.</i> , Dept. of Orthop. Surg., Showa Univ. School of Medicine	
1-P12-2	Risk factors for loosening of S2 alar iliac screw	326
	<i>Y. Iijima, et al.</i> , Dept. of Orthop. Surg., Seirei Citizen Hosp.	
1-P12-3	Risk factors for loosening of S2 alar iliac screw after surgery for adult spinal deformity	327
	<i>Y. Sakai, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
1-P12-4	Risk Factors of L5-S1 Pseudarthrosis after Adult Spinal Deformity Surgery Using Sacropelvic Fixation	327
	<i>K. Kusano, et al.</i> , Kudanzaka Hosp.	
1-P12-5	Proximal junctional complications in more than 4-level lumbo-sacral fixation cases with SAI screws	328
	<i>M. Yoshida, et al.</i> , Sangubashi	
1-P12-6	Disability of daily activity after long corrective fusion for adult deformity due to different pathologies	328
	<i>D. Togawa, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	

Poster 13

17 : 10~17 : 40

Moderator : M. Yoshimoto

Lumbar spine 1

1-P13-1	Risk factors for recurrent herniation after percutaneous endoscopic lumbar discectomy	329
	<i>T. Sakamoto, et al.</i> , Chiba Medical Center Orthop.	
1-P13-2	Surgery of lumbar disc herniation under the age of 20 years old	329
	<i>M. Kamiya, et al.</i> , Asahi Hosp. Dept. of Orthop.	
1-P13-3	Investigation of clinical feature about postoperative recurrence of lumbar disc hernia undergoing reoperation	330
	<i>T. Sekine, et al.</i> , Ohara General Hosp.	
1-P13-4	Risk Factor on Recurrence of Lumbar Disc Herniation after Microendoscopic Discectomy	330
	<i>E. Takahashi, et al.</i> , Sendai Orthop. Hosp.	
1-P13-5	Improvement of low back pain in microendoscopic decompression for lumbar canal stenosis and risk factors of poor outcome	331
	<i>R. Taiji, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	
1-P13-6	Long Term Results of Minimally Invasive Decompression for Lumbar Canal Stenosis : MILD vs ULBD	331
	<i>K. Hirai, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	

Poster 14

17 : 40~18 : 10

Moderator : H. Suzuki

Lumbar spine 2

1-P14-1	Clinical outcomes of microendoscopic decompression for lumbar canal stenosis: a comparison between patients with and without degenerative lumbar scoliosis	332
	<i>K. Tanimoto, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Sapporo Medical Univ.	
1-P14-2	Clinical outcomes of microendoscopic decompression for lumbar canal stenosis: a comparison between patients with and without lumbar spondylolisthesis	332
	<i>K. Tanimoto, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Sapporo Medical Univ.	
1-P14-3	How much bone should be preserved in performing lumbar laminectomy?	333
	<i>R. Fujihara, et al.</i> , Dept. of Orthop. Surg., Kagawa Univ., Faculty of Medicine	
1-P14-4	Instability of facets make facet cysts after lumbar laminectomy	333
	<i>K. Nishida, et al.</i> , Orthop. Surg., Hiroshima Prefectural Hosp.	
1-P14-5	Effect of the rehabilitation for poor results after decompression on lumbar spinal stenosis	334
	<i>A. Miyamoto, et al.</i> , Dept. of Rehab., Keiyu Orthop. Hosp.	
1-P14-6	A comparing investigation between fenestration surgery and posterior lumbar interbody fusion (PLIF) for degenerative spondylolisthesis using propensity score	334
	<i>T. Sugiura, et al.</i> , Dept. of Orthop. Surg., JCHO Osaka Hosp.	

Poster 15

17 : 10~17 : 40

Moderator : T. Nikaido

Lumbar spine: pathomechanism 1

1-P15-1	Why does L4 degenerative spondylolisthesis occur? – Comparison with L4/5 lumbar spinal canal stenosis	335
	<i>T. Maeno, et al.</i> , Isikiriseiki Hosp.	
1-P15-2	Bone fusion rate and local lordotic angle in L5/S1 intervertebral disc level after lumbosacral multilevel fusion	335
	<i>M. Ishihara, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.	
1-P15-3	The pathology of foraminal stenosis at L5/S1 and other lumbar level	336
	<i>K. Yoshida, et al.</i> , Shizuoka Red Cross Hosp. Spine Center	
1-P15-4	The precision of low-dose CT in measuring diameter of pedicle	336
	<i>K. Masamoto, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.	
1-P15-5	The new method of diagnosing lumbar radiculopathy using tomosynthesis selective nerve rootgraphy in both prone and upright position	337
	<i>K. Mataki, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
1-P15-6	Abdominal aorta calcification is a significant poor prognostic factor for surgical outcomes after decompressive surgery for lumbar spinal canal stenosis	337
	<i>H. Sakaura, et al.</i> , JCHO Osaka Hosp.	

Poster 16

17 : 40~18 : 10

Moderator : K. Inage

Lumbar spine: pathomechanism 2

1-P16-1	Quantitative measurements of muscle strength of gluteus medius as L5 proximal innervated muscle in lumbar operative patients	338
	<i>Y. Hatakeyama, et al.</i> , Akita Red Cross Hosp.	
1-P16-2	Detailed analysis of lumbar spinal stenosis using by treadmill test	338
	<i>T. Tsutsui, et al.</i> , Spinal Injuries Center	
1-P16-3	Relationship between the level of lumbar spinal canal stenosis and the location of the symptoms ..	339
	<i>K. Nomura, et al.</i> , Sumiya Orthop. Hosp.	
1-P16-4	The severity of lower limb symptoms in lumbar spinal stenosis is associated with lumbar alignment and range of motion	339
	<i>Y. Nagao, et al.</i> , Ube-kohsan Central Hosp.	
1-P16-5	The relationship between the intensity of lower limb pain in patients with lumbar spinal canal stenosis and the dynamic alignment of the spine during walking	340
	<i>T. Miura, et al.</i> , Aizu Medical Center, Fukushima Medical Univ.	
1-P16-6	Study of Preoperative findings suggestive of dural adhesions	340
	<i>K. Misaki, et al.</i> , Dept. of Orthop., Traumatology, and Spine Surg., Kawasaki Medical School	

Poster 17

17 : 10~17 : 40

Moderator : K. Ikuta

Minimally invasive decompression

1-P17-1	Prevention of nerve root thermal injury caused by bipolar cauterization near the nerve roots.....	341
	<i>S. Ohyama, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
1-P17-2	Percutaneous Steno-endoscopic Lumbar Decompression (PSLD) for Lumbar central spinal canal stenosis in elderly.....	341
	<i>F. Ito, et al.</i> , Aichi Spine Hosp.	
1-P17-3	New decompression technique for the lateral recess stenosis in the elderly patients: percutaneous endoscopic ventral facetectomy (PEVF)	342
	<i>K. Yamashita, et al.</i> , Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School	
1-P17-4	Microsurgical bilateral decompression via a unilateral approach can improve patients with scoliotic disc wedging if they have not foraminal stenosis	342
	<i>M. Seki, et al.</i> , Dept. of Orthop. Surg., Shiraniwa Hosp.	
1-P17-5	Safety and validity of hemi-laminectomy approach during microscopical resection for intradural extramedullary tumor	343
	<i>M. Kawasaki, et al.</i> , Dept. of Orthop. Surg., Kochi Medical School, Kochi Univ.	
1-P17-6	Microsurgical bilateral decompression and foraminotomy via contralateral approach using tubular retractor for lumbar spinal stenosis with foraminal stenosis	343
	<i>M. Seki, et al.</i> , Dept. of Orthop. Surg., Shiraniwa Hosp.	

Poster 18

17 : 40~18 : 10

Moderator : K. Kawaguchi

Minimally invasive fusion 1

1-P18-1	Comparative clinical analysis of OLIF51 and percutaneous posterior fixation in lateral position versus MIS-TLIF for lumbosacral degenerative disorders	344
	<i>Y. Kotani, et al.</i> , Steel Memorial Muroran Hosp.	
1-P18-2	Movement of abdominal structures on computed tomography during positioning changes related to lateral lumbar spine surgery; a morphometrical analyses	344
	<i>N. Manabe, et al.</i> , Inanami Spine And Joint Hosp.	
1-P18-3	Clinical results of ELIF (extraforaminal lumbar interbody fusion): A new, modified technique to treat degenerative lumbar spondylolisthesis.....	345
	<i>K. Nagahama, et al.</i> , Sapporo Hosp.	
1-P18-4	Clinical results of PETLIF (percutaneous endoscopic transforaminal lumbar interbody fusion): A new technique to treat degenerative lumbar spondylolisthesis	345
	<i>K. Nagahama, et al.</i> , Sapporo Hosp.	

1-P18-5	Effectiveness of MIS-TLIF as revision surgery Minimum 2-year outcome of MIS and Open TLIF	346
	<i>Y. Kaneko, et al.</i> , Saiseikai Yokohamashi Nanbu Hosp. Dept. of Orthop. Surg.	
1-P18-6	Cost-utility analysis between posterior lumbar interbody fusion and combined posterior and lateral lumbar interbody fusion for lumbar degenerative disorders	346
	<i>H. Fujiwara, et al.</i> , Dept. of Orthop. Surg., NHO, Osaka-Minami Medical Center	

Poster 19

17 : 10~17 : 40

Moderator : **A. Tagami**

LIF 1

1-P19-1	evaluateion of Direct lateral pre-psoas lumbar interbody fusion (DLPIF)	347
	<i>K. Sasaki, et al.</i> , Seirei Hamamatsu General Hosp.	
1-P19-2	Comparison of the clinical results between patients with single level TLIF and single level LIF surgery for degenerative spine	347
	<i>B. Otsuki, et al.</i> , Grad. Sch. Med., Dept Orthop., Kyoto Univ.	
1-P19-3	Surgical outcome of Lateral Lumbar Interbody Fusion and Transforaminal Lumbar Interbody Fusion for degenerative spondylolisthesis – multicenter study –	348
	<i>H. Endo, et al.</i> , Dept. of Orthop. Surg., Iwate Medical Univ. School of Medicine	
1-P19-4	Which approach is Advantageous to Prevent Development of Adjacent Segment Disease, TLIF or LLIF with PPS?	348
	<i>M. Okada, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	
1-P19-5	The examination of postoperative Adjacent Segment Disorder after Oblique Lateral Interbody Fusion	349
	<i>M. Suzuki, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
1-P19-6	The evaluation of degenerative lumbar kyphoscoliosis patients treated with LLIF and posterior corrective fusion based on post-operative PI-LL	349
	<i>H. Misawa, et al.</i> , Dept. of Orthop. Surg., Okayama Univ. Hospital	

Poster 20

17 : 40~18 : 10

Moderator : **H. Gen**

LIF 2

1-P20-1	Consideration of lordosis in XLIF (10 °) and OLIF (6 °)	350
	<i>H. Sawada, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	
1-P20-2	Factors to reduce local lordosis after LLIF	350
	<i>H. Sawada, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	
1-P20-3	Time-dependent anatomical changes in the lumbar spinal canal after transpsoas lateral interbody fusion	351
	<i>S. Okada, et al.</i> , Saiseikai Wakayama Hosp.	

1-P20-4	Indirect Decompression with Lateral Interbody Fusion for Revision Following Lumbar Decompression Surgery.....	351
	<i>T. Shimizu, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.	
1-P20-5	Factors associated with the intervertebral bridging callus outside implants in the treatment of minimally invasive surgery by extreme lateral interbody fusion	352
	<i>M. Takami, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	
1-P20-6	Correction of Intervertebral Rotation by Insertion of Oblique Lumbar Interbody Fusion Cage	352
	<i>Y. Nakaya, et al.</i> , Dept. of Orthop. Surg., Div. of Vital Care and Reconstructive Medicine, Osaka Medical College	

Poster 21

17 : 10~17 : 40

Moderator : K. Endo

Lumbar fusion 1

1-P21-1	Is a hard corset necessary as aftertreatment for posterior lumbar short fusion with instrumentation?	353
	<i>K. Fujita, et al.</i> , Tsukuba Memorial Hosp.	
1-P21-2	The efficacy of early postoperative ambulation in the patients undergone posterior lumbar interbody fusion	353
	<i>K. Nishizawa, et al.</i> , Kusatsu General Hosp.	
1-P21-3	Temporal profile of bone metabolic markers after lumbar spinal fusion surgery	354
	<i>R. Hyakkan, et al.</i> , Hakodate Central General Hosp.	
1-P21-4	The course of condition in the patients who were not satisfied with lumbar surgery at an early stage -The follow up rate and patient satisfaction at 1 year-	354
	<i>H. Yasuda, et al.</i> , Osaka General Hospital of West Japan Railway Company	
1-P21-5	Evaluation of surgical results for lumbar spinal canal stenosis and spondylolisthesis due to preoperative psychological disorder by JOABPEQ	355
	<i>A. Hiyama, et al.</i> , Dept. of Orthop. Surg., Surgical Science, Tokai Univ., School of Medicine	
1-P21-6	The relationship between ASA classification and postoperative complication of PLIF	355
	<i>K. Shinohara, et al.</i> , Okayama Medical Center	

Poster 22

17 : 40~18 : 10

Moderator : K. Takeuchi

Lumbar fusion 2

1-P22-1	Clinical outcomes and union rate of 2-level posterior lumbar interbody fusion	356
	<i>T. Fujimori, et al.</i> , JCHO Osaka Hosp.	
1-P22-2	Usefulness of boomerang Titanium-coated PEEK cage in posterior lumbar interbody fusion	356
	<i>M. Hashimoto, et al.</i> , Saiseikai Kawaguchi General Hosp.	

1-P22-3	Titanium coated PEEK cage can avoid posterior migration in transforaminal lumbar interbody fusion.....	357
	<i>H. Takahashi, et al.</i> , Dept. of Orthop. Surg., Toho Univ. Sakura Medical Center	
1-P22-4	consecutive 3 spinal fusion including lumbosacral fusion.....	357
	<i>K. Mizuno, et al.</i> , Kudanzaka Hosp., Orthop. Dept.	
1-P22-5	Clinical and Radiological Outcomes in single-segment PLIF with Hyper lordotic cages -A two-year prospective cohort study-	358
	<i>T. Matsumoto, et al.</i> , Osaka Rosai Hosp.	
1-P22-6	Bone transplant to the out of the cage is important in posterior lumbar interbody fusion.....	358
	<i>Y. Ogata, et al.</i> , Tsukuba Univ. Hosp. Mito Clinical Education and Training Center	

Poster 23

17 : 10~17 : 40

Moderator : **M. Kanamori**

Investigation of problem 1

1-P23-1	Characteristics of revision cases in TLIF and minimally invasive decompression for lumbar degenerative disease.....	359
	<i>H. Shimoda, et al.</i> , Niigata Spine Surg. Center	
1-P23-2	Comparison of reoperation in patients with symptomatic adjacent segment disease after lumbar fixation surgery	359
	<i>S. Suzuki, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
1-P23-3	Ajacent segment disease after PLIF by pathologies.-Effect of segmental lordosis-.....	360
	<i>M. Ikuta, et al.</i> , Osaka Rosai Hosp.	
1-P23-4	Transforaminal lumbar interbody fusion for spondylolisthesis could aggravate total sagittal spinal alignment at preoperative existence of local kyphosis angle	360
	<i>M. Ito, et al.</i> , Kobe Rosai Hosp.	
1-P23-5	Influence of posterior lumbar interbody fusion on global sagittal alignment in dysplastic spondylolisthesis	361
	<i>K. Takeda, et al.</i> , Dept. of Orthop. Surg., Shizuoka Red Cross Hosp.	
1-P23-6	10-year longitudinal MRI study in patients with lumbar spinal canal stenosis after posterior lumbar decompression surgery.....	361
	<i>T. Fujii, et al.</i> , Keio Univ.	

Poster 24

17 : 40~18 : 10

Moderator : **T. Tachibana**

Investigation of problem 2

1-P24-1	the effect of decompression alone for the patients complaining substantial low back pain	362
	<i>S. Masuda, et al.</i> , JCHO Tamatsukuri Hosp	

1-P24-2	Surgical outcomes of lumbar interbody fusion for chronic low back pain associated with vertebral bone marrow edema	362
	<i>T. Maruyama, et al.</i> , JA Hiroshima General Hosp.	
1-P24-3	Seasonal variation in SSI incidence after PLIF surgery –NSG multicenter study –.....	363
	<i>K. Kobayashi, et al.</i> , Meidai Seikei	
1-P24-4	Povidone-Iodine Irrigation in PLIF Surgery	363
	<i>T. Maenaka, et al.</i> , OGMC	
1-P24-5	Assessment of lumbar changes over 8 years in hemodialysis patients.....	364
	<i>Y. Kumanomido, et al.</i> , Toranomon Hosp.	
1-P24-6	Radiological outcomes and perioperative complications in dialysis-dependent patients after lumbar fusion surgery	364
	<i>A. Yamagishi, et al.</i> , Dept. of Orthop. Surg., Kansai Rosai Hosp.	

Poster 25

17 : 10~17 : 40

Moderator : **Y. Hiraizumi**

Sports

1-P25-1	Degenerative change of lumbar intervertebral disc for college rugby football player	365
	<i>T. Nakajima, et al.</i> , Showa Univ. Fujigaoka Hospital	
1-P25-2	Morphological evaluation for facet joints in professional baseball pitchers	365
	<i>H. Manabe, et al.</i> , Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School	
1-P25-3	Close relationship between baseball player's throwing side and occurrence side on spondylolysis	366
	<i>M. Tatsumura, et al.</i> , Tsukuba Univ. Mito Center	
1-P25-4	Effects of bicycle training with different intensity on spine/pelvis	366
	<i>T. Goto, et al.</i> , Dept. of Rehab., Tokushima Univ. Hosp.	
1-P25-5	Navigation-assisted spinal surgery using automatic registration for the athletes	367
	<i>R. Yamasaki, et al.</i> , OPH	
1-P25-6	Characteristics and treatment of spinal injury in snowboarding	367
	<i>S. Nozawa, et al.</i> , Dept. of Orthop. Surg., Div. of Disease Control, Research field of Medical Sciences, Graduate School of Medicine, Gifu Univ.	

Poster 26

17 : 40~18 : 10

Moderator : **K. Higashino**

Lumbar spondylolysis

1-P26-1	Assessment of lumbar spondylolysis in adolescent athlete on MRI	368
	<i>T. Nakamae, et al.</i> , Dept. of Orthop. Surg., Graduate School of Biomedical & Health Sciences, Hiroshima Univ.	

1-P26-2	The influence of spina bifida occulta on conservative therapy of lumbar spondylosis	368
	<i>Y. Ogata, et al.</i> , Tsukuba University Hospital Mito Clinical Education and Training Center	
1-P26-3	Reducing mechanical stress in immature pediatric spondylolisthesis can make modification of sacral dome: a study of spondylolisthesis rat model	369
	<i>K. Yamashita, et al.</i> , Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School	
1-P26-4	The effect to fusion rate in the young lumbar spondylolysis by the type of corset	369
	<i>T. Arai, et al.</i> , Sainou	
1-P26-5	Patient background and clinical result of adolescent fatigue fracture of lumbar and sacral spine in our hospital	370
	<i>F. Eto, et al.</i> , Mito Clinical Education and Training Center	
1-P26-6	Fracture gap of pseudoarthracted lumbar spondylolysis just after conservative therapy	370
	<i>M. Tatsumura, et al.</i> , Tsukuba University Mito Center	

Poster 27

17 : 10～17 : 40

Moderator : **A. Suzuki**

BKP 1

1-P27-1	Utility of hyperacute period percutaneous vertebroplasty for osteoporotic vertebral fracture	371
	<i>R. Harada, et al.</i> , Setagaya Shimoda Hosp.	
1-P27-2	Postoperative results of early performed balloon kyphoplasty for osteoporotic vertebral fracture	371
	<i>Y. Morita, et al.</i> , KTGH	
1-P27-3	Indication and timing of balloon kyphoplasty for osteoporotic vertebral fracture	372
	<i>K. Ono, et al.</i> , Center for Spinal Surg., Nippon Koukan Hosp.	
1-P27-4	BKP shorten the hospital stays compared to the conservative therapy in the osteoporotic vertebral fracture cohort	372
	<i>T. Shimomura</i> , Ohyama Memorial Hosp.	
1-P27-5	Does early BKP for the thoracolumbar fracture affect the incidence of adjacent vertebral fracture?	373
	<i>Y. Takeuchi, et al.</i> , Hamawaki	
1-P27-6	Addition of rehabilitative interventions to prophylactic measures for post-balloon kyphoplasty subsequent vertebral body fractures	373
	<i>M. Ueno, et al.</i> , Machida-Keisen Orthop. Surg.	

Poster 28

17 : 40~18 : 10

Moderator : M. Hoshino

BKP 2

1-P28-1	Clinical Outcomes of Balloon kyphoplasty for Osteoporotic Vertebral Fracture with Posterior Wall Injury	374
	<i>T. Ogawa, et al.</i> , Sakaide Kaisei Hosp.	
1-P28-2	Clinical evaluation and image analysis of balloon kyphoplasty (BKP) for treatment of osteoporotic vertebral fracture.....	374
	<i>S. Kotaka, et al.</i> , Orthop. and Microscopic Spine and Spinal Cord Surg. Center	
1-P28-3	Treatment result of BKP for the osteoporotic vertebral fracture with the lower limb pain	375
	<i>H. Sano, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ. School of Medicine	
1-P28-4	Treatment continuation rate of osteoporosis vertebral fracture patients after balloon kyphoplasty	375
	<i>M. Takahashi, et al.</i> , Okayama Red Cross Hosp.	
1-P28-5	Delayed bone cement dislodgement following Balloon Kyphoplasty	376
	<i>H. Hyodo, et al.</i> , Sendai Orthop. Hosp.	
1-P28-6	Radiological investigation into the cause of the adjacent vertebral fracture after Balloon kyphoplasty	376
	<i>I. Shiina, et al.</i> , Dept. of Orthop. Surg., Sogo Moriya Daiichi Hosp.	

Poster 29

17 : 10~17 : 40

Moderator : J. Hashimoto

Vertebral fracture: conservative treatment 1

1-P29-1	Indications and Limitations of Conservative Treatment for Osteoporotic Vertebral fractures in Outpatients.....	377
	<i>K. Goto</i> , Takeshima Orthop. Clinic	
1-P29-2	Conservative therapy of spinal fracture in ankylosing spinal disorders	377
	<i>M. Tokunaga, et al.</i> , Sendai Orthop. Hosp.	
1-P29-3	Association of number and distribution of prevalent osteoporotic vertebral fractures with back extensor strength and quality of life	378
	<i>M. Hongo, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine	
1-P29-4	Bone scan assessment for teriparatide treatment	378
	<i>Y. Fujioka, et al.</i> , JR Hiroshima Hosp.	
1-P29-5	A report of two patients with pregnancy and lactation-associated osteoporosis and the survey of risk for future osteoporosis in 300 parous women.....	379
	<i>S. Iwaya, et al.</i> , Saiseikai Hyogo-ken Hosp.	

1-P29-6	Outcomes of sufficient conservative treatment for osteoporotic vertebral fractures associated with ankylosing spine.....	379
	<i>M. Sugita</i> , Orthop. Surg. Rokujizou General Hosp.	

Poster 30

17 : 40～18 : 10

Moderator : S. Komatsubara

Vertebral fracture: conservative treatment 2

1-P30-1	Treatment results of osteoporotic vertebral fractures using hybrid semi hardorthosis.....	380
	<i>K. Matsui</i> , Sonoda Second Hosp.	
1-P30-2	Secondary injury rate after the treatment using Teriparatide for osteoporotic vertebral fracture	380
	<i>I. Shiina, et al.</i> , Dept. of Orthop. Surg., Sogo Moriya Daichi Hosp.	
1-P30-3	Hounsfield units of the inferior adjacent vertebra to bridging vertebral body in patients with diffuse idiopathic skeletal hyperostosis	381
	<i>K. Maeda, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Saga Univ.	
1-P30-4	Analysis of predictors for extravasation in sacral fracture	381
	<i>N. Notani, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Oita Univ.	
1-P30-5	Examination of fragility fractures of sacrum	382
	<i>T. Yamachi, et al.</i> , Okayama Rousai Hosp.	
1-P30-6	radiculopathy in fragility fracture of the sacrum :CT evaluation	382
	<i>F. Kanematsu, et al.</i> , Saiseikai Nakatsu	

Poster 31

17 : 10～17 : 40

Moderator : Y. Murata

Vertebral fracture 1

1-P31-1	The Role of Periostin in the Osteoporosis	383
	<i>T. Yoshihara, et al.</i> , Saga	
1-P31-2	The comparison of Hounsfield units of diffuse idiopathic skeletal hyperostosis (DISH) vertebral body VS non DISH vertebral body in patients with DISH.....	383
	<i>T. Takeuchi, et al.</i> , Kugayama Hosp.	
1-P31-3	Thoracic aortic aneurysm is an independent associated factor of diffuse idiopathic skeletal hyperostosis.....	384
	<i>T. Takizawa, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ. School of Medicine	
1-P31-4	High prevalence of osteoporotic vertebral fracture in patients with proximal femoral fracture	384
	<i>K. Takayama, et al.</i> , Seikeikai Hosp.	
1-P31-5	Sagittal alignment of kyphosis for osteoporotic vertebral fracture	385
	<i>K. Kiyasu, et al.</i> , Kochi	

1-P31-6	Influence of chronic kidney disease on back pain and spinal column alignment of osteoporotic patients.....	385
	<i>M. Matsumoto, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Kitasato Univ.	

Poster 32

17 : 40~18 : 10

Moderator : E. Nakamura

Vertebral fracture 2

1-P32-1	surgical outcome of posterior fusion for osteoporotic multiple vertebral fractures	386
	<i>Y. Oto, et al.</i> , Isogo Central Hosp.	
1-P32-2	Clinical characteristics and risk factors of subsequent vertebral body fractures in patients with lumbar degenerative disease treated with transforaminal lumbar interbody fusion	386
	<i>Y. Aoki, et al.</i> , Dept. of Orthop. Surg., Eastern Chiba Medical Center	
1-P32-3	New vertebral fractures after spinal fusion for osteoporotic vertebral collapse	387
	<i>J. Hayashi, et al.</i> , Dept. of Orthop. Surg., Itami City Hosp.	
1-P32-4	Outcomes after surgery of posterior instrumentation and vertebroplasty with hydroxiapatite spacer for osteoporotic vertical fracture.....	387
	<i>Y. Onishi, et al.</i> , Spine and Orthop. Surg., Japanese Red Cross Medical Center	
1-P32-5	Minimally invasive reconstructive surgery using re-vertebroplasty technique for failed vertebroplasty	388
	<i>Y. Kasai, et al.</i> , Dept. of Orthop. Surg., Kochi Medical School, Kochi Univ.	
1-P32-6	Risk factors of postoperative correction loss in osteoporotic vertebral fractures after posterior spinal fixation combined with kyphoplasty	388
	<i>H. Nakarai, et al.</i> , Kanto Rosai Hosp.	

Poster 33

17 : 10~17 : 40

Moderator : H. Hamanaka

Spinal tumor

1-P33-1	Implications of Orthopaedic in the treatment of multiple myeloma	389
	<i>R. Tsutsumi, et al.</i> , ORC	
1-P33-2	Treatment of Orthopaedic surgery for vertebral fractures caused by multiple myeloma	389
	<i>T. Kato, et al.</i> , Ome Municipal General Hosp., Orthop.	
1-P33-3	Epidemiology of multiple myeloma diagnosed as osteoporotic vertebral body fracture in elderly ..	390
	<i>S. Kumamoto, et al.</i> , Dept. of Orthop. Surg., Fukuoka Kinen Hosp.	
1-P33-4	Clinical outcome of the separation surgery with carbon-ion radiotherapy	390
	<i>Y. Matsumoto, et al.</i> , Dept. of Orthop. Surg., Clinical Medicine, Graduate School of Medical Sciences, Kyushu Univ.	

1-P33-5	efficiency estimation of radiofrequency ablation (RFA) under 3D-fluoroscopic navigation for lumbar pedicle osteoid osteoma	391
	<i>Y. Ukon, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
1-P33-6	The association between sarcopenia and malnutrition in patients with spinal cord tumors; intradural extramedullary tumors and intramedullary tumors	391
	<i>S. Ito, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	

Poster 34

17 : 40～18 : 10

Moderator : **H. Nakajima**

Spinal cord tumor

1-P34-1	Surgical outcomes of 17 cases of cervical meningiomas	392
	<i>Y. Nishiyama, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
1-P34-2	Impact of surgical resection for dumbbell tumor on cervical spinal function	392
	<i>N. Nagoshi, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
1-P34-3	Risk factors for postoperative kyphotic deformity after spinal tumor resection are thoracic lesion and recurrent	393
	<i>H. Arima, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
1-P34-4	Surgical outcome of spinal cord tumor in childhood	393
	<i>S. Imagama, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	
1-P34-5	The efficacy of intraoperative electrophysiological spinal cord monitoring – in cases of neurologic deficits	394
	<i>Y. Tsuchikawa, et al.</i> , Dept. of Orthop. Surg., Graduate School of Biomedical & Health Sciences, Hiroshima Univ.	
1-P34-6	The treatment strategy for intractable postoperative cerebrospinal fluid leakage	394
	<i>T. Banno, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	

Poster 35

17 : 10～17 : 40

Moderator : **T. Fujimoto**

Case reports

1-P35-1	Hemorrhagic shock after XLIF surgery : A report of three cases	395
	<i>T. Tanaka, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.	
1-P35-2	Bertolotti's syndrome: A report of two cases	395
	<i>S. Kojo, et al.</i> , Dept. of Orthop. Surg., Tohoku Central Hosp.	
1-P35-3	A Case of Air Embolism Occurred During Cervical Spinal Laminoplasty	396
	<i>H. Hosoe, et al.</i> , Gifu Pref. General Med. Center	

1-P35-4	Effect for the iliac crest reverse approach for L5 vertectomy.....	396
	<i>A. Iwata, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.	
1-P35-5	Repetitive spinal fractures in patients with ankylosing spinal disorders: Report of two cases	397
	<i>R. Fukushi, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Sapporo Medical Univ.	
1-P35-6	Cervical spinal cord injury in a 2-year-old girl. A case report	397
	<i>T. Koakutsu, et al.</i> , Emergency Center, Tohoku Univ. Hosp.	

Poster 36

17 : 40～18 : 10

Moderator : **Y. Imajo**

Approach to low back pain

1-P36-1	The new combination of approach for refractory chronic pain patients - Efficacy of the multidisciplinary chronic pain management program	398
	<i>S. Inoue, et al.</i> , Multidisciplinary Pain Center, Aichi Medical Univ., School of Medicine	
1-P36-2	Influence of accumulated Advanced Glycation End-products on low back pain	398
	<i>T. Umemura, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
1-P36-3	Availability of Duloxetine for elderly patients with refractory low back pain in the spine surgeon's outpatient practice	399
	<i>H. Yasuoka, et al.</i> , Dept. of Orthop. Surg., Tokorozawa Meisei Hosp.	
1-P36-4	The efficacy of the abdominal trunk muscles exercise using an innovative exercise device in the treatment of chronic low back pain: A controlled clinical trial	399
	<i>R. Kitagawa, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.	
1-P36-5	Effect of Hybrid Assistive Limb for lumbar support on reduction of lumbar load in transferring patient	400
	<i>K. Miura, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
1-P36-6	Influence of elderly people's obesity on back pain Consideration from general checkup of local residents GAINA study	400
	<i>S. Tanishima, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Tottori Univ.	

Poster 37

17 : 10～17 : 40

Moderator : **T. Morino**

Basic research: Nerve 1

1-P37-1	Transient Gene Expression Changes in Motor Cortex after Intravenous Infusion of Mesenchymal Stem Cells in SCI rat model.....	401
	<i>T. Oshigiri, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Sapporo Medical Univ.	
1-P37-2	Administration of ONO-2506 suppresses neuropathic pain after spinal cord injury by inhibition of astrocytic activation.....	401
	<i>H. Ishiguro, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	

1-P37-3	Locomotor training after spinal cord injury increases postsynaptic NGL-2 expression and synaptic structure	402
	<i>K. Kobayakawa, et al.</i> , Spinal Injuries Center	
1-P37-4	The effect of the GLP-1 receptor agonist on spinal cord injury - by enhancing the ER stress response.....	402
	<i>S. Nomura, et al.</i> , Dept. of Orthop. Surg., Surgical Science, Tokai Univ., School of Medicine	
1-P37-5	Serum level of reactive oxygen metabolites (ROM) in compression myelopathy elevates in early phase after surgery.....	403
	<i>H. Takahashi, et al.</i> , Dept. of Orthop. Surg., Toho Univ. Sakura Medical Center	
1-P37-6	An experimental rat model of cervical spondylotic myelopathy induced by chronic compression in spinal cord	403
	<i>S. Kanbara, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	

Poster 38

17 : 40～18 : 10

Moderator : **O. Tsuji**

Basic research: Nerve 2

1-P38-1	Effects of functional improvement therapy using robot suit HAL for patients with chronic myelopathy	404
	<i>S. Kubota, et al.</i> , Division of Regenerative Medicine for Musculoskeletal System, Faculty of Medicine, Univ. Tsukuba	
1-P38-2	Changes of ligamentous matrix accompany with cytokine expression in the ossified process in ossification of the spinal ligament	404
	<i>T. Yayama, et al.</i> , Dept. of Orthop. Surg., Shiga Univ. of Medical Science	
1-P38-3	Analysis of disease related candidate gene expression in ttw mouse cervical spine	405
	<i>S. Watanabe, et al.</i> , Dept. of Orthop. and Rehab. Medicine, Faculty of Medical Sciences, Univ. of Fukui	
1-P38-4	Role of the SDF-1/CXCR4 Axis in Chemotactic Activity of Mesenchymal Stem Cell in Ossification of Spinal Ligament	405
	<i>S. Chin, et al.</i> , Dept. of Orthop. Surg., Hirosaki Univ. Graduate School of Medicine	
1-P38-5	Kinematics and cervical vertebral motion of an elderly human finite element model in traumatic cervical extension	406
	<i>K. Mataki, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
1-P38-6	The role of integrin $\alpha 5\beta 1$ in the alteration of notochordal cell by dynamic loading	406
	<i>Y. Kanda, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	

Poster 39

17 : 10~17 : 40

Moderator : T. Yoshii

English poster

1-P39-1	Contralateral ligament flavum sparing foraminotomy by biportal technique	407
	<i>S. Sun</i> , Sun's Orthop.	
1-P39-2	Withdrawn	
1-P39-3	Drop Head, Is It Rheumatoid Arthritis of the Cervical Spine, Systematic Lupus Erythematosus or Neglected Grisel Disease? A Case Report	408
	<i>P. Airlangga, et al.</i> , Orthop. and Traumatology Dept., Faculty of Medicine, Airlangga Univ./Dr. Soetomo General Hosp.	
1-P39-4	Withdrawn	
1-P39-5	Oswestry Disability Index and Visual Analogue Scale in Percutaneous Endoscopic Lumbar Discectomy on Lumbar Disc Herniation	409
	<i>I. Pratistha, et al.</i> , Dept. of Orthop. and Traumatology Udayana Univ. Sanglah General Hosp.	
1-P39-6	Severe Adolescent Idiopathic Scoliosis Lenke 3CN with Two Stage Operation: A Case Report	409
	<i>N. Bimantara, et al.</i> , Dept. of Orthop. and Traumatology Udayana Univ. Sanglah General Hosp.	

Poster 40

17 : 40~18 : 10

Moderator : S. Taniguchi

Population-based study

1-P40-1	A low phase angle measured with bioelectrical impedance analysis is a risk factor for osteoporosis in community-dwelling people	410
	<i>S. Tanaka, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	
1-P40-2	Investigation for risk factor with spinal kyphosis	
	Considerations based on medical examination of residents: GAINA study	410
	<i>S. Tanishima, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Tottori Univ.	
1-P40-3	Relation between spinal sagittal alignment deterioration and thoracolumbar kyphosis	411
	<i>T. Yamada, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
1-P40-4	Risk factors for close examination required of osteoporosis among medical examination in our hospital for the prevention of adverse event related to osteoporosis	411
	<i>H. Maekawa, et al.</i> , Nara City Hosp.	
1-P40-5	The prevalence and characteristics of spinal sagittal imbalance in osteoporosis patients.....	412
	<i>T. Matsunaga, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Kitasato Univ.	
1-P40-6	Factors related to spinal kyphosis in community-dwellers.....	412
	<i>Y. Ishikawa, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine	

The Second Day—April 19 (Friday)

Room 1

Break

Special Lecture 1

8 : 40～9 : 40

Moderator : H. Nakamura

2-1-SL1	Cervical laminoplasty – The birth and the subsequent progress –	421
	<i>T. Taguchi</i> , Yamaguchi Rosai Hosp.	

Expert Technical Note 2

9 : 50～11 : 50

Moderators : M. Neo

H. Takahashi

Expert technique in advanced surgery

2-1-ETN2-1	Practical procedure of total en bloc spondylotomy	421
	<i>H. Murakami, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.	
2-1-ETN2-2	Correction surgery for cervical deformity; significant task for every spinal surgeon	422
	<i>T. Shimizu</i> , Harunasou Hosp.	
2-1-ETN2-3	The steps to be the master of spinal correction surgery for spinal scoliosis	422
	<i>K. Watanabe, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-1-ETN2-4	Advanced technique of spinal endoscopic surgery –especially about OLF of thoracic spine, foraminal stenosis with degenerative spondylolisthesis, and isthmic spondylolisthesis–	423
	<i>M. Yoshida</i> , Sumiya Orthop. Hosp.	

Break

Luncheon Seminar 11

12 : 20～13 : 20

Moderator : Y. Matsuyama

2-1-LS11	Forefront of adult spinal deformity treatment	423
	<i>S. Ebata</i> , Dept. of Orthop. Surg., Univ. of Yamanashi	

Break

Special Lecture 2

13 : 40～14 : 40

Moderator : H. Haro

- 2-1-SL2 Looking back over the breakthrough of spine surgery and time changes for these 40 years 424
Y. Nohara, Dokkyo Med. Univ.

Break

Expert Technical Note 3

14 : 50～16 : 50

Moderators : H. Nakamura

M. Yamazaki

Surgical complication

- 2-1-ETN3-1 Complications of cervical spine surgery 424
M. Neo, Dept. of Orthop. Surg., Div. of Vital Care and Reconstructive Medicine, Osaka Medical College
- 2-1-ETN3-2 Complications of Thoraco-lumbar Spinal Surgery -Incident Rate and Management 425
M. Matsumoto, Dept. of Orthop. Surg., School of Medicine, Keio Univ.
- 2-1-ETN3-3 A study on measures against SSI without evidence 425
T. Yamazaki, Dept. of Orthop. Surg., Musashino Red Cross Hosp.
- 2-1-ETN3-4 Vasacular injury in total en bloc spondylectomy 426
N. Kawahara, et al., Dept. of Orthop. Surg., Kanazawa Medical Univ.

Break

Supervisory Doctor's Evening Seminar

18 : 30～19 : 30

Moderator : H. Konishi

- 2-1-SV1 Medical Conflict Management 426
H. Komori, Yokohama City Minato Red Cross Hosp.

Break

Morning Seminar 1

7 : 30～8 : 30

Moderator : E. Abe

- 2-2-MS1 Minimally invasive approach to adult spine deformity using C-MIS technique
 Current status of intraoperative spinal cord monitoring and its optimization 427
T. Saito, Dept. of Orthop. Surg., Kansai Medical Univ.

Break**Room 2****Main Theme 6**

8 : 40～9 : 28

Moderator : M. Iwasaki

Progress in surgical material for spine and spinal cord diseases

2-2-M6-1	Comparison of bone ongrowth on the cage surfaces between titanium coated PEEK and 3D-printed porous titanium alloy: in vivo analysis using CT color mapping.....	427
	<i>T. Makino, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
2-2-M6-2	A prospective comparative study of various materials of PLIF cage related to intervertebral body fusion.....	428
	<i>Y. Arai, et al.</i> , Saiseikai Kawaguchi General Hosp., Dept. of Orthop. and Spine Surg.	
2-2-M6-3	The effect of bone union by the materials in OLIF cage	428
	<i>Y. Shiga, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
2-2-M6-4	Investigation of the effectiveness and appropriate mixing ratio of porous hydroxyapatite collagen composites for Lateral Lumbar Interbody Fusion	429
	<i>K. Katsumi, et al.</i> , Niigata Univ. Medical & Dental Hosp.	
2-2-M6-5	Radiographic evaluation of vertebral coplanar alignment for Lenke type 1 adolescent idiopathic scoliosis.....	429
	<i>H. Moridaira, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	
2-2-M6-6	Retrospective single-center study of 24 cases of early-onset scoliosis treated with magnetically controlled growing rods	430
	<i>K. Yamashita, et al.</i> , Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School	

Break**Main Theme 7**

9 : 50～10 : 38

Moderator : T. Sakai

Athletic injury to spine

2-2-M7-1	Medical support for juvenile basketball player -effectiveness for low back pain-	430
	<i>K. Watanabe, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Fukushima Medical Univ.	
2-2-M7-2	Reconsideration of the extraosseous signal changes on MRI in patients with early stage spondylolysis	431
	<i>T. Sakai, et al.</i> , Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School	

2-2-M7-3	Frequency and risk factor of lumbar spine disorders in american football player - Six years cohort study using MRI and X-ray -	431
	<i>T. Iida, et al.</i> , Dept. of Orthop. Surg., Kitasato Institute Hosp.	
2-2-M7-4	Analysis of lumbar spondylolysis in lumbar disorder of sports activity at the growth period using a database	432
	<i>N. Iesato, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Sapporo Medical Univ.	
2-2-M7-5	Influence of lumbar spodylolytic on career outcomes in professional baseball players	432
	<i>K. Kato, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Fukushima Medical Univ.	
2-2-M7-6	Sport-related spinal cord injuries ~mainly,cervical spinal cord injuries~	433
	<i>H. Kaneyama, et al.</i> , Spinal Injuries Center	

Break

Main Theme 8

11 : 00~11 : 48

Moderator : M. Tanaka

Computer-assisted surgery for spine and spinal cord diseases

2-2-M8-1	A novel surgical technique: Microscopic augmented reality assisted spinal surgery	433
	<i>Y. Fujiwara, et al.</i> , Hiroshima City Asa Hosp.	
2-2-M8-2	Development of custom-made implants for anatomical spinal correction using 4D-FEA simulation	434
	<i>H. Sudo, et al.</i> , Dept. of Advanced Medicine for Spine and Spinal Cord Disorders, Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.	
2-2-M8-3	The usefulness of the Simultaneous Parallel Anterior and Posterior combined lumbar spine Surgery under intraoperative CT navigation (SPAPS)	434
	<i>H. Ikuma, et al.</i> , Kagawa Prefectural Central Hosp.	
2-2-M8-4	Computed tomography-based navigation system-assisted surgery for primary spine tumor	435
	<i>K. Ando, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	
2-2-M8-5	Pedicle screw loosening in percutaneous pedicle screw placements; incidence and risk factor	435
	<i>T. Ohba, et al.</i> , Dept. of Orthop. Surg., Univ. of Yamanashi	
2-2-M8-6	Approach to pre-operative surgical-assisted image applied by contrast 3D-CT image for Lateral Access Lumbar Interbody Fusion	436
	<i>G. Hayasaka, et al.</i> , Spine Surg. Chiba Central Medical Center	

Break**Luncheon Seminar 12**

12 : 20~13 : 20

Moderator : **T. Ushida**

2-2-LS12-1	Up-to-date information for chronic musculoskeletal pain: pathophysiology, diagnosis, and treatment of chronic pain in knee osteoarthritis.....	436
	<i>M. Ishijima</i> , Dept. of Orthop., Juntendo Univ. School of Medicine	
2-2-LS12-2	Up-to-date of chronic musculoskeletal pain: pathophysiology, diagnosis, and treatment from perspectives of pain clinic.....	437
	<i>M. Iseki</i> , Dept. of Anesthesiology and Pain Medicine, Juntendo Univ. Faculty of Medicine	

Break**Main Theme 9**

13 : 40~14 : 28

Moderator : **H. Yamada****Standards of minimally invasive spinal surgery**

2-2-M9-1	Over 10 years follow-up results of MIS-TLIF for patients with degenerative lumbar spondylolisthesis.....	437
	<i>A. Wada, et al.</i> , Dept. of Orthop. Surg., Toho Univ.	
2-2-M9-2	Pathology and clinical outcomes of reoperative cases after lumbar minimally invasive laminoplasty -looking back over the past ten years-	438
	<i>T. Ogura, et al.</i> , Dept. of Orthop. Surg., Kyoto Chubu Medical Center	
2-2-M9-3	Classification and prognostic factors of residual symptoms after minimum invasive lumbar decompression surgery using a cluster analysis.....	438
	<i>H. Toyoda, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
2-2-M9-4	Early reduction of ligamentum flavum after facet fusion without neural decompression for unstable degenerative lumbar spondylolisthesis.....	439
	<i>H. Ataka, et al.</i> , Matsudo Orthop. Hosp.	
2-2-M9-5	Posterior fixation using penetrating endplate screw technique to DISH associated thoracolumbar injury.....	439
	<i>M. Ota, et al.</i> , Sanmu Medical Center	
2-2-M9-6	MIS lumbar fusion for Elderly Degenerative Lumbar Conditions. - From the Viewpoint of Medical Cost Effectiveness -	440
	<i>A. Wada, et al.</i> , Dept. of Orthop. Surg., Toho Univ.	

Break

Main Theme 10

14 : 50~15 : 38

Moderator : M. Kanayama

Therapeutic strategy for osteoporotic vertebral fracture

2-2-M10-1	Impact of strict rest management therapy with hospitalization on osteoporotic vertebral fractures	440
	<i>M. Sugita, et al.</i> , Miyukikai Hosp.	
2-2-M10-2	Conservative Treatment Resistance using Imaging of Posterior Wall Injury and Instability in Osteoporotic Vertebral Fractures with Poor Prognostic Factor of MRI	441
	<i>T. Funayama, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
2-2-M10-3	The risk factors about loss of femoral bone mineral density after osteoporotic vertebral fractures	441
	<i>A. Iwata, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.	
2-2-M10-4	Clinical and radiological impact on adjacent vertebral fracture after balloon kyphoplasty: Development of a scoring system for the prediction	442
	<i>S. Takahashi, et al.</i> , Osaka City Univ.	
2-2-M10-5	Nonunion after corrective surgery for the patients with osteoporotic vertebral collapse with delayed neurological deficit	442
	<i>K. Tamai, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
2-2-M10-6	Impact of Diffuse Idiopathic Skeletal Hyperostosis for Balloon kyphoplasty	443
	<i>Y. Hori, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	

Break

Main Theme 11

16 : 10~16 : 58

Moderator : G. Inoue

Spinal surgery with instrumentation for osteoporosis

2-2-M11-1	The impact of teriparatide administration as a neoadjuvant therapy on osteoporotic spine: A histomorphometric study	443
	<i>K. Sawakami, et al.</i> , Niigata City General Hosp., Dept. of Orthop. Surg.	
2-2-M11-2	Remaining of endplate is a risk factor of delayed osseous union after posterior lumbar interbody fusion: a multicenter, prospective, randomized study	444
	<i>H. Ushirozako, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-2-M11-3	Osteoporotic Posttraumatic Kyphosis (OPK) does not require fixation from the pelvis if the preoperative PT is less than 30 degrees	444
	<i>K. Sakaki, et al.</i> , Dept. of Orthopaedic Surg., Saiseikai Kawaguchi General Hosp.	

2-2-M11-4	Risk factors of adjacent vertebral fractures after surgical treatment for osteoporotic vertebral fracture.....	445
	<i>T. Ohba, et al.</i> , Dept. of Orthop. Surg., Univ. of Yamanashi	
2-2-M11-5	Spinal fusion surgery for osteoporotic vertebral fracture in patients with Parkinson's disease.....	445
	<i>K. Watanabe, et al.</i> , Niigata Univ.	
2-2-M11-6	Establishment of a novel measurement technique for pedicle screw stability: Laser resonance frequency analysis.....	446
	<i>D. Nakashima, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	

Break**Room 3****Symposium 2**

8 : 40~10 : 40

Moderators : **M. Nakamura****D. Sakai****Translational research in spinal diseases**

2-3-S2-1	Regenerative medicine for spinal cord injury using iPS cells.....	446
	<i>M. Nakamura</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
2-3-S2-2	Acute hyperglycemia impairs functional improvement after spinal cord injury in mice and humans.....	447
	<i>S. Okada</i> , Dept. of Orthop. Surg., Kyushu Univ./MIB, Kyushu Univ./Dept. of Orthop. Surg., Spinal Injureis Center	
2-3-S2-3	Autologous bone marrow mesenchymal stem cell therapy for spinal cord injury.....	447
	<i>T. Yamashita</i> , Dept. of Orthop. Surg., Sapporo Medical Univ. School of Medicine	
2-3-S2-4	Regenerative medicine for intervertebral disc degeneration: Challenges towards realization	448
	<i>D. Sakai</i> , Tokai Univ. School of Medicine	
2-3-S2-5	Condoliase, a novel treatment option for lumbar disc herniation -from bench to bedside-	448
	<i>K. Chiba</i> , Dept. of Orthop. Surg., National Defense Medical College	
2-3-S2-6	Therapeutic targets for discogenic low back pain	449
	<i>S. Ohtori</i> , Dept. of Orthop. Surg., Chiba Univ.	

Break**English Presentation Session 1**

11 : 00~11 : 48

Moderator : **S. Takahashi**

2-3-EPS1-1	Relationship between changes in segmental kyphosis of fractured vertebra and global sagittal alignment of spine in surgically treated thoraco-lumbar fracture patients	449
	<i>C. Jeon, et al.</i> , Dept. of Orthop. Surg., Ajou Univ. School of Medicine	
2-3-EPS1-2	The mobility sparing benefits of selective thoracic fusions for adolescent idiopathic scoliosis are evident 10 years postoperatively.....	450
	<i>M. Ohashi, et al.</i> , Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences/Dept. of Orthop., Rady Children's Hosp./Setting Scoliosis Straight Foundation	
2-3-EPS1-3	Withdrawn	
2-3-EPS1-4	Withdrawn	
2-3-EPS1-5	Analysis of the Impact of Spinopelvic Radiographic Parameters on the Severity of Cervical Spondylotic Myelopathy	451
	<i>K. Ninomiya, et al.</i> , Dept. of Orthop. Surg., Tokyo Dental College Ichikawa General Hosp./Dept. of Rehab., Tokyo Dental College Ichikawa General Hosp./Dept. of Orthop. Surg., Murayama Medical Center/Dept. of Orthop. Surg., Saiseikai Toubu Hosp./Dept. of Orthop. Surg., Kawasaki Municipal Hosp.	
2-3-EPS1-6	Complications in Idiopathic Scoliosis surgery.....	452
	<i>S. Alfredo, et al.</i> , Spine Surg. Dept., High Specialty Medical Unit, Trauma and Orthop. Hosp. "Lomas Verdes" of the Mexican Institute of Social Security	

Break**Luncheon Seminar 13**

12 : 20~13 : 20

Moderator : **M. Watanabe**

2-3-LS13	The mechanism and effective pharmacotherapy for musculoskeletal pain	452
	<i>S. Orita, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	

Break

English Presentation Session 2

13 : 40～14 : 28

Moderator : N. Hosogane

2-3-EPS2-1	Use of Intraoperative Neuromonitoring in Lumbar Spine Surgery is Associated with Reduced Incidence of Postoperative Urinary Retention (POUR)	453
	<i>A. Doan, et al.</i> , NuVasive Clinical Services/Boston Univ.	
2-3-EPS2-2	Dose Postoperative Antimicrobial Prophylaxis Administration for more than 24 Hours Prevent Surgical Site Infection in Revision Spine Surgery?.....	453
	<i>K. Nagata, et al.</i> , Dept. of Orthop. Surg. and Spinal Surg., the Univ. of Tokyo Hosp./Kanto Rosai Hosp./Yokohama Rosai Hosp./Society for Orthop. Surgical Site Infection	
2-3-EPS2-3	Relationship between pelvic incidence and morphological parameters of acetabulum	454
	<i>C. Jeon, et al.</i> , Dept. of Orthop. Surg., Ajou Univ. School of Medicine	
2-3-EPS2-4	The Adjacent Motion Segment Alterations Following Dynesys Fixation along with Stability-Preserving Decompression for Lumbar Degenerative Stenosis- Retrospective Analysis with Mean 90 months follow-up.....	454
	<i>C. Po-Hsin, et al.</i> , Dept. of Orthop. & Traumatology, Taipei Veterans General Hosp., School of Medicine, National Yang-Ming Univ.	
2-3-EPS2-5	Long-term impacts of full-time brace treatment for adolescent idiopathic scoliosis on musculoskeletal system in adulthood	455
	<i>M. Ohashi</i> , Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences/Niigata Spine Surg. Center/Dept. of Orthop. Surg., Uonuma Institute of Community Medicine, Niigata Univ. Medical and Dental Hosp.	
2-3-EPS2-6	Withdrawn	

Break

English Presentation Session 3

14 : 50～15 : 30

Moderator : A. Minamide

2-3-EPS3-1	Surgical Treatment for Infectious Spondylitis Using Posterior Instrumentation -Outcomes, Complications, and Efforts for Minimum Invasiveness using Percutaneous Pedicle Screws (PPS)-	456
	<i>K. Miyamoto, et al.</i> , Gifu Municipal Hosp.	
2-3-EPS3-2	Clinical and Radiological Outcomes between biportal endoscopic unilateral laminotomy bilateral decompression with arthroscopy and open microscopic unilateral laminotomy bilateral decompression in lumbar spinal stenosis : Minimum 2 years Follow-up.....	456
	<i>J. KIM, et al.</i> , Dept. of Orthop. Surg., Him Nae Ra Hosp./Dept. of Orthop. Surg., Kyungpook National Univ. Hosp.	

2-3-EPS3-3	Interlaminar/Interspinous and Facet Joint Stabilization System in Lumbar DDD: Preliminary Results.....	457
	<i>G. GUZZARD, et al.</i> , Spine Section, Tuscany Surgical Center/ Neurosurg. Dept., Neuromed Neurological Institute	
2-3-EPS3-4	Appropriate Selection of Lumbar Endoscopic Approach according to the various type of disc herniation	457
	<i>Y. Kwon, et al.</i> , Daejeon Centum Hosp.	
2-3-EPS3-5	Cervical arteriosclerosis assessments using ultrasonography for cervical stenosis with myelopathy	458
	<i>G. Kumagai, et al.</i> , Dept. of Orthop. Surg., Hirosaki Univ. Graduate School of Medicine	

Break

English Presentation Session 4

16 : 10~16 : 58

Moderator : **S. Imagama**

2-3-EPS4-1	Therapeutic impact of grafted human oligodendrogenic-directly reprogrammed neural progenitor cells combined with sustained delivery of chondroitinase ABC using an innovative methylcellulose biomaterial for chronic spinal cord injury	458
	<i>S. Nori, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ./ Div. of Genetics and Development, Krembil Research Institute, Univ. Health Network/Electron Microscope Laboratory, Keio Univ. School of Medicine	
2-3-EPS4-2	Potential involvement of oxidative stress/inflammatory cytokines cascade in ligamentum flavum hypertrophy.....	459
	<i>S. Suzuki, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ./Dept. of Orthop. Surg., Fujita Health Univ., School of Medicine	
2-3-EPS4-3	Epidural Fat-derived Mesenchymal Stem Cell (EF-MSC)	459
	<i>L. Gun Woo, et al.</i> , Yeungnam Univ. Medical Center and Yeungnam Univ. College of Medicine/Daegu-Gyeongbuk Medical Innovation Foundation	
2-3-EPS4-4	Predictors of Neurological Disability Among Adults Following Traumatic Spinal Injuries in A Center in Saudi Arabia. A Retrospective Medical Record Review.....	460
	<i>S. Al Assiri, et al.</i> , Dept. of Orthop. Surg., National Guard Hosp., King Abdulaziz Medical City/Dept. of Radiology, National Guard Hosp., King Abdulaziz Medical City/Dept. of Internal Medicine, Univ. of Toronto/King Abdullah International Medical Research Center, King Saud Bin Abdulaziz Univ. for Health Sciences	
2-3-EPS4-5	Kinetic Change of Spinal Cord Compression on Flexion-Extension Magnetic Resonance Imaging in Cervical Spine	460
	<i>M. Miyazaki, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Oita Univ./Dept. of Orthop., Birat Medical College Teaching Hosp., Kathmandu Univ., Nepal	

2-3-EPS4-6	Reduction effect of radiation exposure to the patient during CT examination; a cadaveric study ··· 461 <i>K. Yamashita, et al.</i> , Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School/Clinical Anatomy Education and Research Center, Tokushima Univ. Hosp./Graduate School of Biomedical Sciences, Tokushima Univ./Dept. of Anatomy, Institute of Biomedical Sciences, Tokushima Univ. Graduate School
------------	---

Break

Room 4

Invited Lecture 5

8 : 40~9 : 40	Moderator : Y. Kawaguchi
2-4-IL5	Predictive Factors of Adjacent Level Disease in the Lumbar Spine: Can the Risk be Decreased? ··· 461 <i>C. Bono</i> , Dept. of Orthop. Surg., Massachusetts General Hosp.

Break

Invited Lecture 6

9 : 50~10 : 50	Moderator : H. Taneichi
2-4-IL6	Minimally Invasive Spine Surgery ······ 462 <i>J. Uribe</i> , Barrow Neurological Institute

Break

Invited Lecture 7

11 : 00~12 : 00	Moderator : T. Kanemura
2-4-IL7	Osteoporotic Vertebral Fracture and its Treatment ······ 462 <i>D. Kim</i> , Dept. of Orthop. Surg., Ewha Womans Univ.

Break

Luncheon Seminar 14

12 : 20~13 : 20	Moderator : H. Konishi
2-4-LS14	Allograft bone banking for spinal surgery in Japan ······ 463 <i>G. Inoue</i> , Dept. of Orthop. Surg., School of Medicine, Kitasato Univ.

Break**Invited Lecture 8**

13 : 40~14 : 40

Moderator : **K. Ishii**

- 2-4-IL8 Safety of Pedicle Screw Instrumentation in Spinal Surgery 463
M. Kwan, Dept. of Orthop. Surg.(NOCERAL), Faculty of Medicine, Univ. of Malaya

Break**Invited Lecture 9**

14 : 50~15 : 50

Moderator : **M. Nakamura**

- 2-4-IL9 Cervical Sagittal Balance 464
J. Wang, Orthop. Surg. and Neurosurg., USC Spine Center

Break**Invited Lecture 10**

16 : 10~17 : 10

Moderator : **D. Sakai**

- 2-4-IL10 Is Sub-clinical Infection the Cause for Lumbar Disc Disease 464
S. Rajasekaran, Dept. of Spine Surg. and Orthop., Ganga Hosp.

Break**Room 5****Morning Seminar 2**

7 : 30~8 : 30

Moderator : **Y. Nakagawa**

- 2-5-MS2 Balloon Kyphoplasty For Osteoporotic Vertebral Fractures – Pitfalls in Early Indications 465
D. Togawa, Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine

Break

Free Papers 30

8 : 40～9 : 28

Moderator : S. Inami

Adult spinal deformity: assessment

2-5-F30-1	Cervico-thoracic spine declined anterior after 5 years the correction surgery without ODI deterioration in elder adult spinal deformity	465
	<i>T. Hasegawa, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-5-F30-2	Evaluation of risk of falls and gravity fluctuation after corrective surgery for patients with elderly adult kypho-scoliotic spinal deformity	466
	<i>K. Nakamura, et al.</i> , Tokyo Kamata Medical Center	
2-5-F30-3	The torque analysis of the pedicle screw in adult spinal deformity surgery	466
	<i>K. Oda, et al.</i> , Dept. of Orthop. Surg., Univ. of Yamanashi	
2-5-F30-4	Effect of Dynamic Spinal Alignment on Continuous Walkable Distance of Adult Spinal Deformed Patients	467
	<i>K. Sato, et al.</i> , Aizu Medical Center, Fukushima Medical Univ.	
2-5-F30-5	Relationship between whole body sagittal alignment and standing balance of adult spinal deformity patients	467
	<i>S. Hatsushikano, et al.</i> , Niigata Spine Surg. Center	
2-5-F30-6	Does the morphology of lumbar lordosis in postoperative adult spinal deformity patients affect spino-pelvic sagittal alignment and QOL ?	468
	<i>T. Iimura, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	

Break

Free Papers 31

9 : 50～10 : 38

Moderator : N. Hosogane

Adult spinal deformity: preoperative assessment

2-5-F31-1	Characteristic of the kyphotic flexibility in adult spinal deformity	468
	<i>H. Aoki, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	
2-5-F31-2	Predictors of surgical outcomes in the patients with adult spinal deformity	469
	<i>S. Murata, et al.</i> , Wakayamaidai	
2-5-F31-3	Effect of corrective spinal fusion on physical function in patients with adult spinal deformity	469
	<i>K. Watanabe, et al.</i> , Niigata Univ.	
2-5-F31-4	Influence of Hip flexion contracture on sagittal imbalance of adult spinal deformity	470
	<i>T. Endo, et al.</i> , Aizu Medical Center, Fukushima Medical Univ.	
2-5-F31-5	The impact of preoperative mental status for adult spinal deformity surgery	470
	<i>Y. Watanabe, et al.</i> , Hamamatsu Med Univ.	
2-5-F31-6	Decisopn-Making Factors for Patients above 51 Years with Adult Spinal Deformity	471
	<i>T. Fujishiro, et al.</i> , Orthop Surg, Osaka Medical College	

Break**Free Papers 32**

11 : 00~11 : 48

Moderator : K. Harimaya

Adult spinal deformity: prediction on complication

2-5-F32-1	Identification of Predictive Factors for Mechanical Complications after Adult Spinal Deformity Surgery; A Multi-Institutional Retrospective Study	471
	<i>A. Kawabata, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	
2-5-F32-2	Surgical risk stratification based on preoperative risk factors in adult spinal deformity	472
	<i>M. Yagi, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-5-F32-3	Correlation between adjacent segment stress after posterior lumbar fusion and sagittal balance: A Finite Element Study	472
	<i>K. Matsumoto, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	
2-5-F32-4	The torque analysis of the pedicle screw in adult spinal deformity and adolescent idiopathic scoliosis surgery	473
	<i>K. Oda, et al.</i> , Dept. of Orthop. Surg., Univ. of Yamanashi	
2-5-F32-5	Analysis for pre and post-operative change of running direction of large blood vessels in correction surgery using LLIF for ASD	473
	<i>S. Kaneko, et al.</i> , Dept. of Orthop. Surg., NHO Murayama Medical Center	
2-5-F32-6	Incidence of reoperative cases in adult spinal deformity patients who underwent corrective fusion surgery	474
	<i>A. Kuroda, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Kitasato Univ.	

Break**Luncheon Seminar 15**

12 : 20~13 : 20

Moderator : M. Kawakami

2-5-LS15	Comprehensive Treatment for the Patients with Low Back Pain; Based on new and old clinical guideline	474
	<i>O. Shirado</i> , Aizu Medical Center, Fukushima Medical Univ.	

Break

Free Papers 33

13 : 40~14 : 28

Moderator : K. Watanabe

Adult spinal deformity: Alignment

2-5-F33-1	Optimal sagittal alignment for correction and fusion surgery in adult spine deformity	475
	<i>K. Watanabe, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-5-F33-2	Comparison of GAP (Global Alignment and Proportion) Score and SRS-Schwab Classification on Adult Spinal Deformity Patients	475
	<i>J. Katayanagi, et al.</i> , First Dept. of Orthop. Surg., Dokkyo Medical Univ. Saitama Medical Center	
2-5-F33-3	Effectivity of Global Alignment and Proportion (GAP) Score and predictors of poor score after adult deformity surgery	476
	<i>T. Ohba, et al.</i> , Dept. of Orthop. Surg., Univ. of Yamanashi	
2-5-F33-4	Change in sagittal compensatory condition of adult spinal deformity patients, from preoperative to postoperative	476
	<i>S. Inami, et al.</i> , Dokkyo	
2-5-F33-5	Correlation in postoperative coronal imbalance and clinical outcome in ASD surgery. Analysis of risk factor of postoperative coronal imbalance	477
	<i>N. Tanaka, et al.</i> , Univ. of Yamanashi Hosp.	
2-5-F33-6	Predictive factors of coronal oblique take off in intraoperative X-ray following adult scoliosis surgery	477
	<i>K. Nakai, et al.</i> , Narita Memorial Hosp.	

Break

Free Papers 34

14 : 50~15 : 38

Moderator : T. Toyone

Pelvic alignment

2-5-F34-1	Pelvic Incidence Change on the Operating Table	478
	<i>J. Ohya, et al.</i> , Dept. of Spine and Orthop. Surg., Japanese Red Cross Medical Center	
2-5-F34-2	Radiographic evaluation of hip joint ROM and spinal sagittal malalignment	478
	<i>M. Takemoto, et al.</i> , Dept. of Otho. and Spine Surg., Kyoto City Hosp.	
2-5-F34-3	The influence of pelvic incidence on the lumbar lordosis in patients with hip osteoarthritis	479
	<i>H. Hirata, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Saga Univ.	
2-5-F34-4	Characteristics of sagittal parameters in lumbar degenerative patients associated with thoracolumbar junctional kyphosis	479
	<i>Y. Tatara, et al.</i> , Yokohama Minami Kyosai Hosp., Spine Center	
2-5-F34-5	Surgical outcome of long fusion using dual iliac screws bilaterally for adult spinal deformity: effect on loosening rate and sacroiliac joint correction	480
	<i>H. Oba, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ. School of Medicine	

2-5-F34-6	Changes in pelvic anatomy after long corrective fusion using iliac screws for adult spinal deformity	480
	<i>H. Oba, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ. School of Medicine	

Break

Free Papers 35

16 : 10~16 : 58

Moderator : **T. Hasegawa**

Pelvic anchor

2-5-F35-1	Degeneration of sacroiliac joint after S2 alar iliac screw	481
	<i>H. Nakashima, et al.</i> , Konan Kosei Hosp.	
2-5-F35-2	Impact of S2 alar iliac screw placement on sacroiliac joint degeneration -Over 2 years assessment using CT images-	481
	<i>M. Ota, et al.</i> , Dept. of Orthop. Surg., Kitano Hosp.	
2-5-F35-3	Long time Follow-up Study of Floating Fusion for Adult Spinal Deformity	482
	<i>T. Saito, et al.</i> , Meijo Hosp.	
2-5-F35-4	Indications and limitations of floating fusion for adult spinal deformity	482
	<i>T. Ikeda, et al.</i> , Dept. of Orthop. Surg., Kindai Univ. Hosp.	
2-5-F35-5	The deference of spino pelvic fixation by iliac screw or S2 alar iliac screw for adult spinal deformity surgery	483
	<i>K. Utagawa, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	
2-5-F35-6	Surgical Outcome Comparison of LIV: L5 and Pelvis in Corrective Surgery for Adult Spinal Deformity	483
	<i>K. Sakai, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	

Break

Room 6

Morning Seminar 3

7 : 30~8 : 30

Moderator : **M. Doita**

2-6-MS3	Deferential diagnosis and treatments for patients with low back pain	484
	<i>K. Watanabe</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	

Break

Free Papers 36

8 : 40～9 : 28

Moderator : S. Fujibayashi

LIF: anatomy

2-6-F36-1	Assessment of new neurologic motor deficits following LLIF -LLIF with involvement of L4/5 is higher risk for postoperative new neurologic motor deficits —	484
	<i>T. Shirahata, et al.</i> , Dept. of Orthop. Surg., Showa Univ. Northern Yokohama Hosp.	
2-6-F36-2	Localization of the Lumbar Plexus in Psoas Muscle; an Anatomic Study.....	485
	<i>H. Nojiri, et al.</i> , Dept. of Orthop., Juntendo Univ. School of Medicine	
2-6-F36-3	How many ureters exist in a dangerous zone in lateral lumbar interbody fusion?	485
	<i>Y. Kogami, et al.</i> , Konankosei Hosp.	
2-6-F36-4	Risk assessment of inferior vena cava injury during extreme lateral interbody fusion	486
	<i>T. Kushida, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.	
2-6-F36-5	A study of the risk for lumbar segmental artery injury using contract computed tomography in the oblique lumbar interbody fusion.....	486
	<i>Y. Iijima, et al.</i> , Dept. of Orthop. Surg., Seirei Citizen Hosp.	
2-6-F36-6	Anatomical study of the anterior part of segmental arteries and veins :a cadaveric analysis	487
	<i>K. Yagi, et al.</i> , ncu	

Break

Free Papers 37

9 : 50～10 : 38

Moderator : Y. Yamato

LIF: cage

2-6-F37-1	Coronal alignment correction with OLIF; A comparison study between concave side approach and convex side approach	487
	<i>N. Okubo, et al.</i> , Kitasuma Hosp.	
2-6-F37-2	Influence of a cage insertion side on interbody deformity correction in lateral lumbar interbody fusion.....	488
	<i>H. Yamaguchi, et al.</i> , Dept. of Orthop. Surg., Juntendo Tokyo Koto Geriatric Medical Center	
2-6-F37-3	Short to mid-term outcome of lordotic angle and foraminal height acquired using oblique lateral lumbosacral fusion technique	488
	<i>S. Orita, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
2-6-F37-4	Risk factor of adjacent segmental degeneration after lumbar fixation with Lateral Interbody Fusion (LIF)	489
	<i>J. Ouchida, et al.</i> , Konan Kosei Hosp.	
2-6-F37-5	Analysis of Temporal Changes in Dural Sac Morphology after XLIF Indirect Decompression	489
	<i>Y. Kono, et al.</i> , Chiba Central Medical Center	

2-6-F37-6	Indirect decompression with lateral interbody fusion for severe degenerative lumbar stenosis: minimum 1-year MRI follow-up	490
	<i>T. Shimizu, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.	

Break

Free Papers 38

11 : 00~11 : 48

Moderator : **H. Murakami**

LIF: miscellaneous

2-6-F38-1	The evaluation of segmental artery at the anterior portion of the vertebral body for prevention of spinal segment arterial injury - importance at LIF and ACR-.....	490
	<i>N. Suzuki, et al.</i> , Nagoya City Univ., Graduate School of Medical Sciences, Dept. of Orthop. Surg.	
2-6-F38-2	Comparative analysis of vascular anatomy in OLIF51 surgery by using MRI and intraoperative enhanced CT	491
	<i>H. Tachi, et al.</i> , Steel Memorial Muroran Hosp.	
2-6-F38-3	Comparison of 2-Years Postoperative Outcome Between LLIF and PLIF	491
	<i>H. Nakashima, et al.</i> , Konan Kosei Hosp.	
2-6-F38-4	Effects of sagittal alignment improvement and disc height increase, and bone union on lumbar interbody fusion : comparison between LLIF and PLIF	492
	<i>A. Kondo, et al.</i> , Nagoya City Univ., Graduate School of Medical Sciences, Dept. of Orthop. Surg.	
2-6-F38-5	Comparisons of direct costs and outcomes of spinal fusion surgery with MIS-TLIF versus OPEN-PLIF	492
	<i>M. Takano, et al.</i> , Dept. of Orthop. Surg., Kitasato Institute Hosp.	
2-6-F38-6	Cost-effectiveness for posterior lumbar fusion -focus on elderly patients aged 80 years or older-	493
	<i>T. Watanabe, et al.</i> , Spine Center, Hakodate Central General Hosp.	

Break

Luncheon Seminar 16

12 : 20~13 : 20

Moderator : **Y. Tokuhashi**

2-6-LS16-1	What kind of material do you use on your interbody fusion surgery ?	493
	<i>Y. Arai</i> , Saiseikai Kawaguchi General Hosp., Dept. of Orthop. and Spine Surg.	
2-6-LS16-2	Progress of lumbar interbody fusion cage from the viewpoints of biomaterials and biomechanics	494
	<i>T. Makino, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	

Break**Free Papers 39**

13 : 40～14 : 28

Moderator : S. Okuda

PLIF

2-6-F39-1	Indication of vertebral body instability using plane X-ray after posterior lumbar interbody fusion	494
	<i>Y. Takahashi, et al.</i> , Shizuoka Red Cross Hosp.	
2-6-F39-2	The process of intervertebral fusion and evaluation of intervertebral instability after PLIF using CT with neutral and extension position	495
	<i>Y. Shinozaki, et al.</i> , Spine center, Shizuoka Red Cross Hosp.	
2-6-F39-3	Residual Low Back Pain after Lumbar Spinal Fusion: Impact of Paravertebral Muscle Degeneration Injured with Surgical Procedure	495
	<i>Y. Hiramatsu, et al.</i> , Konan Kosei Hosp.	
2-6-F39-4	Relationship between cage design and retropulsion after posterior lumbar interbody fusion	496
	<i>R. Hyakkan, et al.</i> , Hakodate Central General Hosp.	
2-6-F39-5	Surgical results of revision surgery for adjacent segment disease after one-level posterior lumbar interbody fusion	496
	<i>Y. Nagamoto, et al.</i> , Osaka Rosai Hosp.	
2-6-F39-6	Early onset adjacent segment disease after PLIF	497
	<i>S. Okuda, et al.</i> , Osaka Rosai Hosp.	

Break**Free Papers 40**

14 : 50～15 : 38

Moderator : Y. Arai

Cage

2-6-F40-1	Which part is earlier for bone bonding with the vertebral endplate at the surface of a 3D-printed porous titanium alloy cage, a frame part or window part?	497
	<i>T. Makino, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
2-6-F40-2	Comparison between Titanium coating and non-coating PEEK cages in posterior lumber interbody fusion	498
	<i>H. Yokoi, et al.</i> , Konan Kosei Hosp.	
2-6-F40-3	Usefulness of Titan Fiber Mesh Block as the intervertebral cage in TLIF/PLIF -A comparative study with PEEK Cage-	498
	<i>K. Fukushima, et al.</i> , Saku Advanced Care Center	

2-6-F40-4	PEEK versus Ti coated PEEK cage of the anterolateral lumbar interbody fusion -The superiority of Ti coating for the early fusion -.....	499
	<i>U. Nosaka, et al.</i> , Seirei Hamamatsu General Hosp., Spine Center	
2-6-F40-5	The clinical result of titanium-coated PEEK cages used in anterior cervical disectomy and fusion of multilevel hybrid anterior cervical decompression and fusion	499
	<i>R. Kadota, et al.</i> , Numazu City Hosp.	
2-6-F40-6	Abrasion resistance and biological safety of a new Posterior Dynamic Stabilization System using polyethylene with vitamin E	500
	<i>K. Matsumoto, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	

Break**Free Papers 41**

16 : 10~16 : 50

Moderator : **Y. Aota****Intraforaminal stenosis**

2-6-F41-1	The pathology of the onset of the radiculopathy and the relationship to the foraminal stenosis in the patients with lumbosacral isthmic spondylolisthesis	500
	<i>Y. Shinozaki, et al.</i> , Spine Center, Shizuoka Red Cross Hosp.	
2-6-F41-2	The relationship of the lumbar intervertebral range of motion and the onset of radiculopathy with lumbosacral foraminal stenosis	501
	<i>Y. Shinozaki, et al.</i> , Spine Center, Shizuoka Red Cross Hosp.	
2-6-F41-3	An anatomical study of vertebral foramen and facet joint	501
	<i>M. Kashima, et al.</i> , Anan Kyoei Hosp.	
2-6-F41-4	Characteristics of requirement of 3D-MRI for diagnosis with lumbar foraminal stenosis	502
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Osaka Social Medical Center	
2-6-F41-5	Morphometric analysis of safety working area for lumbar transforaminal approach using 3D volume rendering image of lumbar nerve root	502
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.	

Break**Room 7****Morning Seminar 4**

7 : 30~8 : 30

Moderator : **T. Hasegawa**

2-7-MS4	Spinal ligament ossification, battle front for the pathology and treatment	503
	<i>Y. Kawaguchi, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Toyama	

Break**Free Papers 42**

8 : 40～9 : 28

Moderator : **N. Tanaka****Cervical OPLL**

2-7-F42-1	Multicenter prospective study using registry of surgically treated patients with cervical ossification of the posterior longitudinal ligament	503
	<i>T. Yoshii, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	
2-7-F42-2	Characteristics of the patients with severe cervical ossification of posterior longitudinal ligament: A multicenter cross-sectional study (JOSL CT study)	504
	<i>K. Mori, et al.</i> , Dept. of Orthop. Surg., Shiga Univ. of Medical Science	
2-7-F42-3	A longitudinal environmental study of neck function in ossification posterior longitudinal ligament	504
	<i>K. Wada, et al.</i> , Dept. of Orthop. Surg., Hirosaki Univ. Graduate School of Medicine	
2-7-F42-4	Sequential changes of CT findings of ossification of posterior longitudinal ligaments of cervical spine	505
	<i>T. Tokioka, et al.</i> , Kochi Health Sciences Center	
2-7-F42-5	K-line assessment in OPLL patients with using sagittal reconstruction CT	505
	<i>K. Takeuchi, et al.</i> , National Okayama Medical Center	
2-7-F42-6	Does the development factor of the cervical ossification of posterior longitudinal ligament ossification depend on the responsible levels?	506
	<i>M. Funaba, et al.</i> , Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine	

Break**Free Papers 43**

9 : 50～10 : 38

Moderator : **H. Mihara****Cervical anterior fusion**

2-7-F43-1	Outcomes of surgical procedures for proximal type of cervical spondylotic amyotrophy	506
	<i>S. Ushio, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	
2-7-F43-2	A retrospective comparative study of two different anterior cervical strategies; canonical anterior cervical corpectomy with fusion vs hybrid corpectomy	507
	<i>T. Hirai, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	

2-7-F43-3	Radiolucent guide drill system can promote the accuracy of anterior pedicle screw placement in the cervical spine	507
	<i>Y. Yukawa, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	
2-7-F43-4	Minimally invasive cervical pedicle screw fixation combined with anterior interbody fusion.....	508
	<i>T. Tokioka, et al.</i> , Kochi Health Sciences Center	
2-7-F43-5	Modified approach for upper cervical anterior fusion to C2 preventing postoperative dyspnea and dysphagia: surgical outcomes and complications.....	508
	<i>N. Okamoto, et al.</i> , Dept. of Orthop. Surg., Yaizu City Hosp.	
2-7-F43-6	Risk of recurrent laryngeal nerve injury in right side anterior cervical approach: from the point of vascular anomaly	509
	<i>T. Aoyama, et al.</i> , Teine Keijinkai Hosp.	

Break

Free Papers 44

11 : 00～11 : 48

Moderator : N. Hosono

Cervical laminoplasty

2-7-F44-1	Progress of open door laminoplasty	509
	<i>K. Sasaki, et al.</i> , SeihamA	
2-7-F44-2	Long-term follow-up after cervical double-door laminoplasty with or without C3 laminectomy	510
	<i>H. Kudo, et al.</i> , Hirosaki Univ.	
2-7-F44-3	Postoperative alignment change of selective laminectomy for cervical spondylotic myelopathy with degenerative spondylolisthesis	510
	<i>K. Kurihara, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Sapporo Medical Univ.	
2-7-F44-4	Clinical results of cervical laminoplasty for elderly patients over eighty years old with gait disturbance	511
	<i>K. Maio, et al.</i> , Dept. of Orthop. Surg., Wakayama Rosai Hosp.	
2-7-F44-5	Comparison between change of muscle MEP and postoperative palsy after cervical laminoplasty	511
	<i>N. Yamamoto, et al.</i> , TWMU	
2-7-F44-6	Can postoperative upper arm motor palsy after cervical laminoplasty be prevented by using intraoperative neurophysiological monitoring?.....	512
	<i>M. Ando, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ. Medical Center	

Break

Luncheon Seminar 17

12 : 20～13 : 20

Moderator : M. Neo

2-7-LS17	The treatment for pain following spinal disorder -chronic low back pain and multidisciplinary treatment-	512
	<i>H. Suzuki</i> , Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine	

Break

Free Papers 45

13 : 40～14 : 28

Moderator : A. Seichi

Cervical spine alignment

2-7-F45-1	Extension unit maintains the lower adjacent disc lordosis after the cervical laminectomy	513
	<i>R. Aoyama, et al.</i> , Dept. of Orthop. Surg., Tokyo Dental College Ichikawa General Hosp.	
2-7-F45-2	Preoperative cervical anterolisthesis in cervical spondylotic myelopathy could aggravate kyphotic deformity after laminoplasty surgery	513
	<i>H. Hirata, et al.</i> , Kobe Rosai Hosp.	
2-7-F45-3	Extremely high preoperative C7 slope limits compensatory cervical lordosis after muscle-preserving selective laminectomy	514
	<i>S. Nori, et al.</i> , Dept. of Orthop. Surg., Tokyo Dental College Ichikawa General Hosp.	
2-7-F45-4	Time-dependent change of cervical sagittal alignment after cervical laminoplasty: A five-year follow-up study	514
	<i>A. Kimura, et al.</i> , Dept. of Orthop., Jichi Medical Univ.	
2-7-F45-5	Does preoperative sagittal alignment affect cervical laminoplasty? The outcome of 5years after surgery for CSM and the progression factor of kyphosis	515
	<i>H. Itoh, et al.</i> , Dept. of Orthop. Surg., Iida Municipal Hosp.	
2-7-F45-6	Predictors for cervical alignment after surgical treatment of adult idiopathic scoliosis	515
	<i>N. Nagoshi, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	

Break

Free Papers 46

14 : 50～15 : 38

Moderator : T. Furuya

Cervical posterior surgery with instrumentation

2-7-F46-1	Comparison of the clinical and radiologic outcomes between laminoplasty and cervical posterior fusion with decompression for cervical spondylosis myelopathy	516
	<i>T. Matsuo, et al.</i> , Dept. of Orthop. Surg., Kobe Medical Center	

2-7-F46-2	Comparison of pedicle screw and paravertebral foramen screw about insertion torque for salvage of failed lateral mass screw	516
	<i>K. Masuda, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	
2-7-F46-3	The effect of paravertebral foramen screws at C6 for posterior cervical fusion surgery.....	517
	<i>K. Nagashima, et al.</i> , Univ. of Tsukuba	
2-7-F46-4	Laminoplasty versus posterior decompression with fusion for cervical spondylotic myelopathy accompanying local kyphosis	517
	<i>S. Maki, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
2-7-F46-5	Clinical analysis of posterior decompression with lateral mass screw fixation for cervical OPLL– Comparison between bilateral fixation and unilateral fixation–	518
	<i>M. Maseda, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	
2-7-F46-6	Clinical outcomes of posterior occipito-/cervical fusion surgery with paravertebral foramen screws	518
	<i>T. Abe, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	

Break

Free Papers 47

16 : 10~16 : 58

Moderator : A. Kimura

Cervical spine: surgical complication

2-7-F47-1	Perioperative Complications Between Anterior Decompression with Fusion and Laminoplasty For Cervical Spondylotic Myelopathy with DPC Database and PS matching	519
	<i>S. Morishita, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	
2-7-F47-2	The cut-off values of prognostic nutrition index for delirium –multicenter study in cervical spinal myelopathy patients –	519
	<i>S. Oe, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-7-F47-3	The impact of preoperative depression and anxiety on quality of life outcomes in patients undergoing cervical spine surgery	520
	<i>T. Doi, et al.</i> , Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., Faculty of Medicine, The Univ. of Tokyo	
2-7-F47-4	Dislocation of fibula strut grafts following multilevel anterior cervical corpectomy	520
	<i>S. Nozawa, et al.</i> , Dept. of Orthop. Surg., Div. of Disease Control, Research Field of Medical Sciences, Graduate School of Medicine, Gifu Univ.	
2-7-F47-5	Dysphagia of the early stage after anterior cervical decompression and fusion	521
	<i>T. Niimura, et al.</i> , Dept. of Orthop. Surg. Yokohama Minami Kyosai Hosp.	
2-7-F47-6	Reoperation for Late Neurological Deterioration After Laminoplasty in Cases with Degenerative Cervical Myelopathy	521
	<i>H. Nakashima, et al.</i> , Konan Kosei Hosp.	

Break**Room 8****Morning Seminar 5**

7 : 30~8 : 30

Moderator : **H. Takahashi**

2-8-MS5	Cutting edge technology of the full-endoscopic spine surgery for the lumbar spinal canal stenosis: Decompression and fusion	522
	<i>K. Sairyo</i> , Dept. of Orthop., Institute of Biomedical Sciences, Tokushima Univ. Graduate School	

Break**Free Papers 48**

8 : 40~9 : 28

Moderator : **Y. Toribatake****Osteoporosis 3**

2-8-F48-1	Research of adjacent vertebral fracture after balloon kyphoplasty treatment for osteoporotic vertebral fracture	522
	<i>Y. Yamamoto, et al.</i> , Dept. of Orthop. Surg., Tokai Univ., Hachioji Hosp.	
2-8-F48-2	Risk factor for balloon kyphoplasty failure in osteoporotic vertebral fracture	523
	<i>S. Takahashi, et al.</i> , Osaka City Univ	
2-8-F48-3	Surgical outcomes of balloon kyphoplasty for osteoporotic vertebral compression fractures in thoracolumbar junction	523
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Hiroshima General Hosp.	
2-8-F48-4	Clinical outcome of posterior surgery for osteoporotic vertebral fracture	524
	<i>I. Yamane, et al.</i> , Kobe City Medical Center West Hosp.	
2-8-F48-5	Anterior reconstruction and posterior fixation for OVF improves local kyphosis but not sagittal vertical axis (SVA)	524
	<i>H. Terai, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
2-8-F48-6	An Effect Comparison of Denosumab and SERM on Spinal Instrumentation in Patients with Osteoporosis	525
	<i>K. Ishikawa, et al.</i> , Dept. of Orthop. Surg., Showa Univ. School of Medicine	

Break

Free Papers 49

9 : 50～10 : 38

Moderator : Y. Arai

Osteoporosis 4

2-8-F49-1	Longitudinal effects of denosumab on pullout strength of pedicle screws in spinal fixation: A finite element analysis.....	525
	<i>S. Tani, et al.</i> , Dept. of Orthop. Surg., Showa Univ. School of Medicine	
2-8-F49-2	Change in Hounsfield Unit of Vertebral Body and Pedicle in the Lumbar Spine by the Use of Teriparatide.....	526
	<i>S. Akiyama, et al.</i> , NHO Utsunomiya	
2-8-F49-3	Useful factors of early balloon kyphoplasty treatment for osteoporotic vertebral fracture.....	526
	<i>Y. Yamamoto, et al.</i> , Dept. of Orthop. Surg., Tokai Univ., Hachioji Hosp.	
2-8-F49-4	Surgical results of lateral access corpectomy for osteoporotic vertebral fracture - our strategy according to fracture level and pathology -	527
	<i>S. Arataki, et al.</i> , Ortho, Kagawa Rosai Hosp.	
2-8-F49-5	Failed back surgery and surgical complications for degenerative thoraco-lumbar spinal condition in patients with Parkinson's Disease	527
	<i>T. Sako, et al.</i> , Dept. of Orthop. Surg., Toho Univ.	
2-8-F49-6	Analysis of skeletal muscle mass in women over 40 with degenerative lumbar scoliosis	528
	<i>Y. Eguchi, et al.</i> , Dept of Orthop., Shimoshizu Hosp.	

Break

Free Papers 50

11 : 00～11 : 48

Moderator : M. Nakano

Fracture with attention

2-8-F50-1	Conservative Treatment for Stable Fractures in Nonfused Segments among Patients with Diffuse Idiopathic Skeletal Hyperostosis: A Matched Case-Control Study	528
	<i>I. Okano, et al.</i> , Dept. of Orthop. Surg., Ohta-Nishinouchi Hosp.	
2-8-F50-2	A comparison of cervical and thoracolumbar fractures in cases with diffuse idiopathic skeletal hyperostosis.....	529
	<i>H. Katch, et al.</i> , Dept. of Orthop. Surg., Surgical Science, Tokai Univ., School of Medicine	
2-8-F50-3	Hounsfield units of transdiscal screw trajectory for patients with DISH	529
	<i>K. Matsukawa, et al.</i> , Murayama Medical Center	
2-8-F50-4	Conservative and surgical treatment of insufficiency sacrum fractures	530
	<i>T. Kojima, et al.</i> , Isogo Central Hosp.	
2-8-F50-5	Characteristic of insufficient sacral fracture presenting neurological symptom of the lower extremity	530
	<i>M. Nakahara, et al.</i> , Kitasuma Hosp. Orthop.	

2-8-F50-6	Posterior corrective surgery with lumbar osteotomy in Parkinson disease with the lumbar vertebral fracture -A prospective series with a minimum 3-year follow-up	531
	<i>T. Yasuda, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Toyama	

Break**Luncheon Seminar 18**

12 : 20～13 : 20		Moderator : K. Sato
2-8-LS18-1	Reduction of the length of hospital stay in the spinal surgery considering DPC system	531
	<i>H. Ikuma</i> , Kagawa Prefectural Central Hosp.	
2-8-LS18-2	Can not you make the number of hospitalization days a little shorter? ～ What I learned from our experience ～	532
	<i>J. Ukai</i> , Japanese Red Cross Nagoya Daini Hosp.	

Break**Free Papers 51**

13 : 40～14 : 28		Moderator : K. Saita
Surgical complication 1		
2-8-F51-1	A prospective complication study of intraoperative dural injury during seven years after establishment of Shiga spine center	532
	<i>M. Tanaka, et al.</i> , Hino Memorial Hosp. Spine Center	
2-8-F51-2	Prospective multicenter surveillance and risk factor analysis of deep SSI after thoracolumbar posterior instrumented fusion surgery for degenerative diseases	533
	<i>S. Ogihara, et al.</i> , Dept. of Orthop. Surg., Saitama Medical Center, Saitama Medical Univ. School of Medicine	
2-8-F51-3	Surgical complications, particularly in cervical degenerative diseases -An analysis of Osaka Spine & Spinal Cord Research Group database-	533
	<i>S. Takenaka, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
2-8-F51-4	The current situation and issues of Chiba spine surgery registry	534
	<i>K. Inage, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
2-8-F51-5	Spinal surgery following renal transplan	534
	<i>K. Hagiwara, et al.</i> , Dept. of Orthop. Surg., Tokyo Women's Medical Univ.	
2-8-F51-6	A Sliding Scale to Predict Postoperative Complications in Patients Undergoing Posterior Spine Surgery	535
	<i>K. Nagata, et al.</i> , Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., Faculty of Medicine, The Univ. of Tokyo	

Break**Free Papers 52**

14 : 50～15 : 38

Moderator : T. Maruyama

Surgical complication 2

2-8-F52-1	Focus on perioperative management of antiplatelet agents in a consecutive spine surgery.....	535
	<i>G. Kumagai, et al.</i> , Dept. of Orthop. Surg., Hirosaki Univ. Graduate School of Medicine	
2-8-F52-2	Analysis of incidental durotomy during lumbar spinal posterior operation and postoperative clinical symptoms.....	536
	<i>H. Serikyaku, et al.</i> , Naha City Hosp.	
2-8-F52-3	Prognostic factor of dural tear in primary surgery for lumbar degenerative diseases -a multicenter database study-	536
	<i>S. Takenaka, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
2-8-F52-4	Risk factors for preoperative deep venous thrombosis in spine surgery	537
	<i>H. Shoji, et al.</i> , Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences	
2-8-F52-5	The cut-off value of blood markers in pulmonary embolism during spine surgery	537
	<i>H. Inoue, et al.</i> , Dept. of Orthop., Jichi Medical Univ.	
2-8-F52-6	The change after spine surgery in patients with deep venous thrombosis.....	538
	<i>K. Takegami, et al.</i> , Saiseikai Matsusaka	

Break**Free Papers 53**

16 : 10～16 : 58

Moderator : T. Takebayashi

Surgical complication 3

2-8-F53-1	Surgical site infection (SSI) in posterior spinal instrumentation surgery —the analysis of 335 cases	538
	<i>H. Ohnishi, et al.</i> , Kobe Rosai Hosp.	
2-8-F53-2	Investigation of bacterial detection rate of surgical site before and after surgery by disinfection method	539
	<i>Y. Takahashi, et al.</i> , Dept. of Orthop. Surg., Fujita Health Univ., School of Medicine	
2-8-F53-3	Factors related to delayed neutrophilic leukocytosis and lymphopenia inducing surgical inflammation after spine surgery	539
	<i>H. Imabayashi, et al.</i> , NDMC	
2-8-F53-4	Comparison of white blood cell and its differential at 1 and 4 days postoperatively: reliable and early detection markers for surgical site infection	540
	<i>M. Ikejiri, et al.</i> , Dept. of Orthop. Surg., Otemae Hosp.	

2-8-F53-5	Examination of usefulness of blood biochemical findings in early diagnosis of surgical site infection after spinal surgery.....	540
	<i>Y. Takahashi, et al.</i> , Dept. of Orthop. Surg., Fujita Health Univ., School of Medicine	
2-8-F53-6	Decreased rate of surgical site infection after spinal surgery with instrumentation using bundled approach including surveillance and vancomycin application.....	541
	<i>S. Fujibayashi, et al.</i> , Dept. of Musculoskeletal Reconstruction, Graduate School of Medicine, Kyoto Univ.	

Break**Room 9****Morning Seminar 6**

7 : 30～8 : 30

Moderator : **T. Toyone**

2-9-MS6	Transition of surgical techniques and current correction methods for idiopathic scoliosis	541
	<i>T. Iida</i> , First Dept. of Orthop. Surg., Dokkyo Medical Univ. Saitama Medical Center	

Break**Free Papers 54**

8 : 40～9 : 28

Moderator : **K. Yone****Epidemiological survey 1**

2-9-F54-1	Age-Related degenerative changes of thoracic intervertebral discs in asymptomatic subjects. 10-year follow-up study of asymptomatic volunteers using MRI	542
	<i>E. Okada, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-9-F54-2	Blood concentration of AGEs is associated with severity of ossification disease	542
	<i>K. Nagata, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	
2-9-F54-3	Predictive and risk factor for neuropathic pain in middle-aged and elderly - a five-year longitudinal cohort study	543
	<i>S. Imagama, et al.</i> , Orthop. Surg., Graduate School of Medicine, Nagoya Univ.	
2-9-F54-4	Nationwide survey and multicenter cross-study of clinical feature and treatment of spinal cord-related pain syndrome	543
	<i>H. Nakajima, et al.</i> , Dept. of Orthop. and Rehab. Medicine, Faculty of Medical Sciences, Univ. of Fukui	
2-9-F54-5	Can chronic low back pain induce psychological stress responses?: Population-based cohort study	544
	<i>K. Akeda, et al.</i> , Dept. of Musculoskeletal Surg. Dept. of Multimodality Therapy for Cancer, Mie Univ. Graduate School of Medicine	

2-9-F54-6	Comparison of Various Evaluation Methods of Cervical Intervertebral Disc Degeneration by Magnetic Resonance Imaging	544
	<i>H. Otaki, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Fukushima Medical Univ.	

Break

Free Papers 55

9 : 50～10 : 38

Moderator : **S. Asano**

Epidemiological survey 2		
2-9-F55-1	The relationship with fatty change of paraspinal muscles and lumbar spinal stenosis in the community; The Minami Aizu Study	545
	<i>T. Nikaido, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Fukushima Medical Univ.	
2-9-F55-2	Siginificance of trunk muscle mass -Impact for low back pain, lumbar function, and spinal balance-	545
	<i>Y. Hori, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
2-9-F55-3	Posterior muscles of the thoracic spine in asymptomatic subjects: a 10-years longitudinal magnetic resonance imaging.....	546
	<i>H. Umezawa, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-9-F55-4	Relationship between exercise habits and related factors in postoperative patients with lumbar spinal stenosis.....	546
	<i>T. Wada, et al.</i> , Rehab. Div., Tottori Univ. Hosp.	
2-9-F55-5	Correlation between osteoporotic vertebral fracture and abdominal trunk muscle strength in the elderly	547
	<i>S. Kato, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.	
2-9-F55-6	Ten-year follow-up of lumbar spinal stenosis in the community evaluated by MRI	547
	<i>K. Otani, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Fukushima Medical Univ.	

Break

Free Papers 56

11 : 00～11 : 48

Moderator : **K. Akeda**

Sarcopenia		
2-9-F56-1	The evaluation between MRI T2 increased signal intensity and sarcopenia in patients with cervical spondylotic myelopathy	548
	<i>H. Koshimizu, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	
2-9-F56-2	Clinical features and prevalence of sarcopenia in cervical spondylotic myelopathy	548
	<i>S. Matsuo, et al.</i> , Spine Care Center, Wakayama Medical Univ. Kihoku Hosp.	

2-9-F56-3	Effect of sarcopenia and global sagittal balance on compressive cervical myelopathy.....	549
	<i>H. Matsui, et al., NCGG</i>	
2-9-F56-4	The impact of preoperative sarcopenia defined by total psoas area on outcomes of posterior lumbar interbody fusion	549
	<i>H. Urakawa, et al., Hayaishi Hosp.</i>	
2-9-F56-5	Factors associated and prevalence of sarcopenia in lumbar spinal stenosis	550
	<i>S. Matsuo, et al., Spine Care Center, Wakayama Medical Univ. Kihoku Hosp.</i>	
2-9-F56-6	Association of regional muscle mass using dual energy absorptiometry with muscle strength	550
	<i>M. Hongo, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine</i>	

Break

Luncheon Seminar 19

12 : 20～13 : 20

Moderator : **T. Yamashita**

2-9-LS19	Cell therapy for spinal cord injury patients	551
	<i>O. Hommo, Dept. of Neural Regenerative Medicine, Research Institute for Frontier Medicine, School of Medicine, Sapporo Medical Univ.</i>	

Break

Free Papers 5

13 : 40～14 : 28

Moderator : **S. Yabuki**

Locomotive syndrome

2-9-F57-1	The prevalence and impact of sarcopenia and locomotive syndrome on degenerative diseases of the spine and the lower extremities	551
	<i>S. Kato, et al., Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.</i>	
2-9-F57-2	Relationship between Locomotive syndrome and spinal alignment (TOEI 4-year cohort study)	552
	<i>K. Ide, et al., Dept. of Orthop. Surg., Fujinomiya City General Hosp.</i>	
2-9-F57-3	Sagittal spinal alignment deterioration associates with diminished physical function in the general elderly population	552
	<i>S. Ikegami, et al., Dept. of Orthop. Surg., Shinshu Univ. School of Medicine</i>	
2-9-F57-4	Relationship between pelvic decompensation and locomotive syndrome due to sagittal alignment abnormality	553
	<i>Y. Nakamura, et al., Higashisaitama G</i>	

2-9-F57-5	Relationship among osteoporosis, sarcopenia, locomotive syndrome and spinal kyphosis among elderly people in local area The GAINA study	553
	<i>S. Tanishima, et al.</i> , Tottori Univ.	
2-9-F57-6	Sports activity in elderly females improve significantly health-related quality of life because of reducing mental stress	554
	<i>S. Oe, et al.</i> , Dept. of Geriatric Musculoskeletal Health, Hamamatsu Univ. School of Medicine	

Break**Free Papers 58**

14 : 50~15 : 38

Moderator : **K. Suda****Thoracolumbar injury**

2-9-F58-1	A study of differences of paralysis severity between old and new AO classification in patients with acute thoraco-lumbar spinal injury.....	554
	<i>K. Kubota, et al.</i> , Spinal Injuries Center	
2-9-F58-2	New classification by CT and MRI and Comparison with treatments of Thoracic or Lumbar spinal fracture with ASD	555
	<i>M. Furukawa, et al.</i> , Orthop. Surg.	
2-9-F58-3	Evaluation of Spinal alignment in additional vertebral augmentation with posterior instrumentation and nonsurgical treatment for thoracolumbar burst fracture.....	555
	<i>K. Oyabu, et al.</i> , Dept. of Orthop., Graduate School of Medical Science, Kyoto Prefectural Univ. of Medicine	
2-9-F58-4	Posterior reduction and fixation using percutaneous pedicle screw for thoracolumbar dislocation fracture.....	556
	<i>T. Kikuchi, et al.</i> , Japenese Red Cross Kobe Hosp. Orthop. Surg.	
2-9-F58-5	Clinical outcome of posterior reduction and fixation for thoracolumbar burst fracture	556
	<i>T. Kikuchi, et al.</i> , Japenese Red Cross Kobe Hosp. Orthop. Surg.	
2-9-F58-6	Surgical treatment results by multicenter study on burst fractures of the thoracolumbar vertebral body	557
	<i>H. Takeshita, et al.</i> , Saiseikai Shigaken Hosp.	

Break

Free Papers 59

16 : 10～16 : 58

Moderator : T. Takami

Spinal cord tumor

2-9-F59-1	Prognostic factors of surgical treatment for spinal intramedullary ependymoma (WHO grade II)	557
	<i>O. Tsuji, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-9-F59-2	Variety of preoperative MRI changes in spinal cord ependymoma of WHO grade II: a case series	558
	<i>K. Kazuyoshi, et al.</i> , Meidai Seikei	
2-9-F59-3	Surgical management of intradural spinal solitary fibrous tumor/hemangiopericytoma: a case series of 6 patients	558
	<i>T. Okubo, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-9-F59-4	Clinical outcome of myelopathy due to cervical and thoracic extramedullary spinal cord tumors	559
	<i>A. Suzuki, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
2-9-F59-5	Treatment strategy for spinal extradural arteriovenous fistulas	559
	<i>T. Itabashi, et al.</i> , Narita Red Cross	
2-9-F59-6	Investigation on symptomatic cerebrospinal fluid liquorrrhea after intradural tumor surgery	560
	<i>K. Ota, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	

Break

Room 10

Free Papers 60

8 : 40～9 : 28

Moderator : M. Miyamoto

Low back pain in schoolchild

2-10-F60-1	Minimally invasive spondylolysis repair by percutaneous compression screwing with cortical bone trajectory for early return to sports and bone union in athletes	560
	<i>R. Takemasa, et al.</i> , Dept. of Orthop. Surg., Spine Center, Kochi Medical School	
2-10-F60-2	Pathogenesis at the initial visit of acute stage lumbar spondylolysis occurring in elementary school students	561
	<i>S. Matsuura, et al.</i> , Mito Kyodo General Hosp. Orthop. Surg.	
2-10-F60-3	Clinical outcomes of conservative treatment for lumbar spondylolysis	561
	<i>M. Ryu, et al.</i> , Anshin Hosp.	
2-10-F60-4	Risk factors at conservative therapy for childhood lumbar spondylolysis	562
	<i>H. Gamada, et al.</i> , Dept. of Orthop., Moriya Daiichi Genral Hosp.	

2-10-F60-5	Back pain is associated with QOL and psychosocial factors even in children	562
	<i>T. Hirano, et al.</i> , Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences	
2-10-F60-6	The association of sleep habits with low back pain among school-aged athletes	563
	<i>Y. Yabe, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. Graduate School of Medicine	

Break

Free Papers 61

9 : 50～10 : 38

Moderator : **K. Sato**

Assessment and diagnosis

2-10-F61-1	Characteristics and consequences of consultation request to neurologists from orthopedists	563
	<i>T. Ikegami, et al.</i> , Dept. of Orthop. Surg., Fussa Hosp., Tokyo	
2-10-F61-2	Do We Have Adequate Flexion-Extension Radiographs in Lumbar Spondylolisthesis for Evaluation of Instability?.....	564
	<i>S. Fujimoto, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Kushiro Hosp.	
2-10-F61-3	Dose Achilles tendon reflex decrease and disappear in elderly patients?	564
	<i>Y. Nishimura</i> , Shimabara Orthop. Nishimura Clinic	
2-10-F61-4	Attempt to detect psychological state of chronic low back pain patient from changes in blood flow on the face using a non-contact brain activity detection sensor.....	565
	<i>S. Tanishima, et al.</i> , Tottori Univ.	
2-10-F61-5	Which does represent the real world, surgeons' viewpoint or patients' viewpoint ?	565
	<i>T. Fujimori, et al.</i> , JCHO Osaka Hosp.	
2-10-F61-6	A clinical study of myotome investigated by the muscle potential amplitude evoked by an intraoperative electrical stimulation to lumbosacral nerves.....	566
	<i>T. Sasaki, et al.</i> , Clinical Engineering	

Break

Free Papers 62

11 : 00～11 : 48

Moderator : **M. Kanamori**

Disease and pathomechanism

2-10-F62-1	Surgical treatment to spinal arachnoid disease	566
	<i>T. Nakamura, et al.</i> , Dept. of Orthop. Surg., Faculty of Life Sciences, Kumamoto Univ.	
2-10-F62-2	Prevalence and Clinical assessment of patients with OPLL in lumbar spine	567
	<i>T. Mishiro, et al.</i> , Dept. of Orthop. Surg., Takamatsu Red Cross Hosp.	
2-10-F62-3	The effect of fat deposition and dysfunction on the liver in spinal epidural lipomatosis	567
	<i>T. Abe, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Oita Univ.	

2-10-F62-4	Secondary thoracolumbar vertebral end-plate lesions in young gymnasts.....	568
	<i>M. Urushibara, et al.</i> , Funabashi Orthop. Hosp.	
2-10-F62-5	The incidence of intraspinal facet cysts after decompression surgery for lumbar spinal stenosis	568
	<i>M. Urushibara, et al.</i> , Funabashi Orthop. Hosp.	
2-10-F62-6	Which side is osteophyte formed in case with dextrocardia ?.....	569
	<i>T. Yamada, et al.</i> , NTT Medical Center Tokyo	

Break

Luncheon Seminar 20

12 : 20～13 : 20

Moderators : **M. Takaso**
S. Imagama

2-10-LS20-1	Progress in Spinal Instrumentation and aquirement of Fundamental Technique.....	569
	<i>M. Takaso</i> , Dept. of Orthop. Surg., School of Medicine, Kitasato Univ.	
2-10-LS20-2	Scoliosis surgery for pediatric patients	570
	<i>S. Imagama</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	

Break

Hands-On Seminar 2

14 : 50～16 : 20

Moderator : **M. Kouda**
Speaker : **T. Yoshii**
Surgical Instructors : **H. Mihara**
K. Sakai

Cervical Total Disc Replacement Prestige LP Hands-on

Break

Poster Room

Poster 41

17 : 15～17 : 45

Moderator : **T. Torio**

Cervical cord injury

2-P41-1	Epidemiology of cervical spinal cord injury in Tokushima south district from 2006 to 2017: comparison with proximal femur fracture.....	570
	<i>K. Fujii, et al.</i> , Tokushima Red Cross	

2-P41-2	The study on posterior cervical spinal fusion in distractive extension injury of the cervical spine ······	571
	<i>M. Tanaka, et al.</i> , Dept. of Orthop. Surg., Surgical Science, Tokai Univ., School of Medicine	
2-P41-3	Study after surgery for middle lower cervical dislocation fracture ······	571
	<i>K. Konishi, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ. School of Medine	
2-P41-4	Prediction of secondary damage of spinal cord after injuries -for the introduction of neuroprotection against the secondary damage of spinal cord injury-·····	572
	<i>M. Ozaki, et al.</i> , Dept. of Orthop. Surg., Hokkaido Spinal Cord Injury Center	
2-P41-5	Validation of the utility of the AOSpine subaxial cervical spine injury classification system, compared with Allen classification and SLIC ······	572
	<i>H. Takayama, et al.</i> , Kakogawa Medical Center	
2-P41-6	Changes of home return ratio in the elderly patients with cervical spinal injury without bone injury in 11 years ······	573
	<i>Y. Torii, et al.</i> , Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine	

Poster 42

17 : 45~18 : 15

Moderator : **Y. Iizuka**

Spinal cord injury

2-P42-1	Reduction of vertebral height with fragility vertebral fractures can induce cariety of neurological deterioration ······	573
	<i>K. Fujimoto, et al.</i> , Tokuyama Central Hosp.	
2-P42-2	Is the oreration useless for the patient with thoraco-lumbar burst fracture of TLICS=2? ······	574
	<i>T. Oda, et al.</i> , SIC	
2-P42-3	Analysis of the factors for practical gait in traumatic thoraco-lumbar spinal Injury ······	574
	<i>I. Yuge, et al.</i> , Nishino Hosp.	
2-P42-4	Treatment of spinal cord injury in the university emergency care center ······	575
	<i>K. Higa, et al.</i> , Div. of Orthop. Surg., Dept. of Medicine of Sensory and Motor Organs, Faculty of Medicine, Univ. of Miyazaki	
2-P42-5	The treatment outcome of 23 spontaneous spinal epidural hematoma ······	575
	<i>H. Maruyama, et al.</i> , Dept. of Orthop. Surg., Showa Univ. School of Medicine	
2-P42-6	surgical outcome of thoracic and lumbar spine injury ······	576
	<i>Y. Okada, et al.</i> , Toyohashi Orthop.	

Poster 43

17 : 15~17 : 45

Moderator : **K. Fushimi**

Cervical spine 3

2-P43-1	Effect of selective laminoplasty with posterior foraminotomy for cervical spondylotic amyotrophy on postoperative cervical sagittal alignment ······	576
	<i>S. Hamada, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Sapporo Medical Univ.	

2-P43-2	Analysis of cervical intervertebral foramen with cervical spondylotic radiculopathy using flexion and extension three-dimensional computed tomography	577
	<i>T. Mizouchi, et al.</i> , Div. of Orthop. Surg., Dept. of Regenerative and Transplant Medicine, Niigata Univ. Graduate School of Medical and Dental Sciences	
2-P43-3	Effects of cervical laminoplasty for ossification of posterior longitudinal ligament on the upper cervical spine	577
	<i>T. Ishihara, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Oita Univ.	
2-P43-4	The study on functions and mechanisms of each compensatory parameter by using kyphotic cases after anterior cervical corpectomy	578
	<i>N. Ikeda, et al.</i> , Dept. of Orthop. Surg. and Spine Center	
2-P43-5	Effect of total sagittal spinal alignment on neck flex-extension	578
	<i>K. Endo, et al.</i> , Dept. of Orthop. Surg.	
2-P43-6	Analysis of sagittal cervical alignment in the standing and sitting positions	579
	<i>S. Odate, et al.</i> , Gakkentoshi Hosp.	

Poster 44

17 : 45~18 : 15

Moderator : K. Ijiri

Cervical spine 4

2-P44-1	Progression of cervical Ossification of the Posterior Longitudinal Ligament after laminoplasty	279
	<i>S. Tomozawa, et al.</i> , Dept. of Orthop. Surg., JCHO Uwajima Hosp.	
2-P44-2	Short-term results of laminoplasty combined with anterior interbody fusion for cervical myelopathy due to OPLL	580
	<i>Y. Nagamoto, et al.</i> , Osaka Rosai Hosp.	
2-P44-3	Surgical outcomes after laminoplasty for cervical spondylotic myelopathy with calcification of the ligamentum flavum	580
	<i>A. Ohnishi, et al.</i> , Kansai Rosai Hosp.	
2-P44-4	A Comparison of Anterior Cervical Discectomy and Corpectomy in Patients with Multilevel Cervical Spondylosis	581
	<i>M. Kakeuchi, et al.</i> , Tokushima Municipal Hosp.	
2-P44-5	Quantitative Analysis of Spinal Cord Pulsation in Anterior Cervical Decompression Surgery Intra-Operative Sonographic Evaluation	581
	<i>Y. Ito, et al.</i> , Yokohama City Univ.	
2-P44-6	A prospective study of clinical outcomes evaluated with JOACMEQ and patient satisfaction after cervical laminoplasty	582
	<i>M. Terakawa, et al.</i> , Osaka General Hosp. of West Japan Railway Company	

Poster 45

17 : 15~17 : 45

Moderator : T. Hirai

Cervical spine: surgery 3

2-P45-1	Surgical results of laminoplasty for cervical myelopathy due to localized anterior compression	582
	<i>T. Mamada, et al.</i> , Dept. of Spine Surg., JCHO Tokyo Yamate Medical Center	
2-P45-2	Does the rupture of the sutured nuchal ligament effect on the outcomes after posterior cervical spine surgery?	583
	<i>T. Fujita, et al.</i> , Odate Municipal General Hosp.	
2-P45-3	How are the correlations of the preoperative factors and the postoperative kyphosis in the patients undergone laminoplasty?	583
	<i>S. Kawasaki, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	
2-P45-4	Segmental disc motion in patients with dropped head syndrome	584
	<i>Y. Murata, et al.</i> , Japanese Red Cross Society Himeji Hosp. Orthop. Surg.	
2-P45-5	Dose a disruption of the C2-semispinalis cervicis muscle attachments affect the postoperative alignment of cervical spine in cervical laminoplasty?	584
	<i>K. Ikuta</i> , Dept. of Orthop. Surg., Karatsu RC Hosp.	
2-P45-6	Magnetic resonance image findings in the early post-operative period after cervical laminoplasty	585
	<i>H. Taniwaki, et al.</i> , Dept. of Orthop. Surg., Shiraniwa Hosp.	

Poster 46

17 : 45~18 : 15

Moderator : M. Sato

Cervical foraminal stenosis, dropped head syndrome

2-P46-1	Effectiveness of the oblique reformation image in cervical spine computed tomography for diagnosis of cervical foraminal stenosis	585
	<i>J. Saito, et al.</i> , Dept. of Orthop. Surg., Toho Univ. School of Medicine (Sakura)	
2-P46-2	Paralysis recovery prediction by the intraoperative spinal cord monitoring of cervical spondylotic amyotrophy (CSA)	586
	<i>H. Sano, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ. School of Medicine	
2-P46-3	Effectiveness of nerve root decompression following cervical laminoplasty	586
	<i>A. Miyauchi, et al.</i> , Saka-Midorii Hosp.	
2-P46-4	Treatment of dropped head syndrome, combined survey report of three facilities	587
	<i>K. Endo, et al.</i> , Dept. of Orthop. Surg.	
2-P46-5	Changes in global sagittal spinal alignment between standing and sitting posture in patients with dropped head syndrome	587
	<i>T. Konishi, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
2-P46-6	Coronal alignment of dropped head syndrome	588
	<i>K. Murata, et al.</i> , Tokyo Med. Univ.	

Poster 47

17 : 15~17 : 45

Moderator : S. Seki

Scoliosis: intraoperative spinal cord monitoring

2-P47-1	Effect of postoperative pleural effusion on postoperative pulmonary function and lung volume in patients with adolescent idiopathic scoliosis.....	588
	<i>M. Ozaki, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine	
2-P47-2	Intraoperative halo-femoral traction for severe scoliosis	589
	<i>T. Takao, et al.</i> , Spinal Injuries Center	
2-P47-3	Examination of number of pulses in the trains transcranial electrical stimulation scoliosis surgery for children.....	589
	<i>T. Hashimoto, et al.</i> , Kobe Medical Center	
2-P47-4	Influence of the anesthetic on muscle evoked potentials after electrical stimulation to the brain : comparison between propofol and desflurane	590
	<i>M. Ando, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ. Medical Center	
2-P47-5	A prospective study for the alarm point using cMAP and a free running EMG	590
	<i>T. Koike, et al.</i> , Niigata Spine Surg. Center	
2-P47-6	Adolescent idiopathic scoliosis surgery using Robotic C-arm system - Focusing on screw deviation before and after correction -	591
	<i>M. Tanaka, et al.</i> , Dept. of Orthop. Surg., Surgical Science, Tokai Univ., School of Medicine	

Poster 48

17 : 45~18 : 15

Moderator : Y. Taniguchi

Scoliosis: assessment and conservative treatment

2-P48-1	Clinical result of brace treatment for Adolescent Idiopathic Scoliosis	591
	<i>H. Shigematsu, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	
2-P48-2	effect of brace treatment on sagittal alignment in adolescent idiopathic scoliosis.....	592
	<i>I. Yamauchi, et al.</i> , Meijo Hospital Orthop. & Spine	
2-P48-3	Evaluation of vertebral rotation in adolescent idiopathic scoliosis by using traction EOS system	592
	<i>M. Matsumoto, et al.</i> , Musculoskeletal Science, Yokohama City Univ. Graduate School of Medicine	
2-P48-4	Comparison of the intra- and inter-rater reliability of Moiré topography between expert and inexperienced doctors	593
	<i>D. Kudo, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine	
2-P48-5	Asymmetrical loading on bilateral hip joints during gait causes difference in bone mineral density at the proximal femur in adult adolescent idiopathic scoliosis	593
	<i>M. Nishida, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-P48-6	Scoliosis for leg length discrepancies in children	594
	<i>K. Kazuyoshi, et al.</i> , Meidai Seikei	

Poster 49

17 : 15～17 : 45

Moderator : S. Kuraishi

Adult spinal deformity: assessment 1

2-P49-1	Decision-Making Factors for Patients below 50 years with Adult Spinal Deformity	594
	<i>T. Fujishiro, et al.</i> , Orthop Surg, Osaka Medical College	
2-P49-2	Casting test as a predictive simulation of effectiveness of correction surgery for adult spinal deformity	595
	<i>S. Kaneko, et al.</i> , Dept. of Orthop. Surg., NHO Murayama Medical Center	
2-P49-3	Survey results of surgical treatment for Adult spinal deformity	595
	<i>Y. Suga, et al.</i> , SGH Spine Center	
2-P49-4	Can we acquire sufficient lumbar lordosis with multiple TLIF and Ponte osteotomy in adult spinal deformity surgery?.....	596
	<i>K. Nishida, et al.</i> , Division of Spine Surg, Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
2-P49-5	Strategy of staged surgery for adult spinal deformity considering from the giving up or worrying cases of the second term surgery	596
	<i>T. Kuniya, et al.</i> , Kanro	
2-P49-6	Evaluation of global dynamic spinal alignment using three-dimensional gait motion analysis in patients with adult spinal deformity.....	597
	<i>K. Miura, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	

Poster 50

17 : 45～18 : 15

Moderator : S. Soshi

Adult spinal deformity: assessment 2

2-P50-1	Are there any differences in achievement of MCID by optimal correction for adult spinal deformity?	597
	<i>H. Arima, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-P50-2	Oblique lumbar interbody fusion combined with minimally invasive percutaneous posterior instrumentation for adult spinal deformity	598
	<i>K. Fukaya</i> , Ayba Renaiss Hosp.	
2-P50-3	Factors associated to the achievement of MCID for SRS-22 after surgery for adult spinal deformity	598
	<i>N. Hosogane, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ. School of Medicine	
2-P50-4	Changes of SRS-22 score and radiographic parameters after the correction and fusion surgery for adult patients with idiopathic scoliosis	599
	<i>K. Daimon, et al.</i> , Ogikubo Hosp.	

2-P50-5	Comparison Between three groups of Adolescent and Adult Idiopathic Scoliosis and De novo Adult Spinal Deformity about Pre- and Post-operative SRS-22	599
	<i>J. Katayanagi, et al.</i> , First Dept. of Orthop. Surg., Dokkyo Medical Univ. Saitama Medical Center	
2-P50-6	Characteristics of gastric esophageal reflux symptoms related to spinal sagittal malalignment in elderly patients	600
	<i>Y. Nakamura, et al.</i> , Higashisaitama General Hosp.	

Poster 51

17 : 15~17 : 45

Moderator : D. Takeuchi

Adult spinal deformity: complication 1

2-P51-1	Endplate injury induced by OLIF cage in corrective surgery for adult spinal deformity.....	600
	<i>G. Inoue, et al.</i> , Kitasato	
2-P51-2	Midterm outcome of Anterior Longitudinal Ligament Rupture after Lateral Interbody Fusion	601
	<i>R. Kimura, et al.</i> , Dept. of Orthop. Surg., Akita Kosei Medical Center	
2-P51-3	Correlation between preoperative intervertebral height and anterior longitudinal ligament injury in lateral lumbar interbody fusion surgery.....	601
	<i>Y. Shibao, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
2-P51-4	The change of coronal plane spinal alignment after LLIF in patients with severe spinal deformity	602
	<i>D. Yamabe, et al.</i> , Dept. of Orthop. Surg., Iwate Medical Univ. School of Medicine	
2-P51-5	Risk factors for rod fracture after long fusion surgery of adult spinal deformity	602
	<i>K. Maruo, et al.</i> , Dept. of Orthop. Surg., Hyogo College of Medicine	
2-P51-6	Long-term clinical outcome of multi-segmental corrective fusion for degenerative lumbar scoliosis	603
	<i>Y. Iwamura, et al.</i> , Yokohama Ekisaikai Hosp. Dept. of Orthop. Surg.	

Poster 52

17 : 45~18 : 15

Moderator : K. Otani

Adult spinal deformity: complication 2

2-P52-1	Proximal junctional kyphosis in adult spinal deformity following long instrumented posterior spinal fusion with multi-level lateral lumbar interbody fusion	603
	<i>H. Murakami, et al.</i> , Dept. of Orthop. Surg., Iwate Medical Univ. School of Medicine	
2-P52-2	Was Anterior-posterior spinal fusion associated with higher proximal junctional kyphosis risk than posterior spinal fusion in adult spinal deformity surgery?	604
	<i>Y. Shiratani, et al.</i> , Seirei Sakura	
2-P52-3	The relationship between postoperative sagittal alignment and proximal junctional failure in patients with adult spinal deformity	604
	<i>K. Miyazaki, et al.</i> , Kobe Medical Center	

2-P52-4	Risk factor analysis of proximal junctional kyphosis after surgical treatment with OLIF in patients with adult spinal deformity	605
	<i>Y. Koike, et al.</i> , Steel Memorial Muroran Hosp.	
2-P52-5	How to calculate the objective correction angle in thoracic(T5-10) 3-column osteotomy.....	605
	<i>S. Sano, et al.</i> , Sanraku Hosp.	
2-P52-6	Clinical Outcomes of Short Spinal Fusion for Degenerative Scoliosis - Influence of Sagittal Balance	606
	<i>A. Sakaguchi, et al.</i> , YCU	

Poster 53

17 : 15~17 : 45

Moderator : **H. Nohara**

Lumbar spine 3

2-P53-1	Relation between early postoperative MRI and remaining leg pain in patients with lumbar spinal canal stenosis after posterior lumbar decompression surgery	606
	<i>T. Fujii, et al.</i> , Keiyu Hosp.	
2-P53-2	Cervical decompression surgery for lumbar spinal stenosis with coexisting cervical spinal stenosis	607
	<i>T. Inoue, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	
2-P53-3	Analysis of Lower Urinary Tract Symptoms in Patients who Have Undergone Posterior Surgery for Lumbar Spinal Stenosis.....	607
	<i>C. Hayakawa, et al.</i> , Japanese Red Cross Medical Center	
2-P53-4	How does the preoperative HR-QOL affect the postoperative satisfaction of patients with degenerative lumbar spondylolisthesis?.....	608
	<i>R. Hirota, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Sapporo Medical Univ.	
2-P53-5	Surgical treatment for dialysis-related Spondyloarthropathy with lumbar canal stenosis	608
	<i>K. Yamana, et al.</i> , Dept. of Orthop. Surg., Fikuyama City Hosp.	
2-P53-6	Levels of disc cellular autophagy depend on the patients' age and degeneration grade compared to the type of disease (lumbar disc degeneration versus herniation)	609
	<i>T. Yurube, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	

Poster 54

17 : 45~18 : 15

Moderator : **K. Nakanishi**

Lumbar spine 4

2-P54-1	A prospective study of voiding dysfunctions in patients with lumbar spinal canal stenosis	609
	<i>K. Yoshioka, et al.</i> , Kanazawa Medical Center	

2-P54-2	Lumbar foraminal stenoses coexist with lumbar central spinal stenosis at high rates and attenuate the surgical outcome	610
	<i>T. Mukaihata, et al.</i> , Kashiwa Hosp.	
2-P54-3	Quantitative evaluation on motor function of lower extremity using foot 10-second test - Part 2: Investigation of longitudinal change by 5-year follow-up -	610
	<i>H. Kobayashi, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Fukushima Medical Univ.	
2-P54-4	What factors related to low back pain among elderly population in suburban area? -The Shiraniwa Study-	611
	<i>S. Ohyama, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
2-P54-5	Relation between sagittal alignment and rule of intervertebral wedge-shaped rotation deformity in lower lumbar degeneration	611
	<i>H. Yamaguchi, et al.</i> , Dept. of Orthop. Surg., Juntendo Tokyo Koto Geriatric Medical Center	
2-P54-6	A prospective one-year follow-up study for the relationship between cross-sectional area of dural sac on MRI and fall	612
	<i>K. Otani, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Fukushima Medical Univ.	

Poster 55

17 : 15~17 : 45

Moderator : H. Misawa

Advance in surgical material 1

2-P55-1	Accuracy of lumbar pedicle screw fixation with cortical bone trajectory using a patient-matched targeting guide	612
	<i>K. Maruo, et al.</i> , Dept. of Orthop. Surg., Hyogo College of Medicine	
2-P55-2	Comparison of fusion rate between titanium-coated PEEK cages and carbon PEEK cages in lumbar interbody fusion ~single-surgeon experience with 80 cases~	613
	<i>K. Kishima, et al.</i> , Dept. of Orthop. Surg., Hyogo College of Medicine	
2-P55-3	Bone union of porous hydroxyapatite-collagen composite with bone marrow aspirate introducing by low pressure method in lateral lumbar interbody fusion	613
	<i>I. Torigoe, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	
2-P55-4	Antibacterial effect of cobalt-chromium alloy against S.aureus and MRSA	614
	<i>K. Watanabe, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-P55-5	Bone Regeneration using Unidirectional Porous β -Tricalcium Phosphate for Vertebral fracture in elderly	614
	<i>T. Funayama, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
2-P55-6	Comparison of placing oblique single cage and conventional double cages in lumbar interbody fusion	615
	<i>Y. Okamura, et al.</i> , Eniwa Hosp.	

Poster 56

17 : 45~18 : 15

Moderator : K. Wada

Advance in surgical material 2

2-P56-1	The effect of spinal fusion on the satisfaction with thoraco-lumbar spine surgery	615
	<i>K. Masamoto, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Kyoto Univ.	
2-P56-2	Comparison between the productive age and the elderly in cost-utility analysis of posterior lumbar interbody fusion for degenerative lumbar disorders.....	616
	<i>H. Fujiwara, et al.</i> , Dept. Orthop. Surg., NHO, Osaka-Minami Medical Center	
2-P56-3	MId-term surgical outcome for lumbosacral foraminal stenosis.....	616
	<i>A. Yasuda, et al.</i> , Shizuoka Redcross	
2-P56-4	Allogeneic bone graft in spinal surgery is usefull method.....	617
	<i>M. Fujiwara, et al.</i> , Komagome Hosp.	
2-P56-5	Reconstrucution for the fibula defect in spine surgery cases using a new biomaterial: the usefulness of unidirectional porous beta-tricalcium phosphate	617
	<i>S. Izawa, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
2-P56-6	3-year Result of one-level PLIF adjacent PLF without instrumentation using NEOBONE in substitution for two-level PLIF	618
	<i>K. Ariga, et al.</i> , Osaka Police Hosp., Orthop. Surg.	

Poster 57

17 : 15~17 : 45

Moderator : T. Miyashita

Minimally invasive fusion 2

2-P57-1	Can a surgical technique to insert a PPS in a lateral decubitus position under fluoroscopy be a standard ?.....	618
	<i>S. Arataki, et al.</i> , Ortho, Kagawa Rosai Hosp.	
2-P57-2	Radiological improvements in lumbar lordosis and indirect decompression after combined XLIF and PPS surgeries with anterior column realignment procedure (ACR)	619
	<i>Y. Tani, et al.</i> , Kansai Medical Medical Univ.	
2-P57-3	Clinical outcomes of OLIF for Reconstructive Surgery after Decompression of Lumbar disease	619
	<i>H. Murata</i> , Shimura Hosp.	
2-P57-4	No difference was detected between the minimally invasive method and the conventional method in outcome of lumbar interbody fusion for lumbar spinal canal stenosis	620
	<i>M. Iwabuchi, et al.</i> , Dept. of Orthop. and Spinal Surg, AMEC at Fukushima Medical Univ.	
2-P57-5	The Influence of facet Joint degeneration on segmental lumbar lordosis after XLIF approach	620
	<i>A. Hiyama, et al.</i> , Dept. of Orthop. Surg., Surgical Science, Tokai Univ., School of Medicine	

2-P57-6	Quantitative comparison of paraspinal and psoas muscle degeneration in spondylolisthesis between LLIF and PLIF	621
	<i>H. Yamaguchi, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	

Poster 58

17 : 45~18 : 15

Moderator : M. Kato

Minimally invasive fusion 3

2-P58-1	Psoas muscle degeneration after lateral access lumbar interbody fusion	621
	<i>T. Hida, et al.</i> , Japanese Red Cross Nagoya Daini Hosp.	
2-P58-2	Risk Factor of Hip flexor Weakness after XLIF	622
	<i>H. Omi, et al.</i> , Aomori Prefectural Central Hosp.	
2-P58-3	PLIF with Large footprint cages and CBT pedicle screws -a comparative study with the use of conventional cages at postoperative 2 years	622
	<i>T. Kaito, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
2-P58-4	Good clinical results of minimally invasive facet fusion without decompression for radicular symptoms caused by unstable degenerative lumbar spondylolisthesis	623
	<i>H. Ataka, et al.</i> , Matsudo Orthop. Hosp.	
2-P58-5	Good clinical outcomes and fusion rate of facet fusion with CBT screw for degenerative lumbar spondylolisthesis	623
	<i>T. Miyashita, et al.</i> , Matsudo City General Hosp.	
2-P58-6	The meaning of non-fusion stabilization surgery for degenerative lumbar disease with instability on the aspect of minimum invasiveness — minimum 5 year follow up –	624
	<i>H. Ohta, et al.</i> , Oita Orthop. Hosp.	

Poster 59

17 : 15~17 : 45

Moderator : M. Yoshida

LIF 3

2-P59-1	Risk factors in intraoperative findings for prolonged restoration of thigh symptoms in lateral lumbar interbody fusion (LIF)	624
	<i>N. Segi, et al.</i> , Nagoya Univ.	
2-P59-2	evaluation of the kidney and major psoas muscle on intraoperative CT, compared with the intraoperative lateral decubitus position and the supine position	625
	<i>S. Takao, et al.</i> , Science of Functional Recovery and Reconstruction, Okayama Univ. Graduate School of Medicine, Dentistry and Pharmaceutical Sciences	
2-P59-3	Relation Between Cross Sectional Area of Psoas Major, Multifidus and Erector Spinae and Fatty Degeneration of Multifidus and Erector Spinae	625
	<i>Y. Hatakeyama, et al.</i> , Akita RCH	

2-P59-4	Evaluation of the presence and distribution of air on abdominal computed tomography after thoracolumbar LIF and conventional anterolateral surgeries	626
	<i>T. Ishikawa, et al.</i> , Orthop. Surg., Sanmu Medical Center	
2-P59-5	Radiation exposure in spinal fusion surgery with LIF.....	626
	<i>K. Kikuchi, et al.</i> , Akita Kosei Medical Center	
2-P59-6	The effects of bleeding after LIF on circulatory dynamics	627
	<i>T. Setoue, et al.</i> , Kawasaki Saiwai Hosp.	

Poster 60

17 : 45~18 : 15

Moderator : **A. Nakano**

LIF 4

2-P60-1	Clinical results of correction surgery for adult spinal deformity	627
	<i>F. Tanabe, et al.</i> , Kirishima Orthop.	
2-P60-2	Comparison between multiple PLIF and LIF in adult spinal deformity surgery	628
	<i>K. Kikuchi, et al.</i> , Akita Kosei Medical Center	
2-P60-3	Analysis for limitation of LLIF for disc level with spontaneous partial interbody fusion in correction surgery for adult spinal deformity	628
	<i>S. Kaneko, et al.</i> , Dept. of Orthop. Surg., NHO Murayama Medical Center	
2-P60-4	Radiological evaluation by difference of XLIF cage in patients with adult spinal deformity	629
	<i>A. Hiyama, et al.</i> , Dept. of Orthop. Surg., Surgical Science, Tokai Univ., School of Medicine	
2-P60-5	Factor associated with bony fusion after lateral interbody fusion for adult spinal deformity.....	629
	<i>E. Okada, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-P60-6	Factors of bone union in two-stage anterior-posterior combined surgery with lateral lumbar interbody fusion: endplate injury is relevant to intra-cage bone union	630
	<i>I. Torigoe, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	

Poster 61

17 : 15~17 : 45

Moderator : **M. Fukuoka**

Lumbar fusion 3

2-P61-1	PLIF combined with large foot print cages improves radiographic and clinical outcome	630
	<i>Y. Kanie, et al.</i> , Dept. of Orthop. Surg., Hoshigaoka Medical Center	
2-P61-2	Bone union rate following posterior lumbar interbody fusion with cortical bone trajectory using titanium-coated PEEK cage and PEEK cage	631
	<i>A. Nakamura, et al.</i> , Dept. of Orthop. Surg., Shiga Univ. of Medical Science	
2-P61-3	PLIF with CBT screw fixation versus PLIF using traditional pedicle screw fixation for 2-level degenerative lumbar spondylolisthesis-A comparative study-	631
	<i>H. Sakaura, et al.</i> , JCHO Osaka Hosp.	

2-P61-4	Risk of using spinal implant made of PEEK.....	632
	<i>K. Kuribayashi</i> , Ainomiyako Neurosurgical Hosp.	
2-P61-5	The study of long-term postoperative outcomes of one-level TLIF for patients with lumbar spondylolisthesis by JOABPEQ	632
	<i>M. Sato, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
2-P61-6	Temporary short-segment fixation without augmentation for lumbar burst fractures.....	633
	<i>M. Furuya, et al.</i> , Osaka National Hosp.	

Poster 62

17 : 45~18 : 15

Moderator : **M. Miyazaki**

Lumbar fusion 4

2-P62-1	Development of porous bioactive titanium cage for spinal fusion	633
	<i>S. Fujibayashi, et al.</i> , Dept. of Musculoskeletal Reconstruction, Graduate School of Medicine, Kyoto Univ.	
2-P62-2	Influence of interbody cage geometry at the level of L5/S1 in posterior lumbar interbody fusion surgery for local segmental angle and spinopelvic alignment	634
	<i>T. Nagai, et al.</i> , Dept. of Orthop. Surg., Tokai Univ., Oiso Hosp.	
2-P62-3	Radiographic spino-pelvic sagittal realignment after single-segment posterior lumbar inter-body fusion -Comparison of angle of cages: 6° vs 12°-	634
	<i>T. Matsumoto, et al.</i> , Osaka Rosai Hosp.	
2-P62-4	The significance of rectangular shaped bone graft after TLIF	635
	<i>M. Kondo, et al.</i> , Hachiya Orthop. Hosp.	
2-P62-5	Block bone graft technique can efficiently avoid the cage subsidence for posterior lumbar interbody fusion.....	635
	<i>S. Nishimura, et al.</i> , Dept Orthop. Surg., Kawasaki Municipal Hosp	
2-P62-6	Evaluation of endplate cyst following posterior lumbar interbody fusion	636
	<i>A. Inada, et al.</i> , Spine Center	

Poster 63

17 : 15~17 : 45

Moderator : **N. Nishida**

Investigation of problem 3

2-P63-1	Association of global sagittal alignment with the adjacent segment disease after posterior lumbar interbody fusion in spondylolytic spondylolisthesis.....	636
	<i>K. Takeda, et al.</i> , Dept. of Orthop. Surg., Shizuoka Red Cross Hosp.	
2-P63-2	The change of sagittal alignment after in situ fusion for degenerative lumbar disease	637
	<i>H. Takaoka, et al.</i> , Matsudo Orthop. Hosp.	
2-P63-3	Relationship between PI minus LL and muscular power in lumber degeneration deseases	637
	<i>A. Miyamoto, et al.</i> , Dept. of Rehab., Keiyu Orthop. Hosp.	

2-P63-4	Pelvic Tilt (PT) is associated with Sacro-Femoral-Pubic (SFP) Angle in Japanese general population.....	638
	<i>Y. Iizuka, et al.</i> , Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine	
2-P63-5	Lateral interbody fusion using unidirectional porous b-tricalcium phosphate with special reference to the analysis of the process of intervertebral body fusion.....	638
	<i>T. Asada, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
2-P63-6	Poor performance factor in patients with spinal canal stenosis with PI-LL mismatch.....	639
	<i>M. Ishihara, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.	

Poster 64

17 : 45~18 : 15

Moderator : **Y. Mikami**

Investigation of problem 4

2-P64-1	Analysis of surgical site infection surveillance and prophylactic treatment in spinal surgery	639
	<i>M. Takeuchi, et al.</i> , Tokushima Municipal Hosp.	
2-P64-2	Does the use of sterilized "space suits" and antibiotics including bone graft reduce surgical site infection after spinal instrumentation surgery?	640
	<i>O. Tsuji, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-P64-3	Actual state of Surgical Site Infection after spinal instrument surgery in our department – what seen from 16 years of data –	640
	<i>H. Futakawa, et al.</i> , Toyama Univ.	
2-P64-4	Investigation of post operative blood exam for common spinal disease	641
	<i>A. Miyake, et al.</i> , National Defense Medical College	
2-P64-5	Can postoperative lymphopenia serve as an indicator of surgical site infection in patients undergoing spine surgery ?	641
	<i>H. Imabayashi, et al.</i> , National Defense Medical College	
2-P64-6	An effect of linezolid on MRSA-caused pyogenic spondylitis in the postoperative period	642
	<i>Y. Terashima, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Sapporo Medical Univ.	

Poster 65

17 : 15~17 : 45

Moderator : **Y. Kato**

Surgical complication 1

2-P65-1	Perioperative catheter use as a risk factor for surgical site infection following cervical surgery: an analysis of 39,893 patients	642
	<i>K. Tamai, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
2-P65-2	The influence of frailty of patients on the incidence of surgical site infection after spine surgery — the analysis of over 1000 cases	643
	<i>T. Yoshikawa, et al.</i> , Kobe Rousai Hosp. Orthop.	

2-P65-3	The risk factor of surgical site infection (SSI) in cervical and cervicothoracic spine surgery	643
	<i>N. Nagata, et al.</i> , Orthop. Kobe Rosai Hosp.	
2-P65-4	Risk factor analysis for surgical site infection after lumbar spine surgery based on frailty.	644
	<i>R. Kato, et al.</i> , Kobe Rosai Hosp.	
2-P65-5	Efficacy and cause of failure of negative pressure wound therapy for surgical site infection after spinal instrumentation surgery	644
	<i>T. Takada, et al.</i> , Kobe Hokuto Hosp. Spine Center	
2-P65-6	The drug sensitivity of Methicillin - resistant Staphylococcus aureus (MRSA) in the department of orthopedic surgery for our hospital	645
	<i>H. Teramoto, et al.</i> , Dept. of Orthop. Surg., National Defense Medical College	

Poster 66

17 : 45~18 : 15

Moderator : **K. Ando**

Surgical complication 2

2-P66-1	Factors influencing Deep Vein Thrombosis during the perioperative period of lumbar surgery	645
	<i>T. Imuro, et al.</i> , Dept. of Orthop. Surg., Atsugi city Hosp.	
2-P66-2	Effectiveness of early postoperative resumption of heparin for prevention of thromboembolism	646
	<i>I. Takahashi, et al.</i> , Dept. of Orthop. Surg., Nagaoka Central General Hosp.	
2-P66-3	Assessment of post-operative paralysis due to epidural hematoma after spinal surgery — A multi-center study—	646
	<i>T. Masuda, et al.</i> , Kizawa Memorial Hosp.	
2-P66-4	Preventive effects of preoperative skin preparation using ethanol wipes on postoperative surgical site infection	647
	<i>Y. Takahashi, et al.</i> , Dept. of Orthop. Surg., Fujita Health Univ., School of Medicine	
2-P66-5	Predictable risk factors of delirium in spine surgery for the elderly patients with over 75 years old	647
	<i>H. Onuma, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	
2-P66-6	Risk factors for nasal carriage of methicillin-resistant Staphylococcus aureus among patients scheduled to undergo spine surgery	648
	<i>T. Sada, et al.</i> , Nara City Hosp.	

Poster 67

17 : 15~17 : 45

Moderator : **Y. Yamamoto**

BKP 3

2-P67-1	Is balloon kyphoplasty cost-effective for patients with osteoporotic vertebral fractures in acute care hospitals?	648
	<i>R. Oishi, et al.</i> , Nagano Red Cross Hosp.	

2-P67-2	Clinical outcome and problem of Balloon Kyphoplasty for osteoporotic vertebral fracture.....	649
	<i>H. Kakimaru, et al.</i> , Hamada Medical Center	
2-P67-3	Risk factors for adjacent vertebral fractures after balloon kyphoplasty.....	649
	<i>D. Matsuyama, et al.</i> , Dept. of Orthop. Surg., Surgical Science, Tokai Univ., School of Medicine	
2-P67-4	The timing of surgical intervention in balloon kyphoplasty affects the postoperative correction loss -Requires judgment within one month after injury-	650
	<i>T. Umehara, et al.</i> , Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine	
2-P67-5	Analysis of Risk factor for poor results of BKP	650
	<i>Y. Kono, et al.</i> , Chiba Central Medical Center	
2-P67-6	Comparison of balloon kyphoplasty and conservative treatment for acute thoracolumbar osteoporotic vertebral fractures with poor prognostic factors.....	651
	<i>N. Yonezawa, et al.</i> , Dept. of Orthop. Surg., Asanogawa General Hosp.	

Poster 68

17 : 45~18 : 15

Moderator : **T. Kobayashi**

Spinal instrumentation surgery for osteoporotic spine

2-P68-1	Bicortical versus unicortical pedicle screws in different trajectories: an in- vitro experimental study using lumbar osteoporotic bone models	651
	<i>Y. Shibasaki, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ.	
2-P68-2	Diagonal trajectory posterior screw instrumentation for compromised bone quality spine: Groove- entry technique/Hooking screw hybrid	652
	<i>I. Sekiguchi, et al.</i> , Hokuto Hosp.	
2-P68-3	Augmentation method using hydroxyapatite granules for percutaneous pedicle screw fixation: Biomechanical analysis in cadaveric spine model	652
	<i>H. Kanno, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. Graduate School of Medicine	
2-P68-4	A novel percutaneous pedicle screw insertion technique for osteoporotic vertebral body fracture with diffuse idiopathic skeletal hyperostosis	653
	<i>T. Takeuchi, et al.</i> , Kugayama Hosp.	
2-P68-5	A surgical outcome of thoraco-lumbar spinal injury occurred in the elderly with diffuse idiopathic hyperostosis - comparison between PPS method and PES method -	653
	<i>M. Nakahara, et al.</i> , Kitasuma Hosp.	
2-P68-6	Evaluation of early backed out pedicle screw cases after posterior fixation	654
	<i>M. Tanaka, et al.</i> , Dept. of Orthop. Surg., Juntendo Univ. Urayasu Hosp.	

Poster 69

17 : 45~18 : 15

Moderator : M. Ikawa

Vertebral fracture: Surgery 1

2-P69-1	Usefulness of XLIF corpectomy for non-union of osteoporotic vertebral fracture and instrumentation related complications.....	654
	<i>T. Funayama, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
2-P69-2	Tips for correction in lateral access corpectomy for kyphotic deformity after osteoporotic vertebral collapse	655
	<i>M. Ishihara, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.	
2-P69-3	The surgical strategy for osteoporotic vertebral compression fracture	655
	<i>T. Kobayashi, et al.</i> , Akita Kousei Medical Center, Dept. of Orthop. Surg.	
2-P69-4	Results of instrumentation surgery for osteoporotic L1 vertebral collapse	656
	<i>K. Saita, et al.</i> , Dept. of Orthop. Surg., Saitama Medical Center, Saitama Medical Univ. School of Medicine	
2-P69-5	Vertebroplasty for osteoporotic vertebral fracture with instability	656
	<i>T. Tsujio, et al.</i> , Shiraniwa	
2-P69-6	Clinical characteristics and surgical outcomes for osteoporotic vertebral fracture in thoraco-lumbar spine comparison with middle-lower lumbar spine	657
	<i>S. Kato, et al.</i> , Dept. of Orthop. Surg., Fujita Health Univ.	

Poster 70

17 : 15~17 : 45

Moderator : R. Takemasa

Vertebral fracture: Surgery 2

2-P70-1	The usefulness of the expandable cage with round shaped endplate replaced on the ring apophysis of thoracolumbar vertebral endplate in anterior reconstruction	657
	<i>S. Okuwaki, et al.</i> , Mito General Hosp.	
2-P70-2	A retrospective study on initial diagnosis and surgical methods for vertebral fractures associated with ankylosed spine	658
	<i>T. Asari, et al.</i> , Hirosaki	
2-P70-3	Surgical treatment in patients with osteoporotic vertebral fracture: a retrospective comparison study between anterior surgery and posterior surgery	658
	<i>T. Taniyama, et al.</i> , Dept of Orthop. Surg., Kudanzaka Hosp.	
2-P70-4	Cage Subsidence of the Vertebral Reconstructive Cage with LIF style Endcaps in Lateral Corpectomy	659
	<i>Y. Ishikawa, et al.</i> , Konan Kosei Hosp.	
2-P70-5	Accuracy of cortical bone trajectory screw using patient-specific-guide	659
	<i>K. Matsukawa, et al.</i> , Murayama Medical Center	

2-P70-6	The indication of posterior spinal fixation using percutaneous pedicle screw for osteoporotic vertebral fractures	660
	<i>K. Fujimoto, et al.</i> , Tokuyama Central Hosp.	

Poster 71

17 : 15~17 : 45

Moderator : Y. Matsuoka

Vertebral fracture 3

2-P71-1	Fixation surgery for patients with diffuse idiopathic skeletal hyperostosis (DISH) fracture. — Comparison of double and single penetrating endplate screw—.....	660
	<i>T. Ishikawa, et al.</i> , Orthop. Surg., Sanmu Medical Center	
2-P71-2	Characteristic of osteoporotic vertebral fractures with diffuse idiopathic skeletal hyperostosis	661
	<i>E. Kawakita, et al.</i> , Saiseikai Matsusaka General Hosp.	
2-P71-3	Conservative Treatment of Vertebral fracture with Diffuse Idiopathic Skeletal Hyperostosis.....	661
	<i>Y. Yonezawa, et al.</i> , Shizuoka Red Cross Hosp. Spine Center	
2-P71-4	Surgical cases of posterior fixation with PPS in lateral position for spinal fracture patients with diffuse idiopathic skeletal hyperostosis (DISH)	662
	<i>N. Watanabe, et al.</i> , Kagawa Rosai Hosp.	
2-P71-5	Evaluation of bone union after minimally invasive spine stabilization for osteoporotic vertebral fracture.....	662
	<i>M. Nonomura, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Kyoto Daini Hosp.	
2-P71-6	Risk factor of early adjacent vertebral body fracture after vertebroplasty for osteoporotic vertebral fracture.....	663
	<i>N. Aoyama, et al.</i> , Kouchi Univ.	

Poster 72

17 : 45~18 : 15

Moderator : M. Kono

Pyogenic spondylitis

2-P72-1	Treatment for thoracic pyogenic spondylitis with pyothorax.....	663
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.	
2-P72-2	Risk factors for failure of the conservative treatment for pyogenic discitis.....	664
	<i>N. Tachibana, et al.</i> , The Univ. of Tokyo	
2-P72-3	Clinical outcome of reoperation of the case that Percutaneous Suction Aspiration and Drainage cannot effect in pyogenic spondylitis	664
	<i>T. Matsubara, et al.</i> , Saiseikai Fukuoka General Hosp., Orthop.	
2-P72-4	Clinical outcome of 24 cases of cervical pyogenic spondylodiscitis.	665
	<i>Y. Kudo, et al.</i> , Dept. of Orthop. Surg., Showa Univ. School of Medicine	

2-P72-5	Factors affecting surgical indication in the patients with pyogenic spondylitis without neurological deficit	665
	<i>D. Oyaizu, et al.</i> , Dept. of Orthop. Surg., National Defense Medical College	
2-P72-6	Comparison of clinical outcome of managements result by the causative bacteria in spontaneous pyogenic spondylitis.....	666
	<i>S. Okuwaki, et al.</i> , Mito General Hosp.	

Poster 73

17 : 15~17 : 45

Moderator : H. Uei

Metastatic spinal tumor

2-P73-1	Clinical results of 42 cases requiring emergency operation for nerve paralysis due to metastatic spinal tumor	666
	<i>T. Nukaga, et al.</i> , Dept. of Orthop. Surg., Surgical Science, Tokai Univ., School of Medicine	
2-P73-2	Clinical outcomes of palliative surgeries for metastatic spinal tumors	667
	<i>A. Suzuki, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
2-P73-3	Efficacy of surgical treatment for symptomatic metastatic spinal tumor	667
	<i>T. Hitora, et al.</i> , Seirei Hamamatsu	
2-P73-4	The Retrospective Study about early unsatisfactory outcome of Spinal Metastasis Surgery	668
	<i>Z. Zhongying, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
2-P73-5	The risk assessment of Venous Thromboembolism in patient with metastatic spinal tumor	668
	<i>M. Masahiro, et al.</i> , Musculoskeletal Science, Yokohama City Univ. Graduate School of Medicine	
2-P73-6	Impact of opioid use on overall survival in patients with spinal metastases	669
	<i>S. Dohzono, et al.</i> , Yodogawa Christian Hosp.	

Poster 74

17 : 45~18 : 15

Moderator : H. Hashizume

Liaison therapeutic strategy for metastatic spinal disorders

2-P74-1	Clinical outcome of surgical treatment for spinal bone metastases in patients with advanced breast cancer	669
	<i>Y. Sato, et al.</i> , Dept. of Orthop. Surg., St. Luke's International Hosp.	
2-P74-2	Clinical efficacy of CT-guided percutaneous biopsy for metastatic bone tumor	670
	<i>Y. Shiga, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
2-P74-3	The effect and issue of cancer board specific to bone metastasis	670
	<i>K. Kakutani, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
2-P74-4	Trend of metastatic spinal tumor in our hospital	671
	<i>K. Uchino, et al.</i> , Dept. of Orthop., Traumatology, and Spine Surg., Kawasaki Medical School	

2-P74-5	What thing do medical doctors, who treat spinal metastasis due to cancer, expect for spine surgeon? What should we should do? -A survey in our hospital-	671
	<i>M. Tanaka, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	
2-P74-6	Clinical outcomes of cancer patients with spinal metastasis causing lower leg paralysis	672
	<i>M. Hashimoto, et al.</i> , Chiba Rosai Hosp.	

Poster 75

17 : 15~17 : 45

Moderator : **M. Hongo**

Sarcopenia

2-P75-1	A Study on Simple Diagnosis Method of Sarcopenia Using CT, MRI in Patients with Vertebral Compression Fracture.....	672
	<i>K. Fujimoto, et al.</i> , Saiseikai Narashino Orthop. Surg.	
2-P75-2	Relationship between cross-sectional area of trunk muscles and spinopelvic alignment	673
	<i>J. Sasaki, et al.</i> , Dept. of Orthop. Surg., National Defence Medical Collage	
2-P75-3	The lumbago and nutritional status of primary osteoporosis patients with Sarcopenia	673
	<i>H. Yano, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Kitasato Univ.	
2-P75-4	Does the drug medication for Osteoporosis help patients from becoming severe kyphotic posture ? ...for the prevention of major surgery.....	674
	<i>R. Murotani, et al.</i> , Dept. of Orthop. Surg., Chiba Central Medical Center	
2-P75-5	Sarcopenia diagnosis using arm span for patients with osteoporosis	674
	<i>Y. Ono, et al.</i> , Nakadori Hosp.	
2-P75-6	High AGEs is associated with lower skeletal muscle mass in body composition in men	675
	<i>M. Teraguchi, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ. Kihoku Hosp.	

Poster 76

17 : 45~18 : 15

Moderator : **S. Tanishima**

Locomotive syndrome with lumbar spinal stenosis

2-P76-1	Evaluation of risk factors for falling in patients with lumbar spinal stenosis by using Two-Step test	675
	<i>N. Fujita, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-P76-2	Surgical treatment for a patient with LSS alleviates risk of locomotive syndrome	676
	<i>N. Fujita, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
2-P76-3	The effects of surgical treatment on locomotive syndrome and physical function in patients with lumbar spinal stenosis and assessment of the associated factors.....	676
	<i>T. Shimizu, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.	
2-P76-4	Assessment of locomotive syndrome and physical function in lumbar spinal stenosis patients with diffuse idiopathic skeletal hyperostosis	677
	<i>T. Shimizu, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kanazawa Univ.	

2-P76-5	Standing sagittal balance of the patients with cervical myelopathy and lumbar spinal stenosis is worse than that with cervical myelopathy alone	677
	<i>O. Okamoto, et al.</i> , Niigata Spine Surg. Center	
2-P76-6	The evaluation for lumbar canal stenosis patients with Locomo-check -Comparison with normal elderly people-	678
	<i>H. Shigematsu, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	

Poster 77

17 : 15~17 : 45

Moderator : **N. Fujita**

Basic research of intervertebral disc 1

2-P77-1	Immunohistochemical analysis of macrophage polarization in rat caudal disc puncture model	678
	<i>Y. Yamamoto, et al.</i> , Dept. of Orthop. and Rehab. Medicine, Faculty of Medical Sciences, Univ. of Fukui	
2-P77-2	Tensirolimus Is a Candidate of the Optimal mTOR Inhibitor to Protect Human Disc Cells Depending on Akt and Autophagy Induction	679
	<i>Y. Kakiuchi, et al.</i> , Kobe Univ. Graduate School of Medicine	
2-P77-3	Attenuation of intervertebral disc degeneration caused by needle puncture in Smurf2 knockout mice	679
	<i>J. Kushioka, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
2-P77-4	Relevance of GDNF family ligands' receptors and human intervertebral disc degeneration	680
	<i>T. Iwasaki, et al.</i> , Dept. of Musculoskeletal Surg., Dept. of Multimodality Therapy for Cancer, Mie Univ. Graduate School of Medicine	
2-P77-5	Intradiscal Injection of Monosodium Iodoacetate to Intervertebral disc induces Intervertebral Disc Degeneration	680
	<i>T. Sudo, et al.</i> , Dept. of Musculoskeletal Surg., Dept. of Multimodality Therapy for Cancer, Mie Univ. Graduate School of Medicine	
2-P77-6	Establishment of cultural procedure for primary mouse nucleus pulposus cells in 3D collagen gel	681
	<i>J. Kushioka, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	

Poster 78

17 : 45~18 : 15

Moderator : **D. Sakai**

Basic research of intervertebral disc 2

2-P78-1	The inhibitory effect of annulus fibrosus cell sheets to the disc degeneration	681
	<i>T. Nukaga, et al.</i> , Dept. of Orthop. Surg., Surgical Science, Tokai Univ., School of Medicine	
2-P78-2	Wnt signal promotes the differentiation of mesenchymal stem cells towards disc nucleus pulposus cells	682
	<i>K. Morita, et al.</i> , Dept. of Orthop. Surg., Tokai Univ. School of Medicine	

2-P78-3	Evaluation of the new small-molecule IL-17A inhibitor for treating degenerative discs	682
	<i>K. Suyama, et al.</i> , Dept. of Anatomy and Cellular biology, Tokai Univ., School of Medicine	
2-P78-4	A Novel Phosphorylated-Pullulan Film as a Carrier for Bone Morphogenetic Protein-2 Enhances Bone Union in Rat Spinal Fusion Model	683
	<i>R. Ugawa, et al.</i> , Dept. of Orthop. Surg., Okayama Univ. Hosp.	
2-P78-5	The effects of different frequency administration of PTH1-34 on BMP-2 induced bone formation — an intravital imaging analysis-	683
	<i>K. Hashimoto, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
2-P78-6	Characteristics of quantitative MR image analysis on intervertebral disc degeneration	684
	<i>H. Takashima, et al.</i> , Sapporo Medical Univ.	

Poster 79

17 : 15~17 : 45

Moderator : **Y. Kasukawa**

Lumbar spine: miscellaneous

2-P79-1	Age-related changes of the lumbar disc	684
	<i>T. Matsumoto, et al.</i> , Chubu Rosai Hosp.	
2-P79-2	Is Discoblock Safe for Degenerated Intervertebral discs?	685
	<i>K. Ura, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.	
2-P79-3	Effect of Hybrid Assistive Limb for lumbar support on reduction of lumbar load in repetitive lifting movements	685
	<i>K. Miura, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
2-P79-4	Non-orthopaedic disease detected by lumbar MRI suspected as lumbar disease	686
	<i>Y. Ueda, et al.</i> , Dept. of Orthop. Surg., Fukui Prefectural Hosp.	
2-P79-5	Investigation of Incident Report	686
	<i>K. Kobayashi, et al.</i> , Nagoya Univ.	
2-P79-6	The role of spinal surgeons on the treatment of spine diseases in child abuse	687
	<i>K. Ikuta, et al.</i> , Kainan Hosp. Dept. of Orthop. Surg.	

Poster 80

17 : 45~18 : 15

Moderator : **H. Inose**

Thoracic myelopathy: miscellaneous

2-P80-1	Higher obesity and stronger tendency for ossification are phenotypes with early-onset thoracic myelopathy caused by OPLL	687
	<i>T. Endo, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine and Graduate School of Medicine, Hokkaido Univ.	

2-P80-2	Efficacy of Hybrid assistive limb treatment for patients withsevere thoracic myelopathy due toossification of the posterior longitudinal ligament.....	688
	<i>T. Abe, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
2-P80-3	Characteristic clinical and radiological findings for thoracic myelopathy: compared to cervical myelopathy.....	688
	<i>T. Dokai, et al.</i> , Dept. of Orhtop. Surg., Tottori Central Hosp.	
2-P80-4	Surgical results of surgery for thoracic myelopathy caused by ossification of posterior longitudinal ligament.....	689
	<i>T. Etoh, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. Graduate School of Medicine	
2-P80-5	The termination of the spinal cord and the dural sac.....	689
	<i>M. Wakasugi, et al.</i> , Uonumakikan Hosp.	
2-P80-6	Spinal dural arteriovenous fistulas with venous penetration in the nerve root sleeve have peculiar hemodynamic features	690
	<i>T. Itabashi, et al.</i> , Narita Red Cross Hosp.	

The Third Day—April 20 (Saturday)

Room 1

Expert Technical Note 4

10 : 00~12 : 00

Moderators : Y. Shimada

A. Okawa

Anterior surgery

3-1-ETN4-1	Anterior Floating Method for Cervical Myelopathy Caused by Ossification of the Posterior Longitudinal Ligament	693
	<i>S. Shindo, et al.</i> , Dept. of Orthop. Surg., Kudanzaka Hosp.	
3-1-ETN4-2	Anterior Surgery for the Thoraco-lumbar Spine	693
	<i>M. Ito</i> , Hokkaido Medical Center	
3-1-ETN4-3	Technical note for Lumbar Anterior fusion surgery from the anatomy to the procedure	694
	<i>S. Orita, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
3-1-ETN4-4	Sagittal Realignment with Lateral Approach Surgery	694
	<i>T. Kanemura, et al.</i> , Spine Center, Konan Kosei Hosp.	

Break

Room 2

Main Theme 12

9 : 00~9 : 48

Moderator : K. Nakanishi

Liaison therapeutic strategy for metastatic spinal disorders

3-2-M12-1	Expectation and role to spine surgeons for treatment of bone metastases	695
	<i>T. Furuya, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
3-2-M12-2	Active involvement of the spinal surgeon is necessary for constructing the bone metastasis registration system	695
	<i>J. Kono, et al.</i> , Sakai City Medical Center	
3-2-M12-3	Spinal cord injury caused by spinal metastasis can be completely eliminated by the institutional multidisciplinary board for bone metastasis	696
	<i>T. Hirai, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	
3-2-M12-4	Mutidisciplinary approach for bone metastasis	696
	<i>I. Baba, et al.</i> , Dept. of Orthop. Surg., Div. of Vital Care and Reconstructive Medicine, Osaka Medical College	

3-2-M12-5	Cancer board for metastatic bone tumor using intra-hospital e-mail system	697
	<i>S. Baba, et al.</i> , JCHO Tokyo Shinjuku Medical Center	
3-2-M12-6	Effects and problems of establishing liaison therapy for metastatic spinal tumor.....	697
	<i>K. Yoshioka, et al.</i> , Kanazawa Medical Center	

Break**Main Theme 13**

10 : 00~10 : 48

Moderator : **Y. Yukawa****Spinal surgery with instrumentation at cervical lesion**

3-2-M13-1	Perioperative complications of anterior decompression with fusion vs posterior decompression with fusion for the treatment of cervical ossification of the posterior longitudinal ligament: Propensity score matching analysis using a national inpatient database	698
	<i>T. Yoshii, et al.</i> , Dept. of Orthop. and Spinal Surg., Graduate School of Medical and Dental Sciences, Tokyo Medical and Dental Univ.	
3-2-M13-2	Risk factors for persistent dysphagia after anterior cervical spine surgery	698
	<i>T. Ohba, et al.</i> , Dept. of Orthop. Surg., Univ. of Yamanashi	
3-2-M13-3	Clinical feature of the revision surgery cases for adjacent disc levels after the anterior cervical decompression and fusion surgery	699
	<i>A. Aiba, et al.</i> , Dept. of Orthop. Surg., Numazu City Hosp.	
3-2-M13-4	Were There Relationship between Ankylosis in the Occipito-Cervical-Junction, Thoracic Kyphosis, and C2 High Riding VA in Patients with Ankylosing Spondylitis?	699
	<i>N. Manabe, et al.</i> , Inanami Spine And Joint Hosp.	
3-2-M13-5	Therapeutic Outcomes for Dropped Head Syndrome	700
	<i>H. Miyamoto, et al.</i> , Kindai Univ.	
3-2-M13-6	Posterior Reduction Arthrodesis of Irreducible Pediatric Atlantoaxial Subluxation using Spinal Instrumentation	700
	<i>T. Yamagata, et al.</i> , Dept. of Neurosurg., Osaka City General Hosp.	

Break**Main Theme 14**

11 : 00~11 : 48

Moderator : **K. Otani****Spinal disorders associated with sarcopenia**

3-2-M14-1	Impact of height loss and antiosteoporotic agents on the secular changes of the bone mineral density and sarcopenia – a 10-year longitudinal study –	701
	<i>N. Miyakoshi, et al.</i> , Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine	

3-2-M14-2	The causes of nonspecific back pain differ between the elderly and non-elderly people—Analysis focusing on sarcopenia and spinal alignment	701
	<i>H. Hashizume, et al.</i> , Wakayama Med. Univ.	
3-2-M14-3	Improvement of the sagittal alignment and balance of the spine through a “locomotion training” rehabilitation program in patients with “locomotive syndrome”	702
	<i>T. Yurube, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
3-2-M14-4	Possible association between trunk muscles and spinal alignment in patients with adult spinal deformity	702
	<i>M. Katsu, et al.</i> , Dept. of Orthop. Surg., Univ. of Yamanashi	
3-2-M14-5	Relationship between adjacent vertebral fracture after balloon kyphoplasty and trunk muscle	703
	<i>N. Sumiyoshi, et al.</i> , Matsuyama Shimin Hosp.	
3-2-M14-6	Relationship between sarcopenia and spinal global balance on lumbar spinal stenosis	703
	<i>H. Matsui, et al.</i> , National Center for Geriatrics and Gerontology	

Break

Room 3

English Presentation Session 5

9 : 00～9 : 48

Moderator : **T. Tsuji**

3-3-EPS5-1	Current Evidence on Laminoplasty versus Laminectomy Effectiveness for Cervical Stenosis Myelopathy: A Systematic Review	704
	<i>P. Kermawan, et al.</i> , Dept. of Orthop. and Traumatology Udayana Univ. Sanglah General Hosp.	
3-3-EPS5-2	Mean Difference of Japanese Orthopaedic Association Score Between Open and French Door Laminoplasty For Multilevel Cervical Myelopathy: A Meta-analysis	704
	<i>I. Sunaria, et al.</i> , Dept. of Orthop. and Traumatology Udayana Univ. Sanglah General Hosp.	
3-3-EPS5-3	Clinical outcomes after posterior discectomy for cervical foraminal disc herniation cases	705
	<i>M. Hashimoto, et al.</i> , Dept. of Orthop. Surg., Chiba Rosai Hosp.	
3-3-EPS5-4	Minimum Clinically Important Difference and Patient Acceptable Symptom State of Japanese Orthopaedic Association Score in Degenerative Cervical Myelopathy Patients	705
	<i>S. Kato, et al.</i> , Orthop. Surg., Sensory and Motor System Medicine, Surgical Sciences, Graduate School of Medicine, The Univ. of Tokyo/Dept. of Orthop., Jichi Medical Univ.	
3-3-EPS5-5	Principal component analysis of acute magnetic resonance imaging predicts neurological improvements in patients with cervical spinal cord injury after early surgical decompression	706
	<i>T. Inoue, et al.</i> , Dept. of Neurosurg., Sendai Medical Center/Kohnan Hosp., Dept. of Neurosurg./Dept. of Neurosurg., Tohoku Univ. Graduate School of Medicine	

3-3-EPS5-6	Anterior reconstruction provides better outcomes when correcting mild flexible cervical deformity	706
	<i>K. Ito, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ./ San Diego Spine Foundation, San Diego, CA, USA/ Dept. of Orthop. Surg., Univ. of Calgary, AB, Canada/Dept. of Neurosurg., Univ. of Virginia, Charlottesville, VA, USA/Internatinoal Spine Study Group (ISSG)	

Break**English Presentation Session 6**

10 : 00~10 : 48

Moderator : **K. Mori**

3-3-EPS6-1	Where is the optimal position of CBT screw end point? – From the aspect of an anatomical position-related study of CBT screw in Lumbosacral fixation –	707
	<i>S. Otsuka, et al.</i> , Dept. of Orthop. Surg., Toyokawa City Hosp./Dept. of Orthop. Surg., Tosei General Hosp./Nagoya City Univ., Graduate School of Medical Sciences, Dept. of Orthop. Surg.	
3-3-EPS6-2	Fusion rates and incidence of inner and outer intervertebral bone bridge following lateral lumbar interbody fusion in multilevel instrumented spinal surgery	707
	<i>Y. Moriguchi, et al.</i> , Dept. of Orthop. Surg., Osaka Minami Medical Center/Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ./Osaka Yukioka College of Health Science	
3-3-EPS6-3	Preoperative Frailty Status Can Predict Discharge Disposition Following Elective Posterior Decompression Spine Surgery: A Prospective Multi-center Study	708
	<i>J. Ohya, et al.</i> , Dept. of Spine and Orthop. Surg., Japanese Red Cross Medical Center/Univ. of Tokyo Spine Group/Dept. of Medical Research and Management for Musculoskeletal Pain, 22nd Century Medical and Research Center, Graduate School of Medicine, The Univ. of Tokyo/Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine	
3-3-EPS6-4	Lumbar Muscle Volume and Fat Infiltration in the Degenerative Spine	708
	<i>T. Hida, et al.</i> , Japanese Red Cross Nagoya Daini Hosp./San Diego Spine Foundation/Konan Kosei Hosp./Nagoya Univ. Graduate School of Medicine	
3-3-EPS6-5	Early neurological deterioration after anterior cervical discectomy with fusion: a retrospective clinical study	709
	<i>N. Tadokoro, et al.</i> , Dept. of Orthop. Surg., Kochi Univ.	
3-3-EPS6-6	Patients' Satisfaction after Lateral Accsess Surgery for Degenerative Lumbar Diseases—Comparison with Conventional Transarticular Interbody Fusion	709
	<i>K. Miyamoto, et al.</i> , Gifu Municipal Hosp./Kizawa Memorial Hosp./Gifu Univ. School of Medicine/Gifu Prefectural General Medical Center	

Break

English Presentation Session 7

11 : 00～11 : 48

Moderator : **T. Sakai**

3-3-EPS7-1	Differences in cervical sagittal alignment between the standing and sitting positions	710
	<i>T. Kusakabe, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
3-3-EPS7-2	A Longitudinal Study of Lumbar Sagittal Change in Middle-aged Healthy Volunteers	710
	<i>K. Ito, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	
3-3-EPS7-3	Impaired balance ability in patients with lumbar spinal canal stenosis	711
	<i>S. Ujigo, et al.</i> , Dept. of Orthop. Surg., Higashihiroshima Medical Center	
3-3-EPS7-4	Does titanium plate need to be used for all lamina in expansive open-door laminoplasty? Study on bone healing proportion of hinge part and restenosis of spinal canal	711
	<i>S. Horie, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ./Dept. of Orthop. Surg., Hachioji Medical Center, Tokyo Medical Univ.	
3-3-EPS7-5	The new strategy for the treatment of cerebrospinal fluid leakage following lumbar surgery	712
	<i>Y. Ishimoto, et al.</i> , Dept. of Orthop. Surg., Kinan Hosp./Dept. of Orthop. Surg., Wakayama Medical Univ.	
3-3-EPS7-6	Lateral corpectomy with anterior longitudinal ligament release in cases with severe fixed kyphosis	712
	<i>H. Nakashima, et al.</i> , Konan Kosei Hosp./Nagoya Univ. School of Medicine	

Break

Room 4

Invited Lecture 11

9 : 00～10 : 00

Moderator : **M. Ito**

3-4-IL11	What are The Current Limitations of MIS Surgery in Adult Lumbar Spinal Deformity Treatment ?	713
	<i>G. Liu</i> , Dept. of Orthop. Surg., National Univ. of Singapore	

Invited Lecture 12

10 : 00～11 : 00

Moderator : **H. Nagashima**

3-4-IL12-1	Dialogue in Shared Decision making; The way of information sharing and mutual agreement based on ethics of care	713
	<i>H. Kojin</i> , Dept. of Clin. Quality and Med. Safety, Univ. of Yamanashi Hosp.	
3-4-IL12-2	Shift from informed consent to shared-decision making – a guide for shared responsibility	714
	<i>G. Oiso, et al.</i> , Hamamatsu Univ. School of Medicine	

Invited Lecture 13

11 : 00~12 : 00

Moderator : H. Ozawa

- 3-4-IL13 Strategies of Staged Surgery for Tandem Cervical and Lumbar Spinal Stenosis 714
C. Niu, Dept. of Orthop. Surg., Chang Gung Memorial Hosp., Chang Gung Univ.

Break

Room 5

Morning Seminar 7

7 : 50~8 : 50

Moderator : H. Ozawa

- 3-5-MS7 Comprehensive elderly medical care for healthy longevity society 715
K. Matsudaira, Dept. of Medical Research and Management for Musculoskeletal pain, 22nd Century Medical and Research Center, Graduate School of Medicine, The Univ. of Tokyo

Free Papers 63

9 : 00~9 : 48

Moderators : A. Matsumura

Adult spinal deformity: surgery

- 3-5-F63-1 Dorsal ventral dorsal three stage correction for adult spinal deformity —Minimum 10-year follow-up surgical results— 715
K. Otani, et al., Dept. of Orthop. Surg., Kudanzaka Hosp.
- 3-5-F63-2 Current situation and issues of Anterior Colum Realignment 716
H. Nakashima, et al., Konan Kosei Hosp.
- 3-5-F63-3 Corrective force in percutaneous fixation with LIF and PPS for adult spinal deformity 716
T. Harada, et al., Spine Center
- 3-5-F63-4 Comparison of US and Japanese Adult Spinal Deformity with 3 Column Osteotomy 717
N. Hosogane, et al., Dept. of Orthop. Surg., Kyorin Univ. School of Medicine
- 3-5-F63-5 Rod repair with additional sacro-iliac dynamization for broken rod in failed correction surgery for adult spinal deformity 717
K. Miyamoto, et al., Gifu Municipal Hosp., Div. of Orthop. and Spine Surg.
- 3-5-F63-6 Medium term clinical results of extensive corrective fusion in patients with parkinsonism for neurodegenerative disease 718
Y. Yamato, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine

Break

Free Papers 64

10 : 00～10 : 48

Moderator : A. Minamide

Adult spinal deformity: LIF

3-5-F64-1	Radiologic analysis on prediction of correction effect by multiple OLIF in adult deformity surgery	718
	<i>Y. Kotani, et al.</i> , Steel Memorial Muroran Hosp.	
3-5-F64-2	Staged surgery of Lateral Lumbar Interbody Fusion and Open Posterior Corrective Fusion for degenerative kyphoscoliosis	719
	<i>Y. Yamato, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
3-5-F64-3	A Comparative study of posterior correction fixation with LLIF and 3-column osteotomy for adult spinal deformity using propensity score	719
	<i>Y. Matsukura, et al.</i> , Dept. Orthop. and Spine Surg., Saiseikai Kawaguchi General Hosp.	
3-5-F64-4	Assessment of coronal imbalance after corrective surgery with lateral interbody fusion for adult spinal deformity	720
	<i>H. Moridaira, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. School of Medicine	
3-5-F64-5	Risk factor of anterior longitudinal ligament rupture in adult spinal deformity	720
	<i>R. Tatsuno, et al.</i> , Yamanashi	
3-5-F64-6	Relationship among image findings of psoas muscle, affected vertebral levels, and muscle strength after LIF	721
	<i>R. Takatori, et al.</i> , Dept. of Orthop., Graduate School of Medical Science, Kyoto Prefectural Univ. of Medicine	

Break

Free Papers 65

11 : 00～11 : 48

Moderator : M. Yoshimoto

Adult spinal deformity: complication

3-5-F65-1	Prevention and clinical results of PJK after adult spinal deformity surgery	721
	<i>M. Ishihara, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.	
3-5-F65-2	TPA-LPA Gap as a New Predictive Parameter for Postoperative PJK in Adult Spinal Deformity	722
	<i>E. Takasawa, et al.</i> , Dept. of Spine and Orthop. Surg., Japanese Red Cross Medical Center	
3-5-F65-3	Risk factors and incidence of proximal junctional kyphosis in adult spinal deformity surgery	722
	<i>T. Sakuma, et al.</i> , Seirei Sakura Citizen Hosp.	
3-5-F65-4	The biomechanics of the relationship between sagittal imbalanc and vertebral stress	723
	<i>K. Matsumoto, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	

3-5-F65-5	Risk, Recovery, and Clinical Impact of Neurological Complications in Adult Spinal Deformity Surgery.....	723
	<i>M. Yagi, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Keio Univ.	
3-5-F65-6	Rod breakage after PSO for adult spinal deformity.....	724
	<i>Y. Nakao, et al.</i> , Sanraku Hosp.	

Break**Room 6****Morning Seminar 8**

7 : 50~8 : 50	Moderator : S. Ohtori	
3-6-MS8-1	Recent topics of ossification of the posterior longitudinal ligament	724
	<i>Y. Oshima</i> , Dept. of Orthop. Surg., The Univ. of Tokyo Hosp., Faculty of Medicine, The Univ. of Tokyo	
3-6-MS8-2	Pain control for elderly spinal disease's patients with renal dysfunction	725
	<i>K. Yamagata</i> , Nephrology, Univ of Tsukuba	

Break**Free Papers 6**

9 : 00~9 : 48	Moderator : T. Oda	
Lumbar spine: decompression		
3-6-F66-1	The effect of bone fusion after lumbar spinous process-splitting laminectomy	725
	<i>Y. Yamasaki, et al.</i> , Aomori City Hosp.	
3-6-F66-2	Evaluation of progression in kyphoscoliosis after the fenestration for lumbar canal stenosis	726
	<i>Y. Ishihara, et al.</i> , Asao General Hosp. Spine Center	
3-6-F66-3	Comparison between Percutaneous Endoscopic Transforaminal Ventral Facetectomy(PEVF) and conventional decompression technique— AFinite Element Study	726
	<i>K. Matsumoto, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. School of Medicine	
3-6-F66-4	Risk Factor of Residual Back Pain following Fusion Surgery for Degenerative Lumbar Disease	727
	<i>S. Shimizu, et al.</i> , Dept. of Orthop. Surg., Narita Memorial Hosp.	
3-6-F66-5	Anti-inflammatory cytokine therapy for low back pain – back pain inhibitory effect of Biologics for rheumatoid arthritis -	727
	<i>T. Sainoh, et al.</i> , Sainoh Hosp.	
3-6-F66-6	The effects of the number of physical therapy sessions in patients with lumbar spinal stenosis	728
	<i>M. Minetama, et al.</i> , Spine Care Center, Wakayama Medical Univ. Kihoku Hosp.	

Break**Free Papers 67**

10 : 00~10 : 48

Moderator : **K. Sato****Pyogenic spondylitis**

3-6-F67-1	Vertebral Osteomyelitis and Infected Endocarditis: Incidence, risk factors and outcome	728
	<i>T. Morimoto, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Saga Univ.	
3-6-F67-2	The effect of frailty on pyogenic spondylitis.....	729
	<i>Y. Shimamura, et al.</i> , Dept. of Orthop. Surg., Yamagata Univ. Faculty of Medicine	
3-6-F67-3	Trend of multidisciplinary treatment of vertebral osteomyelitis in our hospital – Study of 117 cases in 11 years –	729
	<i>G. Mori, et al.</i> , Japanese Red Cross Kyoto Daiichi Hosp., Orthop.	
3-6-F67-4	Surgical outcomes for spinal osteomyelitis caused by tuberculosis or non-tuberculous mycobacteria	730
	<i>K. Fushimi, et al.</i> , Gifu Univ. School of Medicine	
3-6-F67-5	Analysis of treatment for pyogenic spondylitis – Factors requiring surgical intervention-	730
	<i>H. Kimura, et al.</i> , Amagasaki General Medical Center Dept. of Orthop. Surg.	
3-6-F67-6	The risk factor which led to operation for pyogenic spondylitis	731
	<i>Y. Tamaki, et al.</i> , Jananese Red Cross Hosp. Wakayama Medical Center	

Break**Free Papers 68**

11 : 00~11 : 48

Moderator : **T. Kanchiku****Infectious spondylitis**

3-6-F68-1	Factors related to success of conservative therapy for pyogenic spondylitis	731
	<i>H. Iwahashi, et al.</i> , Wakayama Rosai Hosp.	
3-6-F68-2	Clinical outcomes of pyogenic spondylitis in our hospital.....	732
	<i>H. Hayashi, et al.</i> , Dept. of Orthop. Surg., Tonami General Hosp.	
3-6-F68-3	Is intervertebral disc tissue biopsy effective in treatment for pyogenic spondylitis?.....	732
	<i>H. Hayashi, et al.</i> , Dept. of Orthop. Surg., Tonami General Hosp.	
3-6-F68-4	Acute osteomyelitis of a vertebral body following osteoporotic vertebral fracture	733
	<i>T. Uto, et al.</i> , Asanogawa General Hosp.	
3-6-F68-5	Paradoxical reaction in the treatment of spinal tuberculosis	733
	<i>K. Izawa, et al.</i> , NHO Toneyama	
3-6-F68-6	Investigation of drug therapy for pyogenic spondylitis caused by methicillin-resistant Staphylococcus aureus and epidermidis.....	734
	<i>T. Haku, et al.</i> , Osaka Saiseikai Nakatsu Hosp.	

Break

Room 9

Free Papers 69

9 : 00~9 : 48

Moderator : Y. Ito

Spinal injury

3-9-F69-1	Timing of surgery for spine injury in polytrauma patients. A single-center retrospective observational study.....	734
	<i>T. Koakutsu, et al.</i> , Emergency Center, Tohoku Univ. Hosp.	
3-9-F69-2	A study of the ‘knee-up test’ for estimation of the ASIA Impairment Scale in patients with acute motor incomplete thoraco-lumbar spinal injury.....	735
	<i>I. Yuge, et al.</i> , Nishino Hosp.	
3-9-F69-3	Treatment strategy of thoracolumbar burst fracture	735
	<i>K. Kawano, et al.</i> , Div. of Orthop. Surg., Dept. of Medicine of Sensory and Motor Organs, Faculty of Medicine, Univ. of Miyazaki	
3-9-F69-4	Short segment pedicle screw fixation by using additional screws — Is it feasible fixation for the severe vertebra collapse of thoracolumbar burst fractures? -	736
	<i>K. Suzuki, et al.</i> , Dept. of Orthop. Surg., Saitama Medical Univ. School of Medicine	
3-9-F69-5	A study of role of sacral sparing for motor score recovery at the 1 st lumbar spine burst fracture	736
	<i>I. Yuge, et al.</i> , Nishino Hosp.	
3-9-F69-6	Return to work in patients with thoracolumbar spinal injuries due to high-energy trauma.....	737
	<i>T. Sasagawa, et al.</i> , Toyama Pref Hosp.	

Break

Free Papers 70

10 : 00~10 : 48

Moderator : T. Maeda

Cervical spine trauma

3-9-F70-1	Diagnosis and treatment of vertebral artery injury associated with cervical and cervical cord injury	737
	<i>K. Nakamura, et al.</i> , Kobe Red Cross Hosp.	
3-9-F70-2	Conservative treatment of Anderson type III fractures contain Transverse process fractures with external immobilization -Multicenter study-	738
	<i>H. Koshimizu, et al.</i> , Musculoskeletal and Cutaneous Surg., Program in Integrated Medicine, Graduate School of Medicine, Nagoya Univ.	

3-9-F70-3	Relationship between the timing of reduction of cervical spine dislocations and neurological recovery.....	738
	<i>K. Kintaka, et al.</i> , Japanese Red Cross Kobe	
3-9-F70-4	Analysis of factors related to severity of paralysis for cervical spinal cord injury in elderly patients	739
	<i>H. Koike, et al.</i> , Dept. of Orthop., Graduate School of Medical Science, Kyoto Prefectural Univ. of Medicine	
3-9-F70-5	The incidence of vertebral artery injury in patients with cervical spine injury that require extracorporeal cervical fixation	739
	<i>Y. Tokuyama, et al.</i> , Ujitorokusyuukai Hosp.	
3-9-F70-6	Risk factors associated with tracheostomy and decannulation after traumatic cervical spinal cord injury.....	740
	<i>T. Higashi, et al.</i> , Dept. of Orthop. Surg., Yokohama City Univ. Medical Center	

Break

Free Papers 71

11 : 00~11 : 48

Moderator : **H. Miyamoto**

Dropped head syndrome

3-9-F71-1	A predictive model of the kinematic characteristics of patients with cervical imbalance	740
	<i>K. Tamai, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine	
3-9-F71-2	Surgical strategy for Dropped Head Syndrome	741
	<i>Y. Kudo, et al.</i> , Dept. of Orthop. Surg., Showa Univ. School of Medicine	
3-9-F71-3	Evaluation of dynamic spinal alignment using three-dimensional gait motion analysis in patients with dropped head	741
	<i>K. Miura, et al.</i> , Dept. of Orthop. Surg., Faculty of Medicine, Univ. of Tsukuba	
3-9-F71-4	Comparing the total sagittal spinal alignment of drop head syndrome with that of Cervical kyphosis deformity	742
	<i>Y. Matsuoka, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
3-9-F71-5	Comparison of global sagittal spinal alignment at drop head syndrome with normal and abnormal sagittal balance	742
	<i>Y. Matsuoka, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
3-9-F71-6	Characteristics of Cervical Spine MRI in Drop Head Syndrome	743
	<i>T. Kusakabe, et al.</i> , Tokyo Med Univ.	

Break

Room 10

Hands-On Seminar 3 Product Lecture

9:00~10:30

Moderator : K. Chiba

Speaker : Y. Matsuyama

Indication of Condoliase Injection for the Treatment of Lumbar Disc Herniation