

The Second Day—April 22 (Friday)

Room 1

Symposium 2

8 : 40～10 : 10

Moderators : **M. Yamazaki**

T. Maeda

Basic and clinical research on spinal cord injury

2-1-S2-1	Early surgical treatment for acute spinal cord injury with a view to future spinal cord regeneration	367
	<i>K. Suda, et al.</i> , Hokkaido Spinal Cord Injury Center	
2-1-S2-2	Spinal cord regeneration by modulating glial scar formation	367
	<i>S. Okada</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
2-1-S2-3	Regenerative medicine for spinal cord injury using human iPS cells	368
	<i>N. Nagoshi, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	
2-1-S2-4	Mesenchymal stem cell therapy for spinal cord injury present and future	368
	<i>R. Hirota, et al.</i> , Dept. of Orthop. Surg., Sapporo Medical Univ.	
2-1-S2-5	Spinal cord regenerative therapy with Muse cell transplantation	369
	<i>M. Koda, et al.</i> , Dept. of Orthop. Surg., Graduate School of Comprehensive Human Sciences, Univ. of Tsukuba	

Visionary Session 2

10 : 20～11 : 50

Moderators : **K. Chiba**

K. Nishida

Current state and future of regenerative medicine for spinal cord & column surgery

2-1-VS2-1	Bone regeneration in spine: Current status and future prospects	369
	<i>T. Kaito</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
2-1-VS2-2	Sarcopenia and muscle atrophy (with osteoporosis)	370
	<i>T. Miyamoto</i> , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kumamoto Univ.	
2-1-VS2-3	Hepatocyte growth factor for acute spinal cord injury: Journey from bench to clinical trial and future perspective	370
	<i>K. Kitamura, et al.</i> , Dept. of Orthop. Surg., National Defense Medical College	
2-1-VS2-4	Challenge to industrialization of regenerative medicine for disc degeneration	371
	<i>D. Sakai, et al.</i> , Dept. of Orthop. Surg., Tokai Univ.	

Luncheon Seminar 10

12 : 10～13 : 10

Moderator : **H. Haro**

2-1-LS10-1	Challenges in the treatment of adolescent idiopathic scoliosis and expectations for the next 50 years	371
<i>K. Watanabe</i> , Dept. of Orthop. Surg., Keio Univ.		

Luncheon Seminar 19

13 : 30～14 : 30

Moderator : **M. Neo**

2-1-LS19-1	Clinical and radiological results of bioactive implants (X-TAL/K-NOA)	372
<i>S. Fujibayashi</i> , Dept. of Orthop. and Musculoskeletal Surg., Graduate School of Medicine, Kyoto Univ.		
2-1-LS19-2	Consideration for the new lumbar interbody fusion cages	372
<i>D. Togawa</i> , Dept. of Orthop. Surg. and Rheumatology, Kindai Univ. Nara Hosp.		

Educational Lecture 5

14 : 50～15 : 50

Moderator : **M. Matsumoto**

2-1-EL5-1	Novel therapeutics for spinal disorders originated from translational research: Spinal cord regeneration and robotic rehabilitation	373
<i>M. Yamazaki</i> , Dept. of Orthop. Surg., Graduate School of Comprehensive Human Sciences, Univ. of Tsukuba		

Visionary Session 3

16 : 10～17 : 40

Moderators : **H. Haro****K. Watanabe**

Advanced science and technology in spinal disorders

2-1-VS3-1	Application and foresight of various navigation technologies for spinal disorders	373
<i>K. Ishii, et al.</i> , Dept. of Orthop., International Univ. of Health and Welfare		
2-1-VS3-2	Application of real haptics technology to spinal surgery and its future perspective	374
<i>T. Shimono, et al.</i> , Yokohama National Univ.		

2-1-VS3-3	The basics of the pathogenesis of spinal diseases by genetic analysis and clinical application of research findings	374
	C. Terao , Laboratory for Statistical and Translational Genetics, RIKEN Center for Integrative Medical Sciences	
2-1-VS3-4	Prospects for AI research in the field of orthopedic and spinal cord diseases	375
	R. Nakahara , Science of Functional Recovery and Reconstruction, Okayama Univ. Graduate School of Medicine	

Supervisory Doctor's Evening Seminar

18 : 40～19 : 40

Moderator : **H. Komori**

2-1-SV-1	Medical safety on the introduction of new technology in spinal surgery	375
	N. Hosogane , Dept. of Orthop. Surg., Kyorin Univ.	

Room 2

Main Theme 6

8 : 40～9 : 30

Moderator : **K. Uno**

Treatment strategy of AIS based on the long term prognosis

2-2-M6-1	Deep convolutional neural network predicts the curve progression in adolescent idiopathic scoliosis	376
	Y. Yahara, et al. , Dept. of Orthop. Surg., Univ. of Toyama	
2-2-M6-2	Longitudinal evaluation of uninstrumented lumbar intervertebral disc 10 years after surgery for adolescent idiopathic scoliosis	376
	S. Suzuki, et al. , Dept. of Orthop. Surg., Keio Univ.	
2-2-M6-3	Health-related quality of life longer than 10 years after posterior spinal fusion for thoracic adolescent idiopathic scoliosis	377
	M. Ohashi, et al. , Div. of Orthop. Surg., Niigata Univ. Graduate School of Medicine and Dental Sciences	
2-2-M6-4	Comparison of long-term outcomes between selective thoracic fusion and long fusion in adolescent idiopathic thoracic scoliosis	377
	A. Nohara, et al. , Dept. of Spine Surg., Tokyo Shinjuku Medical Center	
2-2-M6-5	Three-dimensional analysis of intervertebral discs in lumbar spine after surgery in Lenke type 5 patients with idiopathic scoliosis	378
	S. Seki, et al. , Dept. of Orthop. Surg., Univ. of Toyama	

2-2-M6-6	Cobalt concentrations in the blood after scoliosis surgery and related factors: Comparison of cobalt chrome rods and titanium rods	378
	T. Sato, et al. , Dept. of Orthop., Juntendo Univ.	

Educational Lecture 4

9 : 50～10 : 50

Moderator : **M. Kamata**

2-2-EL4-1	Medical subspecialty board in Japan	379
	A. Okawa , Section of Orthop. and Spinal Surg., Tokyo Medical and Dental Univ., Graduate School of Dental and Medical Sciences	

Main Theme 7

11 : 00～11 : 50

Moderator : **K. Watanabe**

Surgical complication in ASD surgery-1

2-2-M7-1	International validation of the predictive probability of the PRISM2 for mechanical failure model for preventive procedures in ASD surgery	379
	M. Yagi, et al. , Dept. of Orthop. Surg., Keio Univ.	
2-2-M7-2	Acute liver enzyme elevation after spinal deformity surgery	380
	T. Shimizu, et al. , Dept. of Orthop. and Musculoskeletal Surg., Kyoto Univ.	
2-2-M7-3	Sagittal alignment and health-related quality of life in spinal deformity patients with obstructive ventilation impairment	380
	J. Katayanagi, et al. , Dept. of Orthop. Surg., Dokkyo Medical Univ. Saitama Medical Center	
2-2-M7-4	Risk factors for anterior longitudinal ligament injury after posterior corrective surgery for adult spinal deformity	381
	T. Hikata, et al. , Dept. of Orthop. Surg., Kitasato Univ. Kitasato Institute Hosp.	
2-2-M7-5	Which spinopelvic and hip joint parameters are risk factors for hip joint osteoarthritis in postoperative adult spinal deformity patients?	381
	S. Inami, et al. , Dept. of Orthop., Dokkyo Medical Univ.	
2-2-M7-6	Chronological evaluation of gait ability and posture balance after adult spinal deformity surgery	382
	M. Tanaka, et al. , The Orthop. Surg. Dept., Okayama Rosai Hosp.	

Luncheon Seminar 11

12 : 10～13 : 10

Moderator : **S. Konno**

2-2-LS11-1	Tips for combining multidisciplinary care and opioids successfully to combat chronic musculoskeletal pain	382
<i>K. Miki</i> , Faculty of Health Science, Osaka Yukioka College of Health Science		

Luncheon Seminar 20

13 : 30～14 : 30

Moderator : **J. Takahashi**

2-2-LS20-1	Robotic spine surgery, present status and future perspective: Experiences through the initial cases	383
<i>Y. Kawaguchi, et al.</i> , Dept. of Orthop. Surg., Toyama Univ.		

Main Theme 8

14 : 50～15 : 40

Moderator : **K. Hasegawa**

Surgical complication in ASD surgery-2

2-2-M8-1	Planned two-stage surgery using posterior 3-column osteotomy	383
<i>Y. Yamato, et al.</i> , Division of Geriatric Musculoskeletal Health, Hamamatsu Univ. School of Medicine		
2-2-M8-2	Advantage of anterior vertebral body replacement at the PSO in corrective surgery for adult spinal deformity	384
<i>T. Iwasawa, et al.</i> , Orthop. and Spine Center, Meijo Hosp.		
2-2-M8-3	Excessive PI changes cause correction loss in adult spinal deformity surgery	384
<i>K. Fujita, et al.</i> , Dept. of Orthop. Surg., Univ. of Yamanashi		
2-2-M8-4	Longitudinal changes in PI after lumbosacral fusion for spinal deformity: Minimum 10 years follow up	385
<i>H. Nakashima, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Nagoya Univ.		
2-2-M8-5	Measures for coronal imbalance after adult spinal deformity and its effects	385
<i>N. Ono, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.		
2-2-M8-6	The validation study of preoperative planning (Roussouly algorithm, GAP score, and Hamamatsu Formula) in adult spinal deformity surgery	386
<i>S. Oe, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine		

Educational Lecture 6

16 : 00～17 : 00

Moderator : **Y. Kawaguchi**

2-2-EL6-1	Management of pediatric scoliosis	386
	<i>K. Takeshita</i> , Dept. of Orthop., Jichi Medical Univ.	

Main Theme 9

17 : 10～18 : 00

Moderator : **H. Murakami**

Treatment strategy of metastatic spinal tumors

2-2-M9-1	Impact on survival time by ambulation restoration and complications: Multicenter analysis of palliative surgery for metastatic spinal tumor	387
	<i>A. Iwata, et al.</i> , Dept. of Metastatic Bone Tumor, Hokkaido Univ. Graduate School of Medicine	
2-2-M9-2	The correlation between the timing or dose of preoperative radiation therapy and surgical site infection in spinal metastasis patients	387
	<i>S. Sugita, et al.</i> , Dept. of Orthop. Surg., Tokyo Metropolitan Hosp. Komagome	
2-2-M9-3	A novel spinal reconstruction method reduces instrumentation failure in total en bloc spondylectomy for spinal tumors	388
	<i>K. Shinmura, et al.</i> , Dept. of Orthop. Surg., Kanazawa Univ.	
2-2-M9-4	Early postoperative mortality and preoperative nutritional status of patients with metastatic spinal tumors at our hospital	388
	<i>Y. Takahashi, et al.</i> , Dept. of Orthop. Surg., Tokyo Dental College Ichikawa General Hosp.	
2-2-M9-5	Emergency operation or radiation therapy for paraparesis from spinal metastasis after the starting of bone metastasis cancer board	389
	<i>I. Baba, et al.</i> , Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ.	
2-2-M9-6	GCIB improved the pullout strength of PEEK pedicle screw	389
	<i>K. Kakutani, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	

Room 3

Invited Lecture 3

8 : 40～9 : 10

Moderator : **Y. Kawaguchi**

2-3-IL3-1	Visits to Japan are cancelled
-----------	-------------------------------

Invited Lecture 4

9 : 10～9 : 40

Moderator : **Y. Kawaguchi**

2-3-IL4-1 Visits to Japan are cancelled

Invited Lecture 5

9 : 50～10 : 20

Moderator : **H. Ozawa**

2-3-IL5-1 When surgery causing chronic pain: Can vulnerable patients be predicted utilising novel bio-markers 391
L. Arendt-Nielsen, Center for Neuroplasticity and Pain, School of Medicine, Aalborg Univ. and Aalborg Univ. Hosp., Aalborg, Denmark

Invited Lecture 6

10 : 20～10 : 50

Moderator : **H. Ozawa**

2-3-IL6-1 Artificial intelligence & spine: Current status and future direction 391
D. Samartzis, Dept. of Orthop. Surg., Rush Univ. Medical Center, USA

Invited Lecture 7

11 : 00～11 : 30

Moderator : **N. Fujita**

2-3-IL7-1 Visits to Japan are cancelled

Invited Lecture 8

11 : 30～12 : 00

Moderator : **N. Fujita**

2-3-IL8-1 Modic changes—Have we misunderstood them all along?: Insights from multimodal imaging 392
S. Rajasekaran, Dept. of Orthop., Ganga Hosp., Coimbatore, India

Luncheon Seminar 12

12 : 10～13 : 10

Moderator : **S. Ohtori**

2-3-LS12-1 Definition and classification of pain 393
T. Ushida, Dept. of Pain Medicine and Pain Relief Surg., Aichi Medical Univ. Hosp.

Luncheon Seminar 21

13 : 30～14 : 30

Moderator : **K. Chiba**

2-3-LS21-1	Vertebral body stenting for osteoporotic vertebral fractures: Differences from the conventional procedures	393
<i>R. Takemasa</i> , Dept. of Orthop. Surg., Kochi Medical School		

Invited Lecture 9

14 : 40～15 : 10

Moderator : **K. Ishii**

2-3-IL9-1	Visits to Japan are cancelled
-----------	-------------------------------

Invited Lecture 10

15 : 10～15 : 40

Moderator : **K. Ishii**

2-3-IL10-1	Visits to Japan are cancelled
------------	-------------------------------

Invited Lecture 11

15 : 50～16 : 20

Moderator : **M. Ito**

2-3-IL11-1	Anterior growth modulation and non-fusion surgery for idiopathic scoliosis: The future of scoliosis surgery?	395
------------	--	-----

H. Wong, Dept. of Orthop. Surg., Yong Loo Lin School of Medicine, National Univ. of Singapore

Invited Lecture 12

16 : 20～16 : 50

Moderator : **M. Ito**

2-3-IL12-1	An exchange of ideas for improving quality, efficiency and avoiding complication in spinal deformity surgery	395
------------	--	-----

H. Koller, International Center for Treatment of Spinal Disorders and Deformities, Asklepios Clinic Bad Abbach, Germany

Invited Lecture 13

17 : 00～17 : 30

Moderator : **M. Takahata**

2-3-IL13-1	The latest and greatest in 3D analysis: Risk of progression, 3D surgical planning and finite element modeling	396
<i>S. Parent</i> , Dept. of Surg., CHU Sainte-Justine, Universite de Montreal, Canada		

Invited Lecture 14

17 : 30～18 : 00

Moderator : **M. Takahata**

2-3-IL14-1	Visits to Japan are cancelled
------------	-------------------------------

Invited Lecture 15

18 : 00～18 : 30

Moderator : **D. Sakai**

2-3-IL15-1	Visits to Japan are cancelled
------------	-------------------------------

Room 4

Morning Seminar 1

7 : 30～8 : 30

Moderator : **N. Fujita**

2-4-MS1-1	Problems occurring in the non-physiological spine after adult spinal deformity surgery and their countermeasures	397
<i>Y. Yamato</i> , Div. of Geriatric Musculoskeletal Health, Hamamatsu Univ. School of Medicine		

Main Theme 10

8 : 40～9 : 30

Moderator : **M. Doita**

Challenges and managements in the treatment of spinal cord diseases in the elderly

2-4-M10-1	Impact of dementia on outcomes after cervical spine injuries in elderly: Evaluation of 1512 cases in a nationwide multicenter study	398
<i>Y. Yamada, et al.</i> , Dept. of Orthop. Surg., Kanazawa Univ.		
2-4-M10-2	Impact of severe malnutrition in elderly patients with cervical spinal cord injury on treatment outcomes	398
<i>K. Tamai, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate Medical School		

2-4-M10-3	Risk factors for early mortality in elderly patients with cervical spinal cord injury and/or fracture: A multicenter retrospective study	399
	M. Kobayashi, et al. , Dept. of Restorative Medicine of Neuro-Musculoskeletal System, Kanazawa Univ.	
2-4-M10-4	Lumbar spinal stenosis as a risk factor of dementia: Locomotive Syndrome and Health Outcomes in the Aizu Cohort Study (LOHAS)	399
	H. Kobayashi, et al. , Dept. of Orthop. Surg., Fukushima Medical Univ.	
2-4-M10-5	Postoperative changes in the balance ability of patients with lumbar spinal canal stenosis	400
	S. Ujigo, et al. , Dept. of Orthop. Surg., Hiroshima General Hosp.	
2-4-M10-6	Development of machine learning-based predictive model for clinical outcome of decompression surgery for lumbar spinal canal stenosis	400
	M. Yagi, et al. , Dept. of Orthop. Surg., Keio Univ.	

Main Theme 11

9 : 50～10 : 40

Moderator : **N. Miyakoshi**

Therapeutic strategies for spinal disorders complicated by osteoporosis-1

2-4-M11-1	The epidemiology of spine fusion surgery and the impact of osteoporosis in Japan: An analysis of 22,932 patients with Japan DPC database	401
	K. Nishida, et al. , Orthop. Surg., Univ. of the Ryukyus	
2-4-M11-2	Low nutrition and walking speed are associated with life expectancy after osteoporotic vertebral fracture	401
	H. Tominaga, et al. , Dept. of Orthop. Surg., Graduate School of Medical and Dental Sciences, Kagoshima Univ.	
2-4-M11-3	Factors concerning postoperative life prognosis in elderly spinal deformity surgery patients	402
	T. Hasegawa, et al. , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-4-M11-4	The relationship between MRI signal change at the injury of OVF and functional outcome 1 year after the injury	402
	N. Wakao, et al. , Dept. of Orthop. Suug., National Center for Geriatrics and Gerontology	
2-4-M11-5	Machine learning for the prediction of nonunion following osteoporotic vertebral fracture	403
	S. Takahashi, et al. , Dept. of Orthop. Surg., Osaka City Univ.	
2-4-M11-6	Opportunistic screening for osteoporosis using thoracolumbar computed tomography scans with asynchronous calibration	403
	M. Furuya, et al. , Dept. of Orthop. Surg., Osaka Univ.	

Main Theme 12

11 : 00～11 : 50

Moderator : **S. Ebata**

Therapeutic strategies for spinal disorders complicated by osteoporosis-2

2-4-M12-1	Clinical outcome of Romosozumab for fresh osteoporotic vertebral fracture	404
	<i>H. Nomura, et al.</i> , Dept. of Orthop. Surg., Nomura Orthop. Clinic	
2-4-M12-2	Early kyphoplasty for elderly patients with thoracolumbar osteoporotic vertebral fractures: The effect of timing on quality of life	404
	<i>A. Minamide, et al.</i> , Dept. of Orthop., Dokkyo Medical Univ. Nikko Medical Center	
2-4-M12-3	Prognosis of life following osteoporotic vertebral fracture in Japan	405
	<i>N. Wakao, et al.</i> , Dept. of Orthop. Surg., National Center for Geriatrics and Gerontology	
2-4-M12-4	Withdrawn	
2-4-M12-5	Predictive indicator of subsequent vertebral fracture following posterior short fusion for osteoporotic thoracolumbar vertebral fracture	406
	<i>A. Nakano, et al.</i> , Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ. Mishima-minami Hosp.	
2-4-M12-6	Tips for correction in lateral access corpectomy for kyphotic deformity after osteoporotic vertebral collapse	406
	<i>M. Ishihara, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.	

Luncheon Seminar 13

12 : 10～13 : 10

Moderator : **K. Takeshita**

2-4-LS13-1	Anterior decompression and spinal fusion through a posterior approach for patients with thoracic OPLL: More safety and more securely	407
	<i>T. Aizawa</i> , Dept. of Orthop. Surg., Tohoku Univ. Graduate School of Medicine	

Luncheon Seminar 22

13 : 30～14 : 30

Moderator : **H. Nojiri**

2-4-LS22-1	Advanced technology improves spinal surgery safety and reduces radiation exposure: Impact of imageless AR-guided surgery	407
	<i>D. Sakai</i> , Dept. of Orthop. Surg., Tokai Univ.	

14 : 50～15 : 40

Moderator : **M. Iwasaki**

Main Theme 13

2-4-M13-1	Surgical outcome prediction using a four-dimensional planning simulation system with finite element analysis in AIS	408
	<i>H. Tachi, et al.</i> , Orthop. Surg., Hokkaido Univ. Graduate School of Medicine	
2-4-M13-2	Assessment of intraoperative coronal alignment using three-dimensional spinal rod bending system for adult spine deformity cases	408
	<i>M. Takami, et al.</i> , Dept of Orthop. Surg., Wakayama Medical Univ.	
2-4-M13-3	<i>In vivo</i> deformation of anatomically pre-bent rods in thoracic adolescent idiopathic scoliosis	409
	<i>H. Sudo, et al.</i> , Dept. of Orthop. Surg., Hokkaido Univ. Hosp.	
2-4-M13-4	Factors causing failure of robotic-assisted pedicle screw placement in adolescent idiopathic scoliosis	409
	<i>T. Akazawa, et al.</i> , Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine	
2-4-M13-5	Clinical feasibility of completely autologous fibrin glue in spine surgery	410
	<i>Y. Taniguchi, et al.</i> , Orthop. Surg., Graduate School of Medicine, The Univ. of Tokyo	
2-4-M13-6	The application of Mixed Reality technology is useful in the spine surgery	410
	<i>R. Aoyama, et al.</i> , Dept. of Orthop., Tokyo Dental College Ichikawa General Hosp.	

Main Theme 14

15 : 50～16 : 40

Moderator : **T. Tachibana**

Ingenuity and evidence for postoperative infection in spine surgery

2-4-M14-1	Evaluation of factors related surgical site infection in spinal surgery	411
	<i>K. Konishi, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ.	
2-4-M14-2	Application of an index derived from the area under a neutrophil curve as a predictor of surgical site infection after spinal surgery	411
	<i>H. Inose, et al.</i> , Section of Orthop. and Spinal Surg., Tokyo Medical and Dental Univ., Graduate School of Dental and Medical Sciences	
2-4-M14-3	Is 2octyl cyanoacrylate plus polymer mesh tape useful in preventing surgical site infection in corrective fusion for adult spinal deformity?	412
	<i>H. Ogi, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-4-M14-4	Preliminary scoring system useful for target screening of nasal MRSA colonization using patient background factors	412
	<i>E. Iwata, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	

2-4-M14-5	Establishment of a suitable combination system of serological markers to diagnose surgical site infection following spine surgery	413
	<i>H. Imabayashi, et al.</i> , Dept. of Orthop. Surg., Saiseikai Central Hosp.	
2-4-M14-6	Prevention of SSI after spine surgery with an implementation of SSI prevention bundle: A single center of 1014 cases	413
	<i>M. Toi, et al.</i> , Dept. of Orthop. Surg., Hyogo College Of Medicine	

Main Theme 15

16 : 50～17 : 40

Moderator : **Y. Ito**

The advantages and disadvantages of minimally invasive spine surgery

2-4-M15-1	Acceptable range of radiation exposure in PLIF comparing between freehand screw insertion and image-guided percutaneous screw insertion	414
	<i>H. Fujiwara, et al.</i> , Dept. of Orthop. Surg., NHO Osaka Minami Medical Center	
2-4-M15-2	Evaluation of occupational radiation exposure during minimally invasive spine surgery	414
	<i>K. Yamashita, et al.</i> , Dept. of Orthop., The Univ. of Tokushima Graduate School	
2-4-M15-3	The incidence of adjacent segment degeneration after minimally invasive lumbar decompression surgery	415
	<i>H. Toyoda, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate Medical School	
2-4-M15-4	Comparative study of adjacent segment disease between LLIF and PLIF for the degenerative lumbar spondylolisthesis with 5 year follow up	415
	<i>H. Yamaguchi, et al.</i> , Dept. of Rehab. Medicine, Nagoya Univ. School of Medicine	
2-4-M15-5	Prevalance of recurrent herniation following full endoscopic lumbar transforaminal (FED-TF) discectomy in 300cases	416
	<i>M. Shibayama, et al.</i> , Aichi Spine Hosp.	
2-4-M15-6	Changes in intraoperative neuromonitoring and the incidence of lumbar plexus injury in response to changes in the approach method of LLIF	416
	<i>H. Nojiri, et al.</i> , Dept. of Orthop., Juntendo Univ.	

Room 5

Morning Seminar 2

7 : 30～8 : 30

Moderator : **K. Miyamoto**

2-5-MS2-1	Complication of open-door laminoplasty for cervical myelopathy	417
	<i>N. Hara</i> , Dept. of Orthop. Surg., Japanese Red Cross Musashino Hosp.	
2-5-MS2-2	Current status of spinal implant development in Japan	417
	<i>T. Sugawara</i> , Dept. of Spinal Surg., Akita Cerebrospinal and Cardiovascular Center	

Free Papers 24

8 : 40～9 : 30

Moderator : **M. Hongo**

LSS outcome

2-5-F24-1	Endplate defects, but not spinal stenosis are associated with the severity of low back pain in patients with lumbar spinal stenosis	418
	<i>M. Minetama, et al.</i> , Spine Care Center, Wakayama Medical Univ. Kihoku Hosp.	
2-5-F24-2	The rate of improvement in leg pain after lumbar spine surgery is lower with increasing BMI: Multicenter study with propensity score	418
	<i>K. Nakajima, et al.</i> , Orthop. Surg., Graduate School of Medicine, The Univ. of Tokyo	
2-5-F24-3	Clinical outcomes of lumbar degenerative disorders presenting drop foot	419
	<i>T. Yamamoto, et al.</i> , Spine center, Japanese Red-cross Shizuoka Hosp.	
2-5-F24-4	Clinical outcomes of lumbar surgery in welfare patients comparing with public insurance patients using JOABPEQ	419
	<i>S. Higa, et al.</i> , Dept. of Orthop. Surg., Naha City Hosp.	
2-5-F24-5	Clinical outcome and surgical strategy for lumbar spinal canal stenosis in patients with diffuse idiopathic skeletal hyperostosis	420
	<i>H. Nakajima, et al.</i> , Dept. of Orthop. Rehabilitation Medicine, The Univ. of Fukui	
2-5-F24-6	Comparison of decompression, decompression plus fusion, and decompression plus stabilization	420
	<i>H. Inose, et al.</i> , Section of Orthop. and Spinal Surg., Tokyo Medical and Dental Univ., Graduate School of Dental and Medical Sciences	

Free Papers 25

9 : 50～10 : 40

Moderator : **K. Image**

Degenerative lumbar spine condition complications

2-5-F25-1	Perioperative complication of bleeding in elderly patients during antithrombotic therapy	421
	<i>K. Takano, et al.</i> , Dept. of Orthop. Surg., New-Tokyo Hosp.	
2-5-F25-2	Is it safe to continue taking low-dose aspirin in tubular lumbar surgery with assistance of endoscope?	421
	<i>K. Tarukado</i> , Dept. of Orthop. Surg., Kyushu Rosai Hosp.	
2-5-F25-3	Effects of antiplatelet drugs in lumbar spine surgery	422
	<i>T. Nakamura, et al.</i> , Dept. of Orthop. Surg., Kumamoto Univ.	
2-5-F25-4	DVT search of lumbar surgery with a combination of preoperative lower extremity muscle weakness, D-dimer and postoperative Soluble Fibrin	422
	<i>T. Imuro, et al.</i> , Dept. of Orthop. Surg., Atsugi City Hosp.	

2-5-F25-5	A cross-sectional study of leg cramps in patients with spinal surgery	423
	<i>S. Tani, et al.</i> , Dept. of Orthop. Surg., NTT Medical Center Tokyo	
2-5-F25-6	Risk factor of leg edema in patients with lumbar spinal stenosis.....	423
	<i>N. Osada, et al.</i> , Dept. of Orthop. Surg. Hosp., National Center for Geriatrics and Gerontology	

Free Papers 26

11 : 00~11 : 50

Moderator : **M. Kawakami**

Lumbar decompression surgery outcome

2-5-F26-1	10-year longitudinal MRI study in patients with lumbar spinal canal stenosis after posterior lumbar decompression surgery	424
	<i>T. Fujii, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	
2-5-F26-2	Does the slipping get worse after decompression alone surgery for lumbar degenerative spondylolisthesis?	424
	<i>S. Shimizu, et al.</i> , Dept. of Orthop. Surg., Narita Memorial Hosp.	
2-5-F26-3	Analysis of factors associated with revision with posterior lumbar interbody fusion after decompression in lumbar degenerative disease.....	425
	<i>A. Tachibana, et al.</i> , Keiyu Spine Center, Keiyu Orthop. Hosp.	
2-5-F26-4	Effect of less invasive decompression procedure for lumbar spinal stenosis in patients with DISH extended to lumbar segment.....	425
	<i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate Medical School	
2-5-F26-5	Comparison between microendoscopic laminectomy and open posterior decompression surgery for two-level lumbar spinal stenosis	426
	<i>H. Nakamoto, et al.</i> , Orthop. Surg., The Univ. of Tokyo Hosp.	
2-5-F26-6	Effects of developmental canal stenosis in lumbar decompression surgery	426
	<i>T. Yamamoto, et al.</i> , Spine Center, Japanese Red-cross Shizuoka Hosp.	

Luncheon Seminar 14

12 : 10~13 : 10

Moderator : **A. Okawa**

2-5-LS14-1	The key to successful multicenter clinical study and pharmacological therapy for osteoporosis	427
	<i>M. Hoshino</i> , Dept. of Orthop. Surg., Osaka City General Hosp.	

Luncheon Seminar 23

13 : 30～14 : 30

Moderator : **M. Matsumoto**

2-5-LS23-1	The science of pain: Treatment strategies based on hot topics	427
------------	---	-----

K. Inage, Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.

Free Papers 27

14 : 50～15 : 40

Moderator : **T. Oda**

Lumbar fusion (adjacent level pathology)

2-5-F27-1	Investigation of the Adjacent Segment Disease factor after the L4/5 PLIF for L4 degenerative spondylolisthesis	428
	S. Saito, et al. , The Dept. of Orthop. Surg., Nihon Univ.	
2-5-F27-2	The examination of risk factors for the cranial adjacent segment disease after single level posterior lumbar interbody fusion	428
	S. Watanabe, et al. , Dept. of Orthop. Rehabilitation Medicine, The Univ. of Fukui	
2-5-F27-3	Analysis of the influence that a change in the height of intervertebral space affects adjacent segment in posterior lumbar interbody fusion	429
	Y. Ogata, et al. , Tsukuba Memorial Hosp.	
2-5-F27-4	Effect of retrospondylolisthesis on adjacent segment disease after PLIF	429
	Y. Matsumoto, et al. , Dept. of Orthop. Surg., Shizuoka City Hosp.	
2-5-F27-5	Surgical results of posterior interbody fusion for L4/5 degenerative spondylolisthesis accompanied with L5/S1 disk degeneration	430
	Y. Horiuchi, et al. , Dep. of Orthop. Surg., Saitama Medical Center	
2-5-F27-6	Mid-term results of PLIF in patients with PI-LL mismatch	430
	Y. Nagamoto, et al. , Dept. of Orthop Surg., Osaka Rosai Hosp.	

Free Papers 28

15 : 50～16 : 40

Moderator : **T. Miyashita**

Lumbar fusion (bone fusion, evaluation)

2-5-F28-1	Examination of bone union evaluation and predictors of non-union after PLIF or TLIF with post-operative CT	431
	Y. Shinozaki, et al. , Spine Center, Shizuoka Red Cross Hosp.	
2-5-F28-2	Fusion rates of posterior lumbar interbody fusion using 3D-porous titanium alloy cages	431
	T. Matsumoto, et al. , Dept. of Orthop. Surg., Chubu Rosai Hosp.	

2-5-F28-3	Influence of depth of vertebral screw insertion on posterior lumbar interbody fusion: Radiological significance of deeper screw insertion	432
	<i>K. Matsukawa, et al.</i> , Dept. of Orthop. Surg., Murayama Medical Center	
2-5-F28-4	Risk factors for S1 pedicle screw loosening in lumbosacral multiple intervertebral fusion	432
	<i>K. Sakaki, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	
2-5-F28-5	ROC analysis for predicting medial pedicle wall penetration during PPS procedure with direct electrical stimulation of the pedicle	433
	<i>Y. Tani, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.	
2-5-F28-6	Surgical outcomes of posterior lumbar interbody fusion for lumbar spinal stenosis with diffuse idiopathic skeletal hyperostosis.....	433
	<i>M. Ozaki, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	

Free Papers 29

16 : 50~17 : 40

Moderator : **K. Otani**

Lumbar fusion (elderly, etc.)

2-5-F29-1	Risk factors for postoperative low back pain after lumbar fusion surgery in the elderly over 75 years of age	434
	<i>H. Suzuki, et al.</i> , Dept. of Orthop. Surg., Hakodate Central General Hosp.	
2-5-F29-2	Clinical outcomes of posterior lumbar interbody fusion in the elderly over 85 years of age	434
	<i>T. Tsujimoto, et al.</i> , Spine Center, Hakodate Central General Hosp.	
2-5-F29-3	Comparison of surgical outcomes of posterior lumbar interbody fusion for lumbar degenerative disease using JOABPEQ between the 80s and 60s	435
	<i>M. Ozaki, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	
2-5-F29-4	Surgical problems of PLIF for elderly patients over 80 years old	435
	<i>S. Okuda, et al.</i> , Dept. of Orthop. Surg. Osaka Rosai Hosp.	
2-5-F29-5	A comparative clinical study of lateral lumbar interbody fusion between in MOB patients and in first-time surgery patients	436
	<i>M. Nakano, et al.</i> , Dept. of Orthop. Surg., Takaoka City Hosp.	
2-5-F29-6	Can minimally invasive spine stabilization reduce workload of operating room staff?	436
	<i>M. Takami, et al.</i> , Dept of Orthop. Surg., Wakayama Medical Univ.	

Free Papers 30

17 : 50～18 : 40

Moderator : **T. Hirai**

Chemonucleolysis

2-5-F30-1	Chemonucleolysis with condoliase is an effective therapy, especially for younger patients and patients with severe pain	437
	<i>F. Tominaga, et al.</i> , Fukuoka Orthop. Hosp.	
2-5-F30-2	Results of chondroitinase injection therapy for lumbar disc herniation	437
	<i>H. Suzuki, et al.</i> , Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine	
2-5-F30-3	Clinical outcome of condoliase injection treatment for lumbar disc herniation: Can lateral type herniation be treated with this treatment?	438
	<i>Y. Kagami, et al.</i> , Anjo Kosei Hosp.	
2-5-F30-4	The intradiscal condoliase injection may be ineffective for patients with lumbar disc herniation with the hypertrophy of yellow ligament	438
	<i>M. Uematsu, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate Medical School	
2-5-F30-5	Examination of the relationship between MRIT2 before injection and clinical outcomes in the treatment of condoliase injection therapy	439
	<i>M. Mitsukawa, et al.</i> , Dept. of Orthop. Surg., Fukuoka Kieikai Hosp.	
2-5-F30-6	Analysis of the radiation exposure to the doctor during Condoliase intervertebral injection	439
	<i>H. Emori, et al.</i> , Dept. of Orthop. Surg., Showa Univ. Northern Yokohama Hosp.	

Room 6

Morning Seminar 3

7 : 30～8 : 30

Moderator : **T. Maeda**

2-6-MS3-1	Up-to-date of treatment strategy for spinal and pelvic trauma in acute phase	440
	<i>Y. Ito</i> , Dept. of Orthop. Surg., Kobe Red Cross Hosp.	

Free Papers 31

8 : 40～9 : 30

Moderator : **T. Kotani**

AIS diagnosis

2-6-F31-1	Comparison of characteristics between school screening positive and negative in scoliosis patients	440
	<i>K. Wada, et al.</i> , Dept. of Orthop. Surg., Hirosaki Univ. Graduate School of Medicine	

2-6-F31-2	Relationship between variation in the number of spinal vertebrae and rib morphology in adolescent idiopathic scoliosis	441
	<i>K. Sakashita, et al.</i> , Dept. of Orthop. Surg., Seirei Sakura Citizen Hosp.	
2-6-F31-3	The evaluation of pelvic obliquity with sacral deformity in Lenke type 5 adolescent idiopathic scoliosis	441
	<i>Y. Kanie, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
2-6-F31-4	The utility of supine whole spine radiograph for the prediction of in-brace correction for adolescent idiopathic scoliosis	442
	<i>H. Shigematsu, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	
2-6-F31-5	Morphological analysis of the lower lumbar and lumbo-sacral segment in adolescent idiopathic scoliosis with structural lumbar curve.....	442
	<i>T. Namikawa, et al.</i> , Dept. of Orthop. Surg., Osaka City General Hosp.	
2-6-F31-6	Does the upper line of the sacral ala approximate a horizontal line in pelvic X-ray of idiopathic scoliosis?	443
	<i>M. Ikejiri, et al.</i> , Dept. of Orthop. Surg., Nara Medical Univ.	

Free Papers 32

9 : 50～10 : 40

Moderator : **H. Shigematsu**

AIS surgery (Type 1, 2)

2-6-F32-1	Long-term clinical outcome of short fusion strategy for Lenke type 1A adolescent idiopathic scoliosis	443
	<i>S. Kawabata, et al.</i> , Dept. of Orthop. Surg., Fujita Health Univ.	
2-6-F32-2	Preoperative L4 tilt is correlated with postoperative distal adding-on in Lenke type 2A adolescent idiopathic scoliosis	444
	<i>N. Isogai, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	
2-6-F32-3	Surgical results of high thoracic curve in Lenke type 2 adolescent idiopathic scoliosis	444
	<i>T. Sakuma, et al.</i> , Dept. of Orthop. Surg., Seirei Sakura Citizen Hosp.	
2-6-F32-4	The selection of the fusion level in Lenke 1B and 1C: Selective thoracic fusion or non-selective thoracic fusion	445
	<i>Y. Miyaoka, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ.	
2-6-F32-5	Restoration of ideal anatomical TK apex in the surgery for adolescent idiopathic scoliosis (Lenke type 1 and 2)	445
	<i>Y. Nakaya, et al.</i> , Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ.	
2-6-F32-6	Restoration of global sagittal alignment after thoracic kyphosis correction in adolescent idiopathic scoliosis Lenke type 1 and 2	446
	<i>S. Tanida</i> , Dept. of Orthop. Surg., Shiga General Hosp./Medical Center for Children	

Free Papers 33

11 : 00～11 : 50

Moderator : **S. Demura**

AIS surgery (Type 5, 6)

2-6-F33-1	Sagittal spinopelvic alignment after anterior spinal fusion in adolescent idiopathic scoliosis (Lenke Type 5C)	446
	<i>S. Arataki, et al.</i> , Dept. of Orthop. Surg., Okayama Rosai Hosp.	
2-6-F33-2	Assessment of cervical sagittal alignment after posterior correction surgery in patient with Lenke type 6 adolescent idiopathic scoliosis	447
	<i>T. Okubo, et al.</i> , Dept. of Orthop. Surg., Murayama Medical Center	
2-6-F33-3	The UEV should be selected as UIV for AIS patients with Lenke type 5C	447
	<i>T. Banno, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-6-F33-4	Influence of preoperative main thoracic curve with adolescent idiopathic scoliosis with Lenke type 5	448
	<i>K. Kajikawa, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	
2-6-F33-5	Study of sacral tilt in idiopathic scoliosis Lenke type 5: Changes before and after anterior spinal fusion surgery	448
	<i>S. Takada, et al.</i> , Dept. of Orthop., Dokkyo Medical Univ.	
2-6-F33-6	Ten-year surgical results for adolescent idiopathic scoliosis Lenke 5C curves	449
	<i>D. Kurogouchi, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ.	

Luncheon Seminar 15

12 : 10～13 : 10

Moderator : **H. Murakami**

2-6-LS15-1	Resection at an anterior site of the spinal cord from a posterior approach (RASPA) for beak type compressive thoracic spinal cord lesion	449
	<i>S. Imagama</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Nagoya Univ.	

Luncheon Seminar 24

13 : 30～14 : 30

Moderator : **H. Chikuda**

2-6-LS24-1	Pathologic condition and therapeutic problems of osteoporotic vertebral fractures	450
	<i>N. Miyakoshi</i> , Div. of Orthop. Surg., Akita Univ.	
2-6-LS24-2	Selection and sequential administration of osteoporosis drugs: From the basics to the latest topics	450
	<i>H. Hagino</i> , School of Health Sci., Tottori Univ.	

Free Papers 34

14 : 50～15 : 40

Moderator : H. Yanagida

AIS surgery (outcome)

2-6-F34-1	Changes of SRS-22 and SF-8 score after the correction and fusion surgery for adult patients with residual AIS Lenke 1	451
	<i>Y. Kamata, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	
2-6-F34-2	Neck and shoulder complain after posterior spinal fusion in adolescent idiopathic scoliosis: Questionnaire survey	451
	<i>Y. Tomita, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	
2-6-F34-3	Pulmonary function after corrective surgery for pediatric scoliosis at the end of growth: Minimum 5-year follow-up	452
	<i>S. Demura, et al.</i> , Dept. of Orthop. Surg., Kanazawa Univ.	
2-6-F34-4	Predictors of postoperative deterioration in pulmonary function in adolescent idiopathic scoliosis	452
	<i>M. Machino, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Nagoya Univ.	
2-6-F34-5	Does adolescent idiopathic scoliosis surgery affect forward bending movements? Analysis of the deviation of the seated forward bending values	453
	<i>S. Nokariya, et al.</i> , Dept. of Orthop. Surg., Kitasato Univ.	
2-6-F34-6	A posterior-only approach for treatment of severe adolescent idiopathic scoliosis with a large curve of more than 80.....	453
	<i>M. Kawamura, et al.</i> , Dept. of Orthop. Surg., Osaka City General Hosp.	

Free Papers 35

15 : 50～16 : 40

Moderator : M. Takaso

EOS, neuromuscular & syndromic scoliosis

2-6-F35-1	The impact of growing rod surgery for early onset scoliosis on the cervical spine sagittal alignment	454
	<i>S. Ito, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	
2-6-F35-2	Report on the sagittal correction of early-onset scoliosis by the growing rod method: Limitations of thoracic kyphosis correction	454
	<i>J. Katayanagi, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. Saitama Medical Center	
2-6-F35-3	Comparison of clinical outcomes in growing rod method for early onset idiopathic scoliosis and syndromic scoliosis	455
	<i>T. Yanase, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. Saitama Medical Center	

2-6-F35-4	Clinical results of corrective cast treatment without anesthesia for early onset scoliosis	455
	<i>R. Sugawara, et al.</i> , Dept. of Orthop., Jichi Medical Univ.	
2-6-F35-5	Efficacy of perioperative halo traction in the treatment of severe scoliosis	456
	<i>Y. Takeichi, et al.</i> , Dept of Orthop. and Spine Surg., Meijo Hosp.	
2-6-F35-6	The evaluations of the complications after scoliosis surgery in patients with cerebral palsy	456
	<i>H. Umekoji, et al.</i> , Dept. of Spinal Surg., Tokyo Shinjuku Medical Center	

Free Papers 36

16 : 50～17 : 40

Moderator : **K. Mori**

Thoracic OPLL/OYL

2-6-F36-1	Factors affecting the decompression of the spinal cord in anterior decompression through a posterior approach for patients with T-OPLL	457
	<i>K. Takahashi, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. Graduate School of Medicine	
2-6-F36-2	Prognostic factors of anterior decompression and fusion for ossification of the posterior longitudinal ligament of the thoracic spine	457
	<i>S. Ushio, et al.</i> , Dept. of Orthop. Surg., Kudanzaka Hosp.	
2-6-F36-3	Long-term outcomes of posterior decompression and dekyphotic corrective fusion with instrumentation for thoracic OPLL	458
	<i>K. Ando, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Nagoya Univ.	
2-6-F36-4	Accuracy of intraoperative spinal cord monitoring and prognostic factors of postoperatively of thoracic ossification of ligamentum flavum	458
	<i>S. Morito, et al.</i> , Dept. of Orthop. Surg., Kurume Univ. School of Medicine	
2-6-F36-5	Association between obesity and ossification of the spinal ligaments in 622 asymptomatic subjects: A cross-sectional study	459
	<i>T. Endo, et al.</i> , Orthop. Surg., Hokkaido Univ. Graduate School of Medicine	
2-6-F36-6	Histological analysis of all spinal levels of age-related changes in the ligamentum flavum	459
	<i>M. Morimoto, et al.</i> , Dept. of Orthop., The Univ. of Tokushima	

Free Papers 37

17 : 50～18 : 40

Moderator : **T. Yoshii**

Thoracic myelopathy

2-6-F37-1	Surgical complications, particularly in thoracic degenerative diseases: An analysis of Osaka Spine & Spinal Cord Research Group database	460
	<i>S. Takenaka, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	

2-6-F37-2	Life expectancy of surgical cases of thoracolumbar fracture in ankylosing spine disease <i>J. Watanabe, et al.</i> , Div. of Orthop. Surg., Niigata Univ. Graduate School of Medicine and Dental Sciences	460
2-6-F37-3	Sweating disorders due to sympathetic trunk injury in Upper thoracic spine anterior surgery <i>S. Shindo, et al.</i> , Dept. of Orthop. Surg., Kudanzaka Hosp.	461
2-6-F37-4	Patient satisfaction with surgery for thoracic spine disease and outcomes using patient reported outcomes <i>Y. Ito, et al.</i> , Orthop. Surg., Graduate School of Medicine, The Univ. of Tokyo	461
2-6-F37-5	Pure conus medullaris syndrome with thoracolumbar burst fracture <i>T. Mihara, et al.</i> , Dept. of Orthop. Surg., Tottori Univ.	462
2-6-F37-6	Results of PTIF and PLF for thoracic disc herniation <i>A. Tachibana, et al.</i> , Keiyu Spine Center, Keiyu Orthop. Hosp.	462

Room 7**Morning Seminar 4**

7 : 30～8 : 30

Moderator : **H. Ozawa**

2-7-MS4-1	A new metallic intervertebral spacer with a novel honeycomb tree structure guiding bone matrix fiber orientation to achieve early fusion <i>M. Ito</i> , Dept. of Orthop. Surg., Hokkaido Medical Center	463
-----------	---	-----

Free Papers 38

8 : 40～9 : 30

Moderator : **S. Fujibayashi****Translational research**

2-7-F38-1	Application of alpha-defensin detection kit to spinal region <i>A. Yoshida, et al.</i> , Dept. of Orthop. Surg., St. Marianna Univ. School of Medicine	463
2-7-F38-2	Donor selection and functional indicators to develop an allogeneic cell products for intervertebral disc regeneration <i>K. Sako, et al.</i> , Dept. of Orthop. Surg., Tokai Univ.	464
2-7-F38-3	Effects of rehabilitation using robot suit HAL for patients with chronic spinal cord injury on functional connectivity in the brain <i>K. Matsubayashi, et al.</i> , Dept. of Orthop. Surg., Murayama Medical Center	464
2-7-F38-4	Estimation of spinal sagittal alignment by visual distance and head angle: development of a posture-monitoring wearable device for VDT work <i>K. Hashimoto, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. Graduate School of Medicine	465

2-7-F38-5	Gait analyses about adult spinal deformity in elderly with KINECT	465
	Y. Watanabe, et al. , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-7-F38-6	Comparison in the accuracy of thoracolumbosacral orthosis by a conventional casting with a plaster bandage versus by a 3D scanning technique	466
	M. Ryu, et al. , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	

Free Papers 39

9 : 50～10 : 40

Moderator : **H. Sudo**

Machine learning

2-7-F39-1	Automatic measurement of the cervical spine X ray by deep learning of artificial intelligence	466
	T. Fujimori, et al. , Dept. of Orthop. Surg., Osaka Univ.	
2-7-F39-2	Evaluation of AI algorithm for Cobb angle measurement	467
	Y. Maeda, et al. , Dept. of Orthop. Surg., Keio Univ.	
2-7-F39-3	Development of a new screening system for vertebral fractures in X-rays using convolutional neural networks	467
	T. Morisako, et al. , Miyoshi Central Hosp.	
2-7-F39-4	Development of an AI-based prediction model for postoperative complications of cervical posterior longitudinal ligament ossification	468
	S. Ito, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Nagoya Univ.	
2-7-F39-5	Development of a model of artificial neural network predicting the outcome of cervical spinal cord injury using clinical data	468
	K. Kobayakawa, et al. , Dept. of Orthop. Surg., Graduate School of Medical Sciences, Kyushu Univ.	
2-7-F39-6	High accuracy laser-induced vibration diagnosis of pedicle screw stability using machine learning scheme	469
	D. Nakashima, et al. , Dept. of Orthop. Surg., Keio Univ.	

Free Papers 40

11 : 00～11 : 50

Moderator : **H. Hashizume**

Cohort study

2-7-F40-1	Health-related quality of life and sagittal spinal alignment in sitting position: A cohort study in community-dwelling aged volunteers	469
	G. Yoshida, et al. , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	
2-7-F40-2	Epidemiological study of low back pain and sports activity in adolescents based on a large-scale questionnaire survey in Chiba Prefecture	470
	T. Hozumi, et al. , Sportsmedics Center, Chiba Univ. Hosp.	

2-7-F40-3	The features of the anomaly of thoracolumbar spine: Prevalence and the association of lumbar spine disease	470
	<i>M. Morimoto, et al.</i> , Dept. of Orthop., The Univ. of Tokushima	
2-7-F40-4	Plasma biomarkers in patients with ossification of the posterior longitudinal ligament using metabolomic analysis	471
	<i>T. Asari, et al.</i> , Dept. of Orthop. Surg., Hirosaki Univ. Graduate School of Medicine	
2-7-F40-5	Characteristics of operative scoliosis patients from different school screening: A comparison with and without objective screening methods	471
	<i>S. Okuwaki, et al.</i> , Dept. of Orthop. Surg., Seirei Sakura Citizen Hosp.	
2-7-F40-6	Association between kyphosis and quality of life related to lumbar and cervical symptoms among farmers: Cross-sectional study	472
	<i>K. Fukushima, et al.</i> , Dept. of Orthop. Surg., Saku Central Hosp.	

Luncheon Seminar 16

12 : 10～13 : 10

Moderator : **N. Kawahara**

2-7-LS16-1	Microsurgical decompression for radicular symptoms of cervical spine	472
	<i>N. Tanaka</i> , Dept. of Orthop. Surg., JR Hiroshima Hosp.	

Luncheon Seminar 25

13 : 30～14 : 30

Moderator : **H. Yamada**

2-7-LS25-1	Patient blood management for safety in spine surgery	473
	<i>S. Kato</i> , Orthop. Surg., Graduate School of Medicine, The Univ. of Tokyo	
2-7-LS25-2	Intraoperative hemostasis management in spinal surgery	473
	<i>T. Kanemura, et al.</i> , Dept. of Orthop. Surg., Konan Kosei Hosp.	

Free Papers 41

14 : 50～15 : 40

Moderator : **S. Okada**

Basic science (spinal cord)

2-7-F41-1	Therapeutic effects of combined hiPSC-NS/PCs transplantation and rehabilitative training in chronic spinal cord injury	474
	<i>T. Shibata, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	
2-7-F41-2	Examination of hiPS-derived NS/PCs transplantation with implantation of scaffold containing HGF for chronic complete spinal cord injury	474
	<i>S. Hashimoto, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	

2-7-F41-3	Efficacy of DREADD induced long-term selective stimulation of transplanted neural stem/progenitor cells for spinal cord injury	475
	<i>M. Kawai, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	
2-7-F41-4	Chemical control of hiPSC derived neurons clarified the contribution of graft neuronal activity to the recovery following spinal cord injury	475
	<i>T. Kitagawa, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	
2-7-F41-5	Microglia distribution and pain-related substances expression in the brain-spinal cord lesion of chronic spinal cord injury	476
	<i>A. Kubota, et al.</i> , Dept. of Orthop. Rehabilitation Medicine, The Univ. of Fukui	
2-7-F41-6	System to monitor in vivo neural graft activity after spinal cord injury.....	476
	<i>K. Ago, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	

Free Papers 42

15 : 50~16 : 40

Moderator : **N. Kamei**

Basic science (spinal cord & spinal cord tumor)

2-7-F42-1	Bionerve generated from human gingival mesenchymal stem cells may promote axonal regeneration after spinal cord transection injury in rats	477
	<i>Y. Shibao, et al.</i> , Dept. of Orthop. Surg., Graduate School of Comprehensive Human Sciences, Univ. of Tsukuba	
2-7-F42-2	Combined adipose-derived mesenchymal stromal cell transplantation and treadmill training in rats with severe spinal cord injury	477
	<i>A. Takahashi, et al.</i> , Dept. of Orthop. Rehabilitation Medicine, The Univ. of Fukui	
2-7-F42-3	Efficacy of oligodendrocyte progenitor cell derived from oral mesenchymal stem cell transplantation for traumatic spinal cord injury in rats	478
	<i>M. Kono, et al.</i> , Dept. of Orthop. Surg., Graduate School of Comprehensive Human Sciences, Univ. of Tsukuba	
2-7-F42-4	The effectiveness of decompression surgery after spinal cord injury on a rat with compressive lesion	478
	<i>S. Okimatsu, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
2-7-F42-5	Tumor specific immunoenhancing effects after local cryoablation for metastatic bone tumor	479
	<i>R. Annen, et al.</i> , Dept. of Restorative Medicine of Neuro-Musculoskeletal System, Kanazawa Univ.	
2-7-F42-6	Influences on spinal cord during cryoablation in spine tumors: An experimental study using a dog model.....	479
	<i>M. Kobayashi, et al.</i> , Dept. of Restorative Medicine of Neuro-Musculoskeletal System, Kanazawa Univ.	

Free Papers 43

16 : 50～17 : 40

Moderator : K. Akeda

Basic science (bone, cartilage and intervertebral disc)

2-7-F43-1	Retinoic acid receptor gamma antagonist (7C) enables efficient BMP-induced bone regeneration by enhancing endochondral bone formation	480
	D. Tateiwa, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
2-7-F43-2	An examination of bone healing after autogenous bone grafting using 'high hydrostatic pressure' in posterolateral spinal fusion of rabbit	480
	Y. Yamada, et al. , Dept. of Orthop. Surg., Kanazawa Univ.	
2-7-F43-3	Prostaglandin EP4 selective agonist AKDS001 enhances new bone formation by minimodeling in a heterotopic xenograft model of human bone	481
	Y. Ukon, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
2-7-F43-4	Efficacy of growth differentiation factor-6 for intervertebral disc using a rat tail puncture model	481
	K. Miyazaki, et al. , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
2-7-F43-5	Evaluation of rabbit intervertebral disc degeneration model by standardized histopathology score and its correlation between MRI T2-value	482
	K. Kawaguchi, et al. , Dept. of Musculoskeletal Surg., Mie Univ. Postgraduate School of Medicine	
2-7-F43-6	Rspo2/Prg4-positive cells contribute to tendon/ligament homeostasis through suppression of ectopic endochondral ossification	482
	N. Tachibana, et al. , Orthop. Surg., Graduate School of Medicine, The Univ. of Tokyo	

Free Papers 44

17 : 50～18 : 40

Moderator : M. Miyazaki

Basic science (spinal deformity & ligament)

2-7-F44-1	A GWAS risk SNP suggests the association of UNCX with adolescent idiopathic scoliosis susceptibility	483
	Y. Yonezawa, et al. , Dept. of Orthop. Surg., Keio Univ.	
2-7-F44-2	Impact of pathogenic <i>FBNI</i> variant types on the development of severe scoliosis in patients with Marfan syndrome	483
	Y. Taniguchi, et al. , Orthop. Surg., Graduate School of Medicine, The Univ. of Tokyo	
2-7-F44-3	Effect of IL-6 on cell differentiation in the ossification of the posterior longitudinal ligament in cervical spine	484
	H. Saito, et al. , Dept. of Orthop. Surg., Shiga Univ. of Medical Science	

2-7-F44-4	Comprehensive analysis of genes involved in ligamentum flavum hypertrophy: Study using a ligamentum flavum hypertrophied rabbit model	484
	A. Yabu, et al. , Dept. of Orthop. Surg., Osaka City Univ. Graduate Medical School	
2-7-F44-5	Chronological observation of spinal deformity model mouse with MR Imaging	485
	H. Ueda, et al. , Dept. of Orthop., Dokkyo Medical Univ.	
2-7-F44-6	Is there genetic causality between body mass index and adolescent idiopathic scoliosis?: A mendelian randomization study	485
	N. Otomo, et al. , Dept. of Orthop. Surg., Keio Univ.	

Room 8**Free Papers 45**

8 : 40～9 : 30

Moderator : **T. Shimizu****Craniocervical and upper cervical spine**

2-8-F45-1	Factors associated with retro-odontoid pseudotumors in hemodialysis patients	486
	M. Nishizawa, et al. , Orthop. Dept., Japanese Red Cross Medical Center	
2-8-F45-2	Cervical myelopathy caused by non-rheumatic retroodontoid pseudotumor: Underlying mechanisms and optimal surgical strategy	486
	M. Takahata, et al. , Orthop. Surg., Hokkaido Univ. Graduate School of Medicine	
2-8-F45-3	Diagnosis imaging of rheumatic atlantoaxial vertical subluxation and its effect on subluxation by postural position	487
	R. Tamaki, et al. , Dept. of Orthop. Surg., Tokyo Women's Medical Univ.	
2-8-F45-4	Mid-term surgical outcome in occipitocervical or C1-2 fusion in pediatric upper cervical lesion	487
	K. Ando, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Nagoya Univ.	
2-8-F45-5	Imaging study of the onset of myelopathy in idiopathic atlantoaxial subluxation	488
	S. Amano, et al. , Dept. of Orthop. Surg., National Defense Medical College	
2-8-F45-6	Early mortality in elderly patients with isolated C2 odontoid fracture: A generalized propensity score-based analysis	488
	A. Honda, et al. , Dept. of Orthop. Surg., Graduate School of Medicine, Gunma Univ.	

Free Papers 46

9 : 50～10 : 40

Moderator : **Y. Oshima****Dropped head syndrome**

2-8-F46-1	Radiological characteristics of dropped head syndrome	489
	H. Miyamoto, et al. , Dept. of Orthop. Surg., Kindai Univ. Hosp.	

2-8-F46-2	Cervico-thoracic sagittal alignment in patient with Parkinson's disease (a study of dropped head syndrome)	489
	<i>K. Endo, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
2-8-F46-3	Impact of pelvic incidence in patient with dropped head syndrome accompanied by negative sagittal imbalance	490
	<i>H. Suzuki, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
2-8-F46-4	Assessment of cervical muscle volume on MRI in dropped head syndrome	490
	<i>K. Toriumi, et al.</i> , Dept. of Orthop. Surg., Kindai Univ.	
2-8-F46-5	Is sarcopenia associated with the onset of dropped head syndrome?: Evaluation of trunk and leg muscle mass in dropped head syndrome	491
	<i>H. Funao, et al.</i> , Dept. of Orthop., International Univ. of Health and Welfare	
2-8-F46-6	Characteristic clinical manifestation of dropped head syndrome: The first report	491
	<i>K. Ishii, et al.</i> , Dept. of Orthop., International Univ. of Health and Welfare	

Free Papers 47

11 : 00～11 : 50

Moderator : **A. Seichi**

Cervical spine disorders: Surgical outcome

2-8-F47-1	Impact of preoperative malnutrition on perioperative upper extremity function among geriatric patients with cervical spondylotic myelopathy	492
	<i>E. Takasawa, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Gunma Univ.	
2-8-F47-2	Does central sensitization affect surgical outcomes for cervical spinal diseases?: A multicenter prospective study	492
	<i>N. Takegami, et al.</i> , Dept. of Orthop. Surg., Mie Univ. Postgraduate School of Medicine	
2-8-F47-3	Does regular preoperative use of opioids affect postoperative outcomes in patients undergoing posterior cervical decompression surgery?	493
	<i>J. Miyahara, et al.</i> , Orthop. Surg., Graduate School of Medicine, The Univ. of Tokyo	
2-8-F47-4	The comparative accuracy in O-arm navigated cervical pedicle screw fixation by approach	493
	<i>T. Inoue, et al.</i> , Dept. of Spine Surg., Toyohashi Municipal Hosp.	
2-8-F47-5	Efficiency of long lateral mass screw	494
	<i>S. Watanabe, et al.</i> , Dept. of Orthop. Surg., Kawasaki Medical School	
2-8-F47-6	Evaluation of postoperative poor factor in cervical spondylotic myelopathy with cervical posterior spondylolisthesis	494
	<i>K. Murakami, et al.</i> , Dept of Orthop. Surg., Wakayama Medical Univ.	

Luncheon Seminar 17

12 : 10～13 : 10

Moderator : **H. Nagashima**

2-8-LS17-1	Intraoperative hemostatic approach: Site and situation: focus on corrective surgery	495
	<i>T. Tsuji, et al.</i> , Dept. of Orthop. & Spine Surg., Toyota Kosei Hosp.	
2-8-LS17-2	Intraoperative bleeding and hemostatic procedures in lumbar spine surgery	495
	<i>S. Orita, et al.</i> , Center for Frontier Engineering, Chiba Univ.	

Luncheon Seminar 26

13 : 30～14 : 30

Moderator : **N. Hosogane**

2-8-LS26-1	Correlation between leg pain and low back pain in lumbar disc hernia and symptom changes due to condoliase.....	496
	<i>K. Endo, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	

Free Papers 48

14 : 50～15 : 40

Moderator : **T. Furuya**

Cervical spine surgery: Complications

2-8-F48-1	Are additional foraminotomy and privational foraminotomy effective for C5 palsy after cervical spine laminoplasty?.....	496
	<i>N. Suzuki, et al.</i> , Dept. of Orthop. Surg., Nagoya City Univ., Graduate School of Medical Sciences	
2-8-F48-2	Comparison of 100 cases of closed non-suction drain and 100 cases of closed suction drain: A study in cervical laminoplasty	497
	<i>B. Otsuki, et al.</i> , Dept. of Orthop. and Musculoskeletal Surg., Graduate School of Medicine, Kyoto Univ.	
2-8-F48-3	Withdrawn	
2-8-F48-4	A new indicator: Airway angle (A-angle) to predict breathing problems after posterior cervical surgery using endotracheal tube	498
	<i>N. Manabe, et al.</i> , Dept. of Orthop. Surg., East Maebashi Orthop. Hosp.	
2-8-F48-5	The vertebral artery variations or injury in patients with cervical disorders	498
	<i>S. Inoue, et al.</i> , Dept. of Orthop. Surg., Kitasato Univ.	
2-8-F48-6	Investigation of perioperative complications in cervical spondylotic myelopathy with athetoid cerebral palsy	499
	<i>N. Tachibana, et al.</i> , Orthop. Surg., Graduate School of Medicine, The Univ. of Tokyo	

Free Papers 49

15 : 50～16 : 40

Moderator : H. Sakaura

Laminoplasty (outcome)

2-8-F49-1	Factors of nuchal ligament rupture after cervical laminoplasty	499
	<i>R. Kumahara, et al.</i> , Dept. of Orthop. Surg., Hirosaki Univ. Graduate School of Medicine	
2-8-F49-2	The prevalence and the characteristics of cervicothoracic junction spondylolisthesis after cervical laminoplasty	500
	<i>K. Nagashima, et al.</i> , Dept. of Orthop. Surg., Mito Kyodo General Hosp.	
2-8-F49-3	Does segmental cervical instability drive the lordosis loss after laminoplasty in patients with cervical spondylotic myelopathy?.....	500
	<i>T. Obo, et al.</i> , Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ.	
2-8-F49-4	Comparison of posterior decompression outcomes in patients with single-level cervical spondylotic myelopathy with and without instability	501
	<i>Y. Shiratani, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
2-8-F49-5	Multivariate analysis of risk factors affecting outcome of laminoplasty for cervical spondylotic myelopathy	501
	<i>M. Machino, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Nagoya Univ.	
2-8-F49-6	Pathologies and surgical outcomes of late-onset neurological symptoms after cervical laminoplasty	502
	<i>H. Tanaka, et al.</i> , Hokkaido Orthop. Memorial Hosp.	

Free Papers 50

16 : 50～17 : 40

Moderator : I. Oda

Cervical fusion surgery (outcome)

2-8-F50-1	Surgical results of multilevel cervical decompression and fusion with plate fixation; Corpectomy vs. hybrid corpectomy with discectomy	502
	<i>K. Otani, et al.</i> , Dept. of Orthop. Surg., Kudanzaka Hosp.	
2-8-F50-2	Risk factors for graft dislodgement of anterior cervical corpectomy with fusion	503
	<i>H. Tokumoto, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical and Dental Sciences, Kagoshima Univ.	
2-8-F50-3	Long-term clinical results of anterior cervical decompression and fusion using zero-profile peek cage	503
	<i>T. Fujiwara, et al.</i> , Dept. of Musculoskeletal Surg., Mie Univ. Postgraduate School of Medicine	
2-8-F50-4	Augmented reality-assisted anterior cervical spine surgery with micro-link	504
	<i>K. Sakai, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	

2-8-F50-5	The misplacement risk factor of cervical pedicle screw insertion using intraoperative CT navigation	504
	<i>Y. Nitobe, et al.</i> , Dept. of Orthop. Surg., Hirosaki Univ. Graduate School of Medicine	
2-8-F50-6	Long-term outcomes of surgical treatments for cervical spondylotic myelopathy associated with athetoid cerebral palsy	505
	<i>T. Niimura, et al.</i> , Dept. of Orthop. Surg., Yokohama Minami Kyosai Hosp.	

Free Papers 51

17 : 50～18 : 40

Moderator : **K. Miyamoto**

ACDF & ASF (outcomes)

2-8-F51-1	Prediction and prevention of postoperative dysphagia by preoperative ST intervention in cervical anterior decompression and fusion	505
	<i>Y. Ito, et al.</i> , Dept. of Orthop. Surg., Yokohama City Univ.	
2-8-F51-2	The relationship between the prevertebral soft tissue swelling and laryngeal fiber scope findings in anterior cervical spine surgery	506
	<i>T. Matsumoto, et al.</i> , Dept. of Orthop. Surg.,Osaka Rosai Hosp.	
2-8-F51-3	The risk of reintubation after anterior cervical fusion surgery	506
	<i>A. Tanaka, et al.</i> , Dept. of Orthop. Surg., Kobe City Medical Center General Hosp.	
2-8-F51-4	A study of cage width in anterior cervical discectomy and fusion	507
	<i>H. Igarashi, et al.</i> , Sonoda Third Hosp.	
2-8-F51-5	Range of motion in single-level cervical total disc replacement up to 1 year follow-up	507
	<i>M. Tsushima, et al.</i> , Dept. of Orthop. Surg., Konan Kosei Hosp.	
2-8-F51-6	Does cervical kyphosis left after anterior surgery influence the clinical outcomes ?	508
	<i>K. Kitagawa, et al.</i> , Kashiwa Municipal Hosp.	

Room 9

Free Papers 52

8 : 40～9 : 30

Moderator : **Y. Aoki**

Low back pain

2-9-F52-1	Relationship between lumbar spinal stenosis and low back pain: The second report	508
	<i>K. Otani, et al.</i> , Dept. of Orthop. Surg., Fukushima Medical Univ.	
2-9-F52-2	Prevalence and related factors of low back pain in the general elderly population: A Japanese cohort survey	509
	<i>M. Uehara, et al.</i> , Dept. of Orthop. Surg., Shinshu Univ.	

2-9-F52-3	Association of lumbar structural changes and chronic low back pain in coronal section ······	509
	<i>S. Kojima, et al.</i> , Dept. of Orthop. Surg., Aichi Medical Univ.	
2-9-F52-4	Analysis for brain activity with chronic low back pain: Examination by language stimulation ······	510
	<i>S. Tanishima, et al.</i> , Dept. of Orthop. Surg., Tottori Univ.	
2-9-F52-5	Effect of spinal decompression on low back pain in lumbar spinal canal stenosis ······	510
	<i>T. Moroi, et al.</i> , Keiyu Orthop. Hosp.	
2-9-F52-6	Postoperative physical therapy focused on low back pain can improve treatment satisfaction after minimally invasive lumbar decompression ······	511
	<i>K. Tamai, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate Medical School	

Free Papers 53

9 : 50～10 : 40

Moderator : **O. Shirado**

Lumbar spine (pathology & conservative treatment)

2-9-F53-1	Relationship between pain catastrophizing and lumbar movements in patients with lumbar spinal stenosis ······	511
	<i>T. Wada, et al.</i> , Div. of Rehab., Tottori Univ Hosp.	
2-9-F53-2	Association of kinematic analysis of lumbar movement with a subjective symptom in patients with lumbar spinal stenosis ······	512
	<i>Y. Kitsuda, et al.</i> , Div. of Rehab., Tottori Univ Hosp.	
2-9-F53-3	Efficacy of selective nerve root block for the treatment of lumbar spinal canal stenosis in the elderly (over 80 years old) ······	512
	<i>M. Sakai, et al.</i> , Dept. of Orthop. Surg., Kyushu Central Hosp.	
2-9-F53-4	Natural history of lumbar anterolisthesis and retrolisthesis and its relationship with spinal sagittal alignment ······	513
	<i>K. Sasai, et al.</i> , Dept. of Orthop. Surg., Asahikawa Medical College	
2-9-F53-5	Evaluation for the artificial rupture of lumbar facet cyst ······	513
	<i>K. Yatomi, et al.</i> , Asao General Hosp. Spine Center	
2-9-F53-6	Flavum hypertrophy in lumbar spinal stenosis and insulin resistance ······	514
	<i>Y. Sakai, et al.</i> , Dept. of Orthop. Surg., National Center for Geriatrics and Gerontology	

Free Papers 54

11 : 00～11 : 50

Moderator : **H. Suzuki**

Lumbar spine (ADL diagnosis, epidemiology, etc.)

2-9-F54-1	The equivalence between verbally-administered NRS and patient self-administered VAS of low back symptoms for lumbar degenerative diseases	514
	<i>K. Hayashi, et al.</i> , Dept. of Orthop. Surg., Osaka City Juso Hosp.	
2-9-F54-2	Minimally clinical important difference (MCID) of JOABPEQ on surgical treatment for lumbar degenerative disease	515
	<i>M. Kato, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate Medical School	
2-9-F54-3	Quantitative measurements of hip abduction strength and knee flexion strength in lumbar surgery patients	515
	<i>Y. Hatakeyama, et al.</i> , Dept. of Orthop. Surg., Akita Red Cross Hosp.	
2-9-F54-4	Trunk stabilization and hip stretching exercise improve postoperative outcome after lumbar spinal surgery	516
	<i>R. Yamasaki, et al.</i> , Dept. of Orthop. Surg., Kansai Rosai Hosp.	
2-9-F54-5	How will the number of lumbar surgery progress in the super-aged society?: Verification of our previous research	516
	<i>K. Nomura, et al.</i> , Sumiya Orthop. Hosp.	
2-9-F54-6	The characteristics of patients with lumbar degenerative disease who were negative about teleconsultation	517
	<i>K. Hayashi, et al.</i> , Dept. of Orthop. Surg., Osaka City Juso Hosp.	

Luncheon Seminar 18

12 : 10～13 : 10

Moderator : **H. Takahashi**

2-9-LS18-1	Intra-discal surgery using spine full-endoscopy	517
	<i>K. Sairyo</i> , Dept. of Orthop., The Univ. of Tokushima Graduate School	

Luncheon Seminar 27

13 : 30～14 : 30

Moderator : **S. Ebara**

2-9-LS27-1	XR spine surgery in robotic arm hybrid operating room	518
	<i>A. Shinohara</i> , Dept. of Orthop. Surg., The Jikei Univ. School of Medicine	
2-9-LS27-2	Robotic spine surgery in spine hybrid OR: Scoliosis surgery, anterior VATS and posterior scoliosis surgery using correction box & ring	518
	<i>S. Ebara</i> , Spine and Scoliosis Center, Shonan Fujisawa Tokushukai Hosp.	

Free Papers 55

14 : 50～15 : 40

Moderator : **T. Toyone**

ASD alignment

2-9-F55-1	A longitudinal study to assess the importance of trunk muscle strength in maintaining sagittal spinal alignment and preventing low back pain	519
	<i>I. Senoo, et al.</i> , Dept. of Orthop. Surg., Asahikawa Medical College	
2-9-F55-2	Influence of the change in muscle mass and back extensor strength on the change of spino-pelvic sagittal alignment	519
	<i>M. Hongo, et al.</i> , Div. of Orthop. Surg., Akita Univ.	
2-9-F55-3	Sagittal spinal alignment in the sitting position predicts rod fracture following long fusion surgery for adult spinal deformity	520
	<i>A. Kimura, et al.</i> , Dept. of Orthop., Jichi Medical Univ.	
2-9-F55-4	Dose-response relationship between spino-pelvic alignment determined by sagittal modifiers and back pain-specific quality of life.....	520
	<i>R. Tominaga, et al.</i> , Dept. of Orthop & Spinal. Surg., Aizu Medical Center, Fukushima Medical Univ.	
2-9-F55-5	Can Wall-Occiput distance and Rib-Pelvis distance be used to assess sagittal spinal alignment?	521
	<i>K. Otani, et al.</i> , Dept. of Orthop. Surg., Fukushima Medical Univ.	
2-9-F55-6	Changes in pelvic incidence of patients with adult spinal deformity depending on the position, and impact on postoperative spinal alignment	521
	<i>S. Takada, et al.</i> , Orthop. Surg., Miyuki Hosp..	

Free Papers 56

15 : 50～16 : 40

Moderator : **J. Takahashi**

ASD surgery

2-9-F56-1	Efficacy of lateral lumbar interbody fusion with posterior hybrid fixations for adult spinal deformity	522
	<i>D. Yamabe, et al.</i> , Dept. of Orthop. Surg., Iwate Medical Univ.	
2-9-F56-2	Low screw density surgery for adult spinal deformity: Its surgical concept and clinical results	522
	<i>T. Shimizu, et al.</i> , Dept. of Orthop. Surg., Gunma Spine Center (Harunaso Hosp.)	
2-9-F56-3	Examination of LLIF accuracy using intraoperative CT navigation in adult spinal deformity surgery	523
	<i>T. Ohba, et al.</i> , Dept. of Orthop. Surg., Univ. of Yamanashi	

2-9-F56-4	Finite element analysis for mechanism of ALL rupture with posterior correction procedure in corrective surgery for ASD using LLIF	523
	<i>H. Takeda, et al.</i> , Dept. of Spine and Spinal Cord. Surg., Fujita Health Univ.	
2-9-F56-5	Comparison of fusion rate between 3D-printed porous titanium alloy cages and titanium-coated PEEK cages in lumbar interbody fusion	524
	<i>M. Hatano, et al.</i> , Daiwa Central Hosp.	
2-9-F56-6	Optimal anchor at the lower thoracic upper instrument vertebra in adult spinal deformity surgery using finite element analysis	524
	<i>T. Kozaki, et al.</i> , Dept of Orthop. Surg., Wakayama Medical Univ.	

Free Papers 5

16 : 50～17 : 40

Moderator : **Y. Arai**

OVF: Surgery

2-9-F57-1	Efficacy of percutaneous posterior fixation for the acute osteoporotic vertebral fracture with posterior wall cortical injury	525
	<i>T. Muramoto, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Univ. of Occupational and Environmental Health	
2-9-F57-2	Augmentation of PPS fixation with hydroxyapatite granules: Prevention of screw loosening in osteoporotic spine	525
	<i>H. Kanno, et al.</i> , Dept. of Orthop. Surg., Tohoku Medical and Pharmaceutical Univ.	
2-9-F57-3	C-arm free expandable cage for thoracolumbar corpectomy	526
	<i>M. Tanaka, et al.</i> , The Orthop. Surg. Dept., Okayama Rosai Hosp.	
2-9-F57-4	Examination of fractures of the vertebral body withdrawal that occur after screw removal after PPS for osteoporotic burst fracture	526
	<i>H. Yamane, et al.</i> , Dept. of Orthop. Surg., School of Medicine, Univ. of Occupational and Environmental Health	
2-9-F57-5	Examination of posterior fixation without decompression for nonunion after osteoporotic vertebral body fracture with neurological symptoms	527
	<i>S. Ishihara, et al.</i> , Dept. of Orthop. Surg., Ota Memorial Hosp.	
2-9-F57-6	Neoadjuvant teriparatide therapy targeting the osteoporotic spine: Significance of long-term administration from the perspective of cortex	527
	<i>K. Sawakami, et al.</i> , Dept. of Orthop. Surg., Tominaga-Kusano Hosp.	

Free Papers 58

17 : 50～18 : 40

Moderator : **M. Nakano**

OVF: Surgery & BKP

2-9-F58-1	Surgical outcome of balloon kyphoplasty for patients with dementia	528
	<i>Y. Hori, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate Medical School	
2-9-F58-2	Clinical and radiological outcomes of balloon kyphoplasty for osteoporotic vertebral burst fractures	528
	<i>H. Murata, et al.</i> , Shimura Hosp.	
2-9-F58-3	Evaluation of cement leakage using computed tomography after balloon kyphoplasty	529
	<i>H. Yasuda, et al.</i> , Dept. of Orthop. Surg., Osaka General Hosp. of West Japan Railway Company	
2-9-F58-4	Importance of early diagnosis and treatment of osteoporotic vertebral body fractures	529
	<i>M. Teraguchi, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ. Kihoku Hosp.	
2-9-F58-5	Can early-stage balloon kyphoplasty be a potential standard treatment for vertebral compression fractures with a predicted poor prognosis?.....	530
	<i>Y. Kagei, et al.</i> , Dept. of Orthop. Surg., Omi medical center	
2-9-F58-6	Percutaneous vertebral plasty used vertebral body stenting system for osteoporotic vertebral fracture.....	530
	<i>Y. Yamamoto, et al.</i> , Dept. of Orthop. Surg., Tokai Univ. Hachiouji Hosp.	

Room 10

Hands on Seminar 2

8 : 40～10 : 10

Moderator : **T. Yoshii**

Speaker : **K. Sakai**

Hands on Workshop : **H. Mihara**

Training session and Hands-on seminar for Cervical artificial disc replacement “Prestige LP”

Poster Room

Poster 34

17 : 00~17 : 30

Moderator : **O. Kawano**

Spinal cord injury

P34-1	Study of elderly cervical spine and cervical cord injury cases at the advanced critical care center531
	<i>M. Matsumoto, et al.</i> , Advanced Critical Care and Emergency Center, Yokohama City Univ. Medical Center	
P34-2	Withdrawn	
P34-3	Relationship between whiplash associated disorder and psychosocial factors532
	<i>T. Takebayashi, et al.</i> , Sapporo Maruyama Orthop. Hosp.	
P34-4	Risk factors for urinary tract infections during treatment of patients with acute cervical spinal cord injury532
	<i>C. Takeda, et al.</i> , Dept. of Orthop. Surg., Tottori Univ.	
P34-5	Diagnosis of vertebral artery injuries following blunt cervical injury: Is CT angiography useful for correct diagnosis?533
	<i>H. Yoshihara, et al.</i> , Dept. of Spine Surg., Toyohashi Municipal Hosp.	
P34-6	Shoulder shrug sign on cervical A-P view is a useful predictor to detect severe injuries in cervical traumatic patients533
	<i>R. Watanabe, et al.</i> , Isehara Kyodo Hosp.	

Poster 36

17 : 00~17 : 30

Moderator : **Y. Taniguchi**

Craniocervical and upper cervical spine

P36-1	Comparison of clinical outcomes between C1 laminectomy without fusion and posterior fixation for a retro-odontoid pseudotumor534
	<i>M. Miura, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.	
P36-2	Surgical results for C1 posterior arch laminectomy of retro-odontoid pseudotumor534
	<i>T. Tamaoka, et al.</i> , Dept. of Orthop. Surg., Kobe Rosai Hosp.	
P36-3	Subaxial subluxation and fixation angle after occipito-atlanto-axial fixation with rheumatoid arthritis535
	<i>Y. Kumano, et al.</i> , Tokyo Yamate Medical Center	
P36-4	High cervical fixed severe kyphotic deformity in adult cases with Down syndrome535
	<i>T. Shimizu, et al.</i> , Dept. of Orthop. Surg., Gunma Spine Center (Harunaso Hosp.)	

P36-5	Risk evaluation of subaxial subluxation after upper cervical spine fusion or occipital cervical spine fusion for rheumatoid arthritis	536
	<i>H. Yan, et al.</i> , Dept. of Orthop. Surg., Iwate Medical Univ.	
P36-6	Examination of bone fusion after posterior fusion of the upper cervical spine surgery	536
	<i>H. Kinjo, et al.</i> , Orthop. Surg., Univ. of the Ryukyus	

Poster 38

17 : 00～17 : 30

Moderator : **H. Miyamoto**

Cervical spine disorders: Pathology, etc.

P38-1	Factors contributing to neck pain in patients with degenerative cervical myelopathy: A prospective multicenter study	537
	<i>H. Inose, et al.</i> , Section of Orthop. and Spinal Surg., Tokyo Medical and Dental Univ., Graduate School of Dental and Medical Sciences	
P38-2	Performance test that can significantly detect unstable gait in patients with cervical myelopathy	537
	<i>T. Nakano, et al.</i> , Dept. of Orthop. surg., Odate Municipal Hosp.	
P38-3	An investigation of the efficacy of PainVision apparatus for the assessment of axial symptoms after cervical laminoplasty.....	538
	<i>T. Inoue, et al.</i> , Dept. of Orthop. Surg., The Jikei Univ. Katsushika Medical Center	
P38-4	Primary cervical decompression surgery may improve lumbar symptoms in patients with tandem spinal stenosis	538
	<i>T. Inoue, et al.</i> , Dept. of Spine Surg., Toyohashi Municipal Hosp.	
P38-5	Method of the Spurling test and its sensitivity for cervical radiculopathy	539
	<i>M. Suzuki, et al.</i> , Dept. of Orthop. Surg., NHO Sendai Nishitaga Hosp.	
P38-6	Surgical outcome of sternocleidomastoid release for neglected congenital muscular torticollis in adolescent and adult patients	539
	<i>H. Funao, et al.</i> , Dept. of Orthop., International Univ. of Health and Welfare	

Poster 40

17 : 00～17 : 30

Moderator : **A. Kimura**

Cervical spine disorders: Complications

P40-1	Countermeasure for complications associated with plate fixation in laminoplasty	540
	<i>S. Kato, et al.</i> , Hiratsuka City Hosp.	

P40-2	Clinical outcomes and risk factors of lamina closure in double-door laminoplasty with HA spacers	540
	<i>Y. Enyo, et al.</i> , Dept. of Orthop. Surg., Wakayama Medical Univ. Kihoku Hosp.	
P40-3	The relationship between spinal cord posterior shifting and hematoma on MRI at 24 hours and 2 weeks after cervical laminoplasty	541
	<i>H. Kudo, et al.</i> , Dept. of Orthop. Surg., Akita Hosp.	
P40-4	Impact of morphological restoration of the spinal cord from the preoperative to early postoperative periods on C5 palsy development	541
	<i>M. Mizutani, et al.</i> , Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ.	
P40-5	Characteristic of cervical periradicular fibrous sheath and nerve roots in relation to postoperative C5 palsy	542
	<i>Y. Usami, et al.</i> , Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ.	
P40-6	Neuropathic pain, evaluated by painDETECT Questionnaire, was associated with poor PROMs one year after cervical decompression	542
	<i>K. Nagata, et al.</i> , Orthop. Surg., Graduate School of Medicine, The Univ. of Tokyo	

Poster 42

17 : 00～17 : 30

Moderator : **A. Yamazaki**

Cervical fusion surgery (outcome)

P42-1	Posterolateral osteophyte resorption in intervertebral foramen of fused segments after posterior cervical fusion	543
	<i>K. Hashimoto, et al.</i> , Dept. of Orthop. Surg., Osaka Police Hosp.	
P42-2	Risk factors of C5 palsy after posterior cervical spinal fusion	543
	<i>R. Saito, et al.</i> , Dept. of Orthop., Amagasaki General Medical Center	
P42-3	The accuracy of the pedicle screws for the cervicothoracic spine: C-arm versus O-arm	544
	<i>T. Inoue, et al.</i> , Tokyo Women's Medical Univ.	
P42-4	Factors related to implant failure in cervical posterior fusion	544
	<i>T. Mieda, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Gunma Univ.	
P42-5	Clinical results and surgical techniques of minimally invasive stabilization of upper cervical spines via posterolateral approach	545
	<i>T. Tokioka, et al.</i> , Institute of Neurosciences and Orthop., Okayama Kyokuto Hosp.	
P42-6	Examination for safety and stability of paravertebral foramen screw in posterior cervical fixation surgery	545
	<i>H. Hirata, et al.</i> , Dept. of Orthop. Surg., Kobe Rosai Hosp.	

Poster 44

17 : 00～17 : 30

Moderator : **H. Suzuki**

Cervical spine alignment

P44-1	Postoperative changes of spinopelvic sagittal parameters after laminoplasty for cervical spondylotic myelopathy: A preliminary study	546
	<i>H. Sakaura, et al.</i> , Dept. of Orthop. Surg., Japan Community Healthcare Organization Osaka Hosp.	
P44-2	Fat infiltration of cervical extensor complicates cervical malalignment in global spine malalignment	546
	<i>K. Sato, et al.</i> , Dept. of Orthop. Surg., Graduate School of Comprehensive Human Sciences, Univ. of Tsukuba	
P44-3	Risk factors for kyphotic change and decrease of lordotic angle after cervical laminoplasty for cervical spondylotic myelopathy	547
	<i>K. Sakaki, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	
P44-4	Change in cervical sagittal balance after cervical spine fusion	547
	<i>K. Masuda, et al.</i> , Dept. of Orthop. Surg., Hiratsuka Kyosai Hosp.	
P44-5	Anatomical characteristic of degenerative cervical spondylolisthesis	548
	<i>Y. Imajo, et al.</i> , Dept. of Orthop. Surg., Yamaguchi Univ. Graduate School of Medicine	

Poster 46

17 : 00～17 : 30

Moderator : **G. Yoshida**

ASD alignment

P46-1	Clinical outcomes and indications of short-segment fusion for lumbar degenerative scoliosis with postural abnormalities	548
	<i>H. Nakajima, et al.</i> , Dept. of Orthop. Rehabilitation Medicine, The Univ. of Fukui	
P46-2	Preoperative and postoperative lumbar alignment evaluation in L4/5 single intervertebral fixation cases	549
	<i>T. Majima, et al.</i> , Dept. of Orthop. Surg., Tokyo Rinkai Hosp.	
P46-3	Comparative study of sagittal alignment between PLIF and microscopic decompression in L4DS: A minimum 5-year follow up	549
	<i>R. Yanai, et al.</i> , Dept. of Orthop. Surg., Osaka City General Hosp.	
P46-4	Relation between spinal alignment and fatty degeneration of paravertebral muscle in lumbar degenerative scoliosis	550
	<i>M. Ueda, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	

P46-5	Static and dynamic sagittal lumbar apex: A new concept for the assessment of lumbar lordosis distribution in spinal deformity	550
	<i>C. Iwai, et al.</i> , Dept. of Orthop. Surg., Gifu Univ.	
P46-6	Do iliac screw-related complications in adult spinal deformity surgery affect alignment?	551
	<i>T. Banno, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine	

Poster 48

17 : 00～17 : 30

Moderator : **S. Seki**

ASD complications-2

P48-1	Large correction of the thoracolumbar level causes abdominal symptoms and is a potential risk for acute celiac artery compression syndrome	551
	<i>B. Otsuki, et al.</i> , Dept. of Orthop. and Musculoskeletal Surg., Graduate School of Medicine, Kyoto Univ.	
P48-2	Orthostatic hypotension following surgery for adult spinal deformity: Prevalence, risk factors, and cardiovascular evaluation	552
	<i>M. Takano, et al.</i> , Dept. of Orthop. Surg., Kitasato Institute Hosp.	
P48-3	Long-term outcomes of adult spinal deformity surgery using lumbar lateral interbody fusion: Lumbosacral vs thoracopelvic fusion	552
	<i>S. Tsutsui, et al.</i> , Dept of Orthop. Surg., Wakayama Medical Univ.	
P48-4	The fate of rod fracture after long fusion with lateral interbody fusion for adult spinal deformity	553
	<i>S. Tsutsui, et al.</i> , Dept of Orthop. Surg., Wakayama Medical Univ.	
P48-5	Fatigue life improvement of spinal CoCr alloy rod by laser peening	553
	<i>A. Wada, et al.</i> , Dept. of Orthop. Surg., Toho Univ.	
P48-6	Efficacy of kickstand rod technique for persisted coronal malalignment in adult spinal deformity surgery from thoracic spine to ilium	554
	<i>S. Tanida</i> , Shiga General Hosp.	

Poster 50

17 : 00～17 : 30

Moderator : **S. Tanishima**

ASD surgery (LLIF)

P50-1	OLIF51 provides segmental lordosis and dilatation of intervertebral height in lumbosacral correction in adult spinal deformity	554
	<i>S. Arataki, et al.</i> , Dept. of Orthop. Surg., Okayama Rosai Hosp.	
P50-2	Consideration of using flat blade retractor in OLIF	555
	<i>S. Uchiyamada, et al.</i> , Dept. of Orthop. Surg., West Medical Center, Nagoya City Univ., Graduate School of Medical Sciences	
P50-3	Analysis of rotational deformity correction for adult degenerative scoliosis by LLIF during two-staged corrective fusion surgery	555
	<i>T. Abe, et al.</i> , Dept. of Orthop. and Traumatol., Oita Univ.	
P50-4	Intra-cage bone union in adult spinal deformity surgery with extreme lateral interbody fusion	556
	<i>Y. Kanie, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medicine, Osaka Univ.	
P50-5	Indications and limitations of bony intervertebral release by LIF	556
	<i>K. Kawashima, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.	
P50-6	Clinical and radiologic effects of OLIF51 in surgical treatment of adult spinal deformity	557
	<i>Y. Kotani, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ. Medical Center	

Poster 52

17 : 00～17 : 30

Moderator : **T. Fujimoto**

Lumbar fusion outcome-2

P52-1	Segmental short fusion surgery for chronic low back pain with bone marrow edema adjacent to the vertebral endplate	557
	<i>T. Nakamae, et al.</i> , Dept. of Orthop. Surg., Graduate School of Biomedical Sciences, Hiroshima Univ.	
P52-2	Differences in preoperative clinical and imaging findings between lumbar canal stenosis and degenerative spondylolisthesis at L4/5 level	558
	<i>H. Serikyaku, et al.</i> , Dept. of Orthop. Surg., Naha City Hosp.	
P52-3	The rate of bony union by vertebral levels at 1 year after surgery in transforaminal lumbar interbody fusion	558
	<i>T. Koide, et al.</i> , Dept. of Orthop. Surg., Univ. of Tsukuba Hosp. Mito Clinical Education and Training Center Mito Kyodo General Hosp.	

P52-4	Symptomatic pseudarthrosis after posterior/transforaminal lumbar interbody fusion: Diagnosis by magnetic resonance imaging	559
	<i>I. Torigoe, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	
P52-5	Examination of Hounsfield units as a risk factor for pedicle screw loosening after PLIF	559
	<i>N. Baba, et al.</i> , Dept. of Orthop. Surg., Yokohama City Univ. Medical Center	
P52-6	S2 ala screws have advantages for L5-S1 bone union in cases of two-level L4-S1 transforaminal lumbar interbody fusion	560
	<i>M. Tanaka, et al.</i> , Shiga Spine Center, Hino Memorial Hosp.	

Poster 54

17 : 00～17 : 30

Moderator : **M. Kanayama**

Lumbar fusion (elderly, etc.)

P54-1	Treatment strategy of lumbar degenerative disease with sagittal malalignment	560
	<i>S. Shimizu, et al.</i> , Dept. of Orthop. Surg., Narita Memorial Hosp.	
P54-2	The impact of single level PLIF on global spinal alignment in the patients with severe dysplastic spondylolisthesis	561
	<i>K. Takeda, et al.</i> , Dept. of Orthop. Surg., Japan Red Cross Shizuoka Hosp.	
P54-3	Spinopelvic sagittal alignment and patient-reported outcomes after facetectomy and postero-lateral fusion for L5-S1 foraminal stenosis	561
	<i>A. Kuroda, et al.</i> , Matsudo Orthop. Hosp.	
P54-4	Surgical results in patients with osteoporotic burst fractures in middle-low lumbar spine undergoing transforaminal lumbar interbody fusion	562
	<i>M. Kohno, et al.</i> , Dept. of Orthop. Surg., Chigasaki Municipal Hosp.	
P54-5	Vertebrodiscoplasty combined with instrumentation for osteoporotic vertebral fracture with the intervertebral disc injury	562
	<i>N. Aoyama, et al.</i> , Dept. of Orthop. Surg., Kochi Medical School	
P54-6	Posterior spinal fusion for osteoporotic vertebral fracture using computer-assisted three-dimensional rod contouring system	563
	<i>S. Kato, et al.</i> , Dept. of Orthop., International Univ. of Health and Welfare	

Poster 56

17 : 00～17 : 30

Moderator : **T. Nikaido**

Piogenic spondylitis & SSI

P56-1	Investigation of risk factors of surgical site infection (SSI) after lumbar spine surgery at our hospital	563
	<i>S. Uogishi, et al.</i> , Dept. of Orthop. Surg., Saitama Medical Univ.	
P56-2	Risk factors leading for surgical treatment in pyogenic spondylitis	564
	<i>Y. Sakai, et al.</i> , Dept. of Orthop. Surg., Suita Municipal Hosp.	
P56-3	Surgical treatment of pyogenic spondylitis	564
	<i>Y. Oshita, et al.</i> , Dept. of Orthop. Surg., Showa Univ. Northern Yokohama Hosp.	
P56-4	The optimal duration of antimicrobial therapy through a combined treatment protocol with anti-RANKL antibodies in pyogenic spondylitis	565
	<i>M. Machida, et al.</i> , Dept. of Orthop. Surg., Hakujikai Memorial Hosp.	
P56-5	SSI surveillance and intrawound application of vancomycin powder for prophylaxis limiting adaptation to high-risk cases in spinal surgery	565
	<i>S. Ogihara, et al.</i> , Dept. of Orthop. Surg., Saitama Medical Center, Saitama Medical Univ.	
P56-6	The application of antibiotic-containing fibrin glue for prevention of surgical site infection after spinal instrumentation	566
	<i>T. Higashi, et al.</i> , Saiseikai Yokohamashi Nanbu Hosp.	

Poster 58

17 : 00～17 : 30

Moderator : **K. Sato**

OVF: Epidemiology & diagnosis

P58-1	Characteristic findings in each classification of osteoporotic vertebral fracture on T2WI MR image	566
	<i>T. Yasuda, et al.</i> , Dept. of Orthop. Surg., Iwata City Hosp.	
P58-2	Prediction of intravertebral cleft formation using dynamic X-ray photography at the first medical examination	567
	<i>E. Yanagi, et al.</i> , Dept. of Orthtop. Surg., Isikiri Seiki Hosp.	
P58-3	Deviation of osteoporosis diagnosis due to BMD and existing vertebral fracture among patients with surgery for spinal degenerative disease	567
	<i>T. Sada, et al.</i> , Dept. of Orthop. Surg., Nara City Hosp.	
P58-4	Factors contributing to residual low back pain after osteoporotic vertebral fractures	568
	<i>H. Inose, et al.</i> , Section of Orthop. and Spinal Surg., Tokyo Medical and Dental Univ., Graduate School of Dental and Medical Sciences	

P58-5	Psoas muscle index and grip strength predict osteoporosis and fracture risk in individuals with degenerative spinal disease	568
	<i>Y. Kajiki, et al.</i> , Science of Functional Recovery and Reconstruction, Okayama Univ. Graduate School of Medicine	
P58-6	Usefulness of early ambulation by using a juet 3-point orthosis for osteoporotic vertebral fracture	569
	<i>K. Takakura, et al.</i> , The Dept. of Orthop., Haramachi Red Cross Hosp.	

Poster 60

17 : 00～17 : 30

Moderator : **Y. Hiraizumi**

OVF: Surgery & BKP-1

P60-1	Comparison of outcomes between balloon kyphoplasty (BKP) and vertebral body stent augmentation (VBS) for osteoporotic vertebral fractures	569
	<i>D. Matsuyama, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Hadano Hosp.	
P60-2	Short-term outcomes of vertebral body stent augmentation (VBS): Focusing on intraoperative stent expandability	570
	<i>N. Hattori, et al.</i> , Dept. of Orthop. Surg., Tokai Univ.	
P60-3	A case study of reoperation requiring additional posterior fixation early after balloon kyphoplasty (BKP)	570
	<i>M. Mori, et al.</i> , Osaka Global Orthop. Hosp.	
P60-4	The efficacy of the very early BKP on OVF in terms of preventing secondary fractures	571
	<i>D. Nakahara, et al.</i> , Dept. of Orthop. Surg., Tokyo Rinkai Hosp.	
P60-5	Balloon kyphoplasty combined with pediculoplasty using screws for osteoporotic vertebral fractures with high risk of cement dislodgement	571
	<i>N. Yonezawa, et al.</i> , Dept. of Orthop. Surg. Yokohama Sakae Kyosai Hosp.	
P60-6	Prevention of SVF for osteoporotic vertebral fracture: Usefulness of super early BKP within 2 weeks and early hospitalization	572
	<i>Y. Tokuumi, et al.</i> , Dept. of Orthop. Surg., Asanogawa General Hosp.	

Poster 62

17 : 00～17 : 30

Moderator : **T. Hasegawa**

OVF: Surgery

P62-1	Is the minimally invasive direct lateral corpectomy with percutaneous pedicle screws useful for osteoporotic lower lumbarvertebral collapse?572 <i>H. Takei, et al.</i> , Interdisciplinary Graduate School of Medicine and Engineering, Univ. of Yamanashi
P62-2	Radiological evaluation of combined anteroposterior vertebral body replacement for osteoporotic vertebral fractures573 <i>T. Takeuchi, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ.
P62-3	Surgical results of anterior-posterior fusion for thoracolumbar osteoporotic vertebral fractures573 <i>H. Baba, et al.</i> , Dept. of Orthop. Surg., Nagasaki Rosai Hosp.
P62-4	A new fixation procedure for fragility fractures of the sacrum connecting iliosacral screws and iliac screws574 <i>M. Ota, et al.</i> , Dept. of Orthop. Surg., Seirei Yokohama General Hosp.
P62-5	Clinical results of percutaneous pedicle screw fixation combined with balloon kyphoplasty for thoracolumbar osteoporotic vertebral fracture574 <i>A. Kojima, et al.</i> , Funabashi Orthop. Hosp., Spine and Spinal Cord Center
P62-6	Acute treatment strategies for thoracolumbar burst fractures: Outcomes of minimally invasive reconstructive surgery575 <i>T. Ishimaru, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Kobe Hosp.

Poster 35

17 : 30～18 : 00

Moderator : **N. Hosono**

Cervical spine disorder evaluation & endoscopic surgery

P35-1	Is the DASH (Disability of the Arm, Shoulder, and Hand) useful for evaluating upper limb function in cervical spine surgery?575 <i>N. Otomo, et al.</i> , Dept. of Orthop., International Univ. of Health and Welfare
P35-2	Comparative study in operative time between microendoscopic cervical foraminotomy and full endoscopic cervical foraminotomy576 <i>H. Iwai, et al.</i> , Iwai Orthop. and Medical Hosp.
P35-3	Efficacy of cervical microendoscopic laminotomy for cervical herniation in cervical myelopathy576 <i>E. Takahashi, et al.</i> , Sendai Orthop. Hosp.

P35-4	One-year results of 31 cases with cervical microendoscopic laminectomy compared with Kurokawa laminoplasty	577
	<i>T. Nakagawa, et al.</i> , Dept. of Orthop. Surg., Sendai Orthop. Hosp.	
P35-5	The efficacy of microscopic foraminotomy at C1-C2 for occipital pain due to the C2 cervical spondylotic radiculopathy	577
	<i>Y. Fujiwara, et al.</i> , Dept. of Orthop. Surg., Hiroshima City Asa Hosp.	
P35-6	The relationship between the handgrip strength and walking speed for cervical myelopathy	578
	<i>H. Inoue, et al.</i> , Dept. of Orthop., Jichi Medical Univ.	

Poster 37

17 : 30～18 : 00

Moderator : **B. Otsuki**

Dropped head syndrome

P37-1	T1ROM during cervical motion in patients with dropped head syndrome	578
	<i>K. Endo, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
P37-2	Prognosis of dropped head syndrome performed conservative treatment using initial magnetic resonance imaging	579
	<i>T. Ueshima, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
P37-3	Elucidation of gait characteristics of patients with dropped head syndrome using a three-dimensional motion analysis	579
	<i>N. Isogai, et al.</i> , Dept. of Orthop., International Univ. of Health and Welfare	
P37-4	Comparison of total spinal alignment in dropped head syndrome accompanied with thoracolumbar kyphosis and degenerative lumbar scoliosis	580
	<i>Y. Matsuoka, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
P37-5	A study on prognostic impact of surgery for dropped head syndrome	580
	<i>H. Nishimura, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical Univ.	
P37-6	Clinical outcome of dropped head syndrome after trauma	581
	<i>K. Yamanouchi, et al.</i> , Dept. of Orthop., International Univ. of Health and Welfare	

Poster 39

17 : 30～18 : 00

Moderator : **S. Nori**

Cervical spine disorders: Surgical outcome

P39-1	Correlation between gait analysis and JOACMEQ in patients with compression cervical myelopathy before and after surgery	581
	<i>T. Makino, et al.</i> , Div. of Orthop. Surg., Niigata Univ. Graduate School of Medicine and Dental Sciences	

P39-2	Long-term change of patient-oriented quality-of-life score after surgery for cervical spondylotic myelopathy	582
	<i>K. Tamai, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate Medical School	
P39-3	Influence of intervertebral level of stenosis on surgical outcomes after posterior decompression for cervical spondylotic myelopathy.....	582
	<i>S. Nori, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	
P39-4	Clinical outcomes of proximal type of cervical spondylotic amyotrophy	583
	<i>T. Sadamatsu, et al.</i> , Dept. of Surg., Nagasaki Rosai Hosp.	
P39-5	Surgical outcomes of posterior cervical foraminotomy for 8th cervical nerve root impairment patients who presented with drop finger	583
	<i>M. Hashimoto, et al.</i> , Dept. of Orthop. Surg., Chiba Rosai Hosp.	
P39-6	A comparison of anterior cervical discectomy and fusion and posterior decompression for cervical spondylosis with upper limb muscle weakness	584
	<i>R. Shibata, et al.</i> , Dept. of Orthop. Surg., Keio Univ.	

Poster 41

17 : 30～18 : 00

Moderator : **Y. Yukawa**

Laminoplasty (outcome)

P41-1	Impact of range of motion on kyphotic change and neurological recovery after laminoplasty for cervical spondylotic myelopathy	584
	<i>T. Fujishiro, et al.</i> , Dept. of Orthop. Surg., Osaka Medical and Pharmaceutical Univ.	
P41-2	C3 laminectomy or modified laminoplasty without using spacer can preserve the range of motion in cervical laminoplasty	585
	<i>T. Inoue, et al.</i> , Dept. of Neurosurg., Tsukazaki Hosp.	
P41-3	Analysis of risk factors for severe C5 palsy after cervical laminoplasty	585
	<i>T. Shibata, et al.</i> , Oita Orthop. Hosp.	
P41-4	Delayed onset cervical radiculopathy following cervical laminoplasty	586
	<i>E. Kinjo, et al.</i> , Dept. of Orthop. Surg., Tohoku Central Hosp.	
P41-5	Effect of decompression range on posterior shift of spinal cord in cervical laminoplasty	586
	<i>Y. Yamasaki, et al.</i> , Dept. of Orthop. Surg., Aomori City Hosp.	
P41-6	Risk factors for residual anterior cord compression after double-door laminoplasty in degenerative cervical multi-level spondylosis.....	587
	<i>T. Shimizu, et al.</i> , Dept. of Orthop. and Musculoskeletal Surg., Kyoto Univ.	

Poster 43

17 : 30～18 : 00

Moderator : **K. Ando**

ACDF & ASF (outcomes)

P43-1	Corrective anterior cervical discectomy and fusion for cervical kyphosis with myelopathy	587
	<i>K. Seki</i> , Tenri Hosp.	
P43-2	Treatment outcomes after anterior cervical discectomy and fusion with a blade-locking stand-alone cage	588
	<i>R. Ugawa, et al.</i> , Dept. of Orthop. Surg., NHO Okayama Medical Center	
P43-3	The analysis of revision surgery for anterior cervical decompression with fusion: The single-center survey over a twenty-year period	588
	<i>N. Tadokoro, et al.</i> , Dept. of Orthop. Surg., Kochi Medical School	
P43-4	Screw movement used in a semiconstrained rotational plate system for anterior cervical discectomy and fusion	589
	<i>Y. Tatara, et al.</i> , Spine center, Yokohama Minami Kyosai Hosp.	
P43-5	Time course of the swelling of retropharyngeal space after the anterior cervical surgery	589
	<i>S. Saito, et al.</i> , Numazu City Hosp.	
P43-6	A comparative study of short-term surgical outcomes between 2-level cervical total disc replacement and anterior decompression with fusion	590
	<i>K. Sakai, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.	

Poster 45

17 : 30～18 : 00

Moderator : **T. Suzuki**

Scoliosis (miscellaneous)

P45-1	Revision surgery for scoliosis: 10 years or more after primary surgery	590
	<i>M. Inoue, et al.</i> , Chiba Saiseikai Narashino Hosp.	
P45-2	Revision surgery after spinal instrumentation for adult deformity correction surgery: From 15-years follow-up data	591
	<i>Y. Ishikawa, et al.</i> , Dept. of Orthop. Surg., Akita Kousei Medical Center	
P45-3	Operative protocol for pediatric severe scoliotic deformity	591
	<i>M. Machida, et al.</i> , Dept. of Orthop. Surg., Saitama Children's Medical Center	
P45-4	The comparisons between preoperative bending methods in patients with neuromuscular scoliosis	592
	<i>A. Kuroda, et al.</i> , Dept. of Orthop. Surg., Kitasato Univ.	
P45-5	Paraspinal muscles in scoliosis patients with Marfan syndrome	592
	<i>Y. Yoshida, et al.</i> , Orthop. Surg., Graduate School of Medicine, The Univ. of Tokyo	

P45-6	Risk factor for progression of scoliosis after pediatric cardiothoracic operation	593
	<i>I. Kawamura, et al.</i> , Dept. of Orthop. Surg., Graduate School of Medical and Dental Sciences, Kagoshima Univ.	

Poster 47

17 : 30~18 : 00

Moderator : **Y. Takahashi**

ASD complications-1

P47-1	Definition of PJK determined from kyphosis progression after adult spinal deformity surgery	593
	<i>K. Kikuchi, et al.</i> , Dept. of Orthop. Surg., Akita Kosei Medical Center	
P47-2	Prognosis of revision surgery in patients with proximal junctional kyphosis (PJK) after adult spine deformity (ASD) surgery	594
	<i>T. Kusukawa, et al.</i> , Dept. of Orthop. Surg., Hyogo College of Medicine	
P47-3	Evaluation of the predictors of mechanical complications after adult spine deformity surgery	594
	<i>H. Tashi, et al.</i> , Div. of Orthop. Surg., Niigata Univ. Graduate School of Medicine and Dental Sciences	
P47-4	Investigation of screw backout after adult spinal deformity surgery: Comparative study between cobalt chrome rods and titanium alloy rods	595
	<i>R. Sasaki, et al.</i> , Dept. of Orthop. Surg., Eniwa Hosp.	
P47-5	Polyethylene tapes at the proximal end of fusion reduce the revision rate related with proximal junctional kyphosis in long spinal fusions	595
	<i>Y. Kakiuchi, et al.</i> , Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine	
P47-6	Does acquisition of optimal lumbar proportion prevent postoperative mechanical complication in adult spinal deformity?	596
	<i>K. Fukuda, et al.</i> , Dept. of Orthop. Surg., Saiseikai Yokohamashi Tobe Hosp.	

Poster 49

17 : 30~18 : 00

Moderator : **H. Nakashima**

ASD surgery outcome

P49-1	Clinical results of corrective surgery with transforaminal lumber interbody fusion for adult spinal deformity	596
	<i>S. Mizobuchi, et al.</i> , Dept. of Orthop. Surg., Aki General Hosp.	
P49-2	Preliminary report of surgical outcomes of transpedicular interbody fusion using expandable technology	597
	<i>T. Sakamoto, et al.</i> , Dept. of Orthop. Surg., Osaka Red Cross Hosp.	

P49-3	Bone fusion morphology in c-MIS for adult spinal deformity: Risk factors for bone union failure in the thoracic spine without bone graft	597
	<i>K. Kawashima, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.	
P49-4	The study of intra and postoperative bleeding of LLIF for degenerative scoliosis from retroperitoneal cavity drain	598
	<i>T. Nakajima, et al.</i> , Dept. of Orthop. Surg., Nippon Medical School, Chiba Hokusoh Hosp.	
P49-5	Evaluation of new technique for inserting S2-Alar-Iliac screws using technology of Mixed Reality	598
	<i>Y. Kumano, et al.</i> , Tokyo Yamate Medical Center	
P49-6	Evaluation of osteoporosis in adult patients with spinal deformity: Is the thoracic spine CT value a valid assessment criterion?	599
	<i>J. Katayanagi, et al.</i> , Dept. of Orthop. Surg., Dokkyo Medical Univ. Saitama Medical Center	

Poster 51

17 : 30～18 : 00

Moderator : **K. Fushimi**

Lumbar fusion outcome-1

P51-1	A comparative study of intervertebral stability between TLIF with dual boomerang cages and conventional PLIF with two rectangular cages	599
	<i>M. Nakahara, et al.</i> , Dept. of Orthop. Surg., Kitasuma Hosp.	
P51-2	Double-boomerang-cage TLIF with two boomerang cages in front and back	600
	<i>H. Ishibashi, et al.</i> , Dept. of Orthop. Surg., Nakaizu Onsen Hosp.	
P51-3	Influence of cage design on radiological and clinical outcomes in lumbar interbody fusion	600
	<i>K. Fushimi, et al.</i> , Dept. of Orthop Surg, Gifu Prefectural General Medical Center	
P51-4	Relationship between intervertebral cage angle and acquired local kyphosis angle in PLIF	601
	<i>H. Katayama, et al.</i> , Spine and Spinal Cord Center, Yokohama Minami Kyousai Hosp.	
P51-5	Surgical outcome of lumbosacral interbody fusion in the multi-level fusion, which was affected by PI and PI-LL	601
	<i>S. Kato, et al.</i> , Dept. of Orthop. Surg., Restorative Medicine of Neuro-Musculoskeletal System, Fujita Health Univ.	
P51-6	Comparative study of the adjacent segment disease between PLIF and Microscopic posterior decompression in L4 spondylolisthesis	602
	<i>M. Tsujino, et al.</i> , Dept. of Orthop. Surg., Osaka City General Hosp.	

Poster 53

17 : 30～18 : 00

Moderator : **S. Asano**

Lumbar fusion outcome-3

P53-1	A study of L4/5 posterior vertebral body fusion which was performed by the same surgeon: Focusing on non-fusion areas.....	602
	<i>N. Toda, et al.</i> , Dept. Orthop. Surg., Gunma Spine Center, Harunasou Hosp.	
P53-2	The degenerative changes of the sacroiliac joint after S2 alar-iliac screw placement	603
	<i>N. Ikeda, et al.</i> , Dept. of Orthop. and Musculoskeletal Surg., Graduate School of Medicine, Kyoto Univ.	
P53-3	Thoracic and lumbar minimally invasive surgery using navigation with a reference on the cradle	603
	<i>R. Matsuoka, et al.</i> , Dept. of Neurosurg., Osaka Police Hosp.	
P53-4	Surgical results and BMD changes after multiple level fixation for lumbar canal stenosis with osteoporosis	604
	<i>K. Ijiri, et al.</i> , Kirishima Orthop. Hosp.	
P53-5	Image evaluation of indirect decompression by endoscopic Kambin's triangle lumbar interbody fusion using expandable cage	604
	<i>T. Mizuno, et al.</i> , Seirei Hamamatsu General Hosp., Spine Center	
P53-6	3 cases report of Charcot spine requiring invasive treatment	605
	<i>S. Kurogi, et al.</i> , Div. of Orthop. Surg., Univ. of Miyazaki	

Poster 55

17 : 30～18 : 00

Moderator : **T. Nakamae**

Piogenic spondylitis

P55-1	Screening for novel coronavirus infection (COVID-19) in patients scheduled for hospitalization	605
	<i>S. Baba, et al.</i> , Dept. of Spinal Surg., Tokyo Shinjuku Medical Center	
P55-2	A trend of pyogenic spondylitis in our hospital	606
	<i>H. Sonoda, et al.</i> , Dept. of Orthop. Surg., Japanese Red Cross Maebashi Hosp.	
P55-3	Efficacy of intervention with infectious disease medicine for pyogenic spondylitis	606
	<i>S. Tanishima, et al.</i> , Dept. of Orthop. Surg., Tottori Univ.	
P55-4	Withdrawn	
P55-5	Minimally invasive spine treatment for pyogenic spondylitis	607
	<i>Y. Tani, et al.</i> , Dept. of Orthop. Surg., Kansai Medical Univ.	

P55-6	Clinical outcome of spinal instrumentation surgery for pyogenic spondylitis	608
	<i>S. Katsumi, et al.</i> , Dept. of Orthop. Surg., The Jikei Univ. School of Medicine	

Poster 57

17 : 30～18 : 00

Moderator : **K. Saita**

DISH & AS

P57-1	Report of osteoporotic vertebral body fracture with diffuse idiopathic skeletal hyperostosis in cervical spine injuries of elderly patient	608
	<i>M. Iwase, et al.</i> , Dept. of Neurosurg., Kansai Medical Univ. Medical Center	
P57-2	Therapeutic effect and problems of balloon kyphoplasty (BKP) for vertebral fracture with diffuse idiopathic skeletal hyperostosis (DISH)	609
	<i>H. Yagi, et al.</i> , Dept of Orthop. Surg., Japanese Red Cross Aichi Medical Center Nagoya Daiichi Hosp.	
P57-3	Effect of diffuse idiopathic skeletal hyperostosis on bone fusion rate in posterior lumbar interbody fusion	609
	<i>S. Hagihara, et al.</i> , Dept. of Orthop. Surg., Fukuoka Univ.	
P57-4	Osteoporotic vertebral fracture with diffuse idiopathic skeletal hyperostosis on Hounsfield units and efficacy of penetrating endplate screw	610
	<i>N. Yoshie, et al.</i> , Dept. of Orthop. Surg., Hyogo College of Medicine	
P57-5	Surgical treatment for thoracolumbar spine injury with diffuse idiopathic skeletal hyperostosis (DISH)	610
	<i>T. Ishihara, et al.</i> , Japanese Red Cross Kobe Hosp.	
P57-6	The impact of lateral decubitus position for the posterior stabilization for the spinal fracture accompanied by DISH	611
	<i>H. Ikuma, et al.</i> , Dept. of Orthop. Surg., Kagawa Prefectural Central Hosp.	

Poster 59

17 : 30～18 : 00

Moderator : **N. Nishida**

OVF: Conservative treatment

P59-1	Efficacy of teriparatide (twice-weekly injections) in osteoporotic vertebral fractures: Propensity score matching analysis	611
	<i>M. Iwamae, et al.</i> , Dept. of Orthop. Surg., Ishikiriseiki Hosp.	
P59-2	Clinical results of osteoporosis treatment with 1 year romosozumab followed by 1 year denosumab	612
	<i>K. Wada, et al.</i> , Dept. of Orthop. Surg., Tokyo Women's Medical Univ.	

P59-3	Effect of the duration of previous osteoporosis treatment on the effect of romosozumab treatment	612
	<i>K. Wada, et al.</i> , Dept. of Orthop. Surg., Tokyo Women's Medical Univ.	
P59-4	Conservative treatment of osteoporotic vertebral fractures: Importance of early detection and early treatment intervention.....	613
	<i>M. Tokunaga, et al.</i> , Sendai Orthop. Hosp.	
P59-5	Therapeutic effects of romosozumab from the acute stage in patients with the new onset of osteoporotic vertebral fractures	613
	<i>K. Ikuta, et al.</i> , Dept. of Orthop. Surg., Kainan Hosp.	
P59-6	Risk factors for deterioration of walking ability in patients with conservative treatment for osteoporotic vertebral body fractures	614
	<i>H. Ikeda, et al.</i> , Dept. of Orthop. Surg., Yonago Medical Center	

Poster 61

17 : 30～18 : 00

Moderator : **D. Togawa**

OVF: Surgery & BKP-2

P61-1	BKP for osteoporotic vertebral fractures in lower lumbar spine.....	614
	<i>Y. Kamba, et al.</i> , Center for Spine Surg., JCHO Tamatsukuri Hosp.	
P61-2	The utility of BKP to osteoporotic vertebral fracture of the middle and lower lumbar spine.....	615
	<i>H. Sano, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ.	
P61-3	Clinical outcomes of BKP for elderly over 90 years	615
	<i>A. Yoshioka, et al.</i> , Hachiya Orthop. Hosp.	
P61-4	Surgical results of the anterior and posterior spinal fusion surgery for the osteoporotic vertebral fracture in our hospital	616
	<i>H. Sano, et al.</i> , Dept. of Orthop. Surg., Kyorin Univ.	
P61-5	Clinical result of balloon kyphoplasty (BKP) for elderly osteoporotic vertebral fractures	616
	<i>H. Harada, et al.</i> , Dept. of Orthop. Surg., SapporoKusyuukai Hosp.	
P61-6	The relationship between pain and sagittal alignment one year after balloon kyphoplasty	617
	<i>K. Yo, et al.</i> , Dept. of Rehab., Hamawaki Orthop. Clinic	