

## 17.Atrial/Supraventricular arrhythmia (clinical/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session                               | Session Title                                | Date           | Time        | Order | Room   | Abstract Title   |
|--------------|------------|-----------|-------------|---------------------------------------|--|----------------|-------------|-------|--|--|
| 10032        | Jin        | Teranishi | PJ01-7      | Poster Session (Japanese)01           | Arrhythmia 1 (AF Ablation)                   | March 11 (Fri) | 09:45-10:35 | 7     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Cryoballoon Left Atrial Roof Ablation for Paroxysmal Atrial Fibrillation   |
| 10040        | Aiko       | Takami    | PE36-3      | Poster Session (English)36            | Arrhythmia 15 (AF CHF)                       | March 13 (Sun) | 14:50-15:40 | 3     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Withdrawal of Beta-blocker for Heart Failure in Patients with Recovered Tachycardia-induced Cardiomyopathy after Catheter Ablation                             |
| 10055        | Yoichiro   | Nakagawa  | PE21-3      | Poster Session (English)21            | Arrhythmia 9 (Line/Box/Marshall)             | March 12 (Sat) | 15:05-15:55 | 3     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Effectiveness and Predictors of clinical recurrence by Left Atrial Posterior Wall Isolation in initial catheter ablation for Persistent Atrial Fibrillation    |
| 10086        | Hidenori   | Hirano    | CRDO12-2    | 症例報告セッション (医師口述) 12                   | Arrhythmia 3                                 | March 12 (Sat) | 10:30-11:30 | 2     | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | A Case of an Atrio-esophageal Fistula Caused by a Local Impedance Guided Pulmonary Vein Isolation - Successful Conservative Treatment                          |
| 10094        | Yoshio     | Yamaguchi | OE02-8      | Oral Presentation02                   | Arrhythmia 1 (AF Substrate)                  | March 11 (Fri) | 08:00-09:30 | 8     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Bi-Atrial Remodeling After Box isolation in Patients with Long-standing Persistent Atrial Fibrillation   |
| 10095        | Yoshio     | Yamaguchi | PE21-2      | Poster Session (English)21            | Arrhythmia 9 (Line/Box/Marshall)             | March 12 (Sat) | 15:05-15:55 | 2     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Box isolation vs Pulmonary Vein Antral Isolation in Patients with Persistent Atrial Fibrillation   |
| 10115        | Hidenori   | Hirano    | OE32-4      | Oral Presentation32                   | Arrhythmia 11 (Ablation Technology)          | March 13 (Sun) | 13:15-14:45 | 4     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Percent Local Impedance Drop of Irrigated Ablation Catheters with Contact Force Sensing Capabilities for Effective and Safe Pulmonary Vein Isolations          |
| 10119        | Takashi    | Kanda     | PE30-2      | Poster Session (English)30            | Arrhythmia 12 (Low Voltage/CFAE)             | March 13 (Sun) | 09:35-10:25 | 2     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Left atrial low-voltage areas during initial ablation procedures were associated with very late recurrence of atrial fibrillation                              |
| 10127        | Shun       | Sasaki    | MPE02-8     | Moderated Poster Session (English)02  | Arrhythmia 1 (PVI/Balloon)                   | March 11 (Fri) | 08:00-09:30 | 8     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Clinical value of induction after cryoballoon ablation for paroxysmal atrial fibrillation  |
| 10182        | Hirosuke   | Yamaji    | MPJ16-3     | Moderated Poster Session (Japanese)16 | Arrhythmia 6 (SVT/Ablation Technology)       | March 13 (Sun) | 13:15-14:45 | 3     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Rates of atrial flutter occurrence and cavotricuspid isthmus reconduction after prophylactic isthmus ablation performed during atrial fibrillation ablation    |
| 10223        | Hirofumi   | Arai      | PJ36-6      | Poster Session (Japanese)36           | Arrhythmia 7 (Ablation Perioperative Period) | March 13 (Sun) | 09:35-10:25 | 6     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Quality of Life and Complication of Venous Hemostasis with the Perclose ProGlide after the Catheter Ablation of Atrial Fibrillation                            |
| 10261        | Yuichirou  | Sagawa    | MPE13-4     | Moderated Poster Session (English)13  | Arrhythmia 4 (AF Imaging)                    | March 12 (Sat) | 16:00-17:30 | 4     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Left Atrial Appendage Enhancement on Prone-position Computed Tomography and Outcome of Catheter Ablation for Non-paroxysmal Atrial Fibrillation Patients       |
| 10263        | Masaharu   | Akao      | OE08-8      | Oral Presentation08                   | Arrhythmia 4 (AF Registry)                   | March 11 (Fri) | 16:00-17:30 | 8     | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Relationships between Direct Oral Anticoagulants Doses and Clinical Outcomes in Patients with Non-valvular Atrial Fibrillation: ANAFIE Registry Sub-study      |
| 10283        | Eitaro     | Kodani    | OE08-1      | Oral Presentation08                   | Arrhythmia 4 (AF Registry)                   | March 11 (Fri) | 16:00-17:30 | 1     | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Impact of Systolic Blood Pressure Time in Target Range on Patients with Non-Valvular Atrial Fibrillation: The J-RHYTHM Registry                                |
| 10328        | Sou        | Takenaka  | PE30-1      | Poster Session (English)30            | Arrhythmia 12 (Low Voltage/CFAE)             | March 13 (Sun) | 09:35-10:25 | 1     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Scar-Related Atrial Tachyarrhythmias Associated with Atrial Fibrillation: the efficacy of high-density mapping   |
| 10341        | Takatoshi  | Shigeta   | PJ11-4      | Poster Session (Japanese)11           | Arrhythmia 3 (Complications of Ablation)     | March 11 (Fri) | 15:05-15:55 | 4     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Prevalence of gastric hypomotility after additional cryoballoon ablation of the left atrial roof   |
| 10349        | Takashi    | Yamasaki  | PE01-1      | Poster Session (English)01            | Arrhythmia 1 (AF ABL Balloon)                | March 11 (Fri) | 09:45-10:35 | 1     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Quantitative Comparison of Ablation Lesion Size Created by the Conventional- and Larger-sized Visually Guided Laser Balloon                                    |
| 10352        | Yoshio     | Takemoto  | MPE05-1     | Moderated Poster Session (English)05  | Arrhythmia 2 (non PV, Box)                   | March 11 (Fri) | 16:00-17:30 | 1     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Cryoballoon Pulmonary Vein Plus Left Atrial Roof Isolation versus Radiofrequency Box-Ablation for Persistent Atrial Fibrillation Lasting less than Three Years |
| 10363        | Ryuki      | Chatani   | PJ29-4      | Poster Session (Japanese)29           | Arrhythmia 6 (AF Clinical)                   | March 12 (Sat) | 15:05-15:55 | 4     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Patient background and procedure summary of percutaneous left atrial appendage occlusion using a WATCHMAN FLX  |

## 17.Atrial/Supraventricular arrhythmia (clinical/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session                               | Session Title  | Date           | Time        | Order | Room   | Abstract Title   |
|--------------|------------|-----------|-------------|---------------------------------------|--|----------------|-------------|-------|--|--|
| 10375        | Jun        | Nakajima  | MPE05-6     | Moderated Poster Session (English)05  | Arrhythmia 2 (non PV, Box)                               | March 11 (Fri) | 16:00-17:30 | 6     | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall)  | The Novel Method to Identify Conduction Block between Right Atrium and Superior Vena Cava with Extended Early Meets Late Function  |
| 10377        | Hirosuke   | Yamaji    | PJ36-5      | Poster Session (Japanese)36           | Arrhythmia 7 (Ablation Perioperative Period)             | March 13 (Sun) | 09:35-10:25 | 5     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | The Impact of Alcoholic Consumption for Recurrence After Atrial Fibrillation Ablation  |
| 10389        | Michifumi  | Tokuda    | MPE02-6     | Moderated Poster Session (English)02  | Arrhythmia 1 (PVI/Balloon)                               | March 11 (Fri) | 08:00-09:30 | 6     | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall)  | The Pre-freezing Technique Isolating Wider Antral Area during Cryoballoon Pulmonary Vein Isolation of Atrial Fibrillation  |
| 10412        | Takehito   | Sasaki    | PJ01-6      | Poster Session (Japanese)01           | Arrhythmia 1 (AF Ablation)                               | March 11 (Fri) | 09:45-10:35 | 6     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Usefulness of a Novel Ablation Catheter Capable of Simultaneous Contact Force and Local Impedance Monitoring for Cavo-tricuspid Isthmus Ablation                               |
| 10413        | Seigo      | Yamashita | OE08-4      | Oral Presentation08                   | Arrhythmia 4 (AF Registry)                               | March 11 (Fri) | 16:00-17:30 | 4     | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Clinical Outcome of Catheter Ablation for Atrial Fibrillation: Comparison between Alcohol Drinker and Non-Drinker Patients   |
| 10418        | Noriyuki   | Suzuki    | PE09-1      | Poster Session (English)09            | Autonomic nervous system                                 | March 11 (Fri) | 15:05-15:55 | 1     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Different Time Course of Autonomic Nervous Modulation after Cryoballoon and Hotballoon Ablation for Paroxysmal Atrial Fibrillation   |
| 10422        | Satoru     | Sekimoto  | MPJ06-3     | Moderated Poster Session (Japanese)06 | Arrhythmia 2 (AF Ablation)                               | March 12 (Sat) | 08:00-09:30 | 3     | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall)  | Investigation of leapfrog conduction into antrum of left pulmonary vein isolation line   |
| 10447        | Hiroyuki   | Asada     | CRDO11-1    | 症例報告セッション (医師口述) 11                   | Arrhythmia 2   | March 12 (Sat) | 08:00-09:00 | 1     | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Successful Avoidance of RF Applications to Phrenic Nerve by Identification of an Epicardial Connection during the Atrial Fibrillation Ablation Procedure                       |
| 10538        | Toshifumi  | Nakagomi  | MPE27-5     | Moderated Poster Session (English)27  | Arrhythmia 6 (Ventricular Arrhythmia/Implantable Device) | March 13 (Sun) | 15:30-17:00 | 5     | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall)  | Detailed Analysis of Sequences of Atrial Tachyarrhythmias treated with Reactive-ATP: Longer Cycle Length and Regularity as Predictors for High Efficacy                        |
| 10580        | Atomu      | Tajima    | CRDO16-1    | 症例報告セッション (医師口述) 16                   | Arrhythmia 4   | March 12 (Sat) | 13:30-14:30 | 1     | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Difficulty Removing a Leadless Pacemaker in a Post-Transfusion Patient   |
| 10587        | Kunihiko   | Kiuchi    | MPE13-7     | Moderated Poster Session (English)13  | Arrhythmia 4 (AF Imaging)                                | March 12 (Sat) | 16:00-17:30 | 7     | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall)  | Lesion contiguity and rhythm outcome after the high-power short-duration radiofrequency ablation in patients with atrial fibrillation: LGE-MRI analysis                        |
| 10594        | Hiroshi    | Kato      | CRDO12-4    | 症例報告セッション (医師口述) 12                   | Arrhythmia 3   | March 12 (Sat) | 10:30-11:30 | 4     | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Combination Therapy with Cytoreductive, Antiplatelet and Anticoagulant Agents in a Patient with Essential Thrombocythemia and Atrial Fibrillation Undergoing Catheter Ablation |
| 10596        | Atsushi    | Suzuki    | PE01-3      | Poster Session (English)01            | Arrhythmia 1 (AF ABL Balloon)                            | March 11 (Fri) | 09:45-10:35 | 3     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Chronic Efficacy and Safety of Intra-cardiac Echocardiography Guided Contrast-free Cryoballoon Ablation in Comparison with Conventional Cryoballoon Ablation                   |
| 10601        | Takashi    | Ikenouchi | OE32-5      | Oral Presentation32                   | Arrhythmia 11 (Ablaton Technology)                       | March 13 (Sun) | 13:15-14:45 | 5     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | The characteristics of ablation lesions with and without steam-pops using temperature-flow-controlled versus conventional power-controlled ablations                           |
| 10604        | Takashi    | Ikenouchi | FRS01-3     | Featured Research Session01           | Arrhythmia 1 (AF)  | March 11 (Fri) | 08:00-09:30 | 3     | Room 20 (International Conference Room, 3F, Kobe International Conference Center)                      | The difference of clinical and genetical features of atrial fibrillation patients with non-pulmonary vein foci among its embryological origin                                  |
| 10660        | Takayuki   | Otsuka    | MPJ03-6     | Moderated Poster Session (Japanese)03 | Arrhythmia 1 (AF clinical/Risk factor)                   | March 11 (Fri) | 13:30-15:00 | 6     | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall)  | Long-term Outcome after Second Catheter Ablation in Patients with Atrial Fibrillation  |
| 10672        | Naoharu    | Yagi      | PE14-6      | Poster Session (English)14            | Arrhythmia 6 (AF ABL Prognosis)                          | March 12 (Sat) | 09:35-10:25 | 6     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Association between Longer Diagnosis&#8211;to&#8211;ablation Time and Recurrence of Atrial Fibrillation after Catheter Ablation in Patients without Structural Heart Disease   |
| 10683        | Masahiko   | Takahashi | OE03-8      | Oral Presentation03                   | Arrhythmia 2 (AF Thrombus, Anaticoaglant, Amyloid)       | March 11 (Fri) | 08:00-09:30 | 8     | Room 15 (3A Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Impact of Direct Oral Anticoagulant Use on Mortality in Very Elderly Patients with Nonvalvular Atrial Fibrillation   |
| 10687        | Rintaro    | Hojo      | OE07-3      | Oral Presentation07                   | Arrhythmia 3 (AF CHF)                                    | March 11 (Fri) | 13:30-15:00 | 3     | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Improvement of Liver Enzymes and Index of Liver Fibrosis before and after Catheter Ablation in Patients with Persistent Atrial Fibrillation                                    |

## 17. Atrial/Supraventricular arrhythmia (clinical/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session                               | Session Title                                       | Date           | Time        | Order | Room   | Abstract Title   |
|--------------|------------|-----------|-------------|---------------------------------------|---|----------------|-------------|-------|--|--|
| 10692        | Naomi      | Hirota    | MPE13-5     | Moderated Poster Session (English)13  | Arrhythmia 4 (AF Imaging)                           | March 12 (Sat) | 16:00-17:30 | 5     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Prediction of recurrence after catheter ablation for atrial fibrillation using left atrial morphology on preprocedural computed tomography: Application of radiomics |
| 10703        | Junji      | Yamaguchi | OE32-7      | Oral Presentation32                   | Arrhythmia 11 (Ablation Technology)                 | March 13 (Sun) | 13:15-14:45 | 7     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Comparison of Three Different Approaches of Very High-power Short-duration Ablation using QDOT MICRO Catheter  |
| 10734        | Hirochika  | Yamasaki  | MPJ13-7     | Moderated Poster Session (Japanese)13 | Arrhythmia 4 (ECG/Autonomic Nervous System)         | March 13 (Sun) | 08:00-09:30 | 7     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Impact of the parameters of 12-lead electrocardiogram on early recurrence of atrial fibrillation after electrical cardioversion                                      |
| 10737        | Masahiro   | Ishikura  | MPJ06-6     | Moderated Poster Session (Japanese)06 | Arrhythmia 2 (AF Ablation)                          | March 12 (Sat) | 08:00-09:30 | 6     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Comparison of success rate and durability of the left atrial roof and bottom line ablation using cryoballoon vs. radiofrequency catheter                             |
| 10774        | Hiroyuki   | Miyazawa  | MPE10-4     | Moderated Poster Session (English)10  | Arrhythmia 3 (AF Clinical/Risk factor)              | March 12 (Sat) | 10:30-12:00 | 4     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Beneficial effects of atrial fibrillation catheter ablation in elderly patients &#8211; Analysis using serum cystatin C based glomerular filtration rate             |
| 10783        | Hideko     | Toyama    | OJ10-4      | 一般演題口述10                              | Arrhythmia  | March 13 (Sun) | 15:30-17:00 | 4     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | High-Power, Short-Duration Ablation during Superior Vena Cava Isolation for Atrial Fibrillation  |
| 10786        | Hideko     | Toyama    | PJ19-5      | Poster Session (Japanese)19           | Arrhythmia 4 (AF/AT Ablation)                       | March 12 (Sat) | 09:35-10:25 | 5     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Impedance Drop Predicts Incomplete Lesion Detected by Pacing Capture in BOX Isolation Using High-Power, Short-Duration Ablation                                      |
| 10787        | Hideko     | Toyama    | PJ19-4      | Poster Session (Japanese)19           | Arrhythmia 4 (AF/AT Ablation)                       | March 12 (Sat) | 09:35-10:25 | 4     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | What is the Optimal Indicator for the Creation of a Durable Lesion in BOX Isolation Using High-Power, Short-Duration Ablation?                                       |
| 10804        | Toshiki    | Arai      | PE23-4      | Poster Session (English)23            | Arrhythmia 11 (Electrical Device 3: CRT/Monitoring) | March 12 (Sat) | 15:05-15:55 | 4     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Prediction Factor to Implant a Permanent Pacemaker in Patients with Tachycardia-Bradycardia Syndrome after Catheter Ablation   |
| 10809        | Naoyuki    | Kamiyama  | PJ46-2      | Poster Session (Japanese)46           | Arrhythmia 8 (AF Biomarker)                         | March 13 (Sun) | 14:50-15:40 | 2     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Postoperative Neutrophil-to-lymphocyte Ratio Predicts Arrhythmia Recurrence after Cryoballoon Ablation of Paroxysmal Atrial Fibrillation                             |
| 10863        | Koji       | Yasumoto  | MPJ16-7     | Moderated Poster Session (Japanese)16 | Arrhythmia 6 (SVT/Ablation Technology)              | March 13 (Sun) | 13:15-14:45 | 7     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Correlation between local impedance drop and catheter contact in clinical practice   |
| 10894        | Takatoshi  | Shigeta   | OE26-1      | Oral Presentation26                   | Arrhythmia 9 (AF Ablation 2)                        | March 13 (Sun) | 08:00-09:30 | 1     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Identification of suitable candidates for cryoballoon ablation of left atrial roof: lessons from >1000 experiences   |
| 10899        | Ryu        | Tsushima  | OE22-1      | Oral Presentation22                   | Arrhythmia 7 (SVT)                                  | March 12 (Sat) | 13:30-15:00 | 1     | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Direct Slow Pathway Capture Mapping Guided Approach for Slow-fast Atrioventricular Nodal Reentrant Tachycardia: A Multicenter Study                                  |
| 10912        | Michitomo  | Kawahito  | OE23-7      | Oral Presentation23                   | Arrhythmia 8 (AF Ablation 1)                        | March 12 (Sat) | 16:00-17:30 | 7     | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Clinical usefulness of Fractionated Signal Areas in the Atrial Muscle (FAAM)-guided ablation in patient with atrial fibrillation                                     |
| 10920        | Yasuyuki   | Egami     | MPE02-3     | Moderated Poster Session (English)02  | Arrhythmia 1 (PVI/Balloon)                          | March 11 (Fri) | 08:00-09:30 | 3     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Potential of Second-generation Cryoballoon Ablation beyond Pulmonary Vein Isolation in Paroxysmal Atrial Fibrillation  |
| 10991        | Chisa      | Asahina   | PJ29-3      | Poster Session (Japanese)29           | Arrhythmia 6 (AF Clinical)                          | March 12 (Sat) | 15:05-15:55 | 3     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Safety of Using Contrast Medium during Cryo-balloon Ablation of Atrial Fibrillation in Patients with Chronic Kidney Disease  |
| 11014        | Yasuhiro   | Sasaki    | PE01-7      | Poster Session (English)01            | Arrhythmia 1 (AF ABL Balloon)                       | March 11 (Fri) | 09:45-10:35 | 7     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Anatomical Characteristics of Successful Left Atrial Posterior Wall Isolation by the Cryoballoon Application for Persistent Atrial Fibrillation                      |
| 11029        | Keiichi    | Ashikaga  | PE07-2      | Poster Session (English)07            | Arrhythmia 4 (AF ABL PVI/Rotor)                     | March 11 (Fri) | 15:05-15:55 | 2     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | New Additional Approach Utilizing the CARTOFINDER Algorithm after Pulmonary Vein Isolation plus Left Atrium Posterior Isolation for Persistent Atrial Fibrillation   |
| 11034        | Shushi     | Nishiwaki | OE07-4      | Oral Presentation07                   | Arrhythmia 3 (AF CHF)                               | March 11 (Fri) | 13:30-15:00 | 4     | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Impact of Catheter Ablation for Atrial Fibrillation in Patients with Reduced Left Ventricular Ejection Fraction  |

## 17. Atrial/Supraventricular arrhythmia (clinical/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session                               | Session Title                          | Date           | Time        | Order | Room   | Abstract Title  |
|--------------|------------|-----------|-------------|---------------------------------------|--|----------------|-------------|-------|--|---|
| 11092        | Yukihiro   | Inamura   | MPE02-9     | Moderated Poster Session (English)02  | Arrhythmia 1 (PVI/Balloon)             | March 11 (Fri) | 08:00-09:30 | 9     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Risk factors of pulmonary vein reconnections after Cryoballoon ablation for the patients with paroxysmal atrial fibrillation                                |
| 11095        | Yukihiro   | Inamura   | OE23-5      | Oral Presentation23                   | Arrhythmia 8 (AF Ablation 1)           | March 12 (Sat) | 16:00-17:30 | 5     | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall)                  | The efficacy of left atrial posterior wall isolation for the patients with persistent and long-standing persistent atrial fibrillation                      |
| 11107        | Minoru     | Nodera    | PE37-2      | Poster Session (English)37            | Arrhythmia 16 (SVT)                    | March 13 (Sun) | 14:50-15:40 | 2     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | The Time to Reach the Minimum Freezing Temperature during Cryoablation is a Predictor of First-pass Conductional Block of Cavotricuspid Isthmus             |
| 11111        | Kazuhiro   | Nagaoka   | PE15-7      | Poster Session (English)15            | Arrhythmia 7 (AF Clinical 2)           | March 12 (Sat) | 09:35-10:25 | 7     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Predictors of Reduction in Atrial Functional Mitral Regurgitation after Catheter Ablation in Patients with Atrial Fibrillation                              |
| 11131        | Soichiro   | Maeda     | OE26-4      | Oral Presentation26                   | Arrhythmia 9 (AF Ablation 2)           | March 13 (Sun) | 08:00-09:30 | 4     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Long-term Result of Cryoballoon Ablation with Extensive Encircling Balloon Isolation Technique in Persistent Atrial Fibrillation                            |
| 11172        | Yuka       | Oda       | PE15-5      | Poster Session (English)15            | Arrhythmia 7 (AF Clinical 2)           | March 12 (Sat) | 09:35-10:25 | 5     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Does Low-Quality Sleep Increase the Recurrence Rate of Atrial Fibrillation after Pulmonary Vein Isolation? -Beyond Sleep Apnea-                             |
| 11177        | Ryuki      | Chatani   | PJ29-2      | Poster Session (Japanese)29           | Arrhythmia 6 (AF Clinical)             | March 12 (Sat) | 15:05-15:55 | 2     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Effects of ejection fraction on prognosis of atrial fibrillation patients with heart failure undergoing catheter ablation                                   |
| 11178        | Kikou      | Akiyoshi  | OE26-3      | Oral Presentation26                   | Arrhythmia 9 (AF Ablation 2)           | March 13 (Sun) | 08:00-09:30 | 3     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Efficacy of Pressure-guided Cryoballoon Pulmonary Vein Isolation for the Patients with Paroxysmal Atrial Fibrillation.                                      |
| 11180        | Sho        | Okamura   | OJ10-5      | 一般演題口述10                              | Arrhythmia                             | March 13 (Sun) | 15:30-17:00 | 5     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Young-onset paroxysmal atrial fibrillation is a predictor of non-PV foci  |
| 11184        | Kikou      | Akiyoshi  | PE07-3      | Poster Session (English)07            | Arrhythmia 4 (AF ABL PVI/Rotor)        | March 11 (Fri) | 15:05-15:55 | 3     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Comparative Study of Cryoballoon Ablation with Selective Superior Vena Cava Isolation and with Non-PV Foci Ablation Using High-dose Isoproterenol Infusion. |
| 11190        | Junji      | Yamaguchi | OE32-8      | Oral Presentation32                   | Arrhythmia 11 (Ablation Technology)    | March 13 (Sun) | 13:15-14:45 | 8     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Lesion Characteristics of Steam-pops in Very High-power and Short-duration Ablation with QDOT-MICRO Catheter  |
| 11196        | Ayaka      | Ito       | PE15-4      | Poster Session (English)15            | Arrhythmia 7 (AF Clinical 2)           | March 12 (Sat) | 09:35-10:25 | 4     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Greater Systolic Blood Pressure Variability Predicts the Recurrence after Atrial Fibrillation Catheter Ablation   |
| 11222        | Hideyuki   | Aoki      | PE21-7      | Poster Session (English)21            | Arrhythmia 9 (Line/Box/Marshall)       | March 12 (Sat) | 15:05-15:55 | 7     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | First clinical experience with the new HeartLight endoscopic ablation system (X3-system) - Investigation of the clinical safety and utility-                |
| 11224        | Takeshi    | Harita    | CRDO16-2    | 症例報告セッション (医師口述) 16                   | Arrhythmia 4                           | March 12 (Sat) | 13:30-14:30 | 2     | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | A Novel Wavefront Mapping System-guided Focal Ablation Eliminated Rapid Firing in an Electrically Isolated Pulmonary Vein                                   |
| 11253        | Yoshihide  | Tanabe    | CRDO16-3    | 症例報告セッション (医師口述) 16                   | Arrhythmia 4                           | March 12 (Sat) | 13:30-14:30 | 3     | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Transient Sinus Node Dysfunction Following Sinus Node Artery Occlusion Due to Catheter Ablation at the Roof of the Left Atrium                              |
| 11268        | Junji      | Yamaguchi | OE32-6      | Oral Presentation32                   | Arrhythmia 11 (Ablation Technology)    | March 13 (Sun) | 13:15-14:45 | 6     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Impact of the Different Contact Force on Lesion Characteristics in Very High-power and Short-duration Ablation  |
| 11270        | Kazuya     | Murata    | OE23-4      | Oral Presentation23                   | Arrhythmia 8 (AF Ablation 1)           | March 12 (Sat) | 16:00-17:30 | 4     | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Efficacy of Left Atrial Posterior Wall Isolation for Non-Paroxysmal Atrial Fibrillation Using Lesion Size Assessment Module                                 |
| 11279        | Yusuke     | Takahara  | MPJ03-3     | Moderated Poster Session (Japanese)03 | Arrhythmia 1 (AF clinical/Risk factor) | March 11 (Fri) | 13:30-15:00 | 3     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Characteristics of Atrial Fibrillation in Patients with Wild-type Transthyretin Cardiac Amyloidosis and the Efficacy of Catheter Ablation                   |
| 11296        | Shu        | Hirata    | MPE02-5     | Moderated Poster Session (English)02  | Arrhythmia 1 (PVI/Balloon)             | March 11 (Fri) | 08:00-09:30 | 5     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Predicting Lesion Formation Around Pulmonary Veins After Cryoballoon Ablation In Patients With Atrial Fibrillation: Catheter Impedance-Based Analyses       |

## 17.Atrial/Supraventricular arrhythmia (clinical/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session                               | Session Title                                       | Date           | Time        | Order | Room   | Abstract Title   |
|--------------|------------|-----------|-------------|---------------------------------------|---|----------------|-------------|-------|--|--|
| 11297        | Reiko      | Fukuda    | PE01-4      | Poster Session (English)01            | Arrhythmia 1 (AF ABL Balloon)                       | March 11 (Fri) | 09:45-10:35 | 4     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Discrete Antral Lesions from Pulmonary Vein Isolation Using the HeartLight Endoscopic Ablation System  |
| 11302        | Takashi    | Yoshizawa | OE07-6      | Oral Presentation07                   | Arrhythmia 3 (AF CHF)                               | March 11 (Fri) | 13:30-15:00 | 6     | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | The Long-term Impact of Maintaining Sinus Rhythm on the Risk for Death and Heart Failure After Ablation for Atrial Fibrillation.   |
| 11309        | Suguru     | Nishiuchi | OE23-8      | Oral Presentation23                   | Arrhythmia 8 (AF Ablation 1)                        | March 12 (Sat) | 16:00-17:30 | 8     | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Mechanical and Electrophysiological Atrial Function After the Mitral Annular Blockline Utilizing Anterior Line Versus Lateral Isthmus Line                                 |
| 11347        | Miwa       | Kikuchi   | MPJ03-8     | Moderated Poster Session (Japanese)03 | Arrhythmia 1 (AF clinical/Risk factor)              | March 11 (Fri) | 13:30-15:00 | 8     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | The Efficacy of General Anesthesia during Pulmonary Vein Isolation Compared with Conscious Sedation  |
| 11359        | Nobutoyo   | Masunaga  | PE02-5      | Poster Session (English)02            | Arrhythmia 2 (AF Clinical 1)                        | March 11 (Fri) | 09:45-10:35 | 5     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Change of the Combination Therapy of Oral Anticoagulant and Antiplatelet Drug: The Fushimi AF Registry.  |
| 11362        | Toshikazu  | Kono      | MPE10-7     | Moderated Poster Session (English)10  | Arrhythmia 3 (AF Clinical/Risk factor)              | March 12 (Sat) | 10:30-12:00 | 7     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Predictors of Recurrent Stroke after Atrial Fibrillation Ablation in the Patients with Previous History of Cerebral Infarction.  |
| 11369        | Shingo     | Maeda     | MPE05-7     | Moderated Poster Session (English)05  | Arrhythmia 2 (non PV, Box)                          | March 11 (Fri) | 16:00-17:30 | 7     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Utility of New EnSite LiveView Dynamic Display during Catheter Ablation for Superior Vena Cava Isolation in Patients with Atrial Fibrillation                              |
| 11389        | Keisuke    | Okawa     | MPE10-5     | Moderated Poster Session (English)10  | Arrhythmia 3 (AF Clinical/Risk factor)              | March 12 (Sat) | 10:30-12:00 | 5     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Cardiovascular Events and Mortality after Catheter Ablation in Very Elderly Patients with Nonvalvular Atrial Fibrillation  |
| 11416        | Yoshitake  | Fukuda    | PE23-5      | Poster Session (English)23            | Arrhythmia 11 (Electrical Device 3: CRT/Monitoring) | March 12 (Sat) | 15:05-15:55 | 5     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Clinical implication of catheter ablation of atrial tachyarrhythmias with aggressive use of remote monitoring in cardiac implantable electrical device patients            |
| 11438        | Takeshi    | Kitamura  | PE37-5      | Poster Session (English)37            | Arrhythmia 16 (SVT)                                 | March 13 (Sun) | 14:50-15:40 | 5     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Reentrant Circuit Features and Ablation Target of Batrial Tachycardia: A Pooled Analysis   |
| 11456        | Yoshihide  | Takahashi | MPE05-3     | Moderated Poster Session (English)05  | Arrhythmia 2 (non PV, Box)                          | March 11 (Fri) | 16:00-17:30 | 3     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Efficacy of Beyond PVI Ablation Strategy for Persistent and Longstanding Persistent Atrial Fibrillation  |
| 11497        | Kosuke     | Takeda    | OJ10-3      | 一般演題口述10                              | Arrhythmia  | March 13 (Sun) | 15:30-17:00 | 3     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | The relationship between early recurrence of atrial arrhythmias and non-pulmonary vein foci after Cryoballoon ablation   |
| 11511        | Shota      | Iseki     | PJ01-4      | Poster Session (Japanese)01           | Arrhythmia 1 (AF Ablation)                          | March 11 (Fri) | 09:45-10:35 | 4     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Fractionated Signal Areas in the Atrial Muscle (FAAM) Ablation after Pulmonary Vein Isolation may be Effective for Refractory Atrial Fibrillation.                         |
| 11529        | Mitsuru    | Ishii     | FRS07-5     | Featured Research Session07           | ACS/Angina Pectoris                                 | March 13 (Sun) | 10:30-12:00 | 5     | Room 20 (International Conference Room, 3F, Kobe International Conference Center)                      | Rivaroxaban monotherapy versus combination therapy according to coronary stent type and lesion site: The AFIRE trial sub-analysis  |
| 11550        | Moritake   | Iguchi    | MPE25-5     | Moderated Poster Session (English)25  | Arrhythmia 5 (AF Heart Failure)                     | March 13 (Sun) | 13:15-14:45 | 5     | Mini Oral Session Room 3 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Effect of beta blockers for preventing new-onset heart failure in atrial fibrillation: The Fushimi AF registry   |
| 11558        | Susumu     | Tao       | MPE10-9     | Moderated Poster Session (English)10  | Arrhythmia 3 (AF Clinical/Risk factor)              | March 12 (Sat) | 10:30-12:00 | 9     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | The Impact of Pulmonary Vein Isolation on the Efficacy and Safety of Oral Anticoagulants in Patients with Atrial Fibrillation: iDOAC-registry                              |
| 11567        | Shinsuke   | Iwai      | OE23-6      | Oral Presentation23                   | Arrhythmia 8 (AF Ablation 1)                        | March 12 (Sat) | 16:00-17:30 | 6     | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Severity of Atrial Fibrillation Progression Assessed by Voltage Area<math>\leq 1.0\text{ mV}</math> Predicts the Recurrence of Atrial Fibrillation after Catheter Ablation |
| 11589        | Chisa      | Asahina   | MPE25-7     | Moderated Poster Session (English)25  | Arrhythmia 5 (AF Heart Failure)                     | March 13 (Sun) | 13:15-14:45 | 7     | Mini Oral Session Room 3 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | A Low Ejection Fraction is a Predictor of Recurrence after Cryo-balloon Ablation of Atrial Fibrillation  |
| 11606        | Hisashi    | Ogawa     | OE07-7      | Oral Presentation07                   | Arrhythmia 3 (AF CHF)                               | March 11 (Fri) | 13:30-15:00 | 7     | Room 13 (2A Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Use of Spironolactone in Atrial Fibrillation Patients with Preserved Ejection Fraction: The Fushimi AF Registry  |

## 17. Atrial/Supraventricular arrhythmia (clinical/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session                               | Session Title                                | Date           | Time        | Order | Room   | Abstract Title  |
|--------------|------------|-----------|-------------|---------------------------------------|--|----------------|-------------|-------|--|---|
| 11618        | Yuya       | Sudo      | PE24-2      | Poster Session (English)24            | Electrocardiography                          | March 12 (Sat) | 15:05-15:55 | 2     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | P-wave Terminal Force 3-month after Catheter Ablation Predicts the Recurrence in Patients with Persistent Atrial Fibrillation.                                      |
| 11624        | Hisashi    | Ogawa     | PE02-6      | Poster Session (English)02            | Arrhythmia 2 (AF Clinical 1)                 | March 11 (Fri) | 09:45-10:35 | 6     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Trends in 10 Years of Administration of Anti-arrhythmic Drugs in Atrial Fibrillation Patients: The Fushimi AF Registry  |
| 11644        | Keita      | Watanabe  | PJ36-2      | Poster Session (Japanese)36           | Arrhythmia 7 (Ablation Perioperative Period) | March 13 (Sun) | 09:35-10:25 | 2     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Efficacy and Safety of Venous Vascular Closure System for Atrial Fibrillation Patients  |
| 11682        | Shozo      | Kaneko    | PJ29-6      | Poster Session (Japanese)29           | Arrhythmia 6 (AF Clinical)                   | March 12 (Sat) | 15:05-15:55 | 6     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Role of the peak atrial longitudinal strain and atrial natriuretic peptides to predict left atrial remodeling in atrial fibrillation                                |
| 11689        | Karina     | Hara      | PE01-5      | Poster Session (English)01            | Arrhythmia 1 (AF ABL Balloon)                | March 11 (Fri) | 09:45-10:35 | 5     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Cryoballoon Ablation of Reconnected Pulmonary Veins Produces High Pulmonary Vein Isolation Durability.  |
| 11718        | Hisanori   | Kanazawa  | OJ10-6      | 一般演題口述10                              | Arrhythmia                                   | March 13 (Sun) | 15:30-17:00 | 6     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Characteristic Findings of AF/AFL/AT in Wild-type ATTR Cardiac Amyloidosis and Arrhythmia Feature for which Catheter Ablation is effective or ineffective           |
| 11730        | Yasutoshi  | Shinoda   | PJ29-5      | Poster Session (Japanese)29           | Arrhythmia 6 (AF Clinical)                   | March 12 (Sat) | 15:05-15:55 | 5     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Left Atrial Ablation Guided by an Intracardiac Echography in Patients with Left Atrial Appendage Closure Device   |
| 11750        | Mirei      | Setoguchi | PJ01-1      | Poster Session (Japanese)01           | Arrhythmia 1 (AF Ablation)                   | March 11 (Fri) | 09:45-10:35 | 1     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | The Impact of Left Atrial Roof Block Creation using The Cryoballoon Technique for Atrial Fibrillation Drivers   |
| 11783        | Jun        | Hirokami  | OE02-9      | Oral Presentation02                   | Arrhythmia 1 (AF Substrate)                  | March 11 (Fri) | 08:00-09:30 | 9     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Fractionated Signal Areas in Atrial Muscle Ablation improves Recurrence Rate of Refractory Atrial Fibrillation  |
| 11816        | Shinichi   | Harada    | PE15-6      | Poster Session (English)15            | Arrhythmia 7 (AF Clinical 2)                 | March 12 (Sat) | 09:35-10:25 | 6     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Failed Cardioversion during immediate post-operative period is a Predictor of Late Recurrence after Atrial Fibrillation Ablation.                                   |
| 11835        | Tatsuaki   | Kamata    | PE21-6      | Poster Session (English)21            | Arrhythmia 9 (Line/Box/Marshall)             | March 12 (Sat) | 15:05-15:55 | 6     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Effect of Ethanol Infusion to the vein of Marshall in patients with very long standing or refractory atrial fibrillation  |
| 11837        | Hidenori   | Sato      | MPJ06-7     | Moderated Poster Session (Japanese)06 | Arrhythmia 2 (AF Ablation)                   | March 12 (Sat) | 08:00-09:30 | 7     | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall)  | Transition of the heart rate and atrial premature complex after Radiofrequency catheter, Cryoballoon, Laserballoon and Hotballoon ablation for Atrial Fibrillation  |
| 11863        | Hirotsuna  | Oseto     | MPE10-3     | Moderated Poster Session (English)10  | Arrhythmia 3 (AF Clinical/Risk factor)       | March 12 (Sat) | 10:30-12:00 | 3     | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall)  | The Clinical Significance of Recurrent Form after Catheter Ablation for Persistent Atrial Fibrillation  |
| 11872        | Shun       | Sasaki    | PE02-4      | Poster Session (English)02            | Arrhythmia 2 (AF Clinical 1)                 | March 11 (Fri) | 09:45-10:35 | 4     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Prognostic impact of diabetes mellitus in Japanese patients with atrial fibrillation  |
| 11896        | Yutaro     | Kaneko    | MPE05-4     | Moderated Poster Session (English)05  | Arrhythmia 2 (non PV, Box)                   | March 11 (Fri) | 16:00-17:30 | 4     | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall)  | Comparison of Spatio-temporal Dispersion Area Ablation and Low Voltage Area Ablation in Patients with Persistent Atrial Fibrillation                                |
| 11924        | Shingo     | Maeda     | CRDO16-5    | 症例報告セッション (医師口述) 16                   | Arrhythmia 4                                 | March 12 (Sat) | 13:30-14:30 | 5     | Mini Oral Session Room 2 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | Delayed Cardiac Tamponade after Extensive Atrial Fibrillation Ablation Including Cryoballoon Left Atrial Posterior Isolation and Chemical Ablation to Marshall Vein |
| 11931        | Seigo      | Yamashita | MPE02-2     | Moderated Poster Session (English)02  | Arrhythmia 1 (PVI/Balloon)                   | March 11 (Fri) | 08:00-09:30 | 2     | Mini Oral Session Room 4 (Exhibiton Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall)  | Pulmonary Vein Isolation with the Novel (3rd-generation) Laser Balloon Catheter: Initial Experience in Japan  |
| 11937        | Yudai      | Yamaguchi | PJ11-5      | Poster Session (Japanese)11           | Arrhythmia 3 (Complications of Ablation)     | March 11 (Fri) | 15:05-15:55 | 5     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Pulmonary Vein Stenosis After Cryoballoon-based Ablation for Non-paroxysmal Atrial fibrillation   |
| 11942        | Kosuke     | Nakasuka  | MPE25-1     | Moderated Poster Session (English)25  | Arrhythmia 5 (AF Heart Failure)              | March 13 (Sun) | 13:15-14:45 | 1     | Mini Oral Session Room 3 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall) | The Efficacy of Catheter Ablation for Atrial Fibrillation in Heart Failure with Preserved Ejection Fraction diagnosed using newly-proposed HFA-PEFF Score           |

## 17. Atrial/Supraventricular arrhythmia (clinical/treatment)

| Abstract No. | First Name | Last Name | Program No. | Session                               | Session Title                                      | Date           | Time        | Order | Room   | Abstract Title   |
|--------------|------------|-----------|-------------|---------------------------------------|--|----------------|-------------|-------|--|--|
| 11955        | Susumu     | Tao       | OE02-7      | Oral Presentation02                   | Arrhythmia 1 (AF Substrate)                        | March 11 (Fri) | 08:00-09:30 | 7     | Room 14 (2B Meeting Room, 2F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Atrial epicardial adipose tissue and coronary artery calcium score associated with recurrence post pulmonary vein isolation for persistent atrial fibrillation           |
| 11963        | Yuji       | Wakamatsu | FRS03-2     | Featured Research Session03           | Arrhythmia 2 (AF以外)                                | March 12 (Sat) | 10:30-12:00 | 2     | Room 20 (International Conference Room, 3F, Kobe International Conference Center)                      | Novel Slow Pathway Ablation Strategy Targeting the Fractional Potentials Highlighted by the Lumipoint Module   |
| 11980        | Masakazu   | Kaneko    | PE37-3      | Poster Session (English)37            | Arrhythmia 16 (SVT)                                | March 13 (Sun) | 14:50-15:40 | 3     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Impact of Cryoballoon Ablation on Atrial Tachycardia Recurrence after Atrial Fibrillation Ablation   |
| 11982        | Kazuya     | Murata    | MPJ06-4     | Moderated Poster Session (Japanese)06 | Arrhythmia 2 (AF Ablation)                         | March 12 (Sat) | 08:00-09:30 | 4     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Lesion Size Assessment Module-Guided Radiofrequency Ablation Versus Cryoballoon Ablation for Paroxysmal Atrial Fibrillation: A Propensity Score Matched Analysis         |
| 12025        | Hirofumi   | Arai      | PE14-3      | Poster Session (English)14            | Arrhythmia 6 (AF ABL Prognosis)                    | March 12 (Sat) | 09:35-10:25 | 3     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Outcome of Cryoballoon Ablation and Predictor of Recurrence of Longstanding Persistent Atrial Fibrillation   |
| 12047        | Koji       | Sudo      | MPE02-4     | Moderated Poster Session (English)02  | Arrhythmia 1 (PVI/Balloon)                         | March 11 (Fri) | 08:00-09:30 | 4     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Ingenuity and Anatomical Features of Successful Pulmonary Vein Isolation to a Left Common Pulmonary Vein Utilizing Second-generation Cryoballoon                         |
| 12070        | Ryohsuke   | Narui     | MPE13-9     | Moderated Poster Session (English)13  | Arrhythmia 4 (AF Imaging)                          | March 12 (Sat) | 16:00-17:30 | 9     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Incidence and Factors of Pulmonary Vein Stenosis after Catheter Ablation of Atrial Fibrillation  |
| 12102        | Monami     | Ando      | PE36-4      | Poster Session (English)36            | Arrhythmia 15 (AF CHF)                             | March 13 (Sun) | 14:50-15:40 | 4     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Effectiveness of Cryoballoon Ablation in the Patients with Persistent Atrial Fibrillation with Heart Failure   |
| 12127        | Masatomo   | Ozaki     | PJ19-6      | Poster Session (Japanese)19           | Arrhythmia 4 (AF/AT Ablation)                      | March 12 (Sat) | 09:35-10:25 | 6     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Focal and Rotational Activation on Left Atrial Posterior Wall before and after Pulmonary Vein Isolation in Patients with Persistent Atrial Fibrillation                  |
| 12129        | Nobutaka   | Kato      | PE30-3      | Poster Session (English)30            | Arrhythmia 12 (Low Voltage/CFAE)                   | March 13 (Sun) | 09:35-10:25 | 3     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Border Zones of Low-voltage Area in Left Atrium; Characteristics and Impact on the Recurrence of Atrial Fibrillation after Catheter Ablation                             |
| 12159        | Asumi      | Takei     | MPJ03-7     | Moderated Poster Session (Japanese)03 | Arrhythmia 1 (AF clinical/Risk factor)             | March 11 (Fri) | 13:30-15:00 | 7     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | High Threshold of Internal Defibrillation Prior to Atrial Fibrillation Ablation Predicts Recurrence in the Long-Term Follow-Up   |
| 12200        | Yutaka     | Take      | MPJ06-9     | Moderated Poster Session (Japanese)06 | Arrhythmia 2 (AF Ablation)                         | March 12 (Sat) | 08:00-09:30 | 9     | Mini Oral Session Room 4 (Exhibition Hall, 1F, Hall No.3 Building, Kobe International Exhibition Hall) | Electro Anatomical Defragmentation Decreased Non-passively Activated Ratio in Real-time Phase Mapping in Patients with Persistent Atrial Fibrillation                    |
| 12222        | Yoshinao   | Sugai     | PJ11-2      | Poster Session (Japanese)11           | Arrhythmia 3 (Complications of Ablation)           | March 11 (Fri) | 15:05-15:55 | 2     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Effectiveness of Continuous Pacing through Radiofrequency Ablation Catheter for Preventing Phrenic Nerve Injury on Extensive Encircling Pulmonary Vein Isolation (EEPVI) |
| 20031        | Naeemah J. | Qasim     | OE22-7      | Oral Presentation22                   | Arrhythmia 7 (SVT)                                 | March 12 (Sat) | 13:30-15:00 | 7     | Room 16 (3B Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Atrial Tachycardia in Patients with Repaired Tetralogy of Fallot: Its Characteristics and Effectiveness of Catheter Ablation   |
| 20043        | Akikazu    | Nomura    | OE03-6      | Oral Presentation03                   | Arrhythmia 2 (AF Thrombus, Anaticoaglant, Amyloid) | March 11 (Fri) | 08:00-09:30 | 6     | Room 15 (3A Meeting Room, 3F, Hall No.2 Building, Kobe International Exhibition Hall)                  | Prophylactic Therapy for Stroke Patients with Prolonged Atrial Fibrillation  |
| 20050        | Thant Syn  | Htoo      | PE09-5      | Poster Session (English)09            | Autonomic nervous system                           | March 11 (Fri) | 15:05-15:55 | 5     | Poster Session Room 1 (Convention Hall, 1F, Hall No.2 Building, Kobe International Exhibition Hall)    | Tachycardia in a Myanmar COVID-19 Survivor: Postural Orthostatic Tachycardia Syndrome  |