

Program of the 44th Annual Meeting of the Japanese Society for Spine Surgery and Related Research

The First Day—April 16 (Thursday)

Room 1

Symposium 1

9 : 00~10 : 30

Moderators : T. Ushida

T. Yamashita

Current status and problem of medical treatment approach to the intractable pain related to spinal disease

- 1-1-S1-1 Quantitative Evaluation of Neuropathic Pain after Surgical Resection in Patients with Spinal Intramedullary Tumor Using fMRI 199
Y. Horiuchi, et al., Department of Orthopaedic Surgery, Keio University
- 1-1-S1-2 Gabapentin and pregabalin for neuropathic pain due to myelopathy and spinal cord injury 199
T. Tachibana, et al., Dept. of Orthop. Surg. Hyogo Coll. of Medicine
- 1-1-S1-3 Entrapment of the superior/middle cluneal nerves can cause leg pain and/or tingling, and may mimick lumbo-sacral spinal disorders 200
Y. Aota, et al., Dept. of Spine Surg., Yokohama Brain and Stroke Center
- 1-1-S1-4 Symptom and surgical results of discogenic low back pain 200
S. Ohtori, et al., Dept. of Orthop. Surg., Chiba Univ. School of Medicine
- 1-1-S1-5 Evaluation of the risk factor of liaison clinic for the patients with intractable chronic spinal pain 201
T. Tetsunaga, et al., Dept. of Orthop. Surg., Okayama Univ. Hospital
- 1-1-S1-6 The characteristics of low back pain in patients with Parkinson's disease : A collaborative research from the department of Orthopaedic surgery and Neurology 201
K. Watanabe, et al., Dept. of Orthop. Surg., Niigata Univ. School of Medicine

Debate 1

10 : 30~11 : 50

Moderator : Y. Matsuyama

Degenerative spondylolisthesis of the late-stage elderly : Fusion vs. Non-fusion

- 1-1-DB1-1 Decompression-correction-fusion is the best option for the elderly patients over 75 years of age 202
S. Sano, Spine center, Sanraku hospital, Tokyo, Japan
- 1-1-DB1-2 Spinal fusion for degenerative spondylolisthesis in elderly patients 202
M. Kanayama, et al., Spine Center, Hakodate Central General Hospital

- 1-1-DB1-3 Clinical outcome of microendoscopic decompression surgery for degenerative spondylolisthesis in patients over age 75 203
H. Yamada, et al., Dept. of Orthop. Surg., Wakayama Medical University
- 1-1-DB1-4 Microscopic posterior decompression surgery -Semi-circumferential decompression (SCD)- 203
Y. Fujiwara, Dept. of Orthop. Surg., Hiroshima City Asa Hospital

Break

Luncheon Seminar 1

- 12 : 00~13 : 00 Moderator : **M. Iwasaki**
- 1-1-LS1 The Renaissance of anterior approach for thoracolumbar spine 204
M. Tanaka, Dept. of Orthop. Surg., Okayama Univ. School of Medicine

Break

Presidential Address

- 14 : 20~14 : 50 Moderator : **M. Yoshida**
- 1-1-PA Reassessment of Staging Classification for Cervical Spondylotic Myelopathy 204
T. Taguchi, Dept. of Orthop. Surg., Yamaguchi Univ. School of Medicine

Plenary Lecture

- 14 : 50~15 : 50 Moderator : **T. Taguchi**
- 1-1-PL Shoin Yoshida view of life and death of "Ryukonroku" 205
K. Furukawa, Winner of the Naoki Literary Award, Novelist (A member of the Japan Writer's Association)

Break

Symposium 2

- 16 : 00~17 : 30 Moderators : **Y. Toyama**
H. Baba
- Current status and future of clarification of pathological condition about spinal disease**
- 1-1-S2-1 Posterior spinal fusion suppress the progression of ossification of the posterior longitudinal ligament -A comparison of laminoplasty with spinal fusion and laminoplasty using 3-dimensional multiplanar reconstruction- 205
K. Katsumi, et al., Dept. of Orthopedic Surgery, Niigata University Medical and Dental General Hospital

1-1-S2-2	Biomechanical analysis of spinal cord ······ 206 <i>N. Nishida, et al.</i> , Department of Orthopaedic Surgery, Yamaguchi University Graduate School of Medicine
1-1-S2-3	Basic and epidemiologic studies on adolescent idiopathic scoliosis with future implication for order-made therapy ······ 206 <i>M. Matsumoto, et al.</i> , Dept. of Orthop. Surg., Keio Univ.
1-1-S2-4	Chemonucleolysis of chondriase for lumbar disc herniation – prospective randomized study – ··· 207 <i>Y. Matsuyama, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
1-1-S2-5	Risk factors of residual low back pain associated with lumbar spinal canal stenosis following spinal microendoscopic surgery ······ 207 <i>H. Yamada, et al.</i> , Department of Orthopaedic Surgery, School of Medicine, Wakayama medical university
1-1-S2-6	Association of Bone Marrow Edema with Chronic Low Back Pain in Degenerative Lumbar Scoliosis in the Elderly : cross-sectional observational study ······ 208 <i>K. Yamada, et al.</i> , Dept. of Orthop. Surg., JA Hiroshima General Hospital, Hiroshima, Japan

Room 2

Main Theme 1

9 : 00 ~ 9 : 50

Moderator : **H. Nakamura**

Indication and limitation of various surgical treatment for delayed myelopathy after osteoporotic vertebral collapse

1-2-M1-1	Percutaneous vertebroplasty for osteoporotic vertebral fracture with delayed neurologic deficit · 208 <i>T. Nakamae, et al.</i> , Dept. of Orthop. Surg., JA Hiroshima General Hospital, Hatsukaichi, Japan
1-2-M1-2	Surgical indication of vertebroplasty for delayed onset paraparesis following osteoporotic vertebral fractures ······ 209 <i>R. Takemasa, et al.</i> , Dept. of Orthop. Surg., Kochi Medical School
1-2-M1-3	Indication and limitation of surgical treatment for osteoporotic vertebral collapse using vertebroplasty with posterior spinal fusion ······ 209 <i>K. Katsumi, et al.</i> , Dept. of Orthopedic Surgery, Niigata University Medical and Dental General Hospital
1-2-M1-4	Posterior-approach vertebral replacement with rectangular parallelepiped cages for the treatment of osteoporotic vertebral collapse with neurological deficits ······ 210 <i>T. Suzuki, et al.</i> , Dept. of Orthop. Surg., Akita Red Cross Hosp.
1-2-M1-5	Posterior vertebral column resection for the treatment of osteoporotic vertebral fracture, a comparison with anterior-posterior combined approach ······ 210 <i>T. Yoshii, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical and Dental Univ. School of Medicine

- 1-2-M1-6 Selection of operative method for delayed neurologic deficit due to osteoporotic vertebral fractures 211
M. Tamura, et al., Heiwa Hospital, Yokohama Spine Center

Main Theme 2

9 : 50~10 : 40

Moderator : **M. Matsumoto**

Recent advances of functional diagnosis for spinal disease

- 1-2-M2-1 Transcranial magnetic stimulation in the diagnosis of cervical compressive myelopathy : comparison with spinal cord evoked potentials 211
M. Funaba, et al., Dept. of Orthop.Surg, Yamaguchi Rosai Hospital
- 1-2-M2-2 Reduced field-of-view diffusion tensor imaging of the spinal cord of cervical compression myelopathy 212
S. Maki, et al., Dept. of Orthop. Surg., Chiba Univ. Graduate School of Medicine
- 1-2-M2-3 Development of a novel evaluation system for neural function of brain and spinal cord using functional magnetic resonance imaging technique 212
E. Takasawa, et al., Dept. of Orthop. Surg., Gunma Univ. Graduate School of Medicine
- 1-2-M2-4 Noninvasive evaluation by magnetospinography of electrophysiological activity in the cervical spine after peripheral nerve stimulation in humans 213
S. Sumiya, et al., Department of Orthopaedic Surgery, Tokyo Medical and Dental University
- 1-2-M2-5 Step length and total spinal sagittal alignment 213
K. Endo, et al., Dept. of Orthop. Surg., Tokyo Medical Univ.
- 1-2-M2-6 Standing spinal alignment in normal Japanese population using a slot-scanning X-ray Imager (EOS) 214
K. Hasegawa, et al., Niigata Spine Surgery Center

Break

Invited Lecture 1

10 : 50~11 : 50

Moderator : **S. Yabuki**

- 1-2-IL1 Transition to chronic pain : Predictors and consequences 214
Apkar Vania Apkarian, Northwestern University, Feinberg School of Medicine, USA

Break

Luncheon Seminar 2

12 : 00~13 : 00

Moderator : **N. Kawahara**

- 1-2-LS2 Lumbosacral fusion : surgical technique and pitfalls 215
N. Kawakami, Department of Orthopedic Surgery, Meijo Hospital, Nagoya, Japan

Break

Invited Lecture 2

15 : 30~16 : 30

Moderator : **K. Takahashi**

- 1-2-IL2 Cervical Deformity : Evaluation, Avoidance, and Treatment 215
Jefferey C. Wang, Orthopaedic Spine Service, Orthopaedic Surgery and Neurosurgery, USC Spine Center, USA

Invited Lecture 3

16 : 30~17 : 30

Moderator : **J. Mochida**

- 1-2-IL3 Surgery of Upper Cervical Spine - overview 216
Petr Suchomel, Neurocenter, Department of Neurosurgery, Regional Hospital, Czech Republic

Room 3

Main Theme 3

9 : 00~9 : 50

Moderator : **Y. Shimada**

Treatment strategies and these results for spinal disease of the late-stage elderly

- 1-3-M3-1 Implementation of a clinical pathway among hospital and general practitioners for osteoporotic vertebral fractures : combination of balloon kyphoplasty and weekly teriparatide injections 216
T. Kotani, et al., Dept. of Orthop. Surg., Seirei Sakura Citizen Hosp.
- 1-3-M3-2 The prevalence of sarcopenia in delayed union cases of osteoporotic vertebral fracture 217
H. Yasuoka, et al., Dept. of Orthop. Surg., Tokorozawa Meisei Hospital
- 1-3-M3-3 Surgical outcomes following posterior fusion in osteoporotic vertebral fractures 217
Y. Mima, et al., Dept. of Orthop. Surg, Spine center, Japanese Red Cross Shizuoka Hospital
- 1-3-M3-4 Pelvic fixation is needed in surgical treatment for the rigid spinal kyphosis due to malunion after osteoporotic vertebral fracture 218
T. Hasegawa, et al., Dept. of Orthop. Durg., Hamamatsu Univ. School of Medicine
- 1-3-M3-5 Morbidity and mortality of thoraco-lumbar spinal fusion for elderly people 218
T. Kurakawa, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine

- 1-3-M3-6 Surgical outcomes of the old-old patients with cervical spondylotic myelopathy : A comparative study with non-elderly patients and young-old patients 219
M. Machino, et al., Dept. of Orthop. Surg., Nagoya University Graduate School of Medicine

Main Theme 4

9 : 50~10 : 40

Moderator : **K. Takeshita**

Indication and selection of surgical treatment for adult kyphoscoliosis

- 1-3-M4-1 Surgical treatment of adult spinal deformities based on the algorithm for surgical indication 219
K. Hasegawa, et al., Niigata Spine Surgery Center
- 1-3-M4-2 Corrective fusion in adult spinal deformity-The point of correction is to reconstruct ideal pelvic tilt- 220
Y. Yamato, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 1-3-M4-3 The middle term results by corrective fusion in an adult spinal deformity 220
K. Omori, et al., Sonoda medical institute TOKYO SPINE CENTER
- 1-3-M4-4 Maximally correction by vertebral osteotomy and short fusion for adult spinal deformity 221
Y. Nakao, et al., Dept. of Orthopaedic Surgery, Spine Center, Sanraku Hospital
- 1-3-M4-5 Indication and limitation of Minimum invasive Surgery with XLIF and PPS for adult spinal deformity 221
M. Ishihara, et al., Dept of Orthop.Surg.,Kansai Medical Univ.Takii hosp.
- 1-3-M4-6 Surgical outcome of posterior fusion combined with XLIF/OLIF in adult spinal deformity - Comparison with conventional method- 222
N. Hosogane, et al., Dept. of Orthop. Surg., National Defense Medical College

Break

Invited Lecture 4

10 : 50~11 : 50

Moderator : **K. Shimizu**

- 1-3-IL4-1 Apical Derotation and Short Fusion in AIS using Pedicle screw-plate Spinal System 222
Wiwat Wajanavisit, Ramathibodi Hospital, Mahidol University, Thailand
- 1-3-IL4-2 Corrective Osteotomy for Cervical Spine Deformity 223
Sang-Hun Lee, Kyung Hee University Hospital, Korea

Break

Luncheon Seminar 3

12 : 00~13 : 00

Moderator : **M. Matsumoto**

- 1-3-LS3 Surgical skill qualification for endoscopic spine surgery and essential technique of PED 223
A. Dezawa, Dept of Orthop Surg Teikyo Univ. School of Medicine Mizonokuchi Kawasaki, Dezawa
 PED Center Japan

Break

Invited Lecture 5

15 : 30~16 : 30

Moderator : **T. Kanchiku**

- 1-3-IL5 Engineering Recovery after Spinal Cord Injury 224
Ranu Jung, Department of Biomedical Engineering, Florida International University, USA

Invited Lecture 6

16 : 30~17 : 30

Moderator : **K. Sairyo**

- 1-3-IL6 Design, Development and Evaluation of Innovative Fusion Augmenting Spinal Hardware -Are We
 Going Back to the Past with a Twist? 224
Vijay K. Goel, Departments of Bioengineering and Orthopaedic Surgery, Colleges of Engineering and
 Medicine, University of Toledo, USA

Break

Evening Seminar 1

17 : 40~18 : 40

Moderator : **Y. Matsuyama**

- 1-3-ES1 Pitfalls of diagnosis for lumbar spinal diseases 225
M. Matsumoto, Dept. of Orthop. Surg., Keio Univ.

Room 4

Free Papers 1

9 : 00~ 9 : 50

Moderator : **A. Dezawa**

Minimally invasive decompression surgery 1

- 1-4-F1-1 Clinical outcomes of microscopic lumbar foraminotomy for degenerative lumbar foraminal stenosis,
 longer than five-year-follow-up 225
Y. Takahashi, et al., Dept. of Orthop. Surg., Ishikiriseiki Hospital

- 1-4-F1-2 Lumbar foraminal stenosis after minimally invasive decompression for spinal canal stenosis-A risk factor analysis 226
H. Kono, et al., Dept. of Orthop. Surg., Ishikiriseiki Hospital
- 1-4-F1-3 Evaluation about effects of microsurgical bilateral decompression via unilateral approach (MBDU) for degenerative lumbar disease with sagittal imbalance 226
M. Kato, et al., Dept. of Orthop. Surg., Osaka City General Hospital, Osaka, Japan
- 1-4-F1-4 Postoperative clinical course of minimally invasive laminoplasty via spinous process splitting approach in lumbar canal stenosis patients 227
T. Ogura, et al., Spine Surgery and Related Research Center, Nantan General Hospital
- 1-4-F1-5 Predictors of residual symptoms after microendoscopic laminotomy for patients with lumbar spinal canal stenosis 227
H. Toyoda, et al., Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine
- 1-4-F1-6 A clinical study on preserving spinal process at bilateral decompression via unilateral approach for lumbar spinal stenosis -follow-up report- 228
K. Hatakeyama, et al., Funabashi Orthopedic Hospital

Free Papers 2

9 : 50~10 : 40

Moderator : **Y. Hiraizumi**

Minimally invasive decompression surgery 2

- 1-4-F2-1 Mid-term results of MEL for lumbar canal stenosis regarding the cause of reoperation 228
H. Shimoda, et al., Niigata Spine Surgery Center
- 1-4-F2-2 Mid-term clinical results and radiological findings of the microendoscopic decompression surgery for lumbar spinal canal stenosis 229
K. Hosoi, et al., Department of Orthopaedics, Graduate School of Medical Science, Kyoto Prefectural University of Medicine
- 1-4-F2-3 A prospective study comparing Microendoscopic laminectomy with spinous process splitting laminoplasty for lumbar canal stenosis using Zurich claudication questionnaire 229
S. Yamaya, et al., Dept. of Orthop.Surg., Fukushima rosai Hospital
- 1-4-F2-4 The pathology of low back pain on the lumbar spinal canal stenosis-assessments on cases after the microendoscopic decompression surgery- 230
S. Kitanaka, et al., Department of Orthopaedic Surgery, Graduate School of Medical Science,Kyoto Prefectural University of Medicine
- 1-4-F2-5 Evaluation of low back pain in patients treated with bilateral decompression via unilateral approach for lumbar spinal stenosis using detail analyzing of visual analogue scale 230
H. Takahashi, et al., Department of Orthopaedic Surgery, Toho University Sakura Medical Center
- 1-4-F2-6 Efficacy of the clinical pass for minimally invasive lumbar decompression 231
I. Takahashi, et al., Dept.of Orthop.Surg, Niigata City General hospital

Free Papers 3

10 : 40~11 : 30

Moderator : **Y. Kato**

Osteoporotic vertebral fracture 1

- 1-4-F3-1 Effects of vertebroplasty for delayed onset paraplegia caused by vertebral pseudarthrosis 231
F. Saito, et al., Dept. of Orthop. Surg., Japanese Red Cross Ogawa Hospital, Saitama Japan
- 1-4-F3-2 Vertebroplasty for osteoporotic vertebral fracture with neurological deficit 232
M. Hoshino, et al., Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine
- 1-4-F3-3 An analysis of sagittal alignment after vertebroplasty with posterior fusion for osteoporotic vertebral fractures presenting neurological symptoms 232
I. Oda, et al., Dept. of Orthop., Surg., Hokkaido Orthopaedic Memorial Hospital
- 1-4-F3-4 Surgical outcome of pedicle subtraction osteotomy for paralysis after osteoporotic vertebral compression fracture 233
H. Uei, et al., Dept. of Orthop. Surg., Sekitsui Univ. School of Medicine
- 1-4-F3-5 Surgical options and their outcomes in the treatment of spinal deformity with osteoporotic vertebral fractures 233
Y. Ishikawa, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 1-4-F3-6 Long term clinical results following pedicle subtraction osteotomy in patients with osteoporotic thoracolumbar junctional vertebral fracture 234
S. Ueda, et al., Dept. of Orthop. Surg., Nihon University Hospital

Break

Luncheon Seminar 4

12 : 00~13 : 00

Moderator : **K. Nagata**

- 1-4-LS4 Resting state functional MRI study for the patients with Central Dysfunction Pain Syndrome 234
M. Shibata, et al., Dept. of Pain Medicine Osaka Univ. Graduate School of Medicine

Break

Free Papers 4

15 : 00~15 : 50

Moderator : **S. Asano**

Osteoporotic vertebral fracture 2

- 1-4-F4-1 Advantages and limitations of anterior spinal reconstruction for osteoporotic vertebral collapse .. 235
M. Kanayama, et al., Spine Center, Hakodate Central General Hospital
- 1-4-F4-2 Selection of surgical procedure for osteoporotic middle and lower lumbar vertebral fractures 235
Y. Ajiro, et al., Dept. of Orthop. Surg., Nihon Univ. Hospital

- 1-4-F4-3 Surgical outcomes of reconstruction for osteoporotic vertebral fracture 236
Y. Suzuki, et al., Dept. of Orthop. and Spine Surg., Meijo Hosp.
- 1-4-F4-4 Posterior lumbar interbody fusion for lumbar spinal stenosis with neurological deficit due to osteoporotic vertebral fracture : clinical outcomes of a novel reconstruction technique 236
M. Machino, et al., Dept. of Orthop. Surg., Nagoya University Graduate School of Medicine
- 1-4-F4-5 The problem and strategy of surgical treatments for spinal sagittal imbalance due to osteoporotic multiple vertebral-body fracture 237
K. Nishida, et al., Dept. of Orthop. Surg., Kobe Univ. Graduate School of Medicine
- 1-4-F4-6 Surgical outcomes of posterior fusion for osteoporotic vertebral compression fracture, especially about postoperative alignment 237
K. Chagawa, et al., Dept. of Orthop. Surg., Tokuyamachuo Hp

Free Papers 5

15 : 50~16 : 40

Moderator : **Y. Fujimoto**

Osteoporotic vertebral fracture 3

- 1-4-F5-1 Clinical outcomes of Balloon Kyphoplasty for delayed union of osteoporotic thoracolumbar burst fracture-Multicenter study- 238
T. Mizouchi, et al., Spine Center, Dept. of Orthopaedic Surgery, Niigata Central Hospital
- 1-4-F5-2 Clinical results of Balloon Kyphoplasty for osteoporotic vertebral fractures 238
M. Aoki, et al., Dept. of Orthop. Surg., Sainou Hospital, Toyama, Japan
- 1-4-F5-3 Is balloon kyphoplasty (BKP) with PMMA effective in osteoporotic vertebral fractures (OVF)? - ex-vivo and in-vivo studies - 239
M. Machida, et al., Clinical Research Center, NHO Murayama Medical Center
- 1-4-F5-4 A clinical result of posterior spinal surgery with vertebroplasty for osteoporotic vertebral fracture 239
M. Mizutamari, et al., Dept. of Orthop. Surg, Kumamoto Chuou Hospital
- 1-4-F5-5 Comparison of Balloon Kyphoplasty and Vertebroplasty with calcium phosphate cement for osteoporotic vertebral fracture 240
T. Tsujio, et al., Dept. of Orthop. Surg. and Spinal Center, Shiraniwa Hospital
- 1-4-F5-6 Short-term radiological outcomes after BKP procedures for osteoporotic vertebral fractures : - focusing on cement morphology- 240
T. Katayama, et al., Dept. of Orthop. Surg., Kansai Electric Power Hospital, Osaka, Japan

Free Papers 6

16 : 40~17 : 30

Moderator : **M. Kifune**

Osteoporotic vertebral fracture 4

- 1-4-F6-1 Daily teriparatide reduces vertebral non-union incidence for osteoporotic vertebral fracture 241
T. Numasawa, et al., Dept. of Orthop. Surg., Public Noheji Hospital

1-4-F6-2	Risk factors for middle column injury following osteoporotic vertebral fractures 241 <i>M. Hoshino, et al.</i> , Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine
1-4-F6-3	Clinical significance and improvement course of pain in conservative treatment of osteoporotic vertebral fracture 242 <i>Y. Shibao, et al.</i> , Dept. of Orthop. Surg., Tsukuba central Hosp.
1-4-F6-4	The effect of minodronic acid for pain caused by osteoporosis without fractures. prospective study 242 <i>K. Fujimoto, et al.</i> , Dept. of Orthop. Surg, Graduate School of Medicine, Chiba University
1-4-F6-5	Incidence of end plate and/or adjacent disc injuries associated with osteoporotic vertebral fractures 243 <i>T. Fujiwara, et al.</i> , Dept. of Orthopedic. Surgery. Murase hospital
1-4-F6-6	New adjacent vertebral fractures after surgery for osteoporotic vertebral collapse. Incidence and effect of oral anti-osteoporotic agents 243 <i>H. Murai, et al.</i> , Akita Kousei Medical Center

Room 5

Free Papers 7

9 : 00~ 9 : 50

Moderator : **K. Fujiwara**

Rheumatoid spondylitis

1-5-F7-1	The significance of atlanto-axial fixation surgeries for atlato-axial subluxation in rheumatoid arthritis –Comparative analysis with its natural history– 244 <i>H. Hirata, et al.</i> , Dept. of Orthop. Surg., Kobe Rosai Hospital
1-5-F7-2	Predictive risk factors for severe aggravation of cervical spine instabilities in rheumatoid arthritis : a prospective, multicenter over 10-year cohort study of outpatients 244 <i>Y. Terashima, et al.</i> , Hyogo Organization for Spinal Disorders
1-5-F7-3	Cancel
1-5-F7-4	The radiographic features of degenerative lumbar scoliosis in rheumatoid arthritis patients – matched cohort study 245 <i>H. Yasuda, et al.</i> , Dept. of Orthop. Surg, Osaka General Hospital of Japan Railway Company
1-5-F7-5	Assessment of three dimensional kinematic and morphological change in subaxial cervical spine with rheumatoid arthritis 246 <i>T. Sugiura, et al.</i> , Department of Orthopaedic Surgery, Osaka University Graduate School of Medicine
1-5-F7-6	Morbidity and risk factors of cervical lesions in rheumatoid arthritis patients with high disease activity – An epidemiological analysis in patients who have an onset after 2000 – 246 <i>T. Kaito, et al.</i> , Dept. of Orthop. Surg, Osaka Universty Graduate School of Medicine

Free Papers 8

9 : 50~10 : 40

Moderator : M. Sumi

Upper cervical spine 1

- 1-5-F8-1 Analysis of deglutition after occipitocervical arthrodesis for cervical deformity in rheumatoid arthritis..... 247
S. Ebata, et al., Dept. of Orthop. Surg., Yamanashi Univ.
- 1-5-F8-2 Investigation of the etiology of dysphagia after occipitospinal fusion by video fluoroscopy..... 247
S. Kaneyama, et al., Dept. of Orthop. Surg., Kobe Rosai Hospital
- 1-5-F8-3 Minimum 5-year Follow-up Results for Occipitocervical Fusion Using the Screw-Rod System in Craniocervical Instability 248
K. Ando, et al., Dept. of Orthop. Surg., Nagoya Univ. School of Medicine
- 1-5-F8-4 Evaluation between cervical scoliosis and cervical spine fusion in the patients of Klippel-Feil syndrome 248
S. Imagama, et al., Dept. of Orthop. Surg., Nagoya Univ. Graduate School of Medicine
- 1-5-F8-5 Factors associated with the retoro-odontoid soft tissue thickness in non-RA patients 249
S. Dohzono, et al., Department of Orthopaedic Surgery, Osaka City University Graduate School of Medicine, Osaka, japan
- 1-5-F8-6 Comparison between anterior and posterior approaches for the surgical treatment of cervical myelopathy due to C3-4 stenosis..... 249
K. Tamai, et al., Department of orthopedics surgery, Osaka City University Graduate School of Medicine, Osaka, Japan

Free Papers 9

10 : 40~11 : 30

Moderator : K. Suda

Upper cervical spine 2

- 1-5-F9-1 Radiographic analysis of retro-odontoid soft tissue in patients of atlantoaxial subluxation 250
E. Taguchi, et al., Department of Orthopaedic Surgery, National Defence Medical College, Tokorozawa, Japan
- 1-5-F9-2 Radiographic analysis of atlantoaxial subluxation in non-RA patients..... 250
H. Horiuchi, et al., Spine Center, Ehime Univ. Hospital
- 1-5-F9-3 The time course of graft bone in atlantoaxial fixation with transarticular screw 251
R. Tsutsumi, et al., Dept. of Orthop. Osaka Red Cross Hospital, Osaka Japan
- 1-5-F9-4 Can We Predict Intra-operative Airway Pressure in Posterior Cervical Surgery by means of the Pre-operative BMI, Respiratory Function, and Intra-operative High Cervical Alignment ? 251
N. Manabe, et al., Gunma Spine Center (Harunaso Hospital)
- 1-5-F9-5 Radiological evaluation of C1 anterior arch fracture following C1 laminectomy..... 252
S. Kumamoto, et al., Department of Spine and Spinal Cord Surgery Center, Shin-Komonji Hospital, Kitakyushu, Japan

- 1-5-F9-6 Pathology of fracture of the anterior arch following C1 laminectomy- Finite element analysis - ... 252
T. Shimizu, et al., Dept. of Orthop. Surg., Kyoto Univ. School of Medicine

Break

Luncheon Seminar 5

12 : 00~13 : 00

Moderator : **M. Yoshida**

- 1-5-LS5 Degenerative spinal disease and sarcopenia 253
Y. Sakai, Dept. of Orthop. Surg., National Center for Geriatrics and Gerontology

Break

Free Papers 10

15 : 00~15 : 50

Moderator : **T. Shiraishi**

Cervical myelopathy operation 1

- 1-5-F10-1 More than 20 year follow-up after en bloc cervical laminoplasty 253
Y. Kawaguchi, et al., Dept. of Orthop. Surg., Toyama Univ. School of Medicine
- 1-5-F10-2 Spinal MRI at 1 year after cervical decompression surgery is an useful method for predicting a patient's mid-term clinical outcome 254
S. Ikegami, et al., Dept. of Orthop. Surg., Shinshu Univ. School of Medicine
- 1-5-F10-3 Late neurologic deterioration after C3-6 laminoplasty in patients with cervical spondylotic myelopathy 254
H. Sakaura, et al., Dept. of Orthop. Surg., Kansai Rosai Hospital
- 1-5-F10-4 Prospective randomised comparison between spinous-process splitting laminoplasty and skip laminectomy for multilevel cervical myelopathy 255
K. Ichimura, et al., Dept. of Orthop. Surg., Hyogo Prefectural Kakogawa Medical Center
- 1-5-F10-5 The efficacy of microendoscopic decompression surgery for cervical spondylotic myelopathy : A retrospective case control study using propensity score matching 255
A. Minamide, et al., Dept. of Orthop. Surg., Wakayama Medical University
- 1-5-F10-6 Comparison of evaluation with intraoperative sonography between skip laminectomy and laminoplasty 256
Y. Ito, et al., Spine Center, Yokohama Minami Kyousai Hospital

Free Papers 11

15 : 50~16 : 40

Moderator : H. Miyamoto

Cervical myelopathy operation 2

- 1-5-F11-1 Surgical outcome of posterior decompression for cervical spondylotic amyotrophy 256
N. Sumiyoshi, et al., Dept. of Orthop. Surg., Graduate School of Biomedical Sciences, Hiroshima University
- 1-5-F11-2 Surgical outcomes of proximal-type Cervical Spondylotic Amyotrophy-Comparison of anterior approach versus posterior approach 257
T. Niimura, et al., Dept. of Orthop. Surg., Yokohama Minami Kyousai Hospital
- 1-5-F11-3 The mid-term results of foraminotomy with muscle preserving off-the-midline approach 257
R. Aoyama, et al., Dept. of Orthopaedics, Tokyo Dental College Ichikawa General Hospital, Chiba, Japan
- 1-5-F11-4 Clinical results of microscopic posterior cervical foraminotomy for cervical radiculopathy. 258
K. Hori, et al., Sapporo-minami Orthopedic Hospital
- 1-5-F11-5 Anterior spondylolisthesis is a poor predictor of neurologic outcomes in patients with cervical spondylotic myelopathy following cervical laminoplasty 258
T. Oichi, et al., Dept. of Orthop. Surg., Tokyo Univ. School of Medicine
- 1-5-F11-6 Risk factors for destabilizing for unstable segments after cervical laminoplasty 259
K. Ishida, et al., Dept. of Orthop. Surg., Yokohama City University Medical Hosp.

Free Papers 12

16 : 40~17 : 30

Moderator : S. Kato

Cervical Complications

- 1-5-F12-1 Analysis of C5 palsy after selective laminectomy/laminoplasty in cervical spondylotic myelopathy 259
S. Nori, et al., Dept. of Orthop. Surg., Tokyo Dental College Ichikawa General Hospital
- 1-5-F12-2 Irrigation with chilled water during drilling significantly reduces the incidence of C5 palsy after cervical laminoplasty by decreasing friction heat 260
S. Takenaka, et al., Dept. of Orthop. Surg., Japan Community Healthcare Organization Osaka Hospital
- 1-5-F12-3 Does the distance between the bony gutters affect the clinical and radiological outcomes of double-door laminoplasty for cervical spondylotic myelopathy? 260
K. Miura, et al., Department of Spine and Spinal Cord Surgery, Nagaoka Red Cross Hospital, Nagaoka, Japan
- 1-5-F12-4 Do psychological factors affect axial pain in patients with cervical myelopathy treated with posterior decompression? 261
M. Kawakami, et al., Spine Care Center, Wakayama Medical University Kihoku Hospital

- 1-5-F12-5 An investigation of cervical sagittal balance and axial symptoms after cervical laminoplasty -A prospective analysis between the two groups with or without preservation of semispinalis cervicis muscle-..... 261
T. Inoue, et al., Dept. of Orthop. Surg., The Jikei Univ. School of Medicine
- 1-5-F12-6 Increase in damage to the deep extensor muscles delays the improvement of neck pain in early post-operative period..... 262
R. Aoyama, et al., Dept. of Orthopaedics, Tokyo Dental College Ichikawa General Hospital, Chiba, Japan

Break

Evening Seminar 2

17 : 40~18 : 40

Moderator : **S. Konno**

- 1-5-ES2 Neuroimaging and Chronic pain..... 262
T. Ushida, Director of Multidisciplinary Pain Center and Physical fitness, Sports medicine Rehabilitation Center, Aichi Medical University.

Room 6

Free Papers 13

9 : 00~ 9 : 50

Moderator : **M. Tanaka**

Scoliosis 1

- 1-6-F13-1 Availability of school screening for scoliosis on the momentum to medical attention 263
A. Misawa, et al., Dept. of Orthop. Surg., Akita Prefectural Center on Development and Disability
- 1-6-F13-2 An analysis of school scoliosis screening in Ehime prefecture : examination for the past 15 years 263
T. Morino, et al., Spine Center, Ehime Univ. Hosp.
- 1-6-F13-3 Relationship between exercise habits and incidence or progression of adolescent idiopathic scoliosis 264
T. Hirano, et al., Dept. of Orthop. Surg., Niigata University Medical and Dental Hospital
- 1-6-F13-4 Assessment of Peak Angle Velocity in Patients with Late-onset Idiopathic Scoliosis 264
M. Chazono, et al., Dept. of Orthop. Surg., Utsunomiya Naitonal Hospital
- 1-6-F13-5 Effect of Posterior Surgery on Pre- and Post-operative Sports Activity in Patients with Adolescent Idiopathic Scoliosis..... 265
T. Katogi, et al., Dept. of Physical Therapy,SEIREI SAKURA CITIZEN HOSPITAL
- 1-6-F13-6 Asymmetric appearance in ossification center of ring apophysis in adolescent idiopathic scoliosis (Lenke type 1) 265
T. Makino, et al., Dept. of Orthopaedic Surgery, Osaka University Graduate School of Medicine

Free Papers 14

9 : 50~10 : 40

Moderator : **M. Takaso**

Scoliosis 2

- 1-6-F14-1 Correlation spine mobility and SRS-22 and lowest instrumented vertebra after posterior spinal fusion for adolescent idiopathic scoliosis patients 266
J. Takahashi, et al., Dept. of Orthop. Surg., Shinshu Univ. School of Medicine
- 1-6-F14-2 Postoperative shoulder balance in Lenke Type 5C adolescent idiopathic scoliosis 266
E. Okada, et al., Dept. of Orthop. Surg., Keio Univ. School of Medicine
- 1-6-F14-3 Shoulder balance after collective fusion named Convex manipulation method for adolescent idiopathic scoliosis -A survey on clavicle angle and radiographic shoulder height- 267
K. Hayashi, et al., Dept. of Orthop. Surg., Osaka city Univ. School of Medicine
- 1-6-F14-4 Correction of vertebral rotation by distal pedicle screws in hybrid constructs for thoracic adolescent idiopathic scoliosis 267
H. Moridaira, et al., Dept. of Orthopedic Surgery, Dokkyo Medical University
- 1-6-F14-5 Surgical results in patients with adult idiopathic scoliosis 268
K. Yoshikawa, et al., Juntendo University School of orthopedic and sports department
- 1-6-F14-6 Clinical results of correction surgery for adult idiopathic scoliosis at middle age 268
K. Watanabe, et al., Dept. of advanced treatment for spine and spinal cord disorders, Keio Univ.

Free Papers 15

10 : 40~11 : 30

Moderator : **K. Uno**

Scoliosis 3

- 1-6-F15-1 Clinical outcomes of growing rod techniques with prior foundation establishment in early onset scoliosis 269
T. Chiba, et al., Dept. of Orthop. Surg., Dokkyo University School of Medicine
- 1-6-F15-2 Problems of growing-rod treatments : results of patients who completed rod lengthening 269
K. Watanabe, et al., Dept. of advanced treatment for spine and spinal cord disorders, Keio Univ.
- 1-6-F15-3 An analysis of adolescent idiopathic scoliosis with preoperative coronal decompensation 270
H. Endo, et al., Dept. of Orthop. Surg., Iwate Medical Univ. School of Medicine
- 1-6-F15-4 Surgical treatment of Lenke 2 double thoracic adolescent idiopathic scoliosis with a rigid proximal thoracic curve 270
H. Sudo, et al., Dept. of Orthop. Surg., Hokkaido Univ. hosp.
- 1-6-F15-5 The impact of concave rib head resection on the lung thoracic compliance in posterior correction and fusion for adolescent idiopathic scoliosis 271
Y. Shiba, et al., Dept. of Orthop. Surg., Dokkyo Medical University
- 1-6-F15-6 Complications of Skip Pedicle Screw Fixation for Adolescent Idiopathic Scoliosis 271
M. Uehara, et al., Dept. of Orthop. Surg., Shinshu Univ. School of Medicine

Break

Luncheon Seminar 6

12 : 00~13 : 00

Moderator : **K. Sato**

- 1-6-LS6 Current approach for refractory low back pain 272
S. Ohtori, et al., Dept. of Orthop. Surg., Chiba Univ. School of Medicine

Break

Free Papers 16

15 : 00~15 : 50

Moderator : **K. Ueyama**

Alignment 1

- 1-6-F16-1 Restoration of standing balance following correction surgery in spinal deformities using simultaneous EOS imaging and a force plate measurement 272
K. Hasegawa, et al., Niigata Spine Surgery Center
- 1-6-F16-2 Evaluation of TPA's usefulness as a sagittal parameter for global spinal balance 273
M. Sato, et al., Dept. of Spine Surg., Yokohama Stroke and Brain Center
- 1-6-F16-3 Association of spino-pelvic alignment and T1 pelvic angle with back extensor strength 273
M. Hongo, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 1-6-F16-4 The impact of lumbar muscle volume on craniopelvic sagittal alignment in adult spinal deformity 274
K. Kurosui, et al., Hamamatsu medical center
- 1-6-F16-5 Dose PSO provide an appropriate sagittal balance for adult fixed sagittal imbalance? 274
M. Yagi, et al., Dept. of Orthop. Surg., NHO Murayama Medical Center
- 1-6-F16-6 Corrective fixation surgeries for adult spinal deformity patients improve their walking posture and walking ability 275
H. Arima, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine

Free Papers 17

15 : 50~16 : 40

Moderator : **M. Yamagata**

Alignment 2

- 1-6-F17-1 Wedging deformity of adjacent segment after posterior lumbar interbody fusion 275
K. Tateishi, et al., Department of Orthopaedic Surgery, Japan Health care Organization Osaka Hospital
- 1-6-F17-2 Influence of PLIF on spino-pelvic alignment 276
T. Miwa, et al., Dept. of Orthop. Surg., Kansai Rosai Hospital

- 1-6-F17-3 Relationship between spinopelvic alignment and residual low back pain after lumbar spinal fusion..... 276
K. Tashiro, et al., Spine center,Hakodate,Hakodate,Japan
- 1-6-F17-4 Sagittal alignment change after posterior decompression for lumbar canal stenosis : comparison of lumbar canal stenosis with preoperative malalignment and lumbar degenerative kyphosis 277
T. Masaki, et al., Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hosp.
- 1-6-F17-5 Spinopelvic sagittal imbalance predispose to adjacent segment disease after PLIF 277
T. Matsumoto, et al., Dept. of Orthop. Surg., Osaka Rosai Hospital
- 1-6-F17-6 Clinical outcome related to reduction in high-grade dysplastic spondylolisthesis 278
I. Kawamura, et al., Dept. of Orthopaedic Surgery, Kagoshima University

Free Papers 18

16 : 40~17 : 30

Moderator : T. Maruyama

Alignment 3

- 1-6-F18-1 The comparison on prevalence of Adolescent Scoliosis based on school screening data in Nara city between past 10 years and current 10 years 278
H. Shigematsu, et al., Dept. of Orthop. Surg., Nara medical Univ.
- 1-6-F18-2 A study on age-related changes of Japanese sagittal spino-pelvic alignment in standing position : 279
Y. Koshika, et al., Chiba Central Medical Center,Chiba,Japan
- 1-6-F18-3 TOEI2014 study, Sagittal Spinal Alignment and SRS-22 in High Age Volunteers 279
K. Ide, et al., Dept. of Orthop. Surg., Shizuoka City Shizuoka Hospital
- 1-6-F18-4 TOEI study : Relationship between spinal alignment and osteoarthritis of knee in high age volunteers 280
H. Ushirozako, et al., Dept. of Orthop. Surg., JA Shizuoka Kohseiren Enshu Hospital
- 1-6-F18-5 A clinical result after reposition type of spinous process splitting posterior decompression for lumbar spinal canal stenosis with kissing spine..... 280
K. Ito, et al., Department of spine surgery, Ohashi Medical Center, Toho University, Tokyo, Japan
- 1-6-F18-6 Evaluations on the strain ratio of lumbar paravertebral muscles and spinal alignment : a community-dwelling study 281
N. Miyakoshi, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine

Break

Evening Seminar 3

17 : 40~18 : 40

Moderator : **H. Nakamura**

- 1-6-ES3-1 Positioning and significance for assessment of vertebral fractures in clinical practice for osteoporosis - from a Radiologist viewpoint 281
M. Ito, Nagasaki University Center of Gender Equality
- 1-6-ES3-2 Challenges for treatment of osteoporotic vertebral fracture - Systemic approach by prevention, diagnosis, and Treatment - 282
D. Togawa, Department of Orthopedic Surgery, Hamamatsu University School of Medicine

Room 7

Free Papers 19

9 : 00~ 9 : 50

Moderator : **K. Ijiri**

Spinal infections 1

- 1-7-F19-1 Prevention of surgical site infection (SSI) by instrumentation using iodine-supported instrument in compromised patients 282
T. Ishii, et al., Dept. of Orthop. Surg., Kanazawa Univ.
- 1-7-F19-2 Challenge for 0 % of surgical site infection rate 283
M. Kubota, et al., Department of Spinal Surgery, Kameda Medical Center, Kamogawa
- 1-7-F19-3 Risk factor scoring in spinal surgical site infection 283
Y. Iida, et al., Dept. of Orthop. Surg., Toho Univ.
- 1-7-F19-4 SSI risk is higher in Spinal instrumentation surgery compared to Joint arthroplasty. An interim report of Multicenter Surgical Site Infection Database analysis 284
K. Yamada, et al., Kanto Rosai Hospital
- 1-7-F19-5 Difference in complication rates with or without instrumentation in spinal surgery. An interim report of Multicenter Surgical Site Infection Database analysis 284
A. Higashikawa, et al., Dept. of Orthop. Surg., Kanto Rosai Hospital
- 1-7-F19-6 Prospective Multicenter Surveillance and Risk Factor Analysis of Surgical Site Infection after Cervical Spine Surgery in Adults 285
S. Ogiwara, et al., National Sagamihara Hosp. Dept. of Orthop. Surg.

Free Papers 20

9 : 50~10 : 40

Moderator : **K. Takahashi**

Spinal infections 2

- 1-7-F20-1 Surgical site infection following spine surgery in patients undergoing hemodialysis 285
K. Wada, et al., Dept. of Orthop. Surg., Tokyo Women's Medical University

1-7-F20-2	Effective antibiotics use with PK-PD theory for pyogenic spondylitis..... 286 <i>R. Kadota, et al.</i> , Dept. of Orthop. Surg., Numadu City Hosp.
1-7-F20-3	Beneficial influence of iodine-supported instruments in suppurative spondylitis 286 <i>M. Fujii, et al.</i> , Dept. of Orthop. Surg., Kanazawa Univ. School of Medicine
1-7-F20-4	Prevention of surgical site infection in spinal instrumentation surgery in compromised host - Efficacy of intraoperative vancomycin powder- 287 <i>T. Hirano, et al.</i> , Dept. of Orthop. Surg., Niigata University Medical and Dental Hospital
1-7-F20-5	The effect of preventive measures for postoperative spondylitis after monoportal PLIF surgery · 287 <i>H. Yoshida, et al.</i> , Dept. of Orthopaedic Surgery Fukuoka Higasi Medical Center
1-7-F20-6	The efficacy of local application of vancomycin powder for infection prophylaxis in instrumented spine surgery 288 <i>K. Wada, et al.</i> , Dept. of Orthop. Surg., Tokyo Women's Medical University

Free Papers 21

10 : 40~11 : 30

Moderator : **A. Seichi**

Based on patient-reported outcomes

1-7-F21-1	Fusion process of bone graft within an intervertebral lumbar cage in posterior lumbar interbody fusion..... 288 <i>K. Sawakami, et al.</i> , Dept. of Orthop. Surg., Niigata City General Hospital
1-7-F21-2	A prospective comparative study between OPLL and CSM on the time-dependent change of the axial pain and cervical function after surgery for cervical myelopathy 289 <i>H. Fujiwara, et al.</i> , Dept. of Orthop. Surg., National Hospital Organization Osaka Minami Medical Center
1-7-F21-3	Will psychological disorder be the factor for early postoperative outcome? - the evaluation using JOA and JOABPEQ score for patient with lumbar disc herniation - 289 <i>T. Sainoh, et al.</i> , Department of Orthopaedic Surgery, Sainou hospital
1-7-F21-4	How does the JOACMEQ bladder function reflect the QOL lowering with the urinary disorder?· 290 <i>H. Omi, et al.</i> , Takaoka Seishikai Orthopaedic Hospital
1-7-F21-5	Is it appropriate to assess in aged patients with low back pain using social life impairment score of JOABPEQ?..... 290 <i>T. Ebihara, et al.</i> , Dept. of Orthop. Surg., Nihon Univ. Hospital
1-7-F21-6	The problem of JOABPEQ on evaluation of lumbar canall stenosis-does low back pain affect the result of JOABPEQ?- 291 <i>K. Watanabe, et al.</i> , Dept. of Orthop. Surg, Fukushima Medical University School of Medicine

Break

Luncheon Seminar 7

12 : 00~13 : 00

Moderator : **M. Sumi**

- 1-7-LS7 Clinical Results for 1 and 2 level Cervical Arthroplasty : FDA Study Results, Multi-Center French Study Results and Surgical Technique of Cervical Disc Arthroplasty 291
W. Daniel Bradley, Texas Back Institute Texas United States of America

Break

Free Papers 22

15 : 00~15 : 50

Moderator : **T. Fuji**

Perioperative complication

- 1-7-F22-1 Incidence and risk factors of venous thromboembolic events after spinal surgery 292
H. Hasegawa, et al., Dept of Orthop. Surg., Yamagata Univ. Faculty of Medicine
- 1-7-F22-2 Effect of anticoagulant therapy on perioperative spine surgery 292
K. Fukuda, et al., Kumamotochuuou hospital
- 1-7-F22-3 Efficient search of venous thromboembolism in the perioperative period of lumbar degenerative disease 293
T. Imuro, et al., Atsugi city hospital
- 1-7-F22-4 A Prospective Study of Postoperative Epidural Spinal Hematoma following Cervical Laminoplasty 293
K. Sakai, et al., Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hospital
- 1-7-F22-5 Examination of postoperative spinal epidural hematoma 294
S. Tsuge, et al., Omori red cross hospital
- 1-7-F22-6 Blood pressure change after extubation and high BMI increased risk for postoperative spinal epidural hematoma after spine surgery 294
K. Yamada, et al., Dept. of Orthop. Surg., Eniwa Hospital

Free Papers 23

15 : 50~16 : 40

Moderator : **Y. Arai**

Postoperative complication 1

- 1-7-F23-1 Perioperative complications after spinal posterior reconstructive surgery for paralytic and kyphotic osteoporotic vertebral collapse : a comparative study between primary and secondary osteoporosis 295
N. Miyakoshi, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 1-7-F23-2 Post spine surgery complication of age 80 and over 295
T. Takada, et al., Dept. of Orthop. Surg., Hokuto hospital

1-7-F23-3	Perioperative Complications of Anterior Spinal Fusion to Thoraco-lumbar and Lumbar Spine 296 <i>J. Okumura, et al.</i> , Dept. of Orthop. Surg. Sapporo City Hospital
1-7-F23-4	Clinical Outcomes of Spinal Surgery for Hemodialysis Patients 296 <i>T. Yamada, et al.</i> , Dept. of Orthop. Surg., Tokyo Medical and Dental University
1-7-F23-5	Rod Fracture After Spinal Corrective Fusion for Adult Spinal Deformity 297 <i>T. Yasuda, et al.</i> , Dept. of Orthop. Surg., Hamamatsu Univ. School of Medecine
1-7-F23-6	Bowel bladder dysfunction after spinal surgery : a retrospective study of 22 cases 297 <i>H. Yagi, et al.</i> , Dept. of Orthop. Surg., Nagoya Univ. School of Medicine

Free Papers 24

16 : 40~17 : 30

Moderator : J. Kunogi

Postoperative complication 2

1-7-F24-1	Risk Factors for Reconstruction Failure of Multilevel Cervical Corpectomy with Rotationally Dynamic Plate 298 <i>K. Sakai, et al.</i> , Dept. of Orthop. Surg., Saiseikai Kawaguchi General Hospital
1-7-F24-2	Microendoscopic decompression, PLIF and XLIF for adjacent segment disease after PLIF 298 <i>Y. Takano, et al.</i> , Dept. of Orthop. Surg., Iwai Orthopaedic Medical Hospital
1-7-F24-3	Pitfalls and troubleshooting of PED 299 <i>K. Yoshihara, et al.</i> , Dept. of Orthop. Surg., Sangenjaya Daiichi Hospital
1-7-F24-4	Quality indicator of the safety in spine surgery 299 <i>T. Yamazaki, et al.</i> , Dept. of Orthop. Surg., Musashino Red Cross Hospital
1-7-F24-5	Incidence and effectiveness on outcome of dural tears in Spinal endoscopic surgery : a propensity score analysis 300 <i>K. Soma, et al.</i> , Dept. of Orthop. Surg., The Univ. of Tokyo
1-7-F24-6	Efficacy of caudal epidural block for postoperative spinal epidural hematoma accompanied by no neurologic deficit after surgery of lumbar canal stenosis 300 <i>N. Fujita, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine

Room 8

Free Papers 25

9 : 00~ 9 : 50

Moderator : M. Koda

Basic research 1

1-8-F25-1	Acute hyperglycemia deteriorates functional outcomes after mice and human spinal cord injury · 301 <i>S. Okada, et al.</i> , Dept. of Orthop. Surg., Kyushu Univ. School of Medical Sciences
1-8-F25-2	Necroptosis as a novel cell death mechanism in neural tissue damage after spinal cord injury 301 <i>H. Kanno, et al.</i> , Dept. of Orthop. Surg., Tohoku Univ. School of Medicine

- 1-8-F25-3 Granulocyte colony-stimulating factor-mediated neuroprotective therapy for acute spinal cord injury 302
M. Koda, et al., Dept. of Orthopedic Surgery, Chiba University Graduate School of Medicine, Chiba, Japan
- 1-8-F25-4 Analyses of epigenetic change in the injured mouse spinal cord 302
K. Hori, et al., Department of Orthopaedic Surgery, School of Medicine, Keio University, Tokyo, Japan
- 1-8-F25-5 Assessment of Tumorigenic Potential of Human Induced Pluripotent Stem Cell- derived Neural Stem/Progenitor Cells 303
T. Iida, et al., Dept. of Orthop. Surg., Keio Univ. School of Medicine
- 1-8-F25-6 Mechanism of motor functional restoration in rats with cervical spinal cord hemisection : Electrophysiological verification 303
T. Takeuchi, et al., Keiyu orthopedic Hospital, Keiyu Spine center

Free Papers 26

9 : 50~10 : 40

Moderator : H. Haro

Basic research 2

- 1-8-F26-1 Effect of the Dedifferentiated fat cell (DFAT) transplant on rat degenerated intervertebral disc model 304
E. Nakayama, et al., Dept. of Orthop. Surg., Nihon Univ. School
- 1-8-F26-2 Reactive Oxygen species is a therapeutic target for intervertebral disc degeneration 304
S. Suzuki, et al., Dept. of Orthop. Surg., Keio Univ. School of Medicine
- 1-8-F26-3 A novel mechanism of the action of prostaglandins on nerve growth factor regulation in human intervertebral disc 305
Y. Sawaji, et al., Dept. of Orthop. Surg., Tokyo Medical University
- 1-8-F26-4 The efficacy of anti-RANKL on sensory nervous system in rat model of intervertebral disk injury 305
M. Sato, et al., Dept. of Orthop. Surg., Graduate School of Medicine, Chiba Univ.
- 1-8-F26-5 The efficacy of anti-interleukin-6 receptor antibody for neuropathic pain in mice of sciatic nerve injury model 306
S. Nakayama, et al., Dept of Orthop Surg, Graduate School of Medicine, Chiba Univ.
- 1-8-F26-6 Classification of intervertebral disk degeneration in low back pain with Diffusional Kurotosis Imaging 306
H. Takano, et al., Department of Orthopedic Surgery, Juntendo University School of Medicine

Free Papers 27

10 : 40~11 : 30

Moderator : K. Uchida

Basic research 3

- 1-8-F27-1 Novel candidate gene related to ossification of posterior longitudinal ligament of the spine..... 307
M. Saito, et al., Dept. of Orthop.Surg. Tokyo Medical and Dental Univ
- 1-8-F27-2 An immunohistochemical and biological study of transcriptional factors concerned with enchondral ossification in the ossification front of human cervical OPLL 307
D. Sugita, et al., Dept. of Orthip and Rehabilitation Medicine Fukui University Faculty Medical Science
- 1-8-F27-3 Investigational study on the effect of teriparatide on spinal hyperostosis lesion using a mouse model for diffuse idiopathic skeletal hyperostosis 308
H. Hamano, et al., Dept. of Orthop. Surg.,Hokkaido Univ. School of Medicine
- 1-8-F27-4 Osteoporotic pain can be activated via baroreceptor TRPV4 in ovariectomized rats..... 308
S. Orita, et al., Dept. of Orthop. Surg., Chiba Univ. School of Medicine
- 1-8-F27-5 Anti NGF therapy for pain originated from muscle injury inrats 309
M. Suzuki, et al., Dept of Orthop Surg, Graduate School of Medicine, Chiba Univ
- 1-8-F27-6 Screening of muscle-enhancer for treatment of sarcopenia and effect on para-spinal muscles 309
T. Hida, et al., Dept. of Orthop. Surg.,Nagoya University Graduate School of Medicine

Break

Free Papers 28

15 : 00~15 : 50

Moderator : H. Komori

Imaging diagnosis / functional diagnosis 1

- 1-8-F28-1 Clinical features of cervical compressive myelopathy with especially prolongation of central motor conduction time in upper limbs 310
K. Fujimoto, et al., Department of Orthopaedic Surgery, Yamaguchi University Graduate School of Medicine
- 1-8-F28-2 Correlation between central motor conduction time and quantitative evaluation of cervical spinal cord compression on MRI in cervical spondylotic myelopathy 310
T. Rikita, et al., Department of Orthopaedic surgery, Hiroshima Universit
- 1-8-F28-3 Electrophysiological evaluation for foraminal stenosis of lumbar spine..... 311
M. Shiba, et al., Dept. of Orthop. Surg. Tokyo Women's Medical University
- 1-8-F28-4 Myotomal Innervation Mapping of Lower Extremity Using Direct Intraoperative Nerve Root Stimulation 311
M. Takao, et al., Department of Clinical Engineering, SAPPORO MEDICAL UNIVERSITY HOSPITAL

- 1-8-F28-5 Spontaneous abnormal discharge in the lumbar multifidus muscle worth diagnosing the lumbar foramina stenosis 312
M. Takeuchi, et al., Dept. of Spine Center, Aichi Medical University
- 1-8-F28-6 A study of redundant nerve roots in patients with lumbar spinal stenosis : comparison between magnetic resonance imaging and myelogram 312
D. Nagakura, et al., Dept. of Orthop. Surg., Saitama Medical Univ. School of Medicine

Free Papers 29

15 : 50~16 : 40

Moderator : **S. Hirabayashi**

Aging spine 1

- 1-8-F29-1 Clinical results of microsurgical bilateral decompression via unilateral approach for lumbar spinal canal stenosis in the patients aged 80 years or order 313
T. Tsujio, et al., Dept. of Orthop. Surg. and Spinal Center, Shiraniwa Hospital
- 1-8-F29-2 Clinical and radiological outcomes of posterior lumbar fixation for degenerated spondylolisthesis or scoliosis in elderly patients over 80 years old 313
H. Kosaka, et al., Dept. of Orthop. Surg., Takamatsu Red Cross Hospital
- 1-8-F29-3 Surgical outcomes of elderly patients with lumbar degenerative disease treated by lumbar interbody fusion 314
Y. Aoki, et al., Dept. of Orthop. Surg., Eastern Chiba Medical Center.
- 1-8-F29-4 Activity and life prognosis after surgical treatment with spinal instrumentation for the elderly over 80 years old : mid- to long-term clinical results 314
Y. Ishikawa, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 1-8-F29-5 Surgical experience of the patients over 90 with spinal disease 315
H. Hirota, et al., Department of Orthopaedic Surgery, Nanpuh Hospital, Kagoshima, Japan
- 1-8-F29-6 Spinal instrumentation for super elderly patients 315
S. Onda, et al., Spine Center, Hakodate Central General Hospital

Free Papers 30

16 : 40~17 : 30

Moderator : **H. Matsui**

Aging spine 2

- 1-8-F30-1 Epidemiology of cervical spinal cord injuries in south area of Tokushima of which aging and depopulation progress (2006-2013) 316
K. Fujii, et al., Dept. of Orthop. Surg., Tokushima Red Cross Hospital
- 1-8-F30-2 What prevents the rehabilitation of the elderly with cervical spinal cord injury to home? 316
M. Ishii, Dept. of Orthop. Surg. Hoshigaoka Medical Center
- 1-8-F30-3 Pathosis and therapeutic strategy of dropped head syndrome in elderly patients 317
H. Tanaka, et al., Dept. of Orthop. Surg., Tokyo Medical Univ. Tokyo, Japan

1-8-F30-4	Surgical results of expansive open-door laminoplasty (ELAP) for cervical myelopathy due to cervical spondylosis in elderly patients more than 75 years old 317 <i>T. Hikata, et al.</i> , Dept. of Orthop. Surg., Keio Univ. School of Medicine
1-8-F30-5	How does sarcopenia effect on spinal sagittal alignment and motor function? 318 <i>T. Hida, et al.</i> , Dept. of Orthop. Surg, Nagoya University Graduate School of Medicine
1-8-F30-6	Assessment of quality of life after lumbar spinal surgery to elderly patients older than 75 years... 318 <i>S. Dohzono, et al.</i> , Department of Orthopaedic Surgery, Osaka City University Graduate School of Medicine, Osaka, japan

Poster Room

English Poster Award

16 : 00~16 : 50

Moderator : **S-H. Lee**

1-EPA-1	Is That Flat Back Flexible or Rigid? A New Method for Evaluating Thoracic Spine Flexibility 319 <i>M. Ino, et al.</i> , Gunma Spine Center
1-EPA-2	Increased risk of spinal cord injury in patients with diabetes : a nationwide population-based retrospective cohort study 319 <i>CC. Liao, et al.</i> , Department of Anesthesiology, Taipei Medical University Hospital, Taipei, Taiwan
1-EPA-3	A Prospective, Randomized Study Comparing Selective Laminectomy and Conventional Laminoplasty for Cervical Spondylotic Myelopathy : A Minimum of 2-year Follow-up 320 <i>T. Yoshii, et al.</i> , Departmet of Orthopaedic Surgery, Tokyo Medical and Dental University
1-EPA-4	Anatomical locations of common iliac veins at the level of Sacrum - perforation risk is related to the trajectory angle of screws - 320 <i>J. Akhgar, et al.</i> , Dept. of Orthopaedic Surgery, Osaka City University Graduate School of Medicine
1-EPA-5	Outcomes after spinal cord injury in patients with previous anemia : a nationwide population-based study 321 <i>YC. Chou, et al.</i> , Department of Physical Medicine and Rehabilitation, China Medical University Hospital, Taichung, Taiwan
1-EPA-6	Local application of the sympathetic nerve blockers around the dorsal root ganglion reduces painful behavior in a lumbar radiculopathy model 321 <i>I. Ogon, et al.</i> , Department of Orthopaedic Surgery, Sapporo Medical University School of Medicine
1-EPA-7	Clinical and radiographic risk factor for knee-spine syndrome in 535 elderly volunteers (TOEI study) 322 <i>S. Kobayashi, et al.</i> , Department of Orthopedic Surgery, Hamamatsu University School of Medicine
1-EPA-8	Differential diagnosis of malignant and benign vertebral fractures using magnetic resonance imaging 322 <i>T. Takigawa, et al.</i> , Department of Orthopaedic Surgery, Okayama University Hospital

- 1-EPA-9 Comparison of Typical Thoracic Curves and Atypical Thoracic Curves within the Lenke 1 Classification 323
T. Fujimori, et al., Dept. Orthop. Surg. Sumitomo Hospital/Dept. Orthop. Surg. Rady Children Hospital
- 1-EPA-10 Surgical Strategy for Intramedullary Spinal Cord Tumors Based on the Transcranial Electrically Stimulated Muscle Evoked Potential Monitoring : The JSSR Prospective Multi-Center Study 323
Y. Fujiwara, et al., Department of Orthopedic Surgery, Hiroshima City Asa Hospital

English Poster Session 1

16 : 00~16 : 30

Moderator : **S. Yabuki**

- 1-EP1-1 The role of surgery in the management of isolated metastases from renal cell carcinoma to the spine - Can surgical resection prolong the survival? - 324
S. Kato, et al., Department of Orthopaedic Surgery, Kanazawa University
- 1-EP1-2 Knee extension muscular strength is associated with pelvic anteversion in healthy elderly volunteers 325
T. Yamada, et al., Department of Orthopaedic Surgery Hamamatsu University School of Medicine
- 1-EP1-3 Cervical kyphosis and spinal balance in adolescent idiopathic scoliosis 325
K. Ito, et al., Department of Orthopaedic Surgery, Nagoya University Hospital, Graduate School of Medicine
- 1-EP1-4 Incidence and risk factors for recurrent proximal junctional kyphosis following adult spinal deformity surgery 326
H. Funao, et al., Department of Orthopaedic Surgery, Kawasaki Municipal Hospital
- 1-EP1-5 Characteristics of thoracic ossification of the ligamentum flavum in professional baseball players : comparison with age- and sex-matched control subjects 326
K. Kato, et al., Department of Orthopaedic Surgery, Fukushima Medical University, School of Medicine
- 1-EP1-6 Intervertebral Bridging Ossifications Increase the Risk of Intravertebral Cleft Formation Following a Vertebral Compression Fracture 327
A. Kimura, et al., Jichi Medical University

English Poster Session 2

16 : 30~17 : 00

Moderator : **W. Wajanavisit**

- 1-EP2-1 Adverse reactions to repetitive lumbar magnetic stimulation 327
Y. Nakao, et al., Dep. of Developmental Physiology, National Institute for Physiological Sciences
- 1-EP2-2 Evaluation of Thoracic Factor Following Scoliosis Surgery in Patients With Scoliosis and Pectus Excavatum 328
R. Tauchi, et al., Meijo Hospital

- 1-EP2-3 Prevention of spinal cord injury using monitoring of waveform deterioration in cervical screw fixation 328
K. Kobayashi, et al., Department of Orthopaedic Surgery, Nagoya University Graduate School of Medicine
- 1-EP2-4 Rapamycin, a mTORC1 Inhibitor, Has Beneficial, but Other mTOR modulators Have Harmful Effects on the Intervertebral Disc Cellular Apoptosis, Senescence, and Extracellular Matrix Degradation 329
T. Yurube, et al., Kobe Univ. Graduate School of Medicine/Univ. of Pittsburgh
- 1-EP2-5 Physical signs and clinical features of elderly patients with cervical myelopathy : Comparison of 3 different age groups in 100 consecutive operative cases 329
T. Hamasaki, et al., National Hospital Organization Kure Medical Center, Chugoku Cancer Center
- 1-EP2-6 Cervical spinal fractures in patient with diffused idiopathic spinal hyperostosis : a multicenter study, Nagoya spine group 330
M. Tsushima, et al., Nagoya University Graduate School of Medicine

Poster 1

16 : 00~16 : 30

Moderator : **H. Takahashi**

Minimally invasive decompression surgery 1

- 1-P1-1 Magnetic resonance image findings in the early post-operative period after micro lumbar discectomy 330
K. Takayama, et al., Dept. of Orthop. Surg., Seikeikai Hospital
- 1-P1-2 Comparison of microsurgical bilateral decompression through a unilateral approach and bilateral fenestration for lumbar spinal canal stenosis 331
R. Miyake, et al., Dept. of Orthop. Surg., Takamatsu Municipal Hospital
- 1-P1-3 Radiographic evaluation of the facet joint preservation and postoperative bone re-growth in microscopic bilateral decompression via a unilateral approach for degenerative lumbar disease. – Minimum five-year follow-up – 331
S. Dohzono, et al., Department of Orthopaedic Surgery, Osaka City University Graduate School of Medicine, Osaka, Japan
- 1-P1-4 Surgical outcome after bilateral decompression via unilateral approach for lumbar spinal stenosis : Invasion to facet joint and feasibility in cases of upper lumbar level 332
H. Takahashi, et al., Department of Orthopaedic Surgery, Toho University Sakura Medical Center
- 1-P1-5 Microendoscopic laminotomy for lumbar spinal canal stenosis with 3DCT-navigation system 332
Y. Kono, et al., Chiba Central Medical Center, Spine Center
- 1-P1-6 Decompression alone is effective for lumbar spinal stenosis with degenerative spondylolisthesis : Slip progression is inevitable, but ceases 1 year after surgery 333
A. Miyauchi, et al., Dept. of Orthop. Surg., Hiroshima City Asa Hospital

Poster 2

16 : 30~17 : 00

Moderator : H. Kataoka

Minimally invasive decompression surgery 2

- 1-P2-1 Lumbago at 1 year post-operation after micro-endoscopic decompression surgery for lumbar canal stenosis 333
H. Kataoka, et al., Dept. of Orthop. Surg., Yamaguchi Rosai Hospital
- 1-P2-2 Clinical results of microendoscopic decompression for lumbar spinal canal stenosis 334
Y. Sakuma, et al., Chiba Central Medical Center Spine Center, Chiba, Japan
- 1-P2-3 Percutaneous Endoscopic Lumbar Laminectomy (PELL) for lumbar spinal canal stenosis 334
S. Okamoto, et al., Orthopaedic and Spine Center, Omigawa Hospital
- 1-P2-4 Impact of degenerative spondylolisthesis or disc herniation on lumbar spinal stenosis 335
T. Aihara, et al., Department of orthopedic surgery, Funabashi Orthopedic Hospital, Funabashi-city, Japan
- 1-P2-5 Clinical outcome of microendoscopic laminotomy for degenerative lumbar spondylolisthesis -In comparison with the cases without spondylolisthesis 335
A. Suzuki, et al., Dept. of Orthop. Surg. Osaka City University
- 1-P2-6 Clinical results of the tandem microendoscopic tandem operation with navigation support 336
Y. Sakuma, et al., Chiba Central Medical Center Spine Center, Chiba, Japan

Poster 3

16 : 00~16 : 30

Moderator : T. Sakai

Minimally invasive decompression surgery 3

- 1-P3-1 Clinical outcomes of Percutaneous Endoscopic Lumbar Discectomy at least 2-year follow-up 336
T. Abe, et al., Dept. of Orthop. Surg., Univ of Tsukuba
- 1-P3-2 How far can Percutaneous Endoscopy's application expand, and where are its limits? 337
F. Ito, et al., Aichi Spine Institute
- 1-P3-3 Hospital stay depends on the surgical approach of PED 337
J. Nakamura, et al., Sangenjaya Daiichi Hospital
- 1-P3-4 Effectiveness of the transforaminal PED procedure with local anesthesia for central type massive herniation 338
T. Funato, et al., Department of Orthopedic surgery, Asou general hospital
- 1-P3-5 New approach for the minimally invasive Transforaminal PED 338
K. Yoshihara, et al., Department of Orthopedic Surgery, Sangenjaya Daiichi Hospital
- 1-P3-6 Lumbar spinal canal stenosis operation using percutaneous endoscopic lumbar discectomy (PELD) system 339
S. Shimizu, et al., Omigawa general hospital Spine and spinal cord center

Poster 4

16 : 30~17 : 00

Moderator : K. Tsuchiya

Minimally invasive decompression surgery 4

- 1-P4-1 Microendoscopic Surgery for the lumbar extra canal lesion –how to control bleeding- 339
K. Tsuchiya, et al., Department of Orthopaedic Surgery, JCHO Kyushu Hospital
- 1-P4-2 Long-term outcome of microscopic lumbar spinous process-splitting laminectomy 340
H. Nomura, et al., Dept. of Orthop. Surg., Hiroshima Red Cross Hospital and Atomic-Bomb Survivors Hospital
- 1-P4-3 Image evaluation of bone regrowth after muscle-preserving interlaminar decompression for lumbar spinal canal stenosis 340
H. Tonomura, et al., Dept. of Orthopaedics, Graduate School of Medical Science, Kyoto Prefectural University of Medicine, Kyoto, Japan
- 1-P4-4 3-years surgical results of microendoscope-assisted T-saw laminoplasty for late elderly patients with cervical spondylotic myelopathy 341
K. Nambu, et al., Dept. of Orthop. Surg., Toyama pref. Saiseikai Takaoka Hospital
- 1-P4-5 The efficacy of microendoscopic spinal decompression surgery for elderly patients with cervical spondylotic myelopathy 341
A. Minamide, et al., Dept. of Orthop. Surg., Wakayama Medical University
- 1-P4-6 Short-term results of cervical microendoscopic interlaminar decompression through a midline approach 342
Y. Oshima, et al., Dept. of Orthop Surg., The Univ. of Tokyo

Poster 5

16 : 00~16 : 30

Moderator : Y. Kotani

Minimally invasive spinal stabilization and fusion 1

- 1-P5-1 Learning curve about percutaneous pedicle screw for MIS-PLIF 342
H. Ikuma, et al., Dept. of Orthop. Surg., Kagawa Rosai Hospital
- 1-P5-2 Spine fellow's initial learning curve in minimally invasive transforaminal lumbar interbody fusion 343
N. Isogai, et al., Dept. of Orthop. Surg., Kawasaki Municipal Hospital
- 1-P5-3 Mid-term clinical and radiological outcomes of transforaminal lumbar interbody fusion with percutaneous pedicle screw system for lumbar foraminal stenosis 343
K. Miura, et al., Dept. of Spine and Spinal Cord Surg., Nagaoka Red Cross Hospital
- 1-P5-4 Surgical results of MIS-TLIF for degenerative lumbar disease –minimum 3 years follow up- 344
K. Ohmori, et al., Center for Spinal Surgery, Nippon Kokan Hospital, Kanagawa, Japan
- 1-P5-5 Survey results for lumbar degenerative scoliosis using MIS-TLIF 344
Y. Suga, et al., Dept. of Orthop. Surg., Shinkawabashi General Hospital
- 1-P5-6 Short term clinical results of XLIF 345
A. Yoshioka, et al., Hachiya Orthopaedic Hospital

Poster 6

16 : 30~16 : 55

Moderator : **K. Mori**

Minimally invasive spinal stabilization and fusion 2

- 1-P6-1 Mid-term operative results of single-level instrumented mini-open posterior lumbar interbody fusion..... 345
T. Tsutsumimoto, et al., Spine Center, Yodakubo Hospital
- 1-P6-2 Clinical results of MIS-PLIF using percutaneous pedicle screws - Comparison of unilateral approach and midline approach 346
T. Ando, et al., Dept.of Orthop.Surg., Nagoya Daini Red Cross Hospital
- 1-P6-3 Percutaneous versus Mini-Open pedicle screw insertion : comparison of surgical outcomes..... 346
Y. Hori, et al., Dept. of Orthop. Surg., Shiraniwa Hosp.
- 1-P6-4 Prophylactic intrawound application of vancomycin powder in mini-open PLIF 347
T. Arizono, et al., Dept. of Orthop. Surg., Kyushu Central Hosp.
- 1-P6-5 Comparison of clinical outcomes of MIS posterior lumbar fusion using aligned connected multiporous HA with local bone vs beta-TCP with local bone 347
T. Miyazaki, et al., Dept. of Orthop. Surg, Steel Memorial Muroran Hospital, Muroran, Hokkaido, Japan

Poster 7

16 : 00~16 : 30

Moderator : **T. Kaito**

Lumber Spinal fusion 1

- 1-P7-1 Does spinopelvic alignment affect the bone union after PLIF/TLIF?..... 348
S. Onda, et al., Spine Center, Hakodate Central General Hospital
- 1-P7-2 Good clinical outcomes and fusion rate of facet fusion with a percutaneous pedicle screw system for degenerative lumbar spondylolisthesis : minimally invasive evolution of posterolateral fusion..... 348
T. Miyashita, et al., Spine Center, Matsudo City Hospital, Chiba, Japan
- 1-P7-3 Risk factors affecting the formation of vertebral endplate cysts and interbody fusion using cortical bone trajectory technique..... 349
K. Matsukawa, et al., Department of Orthopaedic Surgery, National Defense Medical College
- 1-P7-4 A prospective comparative study between PLIF with CBT pedicle screws and with traditional pedicle screws at postoperative 2 years 349
T. Kaito, et al., Dept. of Ortop. Surg, Osaka University Graduate School of Medicine
- 1-P7-5 Pre-operative L5/S1 angle as a tool in predicting post TLIF non-union : a retrospective study ... 350
Y. Kobayashi, et al., Japanese Red Cross Shizuoka Hospital, Spine Center
- 1-P7-6 Risk factors for implant failure of S1 screw at the caudal end of posterior spinal fusion 350
K. Kitayama, Dept. of Orthop. Surg., Kobe Rosai Hospital

Poster 8

16 : 30~17 : 00

Moderator : S. Kawaguchi

Lumber Spinal fusion 2

- 1-P8-1 The incidence of adjacent segment disease in posterior interbody fusion with dynamic stabilization 351
N. Tachibana, et al., Department of Spine and Orthopedic Surgery, Japanese Red Cross Medical Center
- 1-P8-2 Postoperative translation of proximal adjacent vertebra is a risk factor for proximal junctional deformity in the coronal plane after posterior lumbar fusion surgery 351
N. Isogai, et al., Dept. of Orthop. Surg., Kawasaki Municipal Hospital
- 1-P8-3 Comparative study of the postoperative adjacent segment disease between TLIF and Microscopic bilateral decompression via unilateral approach in L4 spondylolisthesis 352
S. Ohyama, et al., Dept. of Orthop. Surg., Osaka City General Hospital
- 1-P8-4 Surgical approach for adjacent segment degeneration after transforaminal lumbar interbody fusion (TLIF) 352
K. Fushimi, et al., Dept. of Orthopaedic Surg., Spine Centre, Kizawa Memorial Hospital
- 1-P8-5 Complications in adult spinal deformity following long instrumentation with S2 alar-ilic screws 353
T. Abe, et al., Akita Kousei Medical Center
- 1-P8-6 Radiographic outcomes of long spinal fusion with iliac screw fixation in adult spinal deformity 353
M. Fukuoka, et al., Dept. of Orthop. Surg., Nagoya City Univ. Graduate School of Medical Sciences

Poster 9

16 : 00~16 : 25

Moderator : Y. Murata

Osteoporotic vertebral fracture 1

- 1-P9-1 Clinical outcome of posterior instrumentation surgery for osteoporotic vertebral fracture in thoracolumbar spine 354
H. Sano, et al., Dept. of Orthop. Surg., Kyorin Univ. School of Medicine
- 1-P9-2 Short term surgical outcome of minimally spinal stabilization for osteoporotic vertebral fracture 354
A. Kojima, et al., Dept. of Orthop. Surg., St. Joseph's Hospital
- 1-P9-3 Surgical treatment of low lumbar osteoporotic vertebral collapse 355
H. Nakajima, et al., Dept. of Orthop. and Rehabil. Med., Univ. of Fukui Faculty of Medical Sciences
- 1-P9-4 Risk factor analysis of the occurrence of osteoporotic vertebral collapse with neurological deficits 355
M. Kashii, et al., Dept. of Orthop. Surg., Osaka Univ. Graduate school of Medicine
- 1-P9-5 Clinical results of minimum invasive spine stabilization with percutaneous pedicle screws for thoracolumbar spinal fractures in diffuse idiopathic skeletal hyperostosis 356
T. Matsumoto, et al., Dept. of Orthop. Surg., Nokami Kosei General Hosp.

Poster 10

16 : 30~17 : 00

Moderator : **R. Takemasa**

Osteoporotic vertebral fracture 2

- 1-P10-1 Local sagittal alignment after posterior pedicle screw short fusion associated with vertebral plasty for osteoporotic vertebral collapse 356
E. Mori, et al., Dept. of Orthop. Surg., Spinal Injuries Center, Iizuka, Japan
- 1-P10-2 Results of posterior fusion and vertebroplasty for collapse following osteoporotic vertebral fractures in the elderly 357
N. Notani, et al., Department of Orthopaedic Surgery, Oita University Faculty of Medicine, Yufu city, Oita, Japan
- 1-P10-3 A clinical study of vertebroplasty with posterolateral fusion for pseudoarthrosis after osteoporotic vertebral fracture. -The fusion level are favorable at more 2 above-2below fusion- 357
T. Shirahata, et al., Dept. of Orthop. Surg., Showa Univ. School of Medicine
- 1-P10-4 Surgical outcomes of vertebroplasty with posterior instrumented fusion surgery for osteoporotic vertebral collapse 358
K. Kishima, et al., Takarazuka city hospital
- 1-P10-5 Minimally invasive reconstruction utilizing with percutaneous vertebroplasty and percutaneous pedicle screw for the thoracolumbar burst fracture 358
K. Kitahara, et al., Dept. of Orthopaedic Surg., Kudanzaka Hospital
- 1-P10-6 Radiculopathy with delayed union of osteoporotic vertebral fracture 359
K. Tamai, et al., Department of orthopedics surgery, Osaka City University Graduate School of Medicine, Osaka, Japan

Poster 11

16 : 00~16 : 30

Moderator : **S. Komatsubara**

Teriparatide

- 1-P11-1 PTH was useful for loosening prevention of pedicle screw 359
K. Fujita, et al., Yamanashi University Department of Orthopaedics
- 1-P11-2 Effectiveness of teriparatide for the patients with delayed union of osteoporotic vertebral fracture 360
Y. Yoshida, et al., Dept. of Orthop. Surg., Yamaguchi Univ. School of Medicine
- 1-P11-3 Patient-based outcome of Teriparatide for osteoporotic vertebral fracture of thoracolumbar spine 360
O. Tsuji, et al., Dept. of Orthop. Surg., JCHO Saitama Medical Center
- 1-P11-4 Effects of preoperative administration of teriparatide on spinal instrumentation surgeries 361
K. Ebata, et al., Dept. of Orthop. Surg., Yokote Municipal Hosp., Yokote City, Japan

- 1-P11-5 Effect of Teriparatide on subsequent vertebral fracture following multilevel instrumented fusion surgery for osteoporotic vertebral collapse 361
K. Maruo, et al., Dept. of Orthop. Surg., Hyogo College of Medicine
- 1-P11-6 Does prophylactic use of Teriparatide reduce type 2 PJK? 362
M. Yagi, et al., Dept. of Orthop. Surg., NHO Murayama Medical Center

Poster 12

16 : 30~17 : 00

Moderator : **T. Aizawa**

Alignment

- 1-P12-1 Factors associated with improvement of spinal sagittal alignment after microendoscopic laminotomy for patients with lumbar spinal canal stenosis 362
S. Dohzono, et al., Department of Orthopaedic Surgery, Osaka City University Graduate School of Medicine, Osaka, japan
- 1-P12-2 Deterioration of sagittal spinal alignment after posterior decompression surgery for lumbar spinal canal stenosis 363
T. Hikata, et al., Dept. of Orthop. Surg., Keio Univ. School of Medicine
- 1-P12-3 Influence of lumbar spinal stenosis on the sagittal balance of the whole spine and our strategy of treatment 363
K. Hashimoto, et al., Dept. of Orthop. Surg., Kindai Univ. Faculty of medicine
- 1-P12-4 Changes in spinal alignment and QOL after corrective surgery for osteoporotic spinal deformity : a comparative study with non-operative patients 364
N. Miyakoshi, et al., Dept. of Orthop. Surg., Akita Univ. Graduate School of Medicine
- 1-P12-5 Impact of spinal deformity due to osteoporotic vertebral fracture on sagittal alignment of the whole spine 364
T. Ikeda, et al., Dept. of Orthop. Surg., Kindai Univ. Faculty of Medicine
- 1-P12-6 Change of Spino-pelvic sagittal alignment after corrective fusion by monoegmental Posterior Lumbar Inter Body Fusion for high grade spondylolisthesis 365
K. Honjoh, et al., Department of Orthopaedics and Rehabilitation Medicine, Faculty of Medical Science, University of Fukui

Poster 13

16 : 00~16 : 30

Moderator : **M. Kanayama**

Spinal deformity 1

- 1-P13-1 Degenerative Lumbar Scoliosis Reduction using Side-loading Posterior Instrumentation -Correction Rate and Total Balance- 365
T. Yamagata, et al., Department of Neurosurgery, Osaka City General Hospital

- 1-P13-2 Optimal lumbar lordosis matched with pelvic incidence was depended on the shape of the vertebral body 366
T. Iimura, et al., Department of Orthopaedic Surgery, Dokkyo Medical University
- 1-P13-3 Does spinopelvic alignment affect curve progression and global spinal imbalance after short segment fusion for degenerative lumbar scoliosis? 366
M. Kanayama, et al., Spine Center, Hakodate Central General Hospital
- 1-P13-4 Surgical indication and its limitation of short fusion for degenerative lumbar scoliosis 367
H. Ohta, et al., Dept. of Orthopedic Surgery, Oita Orthopedic Hospital
- 1-P13-5 Revision rate, reason and risk factor after surgery for adult spinal deformity 367
Y. Inui, et al., Dept. of Orthop. Surg., Kobe Medical Center, Kobe Japan
- 1-P13-6 Correction of lateral interbody fusion (LIF) in severe lumbar scoliosis-what does LIF correct?- 368
Y. Yamato, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine

Poster 14

16 : 30~17 : 00

Moderator : **A. Ono**

Spinal deformity 2

- 1-P14-1 Change in the sagittal spinopelvic and lower limb alignment in patients with osteoarthritis of the knee undergoing total knee arthroplasty 368
M. Chazono, et al., Dept. of Orthop. Surg., Utsunomiya National Hospital
- 1-P14-2 The change of spino-pelvic alignment in patients with completely dislocated hip after total hip arthroplasty 369
T. Yoshihara, et al., Dept. of Orthop. Surg., Saga Univ. School of Medicine
- 1-P14-3 Is iliac cortical density line a new parameter to estimate pelvic tilt? 369
T. Doi, et al., Dept. of Orthop. Surg., Kyushu University Beppu Hospital
- 1-P14-4 Comparative review of the Pelvic Incidence measurement using tomosynthesis, Xray and computed tomography 370
M. Yui, et al., Social Welfare Organization Saiseikai Imperial Gift Foundation inc Saiseikai Kurihashi Hospital
- 1-P14-5 Effectiveness of casting test as preoperative simulation for correction surgery of adult spinal deformity 370
S. Kaneko, et al., Department of Orthopaedic Surgery, National Hospital Organization Murayama Medical Center
- 1-P14-6 Preoperative evaluation by using fulcrum backward bending for adult spinal deformity 371
K. Nakayama, et al., Dept. of Orthop. Surg., Dokkyo Medical University

Poster 15

16 : 00~16 : 30

Moderator : A. Matsumura

Spinal deformity 3

- 1-P15-1 Cranial center of gravity and its compensate mechanism of craniopelvic alignment 371
G. Yoshida, et al., Dept. of Orthop. Surg., Hamamatsu medical center
- 1-P15-2 Surgical outcomes of posterior corrective surgery with multilevel PLIF and rod rotation maneuver for the patients with degenerative lumbar kyphoscoliosis whose Cobb angles were more than 50 degree 372
A. Matsumura, et al., Dept. of Orthop. Surg., Osaka City General Hospital
- 1-P15-3 What is index of Xp in an operation which influences most postoperative sagittal alignment in adult spinal deformity? 372
K. Fujita, et al., Yamanashi University Department of Orthopaedics
- 1-P15-4 Global Tilt effectively evaluate sagittal deformity and clinical outcome 373
Y. Nakao, et al., Dept. of Orthopaedic Surgery, Spine Center, Sanraku Hospital, Tokyo, Japan
- 1-P15-5 A comparative study of spino-pelvic-rhythm between patients with and without degenerative spondylolisthesis 373
K. Yoshioka, et al., Dept. of Orthop. Surg., Kanazawa Univ. School of Medicine
- 1-P15-6 Efficacy of Epoetin beta injection during autologous blood donation before spinal deformity surgery 374
S. Ikegami, et al., Dept. of Orthop. Surg., Shinshu Univ. School of Medicine

Poster 16

16 : 30~17 : 00

Moderator : T. Oda

Spinal deformity 4

- 1-P16-1 The disappearance of the compensatory function in cervical and thoracic spine cause loss of correction after surgery 374
S. Oe, et al., Dept. of Orthop. Surg., Hamamatsu Medical University
- 1-P16-2 The Outcomes of Pedicle Subtraction Osteotomy for Adult Spinal Deformity 375
D. Takeuchi, et al., Dept. of Orthop. Surg., Dokkyo Medical Univ.
- 1-P16-3 Corrective fusion using lateral interbody fusion (LIF) in patients with adult spinal deformity of SRS-Schwab classification curve type L 375
Y. Yamato, et al., Dept. of Orthopaedic Surgery, Hamamatsu Univ. Sch. of Med.
- 1-P16-4 Surgical Indication and Clinical Features of Flat Back Syndrome Compensated By Pelvic Retroversion 376
N. Keiichi, et al., Department of Orthopedic Surgery, Hamamatsu University School of Medicine
- 1-P16-5 Intraoperative predictive factor of postoperative lumbar lordosis in adult spinal deformity 376
K. Kikuchi, et al., Dept. of Orthop. Surg., Akita Kosei Medical center

- 1-P16-6 Self-assessment satisfaction analysis of single level PLIF for lumbar canal stenosis with adult spinal deformity 377
R. Yamasaki, et al., Department of Orthopaedic Surgery, Osaka Rosai Hospital

Poster 17

16 : 00~16 : 30

Moderator : **K. Endo**

Spinal deformity 5

- 1-P17-1 Evaluation of paraspinal muscle fatigue pain and X-ray parameters in patients with spinal kyphotic deformity 377
T. Oyaizu, et al., Dept. of Orthop. Surg., Graduate school of Tokyo Medical and Dental Univ.
- 1-P17-2 Shoulder impingement in Kyphosis patient : a novel concept of spine-affected shoulder syndrome 378
Y. Abe, et al., Dept. of Orthop. Surg., Eniwa Hospital
- 1-P17-3 Causative factor of cervical malalignment after correction surgery of spinal kyphosis 378
K. Endo, et al., Dept. of Orthop. Surg., Tokyo Med. Univ. Tokyo, Japan
- 1-P17-4 Clinical experience of vertebral column resection and posterior fusion surgery for thoracolumbar kyphosis associated with achondroplasia 379
K. Uotani, et al., Department of Orthopaedic Surgery, Okayama University Graduate School of Medicine, Dentistry and Pharmaceutical Sciences
- 1-P17-5 Correction surgery for adult spinal deformity - Requirements for saving the lumbo-sacral junction - 379
T. Iida, et al., Dept. of Orthop. Surg., Dokkyo Medical Univ. Koshigaya Hosp.
- 1-P17-6 Evaluation of radiological parameters on functional position for post operative lumbar degenerative kyphoscoliosis patients 380
T. Kobayashi, et al., Dept. of Orthop. Surg., Akita Kosei Medical Center

Poster 18

16 : 30~17 : 00

Moderator : **S. Ebara**

Spinal deformity 6

- 1-P18-1 Correction of adult spinal deformity using oblique lateral interbody fusion 380
S. Fujibayashi, et al., Dept. of Orthopaedic Surgery, Graduate School of Medicine, Kyoto University
- 1-P18-2 Surgical results of corrective long fusion using OLIF for adult spinal deformity 381
K. Hara, et al., Shiga Spine Center, Hino Memorial Hospital, Shiga
- 1-P18-3 A comparison study of XLIF, OLIF with PPS and conventional method for severe adult spinal deformity 381
T. Harada, et al., Spine Center, Rakuwakai Marutamachi Hospital

- 1-P18-4 Surgical correction of adult spinal kypho-scoliosis healed mucosal damage of gastro-esophageal reflux disease 382
T. Hasegawa, et al., Dept. of Orthop. Surg., Hamamatsu Univ. School of Medicine
- 1-P18-5 Staged reconstruction of adult thoracolumbar kyphoscoliotic deformity with multilevel extreme lateral interbody fusion and posterior instrumentation 382
H. Yamaguchi, et al., Dept. of Spine & Orthop. Surg., Konan Kosei Hosp.
- 1-P18-6 Clinical Outcome of combined OLIF and Posterior MIS approach for adult spinal deformities 383
Y. Kotani, et al., Dept. of Ortho. Surg., and Spine and Spinal Cord Center, Steel Memorial Muroran Hospital

Poster 19

16 : 00~16 : 25

Moderator : **T. Tsuji**

Scoliosis 1

- 1-P19-1 An analysis of important factors for the correction of rib hump in AIS Multicenter study 383
M. Tanaka, et al., Dept. of Orthop. Surg., Okayama University Hospital
- 1-P19-2 The change of axial rotation in thoracic and lumbar curve after thoracic fusion in adolescent idiopathic scoliosis 384
S. Demura, et al., Department of orthopaedic surgery, University of Kanazawa
- 1-P19-3 Sagittal plane analysis after posterior spinal fusion of thoracolumbar/lumbar curve in adolescent idiopathic scoliosis 384
T. Suzuki, et al., Dept. of Orthop. Surg., National Hospital Organization Kobe Medical Center
- 1-P19-4 Radiological Assessment of Shoulder Balance Following Posterior Spinal Fusion for Lenke 1 and 2 Adolescent Idiopathic Scoliosis 385
T. Namikawa, et al., Dept. of Orthop. Surg., Osaka City General Hospital
- 1-P19-5 Postoperative behavior of thoracolumbar/lumbar curve and coronal balance after posterior thoracic fusion for Lenke 1C and 2C adolescent idiopathic scoliosis 385
M. Ishikawa, et al., Spine and Spinal Cord Center, Mita Hospital, International University of Health and Welfare

Poster 20

16 : 30~16 : 55

Moderator : **J. Takahashi**

Scoliosis 2

- 1-P20-1 Examination of the number of screw required for correction of adolescent idiopathic scoliosis thoracic curves 386
J. Takahashi, et al., Dept. of Orthop. Surg., Shinshu Univ. School of Medicine
- 1-P20-2 Using intervertebral disc mobility to determine the lower instrumented level in patients with adolescent idiopathic scoliosis 386
H. Toyoda, et al., Dept. of Orthop. Surg., Osaka City Univ. Graduate School of Medicine

1-P20-3	Is it possible to correct using modified derotation maneuver with single rod in Lenke type 2 AIS ? · 387 <i>M. Machida, et al.</i> , Clinical Research Center, NHO Murayama Medical Center
1-P20-4	An analysis of sagittal alignment in Lenke type 1 and 2 ··········· 387 <i>Y. Shimamura, et al.</i> , Department of Orthopaedic Surgery, Juntendo University School of Medicine
1-P20-5	Accumulation of pleural fluid after collective fusion for adolescent idiopathic scoliosis -A survey for their frequency and associated factors- ··········· 388 <i>K. Saito, et al.</i> , Dept. of Orthop. Surg., Osaka city Univ. School of Medicine

Poster 21

16 : 00~16 : 25

Moderator : **H. Yanagida**

Scoliosis 3

1-P21-1	Surgical results of simultaneous double-rod rotation technique for correction of scoliosis ······· 388 <i>M. Miyazaki, et al.</i> , Department of Orthopaedic Surgery, Faculty of Medicine, Oita University
1-P21-2	The effect of posterior spinal fusion on the morphology of vertebral bodies in skeletal immature adolescent idiopathic scoliosis patients ··········· 389 <i>T. Makino, et al.</i> , Dept. of Orthopaedic Surgery, Osaka University Graduate School of Medicine
1-P21-3	Comparison of sagittal spino-pelvic alignment in young Japanese between person with a Cobb angle of less than 10 degrees and person with a Cobb angle of 10 degrees to less than 20 degrees ······· 389 <i>T. Kikuchi, et al.</i> , Dept. of Orthop. Surg., Kitakami Saiseikai Hospital
1-P21-4	Shoulder impingement on convex side in scoliosis patient : a novel concept of spine-affected shoulder syndrome ··········· 390 <i>Y. Abe, et al.</i> , Dept. of Orthop. Surg., Eniwa Hospital
1-P21-5	Comparative study for preoperative outcomes in AIS ··········· 390 <i>K. Yasuhara, et al.</i> , St.Marianna University school of Medicine